

Xavier Pint

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3456539/xavier-pinto-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

343
papers

17,376
citations

51
h-index

127
g-index

417
ext. papers

22,304
ext. citations

4.4
avg, IF

5.88
L-index

#	Paper	IF	Citations
343	Integrative development of a short screening questionnaire of highly processed food consumption (sQ-HPF).. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 6	8.4	
342	Situation in 2020 of the requirements for the use of PCSK9 inhibitors in Spain: Results of a national survey. <i>Clinica E Investigaci3n En Arteriosclerosis (English Edition)</i> , 2022 , 34, 10-10	0.3	
341	Prospective associations between a priori dietary patterns adherence and kidney function in an elderly Mediterranean population at high cardiovascular risk.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
340	Contribution of cardio-vascular risk factors to depressive status in the PREDIMED-PLUS Trial. A cross-sectional and a 2-year longitudinal study.. <i>PLoS ONE</i> , 2022 , 17, e0265079	3.7	0
339	Association between ankle-brachial index and cognitive function in participants in the PREDIMED-Plus study: cross-sectional assessment. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 846-853	0.7	0
338	Factors associated with successful dietary changes in an energy-reduced Mediterranean diet intervention: a longitudinal analysis in the PREDIMED-Plus trial. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
337	Metformin Use and Cognitive Function in Older Adults With Type 2 Diabetes Following a Mediterranean Diet Intervention. <i>Frontiers in Nutrition</i> , 2021 , 8, 742586	6.2	1
336	Situation in 2020 of the requirements for the use of PCSK9 inhibitors in Spain: Results of a national survey. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2021 ,	1.4	2
335	Glycemic Dysregulations Are Associated With Worsening Cognitive Function in Older Participants at High Risk of Cardiovascular Disease: Two-Year Follow-up in the PREDIMED-Plus Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 754347	5.7	1
334	Association between coffee consumption and total dietary caffeine intake with cognitive functioning: cross-sectional assessment in an elderly Mediterranean population. <i>European Journal of Nutrition</i> , 2021 , 60, 2381-2396	5.2	8
333	High Fruit and Vegetable Consumption and Moderate Fat Intake Are Associated with Higher Carotenoid Concentration in Human Plasma. <i>Antioxidants</i> , 2021 , 10,	7.1	2
332	Milk and Dairy Products Intake Is Related to Cognitive Impairment at Baseline in Predimed Plus Trial. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000728	5.9	1
331	Maternally inherited hypercholesterolemia does not modify the cardiovascular phenotype in familial hypercholesterolemia. <i>Atherosclerosis</i> , 2021 , 320, 47-52	3.1	2
330	Consumption of caffeinated beverages and kidney function decline in an elderly Mediterranean population with metabolic syndrome. <i>Scientific Reports</i> , 2021 , 11, 8719	4.9	3
329	Psychological and metabolic risk factors in older adults with a previous history of eating disorder: A cross-sectional study from the Predimed-Plus study. <i>European Eating Disorders Review</i> , 2021 , 29, 575-587	5.3	0
328	Effects of a psychosocial intervention at one-year follow-up in a PREDIMED-plus sample with obesity and metabolic syndrome. <i>Scientific Reports</i> , 2021 , 11, 9144	4.9	0
327	Reply: Usefulness of Circulating Triglycerides and Estimated Remnant Cholesterol as Predictors of Cardiovascular Risk. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1841-1843	15.1	0

326	Variety in fruits and vegetables, diet quality and lifestyle in an older adult mediterranean population. <i>Clinical Nutrition</i> , 2021 , 40, 1510-1518	5.9	10
325	Asymptomatic Carotid Atherosclerosis Cardiovascular Risk Factors and Common Hypertriglyceridemia Genetic Variants in Patients with Systemic Erythematosus Lupus. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
324	Impact of statin therapy on LDL and non-HDL cholesterol levels in subjects with heterozygous familial hypercholesterolaemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1594-1603	4.5	1
323	Energy Balance and Risk of Mortality in Spanish Older Adults. <i>Nutrients</i> , 2021 , 13,	6.7	1
322	Dietary vitamin D intake and colorectal cancer risk: a longitudinal approach within the PREDIMED study. <i>European Journal of Nutrition</i> , 2021 , 60, 4367-4378	5.2	0
321	Longitudinal changes in adherence to the portfolio and DASH dietary patterns and cardiometabolic risk factors in the PREDIMED-Plus study. <i>Clinical Nutrition</i> , 2021 , 40, 2825-2836	5.9	3
320	Clinical development of bempedoic acid: phase 2 and phase 3 clinical trials. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2021 , 33 Suppl 1, 58-64	1.4	
319	Fruit consumption and cardiometabolic risk in the PREDIMED-plus study: A cross-sectional analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1702-1713	4.5	6
318	Baseline drinking water consumption and changes in body weight and waist circumference at 2-years of follow-up in a senior Mediterranean population. <i>Clinical Nutrition</i> , 2021 , 40, 3982-3991	5.9	2
317	Mediterranean Diet and White Blood Cell Count-A Randomized Controlled Trial. <i>Foods</i> , 2021 , 10,	4.9	4
316	Use of Different Food Classification Systems to Assess the Association between Ultra-Processed Food Consumption and Cardiometabolic Health in an Elderly Population with Metabolic Syndrome (PREDIMED-Plus Cohort). <i>Nutrients</i> , 2021 , 13,	6.7	9
315	Fruit and Vegetable Consumption is Inversely Associated with Plasma Saturated Fatty Acids at Baseline in Predimed Plus Trial. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100363	5.9	1
314	The Added Value of Coronary Calcium Score in Predicting Cardiovascular Events in Familial Hypercholesterolemia. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 2414-2424	8.4	8
313	Low serum iron levels and risk of cardiovascular disease in high risk elderly population: Nested case-control study in the PREvenci3n con Dieta MEDiterr3nea (PREDIMED) trial. <i>Clinical Nutrition</i> , 2021 , 40, 496-504	5.9	4
312	Dietary folate intake and metabolic syndrome in participants of PREDIMED-Plus study: a cross-sectional study. <i>European Journal of Nutrition</i> , 2021 , 60, 1125-1136	5.2	3
311	Mediterranean diet and antihypertensive drug use: a randomized controlled trial. <i>Journal of Hypertension</i> , 2021 , 39, 1230-1237	1.9	
310	Effect of an Intensive Weight-Loss Lifestyle Intervention on Kidney Function: A Randomized Controlled Trial. <i>American Journal of Nephrology</i> , 2021 , 52, 45-58	4.6	4
309	LDL Cholesterol Reduction Variability with Different Types and Doses of Statins in Monotherapy or Combined with Ezetimibe. Results from the Spanish Arteriosclerosis Society Dyslipidaemia Registry. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1	3.9	

308	Mediterranean Diet Maintained Platelet Count within a Healthy Range and Decreased Thrombocytopenia-Related Mortality Risk: A Randomized Controlled Trial. <i>Nutrients</i> , 2021 , 13,	6.7	1
307	Implication between Genetic Variants from APOA5 and ZPR1 and NAFLD Severity in Patients with Hypertriglyceridemia. <i>Nutrients</i> , 2021 , 13,	6.7	1
306	Anthropometric Variables as Mediators of the Association of Changes in Diet and Physical Activity With Inflammatory Profile. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 2021-2029	6.4	
305	Urinary Tartaric Acid, a Biomarker of Wine Intake, Correlates with Lower Total and LDL Cholesterol. <i>Nutrients</i> , 2021 , 13,	6.7	3
304	Validity of the energy-restricted Mediterranean Diet Adherence Screener. <i>Clinical Nutrition</i> , 2021 , 40, 4971-4979	5.9	12
303	Pro-vegetarian food patterns and cardiometabolic risk in the PREDIMED-Plus study: a cross-sectional baseline analysis. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	1
302	Lipoprotein(a) in hereditary hypercholesterolemia: Influence of the genetic cause, defective gene and type of mutation. <i>Atherosclerosis</i> , 2021 ,	3.1	3
301	Physical activity and metabolic syndrome severity among older adults at cardiovascular risk: 1-Year trends. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2870-2886	4.5	1
300	Interplay between cognition and weight reduction in individuals following a Mediterranean Diet: Three-year follow-up of the PREDIMED-Plus trial. <i>Clinical Nutrition</i> , 2021 , 40, 5221-5237	5.9	4
299	Simple sugar intake and cancer incidence, cancer mortality and all-cause mortality: A cohort study from the PREDIMED trial. <i>Clinical Nutrition</i> , 2021 , 40, 5269-5277	5.9	0
298	Asociaci3n entre 3ndice tobillo-brazo y rendimiento cognitivo en participantes del estudio PREDIMED-Plus: estudio transversal. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 846-853	1.5	
297	Mediterranean, DASH, and MIND Dietary Patterns and Cognitive Function: The 2-Year Longitudinal Changes in an Older Spanish Cohort.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 782067	5.3	0
296	Triglycerides, HDL cholesterol and atherogenic dyslipidaemia in the 2019 European guidelines for the management of dyslipidaemias. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2020 , 32, 209-218	1.4	2
295	Incidencia de eventos cardiovasculares y cambios en el riesgo estimado y en el tratamiento de la hipercolesterolemia familiar: registro SAFEHEART. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 828-834	1.5	4
294	Relationship of visceral adipose tissue with surrogate insulin resistance and liver markers in individuals with metabolic syndrome chronic complications. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020 , 11, 2042018820958298	4.5	6
293	Atherogenic Dyslipidaemia 2019. Consensus document of the Atherogenic Dyslipidaemia Group of the Spanish Arteriosclerosis Society. <i>Clinica E Investigaci3n En Arteriosclerosis (English Edition)</i> , 2020 , 32, 120-125	0.3	
292	Leisure time physical activity is associated with improved HDL functionality in high cardiovascular risk individuals: a cohort study. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320925625	3.9	6
291	Dietary Polyphenol Intake is Associated with HDL-Cholesterol and A Better Profile of other Components of the Metabolic Syndrome: A PREDIMED-Plus Sub-Study. <i>Nutrients</i> , 2020 , 12,	6.7	33

290	High fat diets for weight loss among subjects with elevated fasting glucose levels: The PREDIMED study. <i>Obesity Medicine</i> , 2020 , 18, 100210	2.6	1
289	Precipitated sdLDL: An easy method to estimate LDL particle size. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23282	3	4
288	Mortality and compliance with secondary prevention goals of ischaemic heart disease in patients \geq 0 years: observational study. <i>Medicina Clínica (English Edition)</i> , 2020 , 154, 243-247	0.3	
287	Association Between Lifestyle and Hypertriglyceridemic Waist Phenotype in the PREDIMED-Plus Study. <i>Obesity</i> , 2020 , 28, 537-543	8	10
286	Physical fitness and physical activity association with cognitive function and quality of life: baseline cross-sectional analysis of the PREDIMED-Plus trial. <i>Scientific Reports</i> , 2020 , 10, 3472	4.9	16
285	Dysfunctional High-Density Lipoproteins Are Associated With a Greater Incidence of Acute Coronary Syndrome in a Population at High Cardiovascular Risk: A Nested Case-Control Study. <i>Circulation</i> , 2020 , 141, 444-453	16.7	28
284	Association between the 2018 WCRF/AICR and the Low-Risk Lifestyle Scores with Colorectal Cancer Risk in the Predimed Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
283	Incidence of cardiovascular events and changes in the estimated risk and treatment of familial hypercholesterolemia: the SAFEHEART registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 828-834	0.7	1
282	Risk factors differentially associated with non-alcoholic fatty liver disease in males and females with metabolic syndrome. <i>Revista Espanola De Enfermedades Digestivas</i> , 2020 , 112, 94-100	0.9	1
281	Mortality and compliance with secondary prevention goals of ischaemic heart disease in patients \geq 0 years: observational study. <i>Medicina Clínica</i> , 2020 , 154, 243-247	1	
280	The Effect of Physical Activity and High Body Mass Index on Health-Related Quality of Life in Individuals with Metabolic Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
279	Atherogenic Dyslipidaemia 2019. Consensus document of the Atherogenic Dyslipidaemia Group of the Spanish Arteriosclerosis Society. <i>Clínica E Investigación En Arteriosclerosis</i> , 2020 , 32, 120-125	1.4	2
278	Prospective association of physical activity and inflammatory biomarkers in older adults from the PREDIMED-Plus study with overweight or obesity and metabolic syndrome. <i>Clinical Nutrition</i> , 2020 , 39, 3092-3098	5.9	12
277	Impacto de Life's Simple 7 en la incidencia de eventos cardiovasculares mayores en adultos españoles con alto riesgo de la cohorte del estudio PREDIMED. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 205-211	1.5	6
276	Recomendaciones para mejorar el control lipídico. Documento de consenso de la Sociedad Española de Cardiología. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 161-167	1.5	20
275	Diferencias clínicas y genéticas de los pacientes con hipercolesterolemia familiar heterocigota con y sin diabetes mellitus tipo 2. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 718-724	1.5	8
274	Health-related quality of life in individuals with metabolic syndrome: A cross-sectional study. <i>Semergen</i> , 2020 , 46, 524-537	1.9	3
273	Metabolic Syndrome Features and Excess Weight Were Inversely Associated with Nut Consumption after 1-Year Follow-Up in the PREDIMED-Plus Study. <i>Journal of Nutrition</i> , 2020 , 150, 3161-3170	4.1	7

272	Association between dairy product consumption and hyperuricemia in an elderly population with metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 214-222	4.5	6
271	Overall Mortality and LDL Cholesterol Reduction in Secondary Prevention Trials of Cardiovascular Disease. <i>American Journal of Cardiovascular Drugs</i> , 2020 , 20, 325-332	4	
270	Influence of lifestyle factors and staple foods from the Mediterranean diet on non-alcoholic fatty liver disease among older individuals with metabolic syndrome features. <i>Nutrition</i> , 2020 , 71, 110620	4.8	15
269	Clinical and genetic differences between heterozygous familial hypercholesterolemia patients with and without type 2 diabetes. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 718-724	0.7	1
268	Behavioural cardiovascular risk factors and prevalence of diabetes in subjects with familial hypercholesterolaemia. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1649-1660	3.9	4
267	Carbohydrate quality changes and concurrent changes in cardiovascular risk factors: a longitudinal analysis in the PREDIMED-Plus randomized trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 291-306	7	22
266	Genetic contribution to lipid target achievement with statin therapy: a prospective study. <i>Pharmacogenomics Journal</i> , 2020 , 20, 494-504	3.5	2
265	Recommendations to improve lipid control. Consensus document of the Spanish Society of Cardiology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 161-167	0.7	1
264	Mediterranean Diet and Atherothrombosis Biomarkers: A Randomized Controlled Trial. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e2000350	5.9	6
263	Beneficial effect of corticosteroids in preventing mortality in patients receiving tocilizumab to treat severe COVID-19 illness. <i>International Journal of Infectious Diseases</i> , 2020 , 101, 290-297	10.5	26
262	Relationship between Apical Periodontitis and Metabolic Syndrome and Cardiovascular Events: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
261	Consensus document of an expert group from the Spanish Society of Arteriosclerosis (SEA) on the clinical use of nuclear magnetic resonance to assess lipoprotein metabolism (Liposcale [®]). <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2020 , 32, 219-229	0.3	0
260	Dietary Quality Changes According to the Preceding Maximum Weight: A Longitudinal Analysis in the PREDIMED-Plus Randomized Trial. <i>Nutrients</i> , 2020 , 12,	6.7	1
259	Consensus document of an expert group from the Spanish Society of Arteriosclerosis (SEA) on the clinical use of nuclear magnetic resonance to assess lipoprotein metabolism (Liposcale [®]). <i>Clínica E Investigación En Arteriosclerosis</i> , 2020 , 32, 219-229	1.4	2
258	Relationship between olive oil consumption and ankle-brachial pressure index in a population at high cardiovascular risk. <i>Atherosclerosis</i> , 2020 , 314, 48-57	3.1	1
257	Triglycerides, HDL cholesterol and atherogenic dyslipidaemia in the 2019 European guidelines for the management of dyslipidaemias. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2020 , 32, 209-218	0.3	1
256	The Roses Ocean and Human Health Chair: A New Way to Engage the Public in Oceans and Human Health Challenges. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
255	Remnant Cholesterol, Not LDL Cholesterol, Is Associated With Incident Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2712-2724	15.1	58

254	Adherence to the Mediterranean Lifestyle and Desired Body Weight Loss in a Mediterranean Adult Population with Overweight: A PREDIMED-Plus Study. <i>Nutrients</i> , 2020 , 12,	6.7	8
253	Mediterranean Diet Decreases the Initiation of Use of Vitamin K Epoxide Reductase Inhibitors and Their Associated Cardiovascular Risk: A Randomized Controlled Trial. <i>Nutrients</i> , 2020 , 12,	6.7	3
252	Diet quality and nutrient density in subjects with metabolic syndrome: Influence of socioeconomic status and lifestyle factors. A cross-sectional assessment in the PREDIMED-Plus study. <i>Clinical Nutrition</i> , 2020 , 39, 1161-1173	5.9	17
251	Adherence to a priori dietary indexes and baseline prevalence of cardiovascular risk factors in the PREDIMED-Plus randomised trial. <i>European Journal of Nutrition</i> , 2020 , 59, 1219-1232	5.2	12
250	High sleep variability predicts a blunted weight loss response and short sleep duration a reduced decrease in waist circumference in the PREDIMED-Plus Trial. <i>International Journal of Obesity</i> , 2020 , 44, 330-339	5.5	10
249	Fluid and total water intake in a senior mediterranean population at high cardiovascular risk: demographic and lifestyle determinants in the PREDIMED-Plus study. <i>European Journal of Nutrition</i> , 2020 , 59, 1595-1606	5.2	3
248	Longitudinal changes in Mediterranean diet and transition between different obesity phenotypes. <i>Clinical Nutrition</i> , 2020 , 39, 966-975	5.9	6
247	Nutrient adequacy and diet quality in a Mediterranean population with metabolic syndrome: A cross-sectional study. <i>Clinical Nutrition</i> , 2020 , 39, 853-861	5.9	2
246	Effect of changes in adherence to Mediterranean diet on nutrient density after 1-year of follow-up: results from the PREDIMED-Plus Study. <i>European Journal of Nutrition</i> , 2020 , 59, 2395-2409	5.2	4
245	Impact of Life@Simple 7 on the incidence of major cardiovascular events in high-risk Spanish adults in the PREDIMED study cohort. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 205-211	0.7	2
244	Psychometric properties of the Weight Locus of Control Scale (MWLCS): study with Spanish individuals of different anthropometric nutritional status. <i>Eating and Weight Disorders</i> , 2020 , 25, 1533-1542	3.6	1
243	Cross-sectional association between non-soy legume consumption, serum uric acid and hyperuricemia: the PREDIMED-Plus study. <i>European Journal of Nutrition</i> , 2020 , 59, 2195-2206	5.2	5
242	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. <i>European Heart Journal</i> , 2020 , 41, 111-188	9.5	2236
241	Leisure-Time Physical Activity, Sedentary Behaviour and Diet Quality are Associated with Metabolic Syndrome Severity: The PREDIMED-Plus Study. <i>Nutrients</i> , 2020 , 12,	6.7	10
240	Epidemiology, risk factors, and opportunities for prevention of cardiovascular disease in individuals of South Asian ethnicity living in Europe. <i>Atherosclerosis</i> , 2019 , 286, 105-113	3.1	20
239	Indications of PCSK9 inhibitors in clinical practice. Recommendations of the Spanish Society of Arteriosclerosis (SEA), 2019. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2019 , 31, 128-139	1.4	13
238	Toward a new clinical classification of patients with familial hypercholesterolemia: One perspective from Spain. <i>Atherosclerosis</i> , 2019 , 287, 89-92	3.1	20
237	Association of lifestyle factors and inflammation with sarcopenic obesity: data from the PREDIMED-Plus trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 974-984	10.3	21

236	Effects of a Mediterranean Eating Plan on the Need for Glucose-Lowering Medications in Participants With Type 2 Diabetes: A Subgroup Analysis of the PREDIMED Trial. <i>Diabetes Care</i> , 2019 , 42, 1390-1397	14.6	25
235	Residual cardiovascular risk of lipid origin. Components and pathophysiological aspects. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2019 , 31, 75-88	0.3	2
234	Mediterranean alcohol-drinking pattern, low to moderate alcohol intake and risk of atrial fibrillation in the PREDIMED study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 676-683	4.5	16
233	Effect of a high-fat Mediterranean diet on bodyweight and waist circumference: a prespecified secondary outcomes analysis of the PREDIMED randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, e6-e17	18.1	47
232	Dietary Diversity and Nutritional Adequacy among an Older Spanish Population with Metabolic Syndrome in the PREDIMED-Plus Study: A Cross-Sectional Analysis. <i>Nutrients</i> , 2019 , 11,	6.7	14
231	High prevalence of gallstone disease in rheumatoid arthritis: A new comorbidity related to dyslipidemia?. <i>Reumatología Clínica (English Edition)</i> , 2019 , 15, 84-89	0.1	
230	Sleep Duration is Inversely Associated with Serum Uric Acid Concentrations and Uric Acid to Creatinine Ratio in an Elderly Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019 , 11,	6.7	6
229	Nut Consumptions as a Marker of Higher Diet Quality in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019 , 11,	6.7	9
228	A Mediterranean Diet Rich in Extra-Virgin Olive Oil Is Associated with a Reduced Prevalence of Nonalcoholic Fatty Liver Disease in Older Individuals at High Cardiovascular Risk. <i>Journal of Nutrition</i> , 2019 , 149, 1920-1929	4.1	35
227	Long Daytime Napping Is Associated with Increased Adiposity and Type 2 Diabetes in an Elderly Population with Metabolic Syndrome. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
226	Role of HDL function and LDL atherogenicity on cardiovascular risk: A comprehensive examination. <i>PLoS ONE</i> , 2019 , 14, e0218533	3.7	19
225	Indications of PCSK9 inhibitors in clinical practice. Recommendations of the Spanish Society of Arteriosclerosis (SEA), 2019. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2019 , 31, 128-139	0.3	
224	Total and Subtypes of Dietary Fat Intake and Its Association with Components of the Metabolic Syndrome in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019 , 11,	6.7	30
223	Standards for global cardiovascular risk management arteriosclerosis. <i>Clínica E Investigación En Arteriosclerosis</i> , 2019 , 31 Suppl 1, 1-43	1.4	1
222	Effect of a Nutritional and Behavioral Intervention on Energy-Reduced Mediterranean Diet Adherence Among Patients With Metabolic Syndrome: Interim Analysis of the PREDIMED-Plus Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1486-1499	27.4	38
221	Increased Consumption of Virgin Olive Oil, Nuts, Legumes, Whole Grains, and Fish Promotes HDL Functions in Humans. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1800847	5.9	16
220	Assigning an impact factor to the journal <i>Clínica e Investigación en Arteriosclerosis</i> . An increasingly achievable objective. <i>Clínica E Investigación En Arteriosclerosis</i> , 2019 , 31, 261-262	1.4	
219	Non-HDL cholesterol as a therapeutic goal. <i>Clínica E Investigación En Arteriosclerosis</i> , 2019 , 31 Suppl 2, 28-33	1.4	1

218	LDL-cholesterol: The lower the better. <i>Clínica E Investigación En Arteriosclerosis</i> , 2019 , 31 Suppl 2, 16-27	1.4	6
217	Associations between Dietary Polyphenols and Type 2 Diabetes in a Cross-Sectional Analysis of the PREDIMED-Plus Trial: Role of Body Mass Index and Sex. <i>Antioxidants</i> , 2019 , 8,	7.1	17
216	Isotemporal substitution of inactive time with physical activity and time in bed: cross-sectional associations with cardiometabolic health in the PREDIMED-Plus study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 137	8.4	7
215	Longitudinal association of changes in diet with changes in body weight and waist circumference in subjects at high cardiovascular risk: the PREDIMED trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 139	8.4	11
214	Comparative efficacy between atorvastatin and rosuvastatin in the prevention of cardiovascular disease recurrence. <i>Lipids in Health and Disease</i> , 2019 , 18, 216	4.4	6
213	Residual cardiovascular risk of lipid origin. Components and pathophysiological aspects. <i>Clínica E Investigación En Arteriosclerosis</i> , 2019 , 31, 75-88	1.4	4
212	Cohort Profile: Design and methods of the PREDIMED-Plus randomized trial. <i>International Journal of Epidemiology</i> , 2019 , 48, 387-388o	7.8	87
211	Dieta mediterránea hipocalórica y factores de riesgo cardiovascular: análisis transversal de PREDIMED-Plus. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 925-934	1.5	10
210	Adherence to an Energy-restricted Mediterranean Diet Score and Prevalence of Cardiovascular Risk Factors in the PREDIMED-Plus: A Cross-sectional Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 925-934	0.7	11
209	High prevalence of gallstone disease in rheumatoid arthritis: A new comorbidity related to dyslipidemia?. <i>Reumatología Clínica</i> , 2019 , 15, 84-89	0.9	4
208	Dairy products intake and the risk of incident cataracts surgery in an elderly Mediterranean population: results from the PREDIMED study. <i>European Journal of Nutrition</i> , 2019 , 58, 619-627	5.2	2
207	Multiple approaches to associations of physical activity and adherence to the Mediterranean diet with all-cause mortality in older adults: the PREvención con Dieta MEDiterránea study. <i>European Journal of Nutrition</i> , 2019 , 58, 1569-1578	5.2	12
206	Effect of a Lifestyle Intervention Program With Energy-Restricted Mediterranean Diet and Exercise on Weight Loss and Cardiovascular Risk Factors: One-Year Results of the PREDIMED-Plus Trial. <i>Diabetes Care</i> , 2019 , 42, 777-788	14.6	123
205	Dairy product consumption and risk of colorectal cancer in an older mediterranean population at high cardiovascular risk. <i>International Journal of Cancer</i> , 2018 , 143, 1356-1366	7.5	15
204	Fibrates in the secondary prevention of cardiovascular disease (infarction and stroke). Results of a systematic review and meta-analysis of the Cochrane collaboration. <i>Clínica E Investigación En Arteriosclerosis</i> , 2018 , 30, 30-35	1.4	10
203	Homogenization of the lipid profile values. <i>Clínica E Investigación En Arteriosclerosis</i> , 2018 , 30, 36-48	1.4	0
202	Effects of the Ser326Cys Polymorphism in the DNA Repair OGG1 Gene on Cancer, Cardiovascular, and All-Cause Mortality in the PREDIMED Study: Modulation by Diet. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 589-605	3.9	11
201	El informe analítico ideal del perfil lipídico. Necesidad de un consenso. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 512-514	1.5	1

200	Dietary Inflammatory Index and liver status in subjects with different adiposity levels within the PREDIMED trial. <i>Clinical Nutrition</i> , 2018 , 37, 1736-1743	5.9	28
199	Coronary Artery Calcium Score: the "Mammogram" of the Heart?. <i>Current Cardiology Reports</i> , 2018 , 20, 70	4.2	6
198	Influence of 6 genetic variants on the efficacy of statins in patients with dyslipidemia. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 32, e22566	3	7
197	Risk of peripheral artery disease according to a healthy lifestyle score: The PREDIMED study. <i>Atherosclerosis</i> , 2018 , 275, 133-140	3.1	12
196	Retraction and Republication: Primary Prevention of Cardiovascular Disease with a Mediterranean Diet. <i>N Engl J Med</i> 2013;368:1279-90. <i>New England Journal of Medicine</i> , 2018 , 378, 2441-2442	59.2	113
195	Primary Prevention of Cardiovascular Disease with a Mediterranean Diet Supplemented with Extra-Virgin Olive Oil or Nuts. <i>New England Journal of Medicine</i> , 2018 , 378, e34	59.2	1232
194	Identification and diagnosis of patients with familial chylomicronaemia syndrome (FCS): Expert panel recommendations and proposal of an "FCS score". <i>Atherosclerosis</i> , 2018 , 275, 265-272	3.1	69
193	Mediterranean diet and quality of life: Baseline cross-sectional analysis of the PREDIMED-PLUS trial. <i>PLoS ONE</i> , 2018 , 13, e0198974	3.7	65
192	Secondary prevention programme of ischaemic heart disease in the elderly: A randomised clinical trial. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 278-286	3.9	11
191	Dietary Intake in Population with Metabolic Syndrome: Is the Prevalence of Inadequate Intake Influenced by Geographical Area? Cross-Sectional Analysis from PREDIMED-Plus Study. <i>Nutrients</i> , 2018 , 10,	6.7	6
190	Effectiveness of the physical activity intervention program in the PREDIMED-Plus study: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 110	8.4	18
189	Seafood Consumption, Omega-3 Fatty Acids Intake, and Life-Time Prevalence of Depression in the PREDIMED-Plus Trial. <i>Nutrients</i> , 2018 , 10,	6.7	21
188	Consensus document of the Spanish Society of Arteriosclerosis (SEA) for the prevention and treatment of cardiovascular disease in type 2 diabetes mellitus. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2018 , 30 Suppl 1, 1-19	1.4	2
187	Quality of Dietary Fat Intake and Body Weight and Obesity in a Mediterranean Population: Secondary Analyses within the PREDIMED Trial. <i>Nutrients</i> , 2018 , 10,	6.7	26
186	Cross-sectional associations of objectively-measured sleep characteristics with obesity and type 2 diabetes in the PREDIMED-Plus trial. <i>Sleep</i> , 2018 , 41,	1.1	22
185	Autosomal dominant hypercholesterolemia in Catalonia: Correspondence between clinical-biochemical and genetic diagnostics in 967 patients studied in a multicenter clinical setting. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 1452-1462	4.9	7
184	Associations between self-reported periodontal disease, assessed using a very short questionnaire, cardiovascular disease events and all-cause mortality in a contemporary multi-ethnic population: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>Atherosclerosis</i> , 2018 , 278, 110-116	3.1	6
183	Synergistic Opportunities in the Interplay Between Cancer Screening and Cardiovascular Disease Risk Assessment: Together We Are Stronger. <i>Circulation</i> , 2018 , 138, 727-734	16.7	34

182	Association of APOA5 and APOC3 Genetic Polymorphisms With Severity of Hypertriglyceridemia in Patients With Cutaneous T-Cell Lymphoma Treated With Bexarotene. <i>JAMA Dermatology</i> , 2018 , 154, 1424-1431	5.1	6
181	Type 2 diabetes and cognitive impairment in an older population with overweight or obesity and metabolic syndrome: baseline cross-sectional analysis of the PREDIMED-plus study. <i>Scientific Reports</i> , 2018 , 8, 16128	4.9	31
180	KIF6 gene as a pharmacogenetic marker for lipid-lowering effect in statin treatment. <i>PLoS ONE</i> , 2018 , 13, e0205430	3.7	8
179	Characterisation of patients with familial chylomicronaemia syndrome (FCS) and multifactorial chylomicronaemia syndrome (MCS): Establishment of an FCS clinical diagnostic score. <i>Data in Brief</i> , 2018 , 21, 1334-1336	1.2	3
178	COSMIC project: consensus on the objectives of the metabolic syndrome in clinic. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018 , 11, 683-697	3.4	7
177	Fibrates in primary prevention of cardiovascular disease. Comments on the results of a systematic review of the Cochrane Collaboration. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2018 , 30, 188-192	1.4	2
176	Fermented dairy products, diet quality, and cardio-metabolic profile of a Mediterranean cohort at high cardiovascular risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 1002-1011	4.5	13
175	Egg consumption and cardiovascular disease according to diabetic status: The PREDIMED study. <i>Clinical Nutrition</i> , 2017 , 36, 1015-1021	5.9	33
174	Mediterranean diet and risk of heart failure: results from the PREDIMED randomized controlled trial. <i>European Journal of Heart Failure</i> , 2017 , 19, 1179-1185	12.3	50
173	Consensus document on the management of the atherogenic dyslipidaemia of the Spanish Society of Arteriosclerosis. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2017 , 29, 86-91	1.4	16
172	Changes in fatty liver index after consuming a Mediterranean diet: 6-year follow-up of the PREDIMED-Malaga trial. <i>Medicina Clinica</i> , 2017 , 148, 435-443	1	15
171	Omega-3 fatty acids as adjunctive treatment for bexarotene-induced hypertriglyceridaemia in patients with cutaneous T-cell lymphoma. <i>Clinical and Experimental Dermatology</i> , 2017 , 42, 276-281	1.8	8
170	Dietary energy density and body weight changes after 3 years in the PREDIMED study. <i>International Journal of Food Sciences and Nutrition</i> , 2017 , 68, 865-872	3.7	11
169	Mediterranean Diet Improves High-Density Lipoprotein Function in High-Cardiovascular-Risk Individuals: A Randomized Controlled Trial. <i>Circulation</i> , 2017 , 135, 633-643	16.7	129
168	Consensus document on the management of the atherogenic dyslipidaemia of the Spanish Society of Arteriosclerosis. <i>Clinica E Investigaci3n En Arteriosclerosis (English Edition)</i> , 2017 , 29, 86-91	0.3	1
167	Association of Dietary Vitamin K1 Intake With the Incidence of Cataract Surgery in an Adult Mediterranean Population: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Ophthalmology</i> , 2017 , 135, 657-661	3.9	5
166	Protective effect of homovanillyl alcohol on cardiovascular disease and total mortality: virgin olive oil, wine, and catechol-methylation. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1297-1304	7	28
165	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment: Expert position paper made by The Latin American Academy for the Study of Lipids (ALALIP) Endorsed by the Inter-American Society of Cardiology (IASC), the South American Society of Cardiology (SSC), the Pan-American College of Endothelium (PACE), and the International Atherosclerosis Society (IAS). <i>International Journal of Cardiology</i> , 2017 , 243, 516-522	3.2	28

164	Changes in fatty liver index after consuming a Mediterranean diet: 6-Year follow-up of the PREDIMED-Malaga trial. <i>Medicina Clínica (English Edition)</i> , 2017 , 148, 435-443	0.3	2
163	The Mediterranean Diet decreases LDL atherogenicity in high cardiovascular risk individuals: a randomized controlled trial. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1601015	5.9	39
162	Consecución de objetivos terapéuticos de colesterol LDL en niños y adolescentes con hipercolesterolemia familiar. Registro longitudinal SAFEHEART. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 444-450	1.5	32
161	Cardiovascular Efficacy and Safety of Bococizumab in High-Risk Patients. <i>New England Journal of Medicine</i> , 2017 , 376, 1527-1539	59.2	390
160	Associations between Both Lignan and Yogurt Consumption and Cardiovascular Risk Parameters in an Elderly Population: Observations from a Cross-Sectional Approach in the PREDIMED Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017 , 117, 609-622.e1	3.9	6
159	Attainment of LDL Cholesterol Treatment Goals in Children and Adolescents With Familial Hypercholesterolemia. The SAFEHEART Follow-up Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 444-450	0.7	8
158	Potato Consumption Does Not Increase Blood Pressure or Incident Hypertension in 2 Cohorts of Spanish Adults. <i>Journal of Nutrition</i> , 2017 , 147, 2272-2281	4.1	11
157	Chromium Exposure and Risk of Cardiovascular Disease in High Cardiovascular Risk Subjects - Nested Case-Control Study in the Prevention With Mediterranean Diet (PREDIMED) Study. <i>Circulation Journal</i> , 2017 , 81, 1183-1190	2.9	9
156	Reference values assessment in a Mediterranean population for small dense low-density lipoprotein concentration isolated by an optimized precipitation method. <i>Vascular Health and Risk Management</i> , 2017 , 13, 201-207	4.4	4
155	Nonalcoholic fatty liver disease, association with cardiovascular disease and treatment (II). The treatment of nonalcoholic fatty liver disease. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2017 , 29, 185-200	0.3	
154	Recommendations of the Spanish Menopause Society on the consumption of omega-3 polyunsaturated fatty acids by postmenopausal women. <i>Maturitas</i> , 2017 , 103, 71-77	5	8
153	Relationship between cardiovascular disease and dental pathology. Systematic review. <i>Medicina Clínica</i> , 2017 , 149, 211-216	1	5
152	Consensus on the Statin of Choice in Patients with Impaired Glucose Metabolism: Results of the DIANA Study. <i>American Journal of Cardiovascular Drugs</i> , 2017 , 17, 135-142	4	8
151	APOE Variants E2, E3, and E4 Can Be Miscalled By Classical PCR-RFLP When The Christchurch Variant Is Also Present. <i>Journal of Clinical Laboratory Analysis</i> , 2017 , 31,	3	4
150	Nonalcoholic fatty liver disease, association with cardiovascular disease and treatment (II). The treatment of nonalcoholic fatty liver disease. <i>Clínica E Investigación En Arteriosclerosis</i> , 2017 , 29, 185-200	1.4	6
149	Nonalcoholic fatty liver disease, association with cardiovascular disease and treatment. (I). Nonalcoholic fatty liver disease and its association with cardiovascular disease. <i>Clínica E Investigación En Arteriosclerosis</i> , 2017 , 29, 141-148	1.4	6
148	The Effect of a Mediterranean Diet on the Incidence of Cataract Surgery. <i>Nutrients</i> , 2017 , 9,	6.7	10
147	Leisure-time physical activity, sedentary behaviors, sleep, and cardiometabolic risk factors at baseline in the PREDIMED-PLUS intervention trial: A cross-sectional analysis. <i>PLoS ONE</i> , 2017 , 12, e0172253	3.7	35

146	Dietary Marine Ω Fatty Acids and Incident Sight-Threatening Retinopathy in Middle-Aged and Older Individuals With Type 2 Diabetes: Prospective Investigation From the PREDIMED Trial. <i>JAMA Ophthalmology</i> , 2016 , 134, 1142-1149	3.9	60
145	Predictors of short- and long-term adherence with a Mediterranean-type diet intervention: the PREDIMED randomized trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 67	8.4	40
144	New agents for hypercholesterolemia. <i>Medicina Clínica (English Edition)</i> , 2016 , 146, 172-177	0.3	
143	Dietary total antioxidant capacity and mortality in the PREDIMED study. <i>European Journal of Nutrition</i> , 2016 , 55, 227-36	5.2	32
142	Dairy product consumption and risk of type 2 diabetes in an elderly Spanish Mediterranean population at high cardiovascular risk. <i>European Journal of Nutrition</i> , 2016 , 55, 349-60	5.2	94
141	Nutritional adequacy according to carbohydrates and fat quality. <i>European Journal of Nutrition</i> , 2016 , 55, 93-106	5.2	37
140	Yogurt consumption and abdominal obesity reversion in the PREDIMED study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 468-75	4.5	25
139	Attainment of LDL-Cholesterol Treatment Goals in Patients With Familial Hypercholesterolemia: 5-Year SAFEHEART Registry Follow-Up. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1278-85	15.1	168
138	Glycemic index, glycemic load and invasive breast cancer incidence in postmenopausal women: The PREDIMED study. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 524-32	2	13
137	Frequent Consumption of Sugar- and Artificially Sweetened Beverages and Natural and Bottled Fruit Juices Is Associated with an Increased Risk of Metabolic Syndrome in a Mediterranean Population at High Cardiovascular Disease Risk. <i>Journal of Nutrition</i> , 2016 , 146, 1528-36	4.1	43
136	Association between dietary fibre intake and fruit, vegetable or whole-grain consumption and the risk of CVD: results from the PREvenci3 con Dieta MEDiterr3nea (PREDIMED) trial. <i>British Journal of Nutrition</i> , 2016 , 116, 534-46	3.6	57
135	Clinical and molecular characteristics of homozygous familial hypercholesterolemia patients: Insights from SAFEHEART registry. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 953-961	4.9	33
134	Delphi consensus on the diagnosis and management of dyslipidaemia in chronic kidney disease patients: A post hoc analysis of the DIANA study. <i>Nefrologia</i> , 2016 , 36, 679-686	1.5	0
133	Erectile dysfunction and cardiovascular risk factors in a Mediterranean diet cohort. <i>Internal Medicine Journal</i> , 2016 , 46, 52-6	1.6	24
132	Dietary inflammatory index and anthropometric measures of obesity in a population sample at high cardiovascular risk from the PREDIMED (PREvenci3 con Dieta MEDiterr3nea) trial. <i>British Journal of Nutrition</i> , 2015 , 113, 984-95	3.6	157
131	Prevalencia de dislipemia aterog3nica en hipertensos espa3oles y su relaci3n con el control de la presi3n arterial y el da3o org3nico silente. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 592-598	1.5	2
130	Prevalence of Atherogenic Dyslipidemia in Spanish Hypertensive Patients and Its Relationship With Blood Pressure Control and Silent Organ Damage. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 592-8	0.7	1
129	Empirically-derived food patterns and the risk of total mortality and cardiovascular events in the PREDIMED study. <i>Clinical Nutrition</i> , 2015 , 34, 859-67	5.9	27

128	Mediterranean Diet and Invasive Breast Cancer Risk Among Women at High Cardiovascular Risk in the PREDIMED Trial: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2015 , 175, 1752-1760	11.5	276
127	Identifying genetic risk variants for coronary heart disease in familial hypercholesterolemia: an extreme genetics approach. <i>European Journal of Human Genetics</i> , 2015 , 23, 381-7	5.3	10
126	Effects of total dietary polyphenols on plasma nitric oxide and blood pressure in a high cardiovascular risk cohort. The PREDIMED randomized trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 60-7	4.5	126
125	Moderate red wine consumption is associated with a lower prevalence of the metabolic syndrome in the PREDIMED population. <i>British Journal of Nutrition</i> , 2015 , 113 Suppl 2, S121-30	3.6	44
124	Prevalence, Treatment, and Control of Hypercholesterolemia in High Cardiovascular Risk Patients: Evidences from a Systematic Literature Review in Spain. <i>Advances in Therapy</i> , 2015 , 32, 944-61	4.1	24
123	Intake of Total Polyphenols and Some Classes of Polyphenols Is Inversely Associated with Diabetes in Elderly People at High Cardiovascular Disease Risk. <i>Journal of Nutrition</i> , 2015 , 146, 767-777	4.1	62
122	Dietary Glycemic Index and Glycemic Load Are Positively Associated with Risk of Developing Metabolic Syndrome in Middle-Aged and Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1991-2000	5.6	38
121	Dietary Inflammatory Index and Incidence of Cardiovascular Disease in the PREDIMED Study. <i>Nutrients</i> , 2015 , 7, 4124-38	6.7	142
120	Does the Mediterranean diet counteract the adverse effects of abdominal adiposity?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 569-74	4.5	24
119	Recomendaciones de la gu�a para el diagn�stico y tratamiento del aneurisma de aorta abdominal. <i>Angiologia</i> , 2015 , 67, 297-303	0	2
118	Response to Letter Regarding Article, "Extravirgin Olive Oil Consumption Reduces Risk of Atrial Fibrillation: The PREDIMED (Prevenci�n con Dieta Mediterr�nea) Trial". <i>Circulation</i> , 2015 , 132, e140-2	16.7	
117	Is complying with the recommendations of sodium intake beneficial for health in individuals at high cardiovascular risk? Findings from the PREDIMED study. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 440-8	7	19
116	Inverse association between habitual polyphenol intake and incidence of cardiovascular events in the PREDIMED study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 639-47	4.5	199
115	Dietary intake of vitamin K is inversely associated with mortality risk. <i>Journal of Nutrition</i> , 2014 , 144, 743-50	4.1	45
114	MicroRNA-410 regulated lipoprotein lipase variant rs13702 is associated with stroke incidence and modulated by diet in the randomized controlled PREDIMED trial. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 719-31	7	29
113	Polyphenol fraction of extra virgin olive oil protects against endothelial dysfunction induced by high glucose and free fatty acids through modulation of nitric oxide and endothelin-1. <i>Redox Biology</i> , 2014 , 2, 971-7	11.3	74
112	Blood pressure values and depression in hypertensive individuals at high cardiovascular risk. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 109	2.3	6
111	Polyphenol intake and mortality risk: a re-analysis of the PREDIMED trial. <i>BMC Medicine</i> , 2014 , 12, 77	11.4	128

110	Olive oil intake and risk of cardiovascular disease and mortality in the PREDIMED Study. <i>BMC Medicine</i> , 2014 , 12, 78	11.4	198
109	Extravirgin olive oil consumption reduces risk of atrial fibrillation: the PREDIMED (Prevenci3n con Dieta Mediterr3nea) trial. <i>Circulation</i> , 2014 , 130, 18-26	16.7	141
108	Dietary magnesium intake is inversely associated with mortality in adults at high cardiovascular disease risk. <i>Journal of Nutrition</i> , 2014 , 144, 55-60	4.1	40
107	A provegetarian food pattern and reduction in total mortality in the Prevenci3n con Dieta Mediterr3nea (PREDIMED) study. <i>American Journal of Clinical Nutrition</i> , 2014 , 100 Suppl 1, 320S-8S	7	123
106	Use of expert consensus to improve atherogenic dyslipidemia management. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 36-44	0.7	2
105	Consenso de expertos sobre propuestas para la mejora del manejo de la dislipemia aterog3nica. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 36-44	1.5	22
104	Mediterranean diet and heart rate: the PREDIMED randomised trial. <i>International Journal of Cardiology</i> , 2014 , 171, 299-301	3.2	12
103	Prevention of diabetes with Mediterranean diets: a subgroup analysis of a randomized trial. <i>Annals of Internal Medicine</i> , 2014 , 160, 1-10	8	415
102	Obesity indexes and total mortality among elderly subjects at high cardiovascular risk: the PREDIMED study. <i>PLoS ONE</i> , 2014 , 9, e103246	3.7	20
101	A high dietary glycemic index increases total mortality in a Mediterranean population at high cardiovascular risk. <i>PLoS ONE</i> , 2014 , 9, e107968	3.7	11
100	Impact of psychosocial factors on cardiovascular morbimortality: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 135	2.3	9
99	Prevalence of metabolic syndrome in hypertriglyceridaemic patients: higher than it may appear. <i>Current Medical Research and Opinion</i> , 2014 , 30, 233-4	2.5	1
98	Predictive factors of achieving therapeutic goals of hypertriglyceridemia. <i>Current Medical Research and Opinion</i> , 2014 , 30, 19-26	2.5	8
97	Amino acid change in the carbohydrate response element binding protein is associated with lower triglycerides and myocardial infarction incidence depending on level of adherence to the Mediterranean diet in the PREDIMED trial. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 49-58		29
96	Fiber intake and all-cause mortality in the Prevenci3n con Dieta Mediterr3nea (PREDIMED) study. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1498-507	7	59
95	Mediterranean diets and metabolic syndrome status in the PREDIMED randomized trial. <i>Cmaj</i> , 2014 , 186, E649-57	3.5	184
94	Effect of a Mediterranean Diet Intervention on Dietary Glycemic Load and Dietary Glycemic Index: The PREDIMED Study. <i>Journal of Nutrition and Metabolism</i> , 2014 , 2014, 985373	2.7	36
93	Novel association of the obesity risk-allele near Fas Apoptotic Inhibitory Molecule 2 (FAIM2) gene with heart rate and study of its effects on myocardial infarction in diabetic participants of the PREDIMED trial. <i>Cardiovascular Diabetology</i> , 2014 , 13, 5	8.7	7

92	Changes in ultrasound-assessed carotid intima-media thickness and plaque with a Mediterranean diet: a substudy of the PREDIMED trial. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 439-45	8.4	83
91	Recomendaciones de ingesta de omega-3 en los diferentes periodos de la vida de la mujer. <i>Progresos En Obstetricia Y Ginecologia</i> , 2014 , 57, 45-51	0	
90	Inflammation, lipid metabolism and cardiovascular risk in rheumatoid arthritis: A qualitative relationship?. <i>World Journal of Orthopedics</i> , 2014 , 5, 304-11	2.2	24
89	Frequency of nut consumption and mortality risk in the PREDIMED nutrition intervention trial. <i>BMC Medicine</i> , 2013 , 11, 164	11.4	107
88	Mediterranean diet reduces the adverse effect of the TCF7L2-rs7903146 polymorphism on cardiovascular risk factors and stroke incidence: a randomized controlled trial in a high-cardiovascular-risk population. <i>Diabetes Care</i> , 2013 , 36, 3803-11	14.6	102
87	Nivel socioeconómico y desigualdades de salud en la prevención cardiovascular de la población española de edad avanzada. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 803-811	1.5	16
86	Socioeconomic status and health inequalities for cardiovascular prevention among elderly Spaniards. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 803-11	0.7	6
85	Effect of the Mediterranean diet on blood pressure in the PREDIMED trial: results from a randomized controlled trial. <i>BMC Medicine</i> , 2013 , 11, 207	11.4	180
84	Mediterranean dietary pattern and depression: the PREDIMED randomized trial. <i>BMC Medicine</i> , 2013 , 11, 208	11.4	233
83	Cross-sectional associations between macronutrient intake and chronic kidney disease in a population at high cardiovascular risk. <i>Clinical Nutrition</i> , 2013 , 32, 606-12	5.9	26
82	Gazpacho consumption is associated with lower blood pressure and reduced hypertension in a high cardiovascular risk cohort. Cross-sectional study of the PREDIMED trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 944-52	4.5	15
81	Dietary intake and major food sources of polyphenols in a Spanish population at high cardiovascular risk: the PREDIMED study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 953-9	4.5	174
80	Primary prevention of cardiovascular disease with a Mediterranean diet. <i>New England Journal of Medicine</i> , 2013 , 368, 1279-90	59.2	3041
79	Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk. <i>British Journal of Nutrition</i> , 2013 , 110, 337-46	3.6	29
78	Alcohol intake, wine consumption and the development of depression: the PREDIMED study. <i>BMC Medicine</i> , 2013 , 11, 192	11.4	63
77	Cross-sectional assessment of nut consumption and obesity, metabolic syndrome and other cardiometabolic risk factors: the PREDIMED study. <i>PLoS ONE</i> , 2013 , 8, e57367	3.7	78
76	Lifestyles and risk factors associated with adherence to the Mediterranean diet: a baseline assessment of the PREDIMED trial. <i>PLoS ONE</i> , 2013 , 8, e60166	3.7	66
75	La adición de leche fermentada suplementada con esteroides vegetales mejora el cumplimiento de los cambios en el estilo de vida en los pacientes hipercolesterolémicos. Estudio RECIPE. <i>Clínica E Investigaci3n En Arteriosclerosis</i> , 2012 , 24, 173-180	1.4	

74	Influencia de la inflamaci3n y la presencia de amiloide sobre el metabolismo lip3dico en pacientes con artritis reumatoide. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2012 , 24, 226-233	1.4	
73	Cardiac Troponin I Increases in Female Adventure Racers. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 858-859	0.7	
72	Tratamiento combinado con fenofibrato. Seguridad. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2012 , 24, 39-43	1.4	
71	Cardiac troponin I increases in female adventure racers. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 858-91.5	1.5	
70	Documento Abordaje de la dislipidemia. Sociedad Espa3nola de Arteriosclerosis (parte III). <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2012 , 24, 102-107	1.4	2
69	Documento Abordaje de la dislipidemia. Sociedad Espa3nola de Arteriosclerosis (parte II). <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2012 , 24, 40-52	1.4	3
68	Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low. <i>Cardiovascular Diabetology</i> , 2012 , 11, 137	8.7	102
67	Waist-to-height ratio and cardiovascular risk factors in elderly individuals at high cardiovascular risk. <i>PLoS ONE</i> , 2012 , 7, e43275	3.7	53
66	Cohort profile: design and methods of the PREDIMED study. <i>International Journal of Epidemiology</i> , 2012 , 41, 377-85	7.8	369
65	Polyphenol-rich foods in the Mediterranean diet are associated with better cognitive function in elderly subjects at high cardiovascular risk. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 773-82	4.3	202
64	Serum high-density lipoprotein cholesterol levels correlate well with functional but not with cognitive status in 85-year-old subjects. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 449-53	5.2	11
63	Effects of plant sterol esters in skimmed milk and vegetable-fat-enriched milk on serum lipids and non-cholesterol sterols in hypercholesterolaemic subjects: a randomised, placebo-controlled, crossover study. <i>British Journal of Nutrition</i> , 2012 , 107, 1766-75	3.6	27
62	A 14-item Mediterranean diet assessment tool and obesity indexes among high-risk subjects: the PREDIMED trial. <i>PLoS ONE</i> , 2012 , 7, e43134	3.7	449
61	Statistical and biological gene-lifestyle interactions of MC4R and FTO with diet and physical activity on obesity: new effects on alcohol consumption. <i>PLoS ONE</i> , 2012 , 7, e52344	3.7	53
60	Serum proteome in acute myocardial infarction. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2011 , 23, 147-154.4	4.4	2
59	Riesgo residual vascular de origen lip3dico. Estrategias para el tratamiento del riesgo residual por dislipidemia aterog3nica. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2011 , 23, 230-239	1.4	
58	Documento Abordaje de la dislipidemia. Sociedad Espa3nola de Arteriosclerosis (parte I). <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2011 , 23, 278-288	1.4	
57	Total polyphenol excretion and blood pressure in subjects at high cardiovascular risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 323-31	4.5	56

56	Prevalence of Metabolic Syndrome and its Components in Patients With Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011 , 64, 579-586	0.7	7
55	Tratamiento de la hipercolesterolemia y prevenci3n de las enfermedades cardiovasculares mediante la inhibici3n de la reabsorci3n de 3cidos biliares con resincolestiramina. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2011 , 23, 9-16	1.4	1
54	Serum high-density lipoprotein cholesterol levels, their relationship with baseline functional and cognitive status, and their utility in predicting mortality in nonagenarians. <i>Geriatrics and Gerontology International</i> , 2011 , 11, 358-64	2.9	13
53	Association between a healthy lifestyle and general obesity and abdominal obesity in an elderly population at high cardiovascular risk. <i>Preventive Medicine</i> , 2011 , 53, 155-61	4.3	39
52	Promoter variant -204A > C of the cholesterol 7βhydroxylase gene: association with response to plant sterols in humans and increased transcriptional activity in transfected HepG2 cells. <i>Clinical Nutrition</i> , 2011 , 30, 239-46	5.9	43
51	Riparian canopy type, management history, and successional stage control fluxes of plant litter to streams. <i>Canadian Journal of Forest Research</i> , 2011 , 41, 1394-1404	1.9	16
50	Proteomic signature of Apolipoprotein J in the early phase of new-onset myocardial infarction. <i>Journal of Proteome Research</i> , 2011 , 10, 211-20	5.6	51
49	Determinants of the omega-3 index in a Mediterranean population at increased risk for CHD. <i>British Journal of Nutrition</i> , 2011 , 106, 425-31	3.6	52
48	A short screener is valid for assessing Mediterranean diet adherence among older Spanish men and women. <i>Journal of Nutrition</i> , 2011 , 141, 1140-5	4.1	649
47	Research update for articles published in EJCI in 2008. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 770-789	4.6	0
46	¿Debe modificarse el tratamiento de la dislipidemia diab3tica despu3s del estudio ACCORD?. <i>Avances En Diabetolog3a</i> , 2010 , 26, 220-221		
45	Causas de la derivaci3n de pacientes a las unidades de l3pidos. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 49-52	1.4	2
44	Dislipemia aterog3nica: una llamada de atenci3n sobre su papel en el riesgo residual. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 162-166	1.4	
43	Cocientes lipoproteicos: significado fisiol3gico y utilidad cl3nica de los 3ndices aterog3nicos en prevenci3n cardiovascular. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 25-32	1.4	5
42	F3rmacos establecidos para elevar el colesterol unido a lipoprote3nas de alta densidad: ¿puede haber diferencias en los mecanismos y en los beneficios?. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 35-39	1.4	
41	A very high prevalence of low HDL cholesterol in Spanish patients with acute coronary syndromes. <i>Clinical Cardiology</i> , 2010 , 33, 418-23	3.3	16
40	Predictors of adherence to a Mediterranean-type diet in the PREDIMED trial. <i>European Journal of Nutrition</i> , 2010 , 49, 91-9	5.2	37
39	Conventional lipid profile and lipoprotein(a) concentrations in treated patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 1365-70	4.1	24

38	Catchment-scale effects of forestry practices on benthic invertebrate communities in Pacific coastal streams. <i>Journal of Applied Ecology</i> , 2009 , 46, 1292	5.8	42
37	Lipoprotein ratios: Physiological significance and clinical usefulness in cardiovascular prevention. <i>Vascular Health and Risk Management</i> , 2009 , 5, 757-65	4.4	35 ⁸
36	High HDL-cholesterol in women with rheumatoid arthritis on low-dose glucocorticoid therapy. <i>European Journal of Clinical Investigation</i> , 2008 , 38, 686-92	4.6	47
35	Effects of fluvastatin extended-release (80 mg) alone and in combination with ezetimibe (10 mg) on low-density lipoprotein cholesterol and inflammatory parameters in patients with primary hypercholesterolemia: a 12-week, multicenter, randomized, open-label, parallel-group study. <i>Clinical Therapeutics</i> , 2008 , 30, 84-97	3.5	15
34	Interaction between APOA5 -1131T>C and APOE polymorphisms and their association with severe hypertriglyceridemia. <i>Clinica Chimica Acta</i> , 2008 , 395, 68-71	6.2	17
33	Factores predictivos del riesgo de enfermedad cardiovascular en los pacientes con diabetes tipo 2 e hipercolesterolemia. Estudio ESODIAH. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 251-258	1.5	2
32	A CBS haplotype and a polymorphism at the MSR gene are associated with cardiovascular disease in a Spanish case-control study. <i>Clinical Biochemistry</i> , 2007 , 40, 864-8	3.5	9
31	Hyperlipoproteinaemia(a) is a common cause of autosomal dominant hypercholesterolaemia. <i>Journal of Inherited Metabolic Disease</i> , 2007 , 30, 970-7	5.4	9
30	Dislipemia del síndrome metabólico. Documento sumario del Foro-HDL. <i>Clinica E Investigación En Arteriosclerosis</i> , 2007 , 19, 252-263	1.4	0
29	Registro de hipertrigliceridemias de la Sociedad Española de Arteriosclerosis. <i>Clinica E Investigación En Arteriosclerosis</i> , 2007 , 19, 303-307	1.4	4
28	Management of dyslipidemia in the metabolic syndrome: recommendations of the Spanish HDL-Forum. <i>American Journal of Cardiovascular Drugs</i> , 2007 , 7, 39-58	4	37
27	Consejos para ayudar a controlar el colesterol con una alimentación saludable. <i>Clinica E Investigación En Arteriosclerosis</i> , 2006 , 18, 104-110	1.4	3
26	Diagnóstico de síndrome metabólico. Adecuación de los criterios diagnósticos en nuestro medio. <i>Clinica E Investigación En Arteriosclerosis</i> , 2006 , 18, 244-260	1.4	0
25	The -514C/T polymorphism of the hepatic lipase gene significantly modulates the HDL-cholesterol response to statin treatment. <i>Atherosclerosis</i> , 2005 , 182, 129-34	3.1	26
24	Baseline levels of low-density lipoprotein cholesterol and lipoprotein (a) and the AValI polymorphism of the low-density lipoprotein receptor gene influence the response of low-density lipoprotein cholesterol to pravastatin treatment. <i>Metabolism: Clinical and Experimental</i> , 2005 , 54, 741-7	12.7	19
23	E65 K polymorphism in KCNB1 gene is not associated with ischaemic heart disease in Spanish patients. <i>Journal of Human Genetics</i> , 2005 , 50, 604-606	4.3	3
22	A folate-rich diet is as effective as folic acid from supplements in decreasing plasma homocysteine concentrations. <i>International Journal of Medical Sciences</i> , 2005 , 2, 58-63	3.7	15
21	Treatment of type IIb familial combined hyperlipidemia with the combination pravastatin-piperazine sultosilate. <i>European Journal of Pharmacology</i> , 2004 , 496, 205-12	5.3	5

20	Two successful pregnancies in pyridoxine-nonresponsive homocystinuria. <i>Journal of Inherited Metabolic Disease</i> , 2004 , 27, 775-7	5.4	7
19	Significance of high density lipoprotein-cholesterol in cardiovascular risk prevention: recommendations of the HDL Forum. <i>American Journal of Cardiovascular Drugs</i> , 2004 , 4, 299-314	4	22
18	Lack of association between eNOS gene polymorphisms and ischemic heart disease in the Spanish population 2003 , 116A, 243-8		9
17	Apo A-I promoter polymorphism influences basal HDL-cholesterol and its response to pravastatin therapy. <i>Atherosclerosis</i> , 2003 , 168, 289-95	3.1	33
16	Atorvastatin versus Bezafibrate in Mixed Hyperlipidaemia : Randomised Clinical Trial of Efficacy and Safety (the ATOMIX Study). <i>Clinical Drug Investigation</i> , 2003 , 23, 153-65	3.2	0
15	Effect of apoE genotype on the hypolipidaemic response to pravastatin in an outpatient setting. <i>Journal of Internal Medicine</i> , 2002 , 251, 518-25	10.8	51
14	Effect of atorvastatin and bezafibrate on plasma levels of C-reactive protein in combined (mixed) hyperlipidemia. <i>Atherosclerosis</i> , 2002 , 162, 245-51	3.1	37
13	Corticosteroid therapy increases HDL-cholesterol concentrations in patients with active sarcoidosis and hypoalphalipoproteinemia. <i>Clinica Chimica Acta</i> , 2002 , 320, 59-64	6.2	26
12	Improvement in endothelial dysfunction in patients with hypoalphalipoproteinemia and coronary artery disease treated with bezafibrate. <i>Journal of Cardiovascular Pharmacology</i> , 2001 , 38, 250-8	3.1	6
11	Homocysteine and the MTHFR 677C->T allele in premature coronary artery disease. Case control and family studies. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 24-30	4.6	24
10	Serum amyloid A and high-density lipoprotein cholesterol: serum markers of inflammation in sarcoidosis and other systemic disorders. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 1070-7	4.6	32
9	Lipid and lipoprotein levels in premenopausal systemic lupus erythematosus patients. <i>Lupus</i> , 2001 , 10, 359-63	2.6	30
8	Efficacy and tolerability of fluvastatin extended-release delivery system: a pooled analysis. <i>Clinical Therapeutics</i> , 2001 , 23, 177-92	3.5	64
7	Influence of serum amyloid A on the decrease of high density lipoprotein-cholesterol in active sarcoidosis. <i>Atherosclerosis</i> , 2000 , 152, 497-502	3.1	38
6	Cardiovascular risk factors associated with clinically isolated and diffuse atherosclerosis in Spanish patients with coronary artery disease. <i>European Journal of Clinical Investigation</i> , 1998 , 28, 643-50	4.6	6
5	Genes, hypercholesterolaemia and carotid atherosclerosis. <i>European Journal of Clinical Investigation</i> , 1998 , 28, 980-2	4.6	0
4	Low levels of high density lipoprotein cholesterol in patients with active sarcoidosis. <i>Atherosclerosis</i> , 1998 , 136, 133-7	3.1	14
3	Lipid metabolism and apolipoprotein E phenotypes in patients with xanthelasma. <i>American Journal of Medicine</i> , 1995 , 99, 485-90	2.4	37

- 2 An enzyme-linked immunosorbent assay method to measure human apolipoprotein E levels using commercially available reagents: effect of apolipoprotein E polymorphism on serum apolipoprotein E concentration. *Analytical Biochemistry*, **1994**, 223, 212-7 3.1 19
- 1 Dyslipoproteinemia in patients with xanthelasma. *Archives of Dermatology*, **1989**, 125, 1281-2 6