Min-Ho Shin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3457177/publications.pdf

Version: 2024-02-01

126858 133188 4,574 159 33 59 citations h-index g-index papers 163 163 163 9177 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Discovery of common and rare genetic risk variants for colorectal cancer. Nature Genetics, 2019, 51, 76-87.	9.4	377
2	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. Nature Genetics, 2012, 44, 1330-1335.	9.4	286
3	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. Nature Genetics, 2014, 46, 533-542.	9.4	212
4	Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. Human Molecular Genetics, 2014, 23, 5492-5504.	1.4	192
5	Impaired differentiation and cytotoxicity of natural killer cells in systemic lupus erythematosus. Arthritis and Rheumatism, 2009, 60, 1753-1763.	6.7	155
6	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at $1q32.1$, $5q14.3$ and $15q26.1$. Nature Genetics, 2014 , 46 , $886-890$.	9.4	135
7	Association between bone mineral densities and serum lipid profiles of pre- and post-menopausal rural women in South Korea. Osteoporosis International, 2005, 16, 1975-1981.	1.3	120
8	Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. Gastroenterology, 2019, 156, 1455-1466.	0.6	111
9	The Effects of Volatile Anesthetics on Spontaneous Contractility of Isolated Human Pregnant Uterine Muscle: A Comparison Among Sevoflurane, Desflurane, Isoflurane, and Halothane. Anesthesia and Analgesia, 2006, 103, 443-447.	1.1	101
10	Identification of Susceptibility Loci and Genes for Colorectal Cancer Risk. Gastroenterology, 2016, 150, 1633-1645.	0.6	97
11	Relative contribution of body composition to bone mineral density at different sites in men and women of South Korea. Journal of Bone and Mineral Metabolism, 2007, 25, 165-171.	1.3	90
12	Association between folate-metabolizing pathway polymorphism and non-Hodgkin lymphoma. British Journal of Haematology, 2008, 140, 287-294.	1.2	77
13	<scp>G</scp> enetic variants associated with longer telomere length are associated with increased lung cancer risk among neverâ∈smoking women in Asia: a report from the female lung cancer consortium in Asia. International Journal of Cancer, 2015, 137, 311-319.	2.3	72
14	Genetic Alterations in Primary Acral Melanoma and Acral Melanocytic Nevus in Korea: Common Mutated Genes Show Distinct Cytomorphological Features. Journal of Investigative Dermatology, 2018, 138, 933-945.	0.3	67
15	Association between polymorphisms of folate-metabolizing enzymes and hematological malignancies. Leukemia Research, 2009, 33, 82-87.	0.4	66
16	Cohort Profile: The Namwon Study and the Dong-gu Study. International Journal of Epidemiology, 2014, 43, 558-567.	0.9	66
17	Thyroid Cancer is the Most Common Cancer in Women, Based on the Data from Population-based Cancer Registries, South Korea. Japanese Journal of Clinical Oncology, 2013, 43, 1039-1046.	0.6	57
18	Cumulative smoking exposure, duration of smoking cessation, and peripheral arterial disease in middle-aged and older Korean men. BMC Public Health, 2011, 11, 94.	1.2	53

#	Article	IF	CITATIONS
19	Prevalence of osteoporosis and reference data for lumbar spine and hip bone mineral density in a Korean population. Journal of Bone and Mineral Metabolism, 2008, 26, 609-617.	1.3	52
20	Association between GWAS-identified lung adenocarcinoma susceptibility loci andEGFRmutations in never-smoking Asian women, and comparison with findings from Western populations. Human Molecular Genetics, 2016, 26, ddw414.	1.4	50
21	Methylenetetrahydrofolate reductase C677T polymorphism in patients with gastric and colorectal cancer in a Korean population. BMC Cancer, 2010, 10, 236.	1.1	47
22	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. Nature Communications, 2020, 11, 1217.	5.8	46
23	The impact of serum uric acid level on arterial stiffness and carotid atherosclerosis: The Korean Multi-Rural Communities Cohort study. Atherosclerosis, 2013, 231, 145-151.	0.4	44
24	The association between liver enzymes and risk of type 2 diabetes: the Namwon study. Diabetology and Metabolic Syndrome, 2014, 6, 14.	1.2	44
25	Glutathione-S-transferase (GSTM1, GSTT1) and the risk ofgastrointestinal cancer in a Korean population. World Journal of Gastroenterology, 2009, 15, 5716.	1.4	44
26	Association of a common genetic variant in prostate stemâ€cell antigen with gastric cancer susceptibility in a Korean population. Molecular Carcinogenesis, 2011, 50, 871-875.	1.3	43
27	Difference of stage at cancer diagnosis by socioeconomic status for four target cancers of the National Cancer Screening Program in Korea: Results from the Gwangju and Jeonnam cancer registries. Journal of Epidemiology, 2017, 27, 299-304.	1.1	41
28	Influence of polymorphisms in <i>MTHFR</i> 677 C→T, <i>TYMS</i> 3R→2R and <i>MTR</i> 2756 A→G on N risk and response to platinum-based chemotherapy in advanced NSCLC. Pharmacogenomics, 2011, 12, 797-808.	SCLC 0.6	40
29	Risk Factors for Falls in Older Korean Adults: The 2011 Community Health Survey. Journal of Korean Medical Science, 2014, 29, 1482.	1.1	40
30	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. Human Molecular Genetics, 2016, 25, 3361-3371.	1.4	40
31	Genetic association analysis of GDF5 and ADAM12 for knee osteoarthritis. Joint Bone Spine, 2012, 79, 488-491.	0.8	39
32	p53 codon 72 polymorphism in patients with gastric and colorectal cancer in a Korean population. Gastric Cancer, 2011, 14, 242-247.	2.7	38
33	eGFR is associated with subclinical atherosclerosis independent of albuminuria: The Dong-gu Study. Atherosclerosis, 2010, 212, 661-667.	0.4	37
34	p53 codon 72 polymorphism and the risk of lung cancer in a Korean population. Lung Cancer, 2011, 73, 264-267.	0.9	36
35	Distribution of the Ankle-Brachial Index and Associated Cardiovascular Risk Factors in a Population of Middle-Aged and Elderly Koreans. Journal of Korean Medical Science, 2005, 20, 373.	1.1	34
36	Effects of Cumulative Smoking Exposure and Duration of Smoking Cessation on Carotid Artery Structure. Circulation Journal, 2012, 76, 2041-2047.	0.7	34

#	Article	IF	Citations
37	Interactions between household air pollution and GWAS-identified lung cancer susceptibility markers in the Female Lung Cancer Consortium in Asia (FLCCA). Human Genetics, 2015, 134, 333-341.	1.8	34
38	Association of estrogen receptor-? gene polymorphisms with bone mineral density in postmenopausal Korean women. Journal of Bone and Mineral Metabolism, 2005, 23, 84-89.	1.3	33
39	The Effect of Apolipoprotein E Polymorphism on Lipid Levels in Korean Adults. Journal of Korean Medical Science, 2005, 20, 361.	1.1	32
40	Alcohol consumption and carotid artery structure in Korean adults aged 50 years and older. BMC Public Health, 2009, 9, 358.	1.2	31
41	Genetic variations in the PRKAA1 and ZBTB20 genes and gastric cancer susceptibility in a Korean population. Molecular Carcinogenesis, 2013, 52, 155-160.	1.3	31
42	Evaluation of promoter hypermethylation detection in serum as a diagnostic tool for breast carcinoma in Korean women. Gynecologic Oncology, 2010, 118, 176-181.	0.6	30
43	Association of smoking status, cumulative smoking, duration of smoking cessation, age of starting smoking, and depression in Korean adults. BMC Public Health, 2012, 12, 724.	1.2	30
44	Sex-specific differences in the association between ABO genotype and gastric cancer risk in a Korean population. Gastric Cancer, 2013, 16, 254-260.	2.7	30
45	Common genetic variants at 1q22 and 10q23 and gastric cancer susceptibility in a Korean population. Tumor Biology, 2014, 35, 3133-3137.	0.8	30
46	Self-reported snoring and metabolic syndrome: the Korean Multi-Rural Communities Cohort Study. Sleep and Breathing, 2014, 18, 423-430.	0.9	30
47	Does arm length indicate cognitive and functional reserve?. International Journal of Geriatric Psychiatry, 2005, 20, 406-412.	1.3	29
48	Association between Albuminuria, Carotid Atherosclerosis, Arterial Stiffness, and Peripheral Arterial Disease in Korean Type 2 Diabetic Patients. Kidney and Blood Pressure Research, 2010, 33, 111-118.	0.9	29
49	Digital panoramic radiographs are useful for diagnosis of osteoporosis in Korean postmenopausal women. Gerodontology, 2016, 33, 185-192.	0.8	29
50	Association between hemoglobin A1c, carotid atherosclerosis, arterial stiffness, and peripheral arterial disease in Korean type 2 diabetic patients. Journal of Diabetes and Its Complications, 2011, 25, 7-13.	1.2	27
51	Methylenetetrahydrofolate reductase C677T polymorphism in patients with lung cancer in a Korean population. BMC Medical Genetics, 2011, 12, 28.	2.1	27
52	Folate metabolism-related gene polymorphisms and susceptibility to primary liver cancer in North China. Medical Oncology, 2012, 29, 1837-1842.	1.2	27
53	High Prevalence of Vitamin D Deficiency in Adults Aged 50 Years and Older in Gwangju, Korea: the Dong-gu Study. Journal of Korean Medical Science, 2014, 29, 149.	1.1	27
54	Association of <i> GSTT1 </i> polymorphism with acute myeloid leukemia risk is dependent on smoking status. Leukemia and Lymphoma, 2012, 53, 681-687.	0.6	26

#	Article	IF	Citations
55	HbA1c is significantly associated with arterial stiffness but not with carotid atherosclerosis in a community-based population without type 2 diabetes: The Dong-gu study. Atherosclerosis, 2016, 247, 1-6.	0.4	26
56	Gender differences in the association between self-rated health and hypertension in a Korean adult population. BMC Public Health, 2012, 12, 135.	1.2	25
57	IL10 and TNF variants and risk of non-Hodgkin lymphoma among three Asian populations. International Journal of Hematology, 2013, 97, 793-799.	0.7	25
58	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 477-486.	1.1	25
59	Higher consumption of sugar-sweetened soft drinks increases the risk of hyperuricemia in Korean population: The Korean Multi-Rural Communities Cohort Study. Seminars in Arthritis and Rheumatism, 2014, 43, 654-661.	1.6	23
60	Alpha-Adducin Gly460Trp Polymorphism and Essential Hypertension in Korea. Journal of Korean Medical Science, 2004, 19, 812.	1.1	22
61	Sex-related differences in the association between waist circumference and bone mineral density in a Korean population. BMC Musculoskeletal Disorders, 2014, 15, 326.	0.8	22
62	Higher normal ranges of urine albumin-to-creatinine ratio are independently associated with carotid intima-media thickness. Cardiovascular Diabetology, 2012, 11, 112.	2.7	20
63	Association between Total Bilirubin and Hemoglobin A1c in Korean Type 2 Diabetic Patients. Journal of Korean Medical Science, 2012, 27, 1196.	1.1	20
64	Sex Differences in the Associations of Testosterone and Sex Hormone-Binding Globulin With Metabolic Syndrome in Middle-Aged and Elderly Koreans. Circulation Journal, 2013, 77, 734-740.	0.7	19
65	The association between periodontal disease, tooth loss and bone mineral density in a Korean population. Journal of Clinical Periodontology, 2014, 41, 1139-1144.	2.3	19
66	Polymorphisms in DNA Repair Genes and MDR1 and the Risk for Non-Hodgkin Lymphoma. International Journal of Molecular Sciences, 2014, 15, 6703-6716.	1.8	18
67	Evidence for epistatic interactions in antiepileptic drug resistance. Journal of Human Genetics, 2011, 56, 71-76.	1.1	17
68	The effect of vitamin C intake on the risk of hyperuricemia and serum uric acid level in Korean Multi-Rural Communities Cohort. Joint Bone Spine, 2014, 81, 513-519.	0.8	17
69	APOE polymorphism and carotid atherosclerosis in Korean population: The Dong-gu Study and the Namwon Study. Atherosclerosis, 2014, 232, 180-185.	0.4	17
70	The relationships between bone mineral density and radiographic features of hand or knee osteoarthritis in older adults: data from the Dong-gu Study. Rheumatology, 2016, 55, kev377.	0.9	17
71	Association of Bone Mineral Density with Albuminuria and Estimated Glomerular Filtration Rate : The Dong-gu Study. Kidney and Blood Pressure Research, 2013, 37, 132-141.	0.9	16
72	Average Volume of Alcohol Consumed, Drinking Patterns, and Metabolic Syndrome in Older Korean Adults. Journal of Epidemiology, 2013, 23, 122-131.	1.1	16

#	Article	IF	CITATIONS
73	Relationship between periodontal disease and subclinical atherosclerosis: The Dongâ€gu study. Journal of Clinical Periodontology, 2014, 41, 262-268.	2.3	16
74	Normative and mean carotid intima-media thickness values according to metabolic syndrome in Koreans: The Namwon Study. Atherosclerosis, 2014, 234, 230-236.	0.4	16
75	Lower Zinc Bioavailability May Be Related to Higher Risk of Subclinical Atherosclerosis in Korean Adults. PLoS ONE, 2013, 8, e80115.	1.1	16
76	Quantitative Ultrasound of the Calcaneus in a Korean Population: Reference Data and Relationship to Bone Mineral Density Determined by Peripheral Dual X-ray Absorptiometry. Journal of Korean Medical Science, 2005, 20, 1011.	1.1	15
77	Association between grip strength and hand and knee radiographic osteoarthritis in Korean adults: Data from the Dong-gu study. PLoS ONE, 2017, 12, e0185343.	1.1	15
78	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. Genomics, 2020, 112, 1223-1232.	1.3	15
79	Polymorphisms of drugâ€metabolizing genes and risk of nonâ€Hodgkin lymphoma. American Journal of Hematology, 2009, 84, 821-825.	2.0	14
80	Effect of Family History of Diabetes on Hemoglobin A1c Levels among Individuals with and without Diabetes: The Dong-gu Study. Yonsei Medical Journal, 2018, 59, 92.	0.9	14
81	Dietary iodine, seaweed consumption, and incidence risk of metabolic syndrome among postmenopausal women: a prospective analysis of the Korean Multi-Rural Communities Cohort Study (MRCohort). European Journal of Nutrition, 2021, 60, 135-146.	1.8	14
82	Association between ALDH2 and ADH1B Polymorphisms and the Risk for Colorectal Cancer in Koreans. Cancer Research and Treatment, 2021, 53, 754-762.	1.3	14
83	The relationship between the metabolic syndrome and arterial wall thickness: A mosaic still to be interpreted. Atherosclerosis, 2016, 255, 11-16.	0.4	13
84	The Site of Airway Collapse in Sleep Apnea, Its Associations with Disease Severity and Obesity, and Implications for Mechanical Interventions. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 103-106.	2.5	13
85	Comparison of the Framingham Risk Score, UKPDS Risk Engine, and SCORE for Predicting Carotid Atherosclerosis and Peripheral Arterial Disease in Korean Type 2 Diabetic Patients. Korean Journal of Family Medicine, 2011, 32, 189.	0.4	12
86	The effect of an APOE polymorphism on cognitive function depends on age. Journal of Neurology, 2014, 261, 66-72.	1.8	12
87	Associations between body composition measurements of obesity and radiographic osteoarthritis in older adults: Data from the Dong-gu Study. BMC Musculoskeletal Disorders, 2016, 17, 192.	0.8	12
88	Association between hand-grip strength and erectile dysfunction in older men. Aging Male, 2018, 21, 225-230.	0.9	12
89	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. Environment International, 2021, 147, 105975.	4.8	12
90	KITENIN represents a more aggressive phenotype in a murine model of oral cavity squamous carcinoma. Otolaryngology - Head and Neck Surgery, 2010, 142, 747-752.	1.1	11

#	Article	IF	Citations
91	The correlation of carotid artery calcification on panoramic radiographs and determination of carotid artery atherosclerosis with ultrasonography. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2014, 118, 739-745.	0.2	11
92	The association between vitamin D and parathyroid hormone and bone mineral density: the Dong-gu Study. Journal of Bone and Mineral Metabolism, 2016, 34, 555-563.	1.3	11
93	Association of Plasma Pentraxin-3 Level with Lipid Levels and Cardiovascular Risk Factors in People with No History of Lipid-Lowering Medication: the Dong-gu Study. Journal of Atherosclerosis and Thrombosis, 2019, 26, 738-745.	0.9	11
94	Metabolic Syndrome and Carotid Artery Parameter in Koreans Aged 50 Years and Older. Circulation Journal, 2010, 74, 560-566.	0.7	10
95	Association study of the candidate gene for knee osteoarthritis in Koreans. Rheumatology International, 2013, 33, 783-786.	1.5	10
96	<i>APOE</i> Polymorphism Is Associated with C-reactive Protein Levels but Not with White Blood Cell Count: Dong-gu Study and Namwon Study. Journal of Korean Medical Science, 2015, 30, 860.	1.1	10
97	Detection of Familial Hypercholesterolemia Using Next Generation Sequencing in Two Population-Based Cohorts. Chonnam Medical Journal, 2018, 54, 31.	0.5	10
98	Increased adiponectin levels are associated with higher radiographic scores in the knee joint, but not in the hand joint. Scientific Reports, 2021, 11, 1842.	1.6	10
99	Effect of Uric Acid on the Development of Chronic Kidney Disease: The Korean Multi-Rural Communities Cohort Study. Journal of Preventive Medicine and Public Health, 2018, 51, 248-256.	0.7	10
100	Humoral immune responses to periodontal pathogens in the elderly. Journal of Periodontal and Implant Science, 2015, 45, 178.	0.9	9
101	A Gender-Specific Association between Self-Reported Snoring and Hemoglobin A1c Levels in a General Population without Type 2 Diabetes Mellitus. Yonsei Medical Journal, 2017, 58, 1152.	0.9	9
102	Frequency of Trauma, Physical Stress, and Occupation in Acral Melanoma: Analysis of 313 Acral Melanoma Patients in Korea. Annals of Dermatology, 2021, 33, 228.	0.3	9
103	Gender Differences in the Association between Depressive Symptoms and Carotid Atherosclerosis among Middle-Aged and Older Koreans: The Namwon Study. Journal of Korean Medical Science, 2014, 29, 1507.	1.1	9
104	Glutathione-S-transferase (GSTM1, GSTT1) Null Phenotypes and Risk of Lung Cancer in a Korean Population. Asian Pacific Journal of Cancer Prevention, 2013, 14, 7165-7169.	0.5	9
105	Low serum 25-hydroxyvitamin D levels, tooth loss, and the prevalence of severe periodontitis in Koreans aged 50 years and older. Journal of Periodontal and Implant Science, 2020, 50, 368.	0.9	9
106	Association with TP53 codon 72 polymorphism and the risk of non-Hodgkin lymphoma. American Journal of Hematology, 2010, 85, 822-824.	2.0	8
107	Association between ALDH2 polymorphism and esophageal cancer risk in South Koreans: a case-control study. BMC Cancer, 2021, 21, 254.	1.1	8
108	25-Hydroxyvitamin D and Parathyroid Hormone Levels Are Independently Associated with the Hemoglobin A1c Level of Korean Type 2 Diabetic Patients: The Dong-Gu Study. PLoS ONE, 2016, 11, e0158764.	1.1	8

#	Article	IF	CITATIONS
109	Polymorphisms of methylenetetrahydrofolate reductase and glutathione S-transferase are not associated with the risk of papillary thyroid cancer in Korean population. Molecular Biology Reports, 2014, 41, 3793-3799.	1.0	7
110	Periodontal disease associated with blood glucose levels in urban Koreans aged 50Âyears and older: the Dongâ€gu study. Gerodontology, 2015, 32, 267-273.	0.8	7
111	Estimation of the cutoff value of vitamin D: the Dong-gu study. Journal of Physiological Anthropology, 2015, 34, 10.	1.0	7
112	Association of Falls and Fear of Falling with Mortality in Korean Adults: The Dong-gu Study. Chonnam Medical Journal, 2019, 55, 104.	0.5	7
113	Association between Albumin, Total Bilirubin, and Uric Acid Serum Levels and the Risk of Cancer: A Prospective Study in a Korean Population. Yonsei Medical Journal, 2021, 62, 792.	0.9	7
114	Association of serum vitamin D and parathyroid hormone with subclinical atherosclerotic phenotypes: The Dong-gu Study. PLoS ONE, 2017, 12, e0186421.	1.1	7
115	Genetic Variation in PSCA is Associated with Bladder Cancer Susceptibility in a Korean Population. Asian Pacific Journal of Cancer Prevention, 2014, 15, 8901-8904.	0.5	7
116	Determining the Optimal Cut-Off Value of the Urinary Albumin-To-Creatinine Ratio to Detect Atherosclerotic Vascular Diseases. Kidney and Blood Pressure Research, 2012, 36, 290-300.	0.9	6
117	Prevalence of albuminuria and associated cardiovascular risk factors: A community cohort in Namwon City, Korea. Diabetes Research and Clinical Practice, 2012, 97, 492-498.	1.1	6
118	Association between Serum 25-hydroxyvitamin D Levels and Type 2 Diabetes in Korean Adults. Chonnam Medical Journal, 2017, 53, 73.	0.5	6
119	Effect Modification of Acetaldehyde Dehydrogenase 2 rs671 Polymorphism on the Association between Alcohol Intake and Blood Pressure: the Dong-gu Study. Journal of Korean Medical Science, 2020, 35, e14.	1.1	6
120	Association between Vitamin D Status and Risk of Peripheral Arterial Disease: The Dong-gu Study. Chonnam Medical Journal, 2016, 52, 212.	0.5	5
121	Gene and dietary calcium interaction effects on brachial–ankle pulse wave velocity. Clinical Nutrition, 2016, 35, 1127-1134.	2.3	5
122	The value of high-sensitivity C-reactive protein in hand and knee radiographic osteoarthritis: data from the Dong-gu Study. Clinical Rheumatology, 2018, 37, 1099-1106.	1.0	5
123	Association between Plasma Pentraxin 3 Levels and Bone Mineral Density in Elderly Koreans: the Dong-gu Study. Journal of Korean Medical Science, 2018, 33, e165.	1.1	5
124	Association between Serum Parathyroid Hormone Levels and the Prevalence of Atrial Fibrillation: the Dong-gu Study. Korean Circulation Journal, 2018, 48, 159.	0.7	5
125	Cystatin C-based estimated GFR and albuminuria are independently associated with all-cause and CVD mortality in Korean population: The Dong-gu Study. Maturitas, 2021, 143, 178-183.	1.0	5
126	Causal Association Between Alcohol Consumption and Atrial Fibrillation: A Mendelian Randomization Study. Korean Circulation Journal, 2022, 52, 220.	0.7	5

#	Article	IF	Citations
127	Association between Methylenetetrahydrofolate Reductase C677T Polymorphism and Bone Mineral Density: The Dong-gu Study and the Namwon Study. Journal of Korean Medical Science, 2013, 28, 965.	1.1	4
128	Methylenetetrahydrofolate Reductase 677 Genotype-Specific Reference Values for Plasma Homocysteine and Serum Folate Concentrations in Korean Population Aged 45 to 74 Years: The Namwon Study. Journal of Korean Medical Science, 2014, 29, 743.	1.1	4
129	Role of depth of response and MTHFR genotype as predictors of fluorouracil rechallenge therapy for refractory metastatic colorectal cancer. Oncology Letters, 2017, 14, 2491-2498.	0.8	4
130	Association between <i> ALDH2 < /i > Polymorphism and Gastric Cancer Risk in a Korean Population. Journal of Korean Medical Science, 2020, 35, e148.</i>	1.1	4
131	Prognostic Value of Baseline Neutrophil-to-Lymphocyte Ratio Combined With Anemia in Patients With ST-Segment Elevation Myocardial Infarction: A Nationwide Prospective Cohort Study. Journal of Lipid and Atherosclerosis, 2022, 11, 147.	1.1	4
132	H2AFX Polymorphisms Are Associated with Decreased Risk of Diffuse Large B Cell Lymphoma in Koreans. DNA and Cell Biology, 2011, 30, 1039-1044.	0.9	3
133	A Disease Modification Effect of APOE <i>E</i> 4 on the Association between Urinary Albumin Excretion and Cognition in Korean Adults. Disease Markers, 2014, 2014, 1-7.	0.6	3
134	Association between the TCF7L2 polymorphism and colorectal cancer does not differ by diabetes and obesity statuses. Cancer Epidemiology, 2016, 45, 108-111.	0.8	3
135	Relationship between plasma pentraxin 3 level and risk of chronic kidney disease in the Korean elderly: the Dong-gu study. International Urology and Nephrology, 2017, 49, 2027-2033.	0.6	3
136	Parathyroid Hormone Levels Are Independently Associated with eGFR and Albuminuria: The Dong-gu Study. Journal of Nutritional Science and Vitaminology, 2018, 64, 18-25.	0.2	3
137	Development and validation of hypertension prediction models: The Korean Genome and Epidemiology Study_Cardiovascular Disease Association Study (KoGES_CAVAS). Journal of Human Hypertension, 2023, 37, 205-212.	1.0	3
138	Large-scale Integrated Analysis of Genetics and Metabolomic Data Reveals Potential Links Between Lipids and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1216-1226.	1.1	3
139	Lack of association between serum gamma-glutamyltransferase and carotid atherosclerosis: The Namwon study. Atherosclerosis, 2014, 237, 268-272.	0.4	2
140	Association of <i>APOE</i> Cenotype with Bone Mineral Density in Men and Women: The Dong-gu and Namwon Studies. Chonnam Medical Journal, 2016, 52, 59.	0.5	2
141	25-Hydroxyvitamin D Is Associated with Kidney Function: The Dong-gu Study. Journal of Nutritional Science and Vitaminology, 2018, 64, 385-390.	0.2	2
142	Association between Alcohol Consumption and Serum Cortisol Levels: a Mendelian Randomization Study. Journal of Korean Medical Science, 2021, 36, e195.	1.1	2
143	The association of ankle brachial index with left ventricular hypertrophy and left ventricular mass index: the Dong-gu study. Vasa - European Journal of Vascular Medicine, 2013, 42, 284-291.	0.6	2
144	The Association between the Apolipoprotein E Gene Polymorphism and All-cause Mortality in the Korean Population. Journal of Korean Medical Science, 2019, 34, e269.	1.1	2

#	Article	IF	Citations
145	Genetic association analysis of LRCH-1 for knee osteoarthritis. Clinical and Experimental Rheumatology, 2012, 30, 313.	0.4	2
146	Association between Three Waist Circumference-Related Obesity Metrics and Estimated Glomerular Filtration Rates. Journal of Clinical Medicine, 2022, 11, 2876.	1.0	2
147	Glycated Hemoglobin and All-Cause Mortality in Korean Type 2 Diabetes. Chonnam Medical Journal, 2017, 53, 223.	0.5	1
148	Carotid Atherosclerosis and Electrocardiographic Left Ventricular Hypertrophy in the General Population: The Namwon Study. Chonnam Medical Journal, 2017, 53, 153.	0.5	1
149	Serum level vitamin D and parathyroid hormone, and mortality, with or without chronic kidney disease. Journal of Bone and Mineral Metabolism, 2019, 37, 825-834.	1.3	1
150	Association betweenApolipoprotein EPolymorphism and Chronic Kidney Disease in the Korean General Population: Dong-gu Study. Korean Journal of Family Medicine, 2014, 35, 276.	0.4	1
151	Association between alcohol and bone mineral density in a Mendelian randomization study: the Dong-gu study. Journal of Bone and Mineral Metabolism, 2021, , 1.	1.3	1
152	Non-linear Relationship Between Body Mass Index and Lower Urinary Tract Symptoms in Korean Males. Journal of Preventive Medicine and Public Health, 2019, 52, 147-153.	0.7	1
153	Body mass index and selfâ€rated oral health in Korean adults in 2017. Gerodontology, 2022, , .	0.8	1
154	Elevated resting heart rate is associated with increased radiographic severity of knee but not hand joints. Scientific Reports, 2021, 11, 23697.	1.6	1
155	Correlation of aberrant methylation of p16 gene to MTHFR C677T genetic polymorphisms in Hepatic Carcinoma. , 2012, , .		0
156	Correlation of Aberrant Methylation of APC Gene to MTHFR C677T Genetic Polymorphisms in Hepatic Carcinoma. Lecture Notes in Electrical Engineering, 2014, , 2961-2968.	0.3	0
157	Association of the prognostic role of FGFR4 Gly388Arg polymorphism with treatment outcomes after chemoradiotherapy in esophageal cancer Journal of Clinical Oncology, 2014, 32, 60-60.	0.8	0
158	The effect of FGFR4 Gly388Arg polymorphism on treatment outcomes after chemoradiotherapy in esophageal cancer patients Journal of Clinical Oncology, 2014, 32, 4040-4040.	0.8	0
159	Periodontal parameters and tooth loss were associated with Creactive protein and leukocyte counts in adult population aged 50 or older. Oral Biology Research, 2017, 41, 15-22.	0.0	0