

Gian Luigi Nicolosi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3457518/gian-luigi-nicolosi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

6,701
citations

33
h-index

79
g-index

194
ext. papers

7,522
ext. citations

4.7
avg, IF

4.93
L-index

#	Paper	IF	Citations
170	Early protection against sudden death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione. <i>Circulation</i> , 2002 , 105, 1897-903	16.7	1059
169	Effect of n-3 polyunsaturated fatty acids in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008 , 372, 1223-30	40	998
168	Effect of rosuvastatin in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008 , 372, 1231-9	40	767
167	Determinants of 6-month mortality in survivors of myocardial infarction after thrombolysis. Results of the GISSI-2 data base. The Ad hoc Working Group of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-2 Data Base. <i>Circulation</i> , 1993 , 88, 416-29	16.7	322
166	Rationale and design of the GISSI heart failure trial: a large trial to assess the effects of n-3 polyunsaturated fatty acids and rosuvastatin in symptomatic congestive heart failure. <i>European Journal of Heart Failure</i> , 2004 , 6, 635-41	12.3	180
165	Diagnosis of heart tumours by transoesophageal echocardiography: a multicentre study in 154 patients. European Cooperative Study Group. <i>European Heart Journal</i> , 1993 , 14, 1223-8	9.5	146
164	Metabolic syndrome and risk of cardiovascular events after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 277-83	15.1	122
163	Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction: results of the GISSI-3 echo substudy. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1646-53	15.1	117
162	Symptomatic aortic stenosis: does systemic hypertension play an additional role?. <i>Hypertension</i> , 2003 , 41, 1268-72	8.5	111
161	Arterial stiffness and ventricular stiffness: a couple of diseases or a coupling disease? A review from the cardiologist's point of view. <i>European Journal of Echocardiography</i> , 2009 , 10, 36-43		96
160	Left ventricular systolic dysfunction, total mortality, and sudden death in patients with myocardial infarction treated with n-3 polyunsaturated fatty acids. <i>European Journal of Heart Failure</i> , 2005 , 7, 904-9 ^{12.3}	12.3	90
159	The prognostic value of pre-discharge quantitative two-dimensional echocardiographic measurements and the effects of early lisinopril treatment on left ventricular structure and function after acute myocardial infarction in the GISSI-3 Trial. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico. <i>European Heart Journal</i> , 1996 , 17, 1646-56	9.5	89
158	Effects of rosuvastatin on atrial fibrillation occurrence: ancillary results of the GISSI-HF trial. <i>European Heart Journal</i> , 2009 , 30, 2327-36	9.5	84
157	Assessment of absolute risk of death after myocardial infarction by use of multiple-risk-factor assessment equations: GISSI-Prevenzione mortality risk chart. <i>European Heart Journal</i> , 2001 , 22, 2085-103 ^{9.5}	9.5	84
156	Vitamin E increases the risk of developing heart failure after myocardial infarction: Results from the GISSI-Prevenzione trial. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 347-50	1.9	83
155	Heterogeneity of left ventricular remodeling after acute myocardial infarction: results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico-3 Echo Substudy. <i>American Heart Journal</i> , 2001 , 141, 131-8	4.9	83
154	Progression of aortic valve sclerosis to aortic stenosis. <i>American Journal of Cardiology</i> , 2003 , 91, 99-101	3	76

153	Predictors of mortality in 6975 patients with chronic heart failure in the Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico-Heart Failure trial: proposal for a nomogram. <i>Circulation: Heart Failure</i> , 2013 , 6, 31-9	7.6	75
152	Stage-related effect of statin treatment on the progression of aortic valve sclerosis and stenosis. <i>American Journal of Cardiology</i> , 2008 , 102, 738-42	3	75
151	Tubular damage and worsening renal function in chronic heart failure. <i>JACC: Heart Failure</i> , 2013 , 1, 417-24	7.9	73
150	Pulmonary artery hypertension in adult patients with symptomatic valvular aortic stenosis. <i>American Journal of Cardiology</i> , 2000 , 85, 204-8	3	68
149	Sodium-lithium countertransport and cardiorenal abnormalities in essential hypertension. <i>Hypertension</i> , 1991 , 18, 191-8	8.5	66
148	Relation of right ventricular morphology and function in pectus excavatum to the severity of the chest wall deformity. <i>American Journal of Cardiology</i> , 1995 , 76, 941-6	3	63
147	Effect of statins on the progression of bioprosthetic aortic valve degeneration. <i>American Journal of Cardiology</i> , 2003 , 92, 1479-82	3	62
146	Autonomic markers and cardiovascular and arrhythmic events in heart failure patients: still a place in prognostication? Data from the GISSI-HF trial. <i>European Journal of Heart Failure</i> , 2012 , 14, 1410-9	12.3	51
145	The Ventricular-Arterial Coupling: From Basic Pathophysiology to Clinical Application in the Echocardiography Laboratory. <i>Journal of Cardiovascular Echography</i> , 2013 , 23, 91-95	0.6	47
144	Prognostic value of ventricular-arterial coupling and B-type natriuretic peptide in patients after myocardial infarction: a five-year follow-up study. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 1239-45	5.8	46
143	Circulating microRNA-132 levels improve risk prediction for heart failure hospitalization in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 78-85	12.3	43
142	Right ventricular functional recovery after acute myocardial infarction: relation with left ventricular function and interventricular septum motion. GISSI-3 echo substudy. <i>Heart</i> , 2005 , 91, 484-8	5.1	42
141	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) Trial. <i>Journal of the American Heart Association</i> , 2017 , 6, e011111	6	39
140	Electrocardiographic evolutionary changes and left ventricular remodeling after acute myocardial infarction: results of the GISSI-3 Echo substudy. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 127-35	15.1	39
139	Normalization of variables of left ventricular function in patients with alcoholic cardiomyopathy after cessation of excessive alcohol intake: an echocardiographic study. <i>European Heart Journal</i> , 1987 , 8, 535-40	9.5	36
138	Long-term evaluation of patients with apical hypertrophic cardiomyopathy. Correlation between quantitative echocardiographic assessment of apical hypertrophy and clinical-electrocardiographic findings. <i>European Heart Journal</i> , 1995 , 16, 210-7	9.5	35
137	Heart failure in patients with aortic stenosis: clinical and prognostic significance of carbohydrate antigen 125 and brain natriuretic peptide measurement. <i>International Journal of Cardiology</i> , 2008 , 128, 406-12	3.2	33
136	Prospective identification of patients with amyloid heart disease by two-dimensional echocardiography. <i>Circulation</i> , 1984 , 70, 432-7	16.7	33

135	Dynamic left ventricular outflow tract obstruction in the setting of acute anterior myocardial infarction: a serious and potentially fatal complication?. <i>Echocardiography</i> , 2002 , 19, 449-55	1.5	32
134	Wine consumption and risk of cardiovascular events after myocardial infarction: results from the GISSI-Prevenzione trial. <i>International Journal of Cardiology</i> , 2013 , 163, 282-287	3.2	31
133	Uric acid: a cardiovascular risk factor in patients with recent myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 262-9	3.2	30
132	Left atrial remodelling early after mitral valve repair for degenerative mitral regurgitation. <i>Heart</i> , 2008 , 94, 759-64	5.1	28
131	M-mode and two-dimensional echocardiography in congenital absence of the pericardium. <i>Chest</i> , 1982 , 81, 610-3	5.3	28
130	Prevalence and Prognostic Impact of Chronic Obstructive Pulmonary Disease in Patients with Chronic Heart Failure: Data from the GISSI-HF Trial. <i>Cardiology</i> , 2017 , 136, 128-137	1.6	27
129	Echo-tracking assessment of carotid artery stiffness in patients with aortic valve stenosis. <i>Echocardiography</i> , 2009 , 26, 823-31	1.5	27
128	Efficacy of n-3 polyunsaturated fatty acids according to clinical characteristics of patients with recent myocardial infarction: insights from the GISSI-Prevenzione trial. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8 Suppl 1, S34-7	1.9	26
127	Effect of atrial fibrillation on pulmonary venous flow patterns: transoesophageal pulsed Doppler echocardiographic study. <i>European Heart Journal</i> , 1993 , 14, 1320-7	9.5	26
126	Feasibility and variability of six methods for the echocardiographic and Doppler determination of cardiac output. <i>Heart</i> , 1988 , 59, 299-303	5.1	26
125	n-3 polyunsaturated fatty acids and atrial fibrillation in patients with chronic heart failure: the GISSI-HF trial. <i>European Journal of Heart Failure</i> , 2013 , 15, 1289-95	12.3	25
124	Hydroxymethylglutaryl coenzyme-a reductase inhibitors delay the progression of rheumatic aortic valve stenosis a long-term echocardiographic study. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1874-9	15.1	25
123	Usefulness of transesophageal echocardiography in evaluation of paracardiac neoplastic masses. <i>American Journal of Cardiology</i> , 1992 , 70, 247-51	3	25
122	Left ventricular torsional dynamics in aortic stenosis: relationship between left ventricular untwisting and filling pressures. A two-dimensional speckle tracking study. <i>European Journal of Echocardiography</i> , 2010 , 11, 406-13		24
121	Prognostic role of left atrial volume in elderly patients with symptomatic stable chronic heart failure: comparison with left ventricular diastolic dysfunction and B-type natriuretic peptide. <i>Echocardiography</i> , 2007 , 24, 1035-43	1.5	24
120	High pulse pressure and low mean arterial pressure: two predictors of death after a myocardial infarction. <i>Journal of Hypertension</i> , 2006 , 24, 2377-85	1.9	24
119	Asymptomatic isolated congenital left ventricular muscular diverticulum in an adult: a case report. <i>Echocardiography</i> , 2003 , 20, 191-5	1.5	24
118	Spontaneous closure of a patent foramen ovale and disappearance of impending paradoxical embolism after fibrinolytic therapy in the course of massive pulmonary embolism. <i>American Journal of Cardiology</i> , 1995 , 76, 422-4	3	24

117	Cardiogenic shock with basal transient left ventricular ballooning (Takotsubo-like cardiomyopathy) as first presentation of pheochromocytoma. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 507-10	1.9	23
116	Left atrium remodeling after acute myocardial infarction (results of the GISSI-3 Echo Substudy). <i>American Journal of Cardiology</i> , 2004 , 93, 1156-9	3	23
115	Interobserver and echo-angio variability of two-dimensional colour Doppler evaluation of aortic and mitral regurgitation. <i>European Heart Journal</i> , 1989 , 10, 334-40	9.5	23
114	Secondary neoplastic infiltration of the myocardium diagnosed by two-dimensional echocardiography in seven cases with anatomic confirmation. <i>Journal of the American College of Cardiology</i> , 1987 , 9, 439-45	15.1	22
113	Severe ventricular dysrhythmias and silent ischemia during infusion of the antimetabolite 5-fluorouracil and cis-platin. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 637-40	1.9	21
112	Reproducibility of wall motion score and its correlation with left ventricular ejection fraction in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 1996 , 78, 855-8	3	21
111	Influence of aortic regurgitation on the assessment of the pressure half-time and derived mitral-valve area in patients with mitral stenosis. <i>European Heart Journal</i> , 1988 , 9, 1010-7	9.5	21
110	Flexible band versus rigid ring annuloplasty for functional tricuspid regurgitation: two different patterns of right heart reverse remodelling. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 23, 79-89	1.8	21
109	Prognostic impact of elevated serum uric acid levels on long-term outcomes in patients with chronic heart failure: A post-hoc analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) trial. <i>Metabolism: Clinical and Experimental</i> 2018 , 83, 205-215	12.7	20
108	Prediction of 6 months left ventricular dilatation after myocardial infarction in relation to cardiac morbidity and mortality. Application of a new dilatation model to GISSI-3 data. <i>European Heart Journal</i> , 2002 , 23, 536-42	9.5	20
107	Sensitivity and specificity of electrocardiographic ST-T changes as markers of neoplastic myocardial infiltration. Echocardiographic correlation. <i>Chest</i> , 1989 , 95, 980-5	5.3	20
106	Transthoracic and transoesophageal echocardiographic documentation of disappearance of massive right atrial and pulmonary artery thromboemboli after fibrinolytic therapy and normalization of left ventricular dimensions and function. <i>European Heart Journal</i> , 1990 , 11, 863-5	9.5	17
105	Effects of perindopril on cardiac remodelling and prognostic value of pre-discharge quantitative echocardiographic parameters in elderly patients after acute myocardial infarction: the PREAMI echo sub-study. <i>European Heart Journal</i> , 2009 , 30, 1656-65	9.5	16
104	Association between mitral annular calcium and carotid artery stenosis and role of age and gender. <i>American Journal of Cardiology</i> , 2001 , 88, 581-3	3	16
103	Tricuspid Annuloplasty for Tricuspid Regurgitation Secondary to Left-Sided Heart Valve Disease: Immediate Outcomes and Risk Factors for Late Failure. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 760-6	3.8	15
102	Cardiac structure and function and insulin resistance in morbidly obese patients: does superobesity play an additional role?. <i>Cardiology</i> , 2014 , 127, 144-51	1.6	15
101	Effect of hydroxymethylglutaryl coenzyme-a reductase inhibitors on the long-term progression of rheumatic mitral valve disease. <i>Circulation</i> , 2010 , 121, 2130-6	16.7	15
100	Role of transesophageal echocardiography in evaluation of pulmonary venous obstruction by paracardiac neoplastic masses. <i>American Journal of Cardiology</i> , 1992 , 70, 1362-6	3	15

99	Relation between early mitral regurgitation and left ventricular thrombus formation after acute myocardial infarction: results of the GISSI-3 echo substudy. <i>British Heart Journal</i> , 2002 , 88, 131-6		14
98	Value of transesophageal echocardiography in the diagnosis of compressive, atypically located pericardial cysts. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 192-4	5.8	14
97	A New modified anthropometric haller index obtained without radiological exposure. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 1505-1509	2.5	14
96	Validation of the ejection fraction-velocity ratio: a new simplified "function-corrected" index for assessing aortic stenosis severity. <i>American Journal of Cardiology</i> , 2000 , 86, 427-33	3	13
95	Prognostic value of global left atrial peak strain in patients with acute ischemic stroke and no evidence of atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 603-613	2.5	13
94	Prognostic effects of rosuvastatin in patients with co-existing chronic obstructive pulmonary disease and chronic heart failure: A sub-analysis of GISSI-HF trial. <i>Pulmonary Pharmacology and Therapeutics</i> , 2017 , 44, 16-23	3.5	12
93	Impact of associated significant aortic regurgitation on left ventricular remodeling and hemodynamic impairment in severe aortic valve stenosis. <i>Cardiology</i> , 2013 , 124, 174-81	1.6	12
92	Association between carotid and coronary artery disease in patients with aortic valve stenosis: an angiographic study. <i>Angiology</i> , 2009 , 60, 596-600	2.1	12
91	Relation of carotid intima-media thickness and aortic valve sclerosis (from the ISMIR study ["Ispessimento Medio Intimale e Rischio Cardiovascolare"] of the Italian Society of Cardiovascular Echography). <i>American Journal of Cardiology</i> , 2009 , 103, 1556-61	3	12
90	Medical therapy for rheumatic heart disease: is it time to be proactive rather than reactive?. <i>Indian Heart Journal</i> , 2009 , 61, 14-23	1.6	12
89	Reduced Myocardial Strain Parameters in Subjects With Pectus Excavatum: Impaired Myocardial Function or Methodological Limitations Due to Chest Deformity?. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021 , 33, 251-262	1.7	12
88	Echocardiographic contrast imaging of the human right heart: a multicenter study of the efficacy, safety, and reproducibility of intravenous SHU-454. <i>Journal of Clinical Ultrasound</i> , 1991 , 19, 523-30	1	11
87	Alpha-adrenergic blocking activity of prazosin. Effect on catecholamine levels and catecholamine synthetic enzymes. <i>Biochemical Pharmacology</i> , 1979 , 28, 1233-7	6	11
86	Two-dimensional echocardiographic evaluation of mitral valve calcification. Sensitivity and specificity. <i>Chest</i> , 1982 , 82, 154-7	5.3	11
85	Hypertrophic cardiomyopathy associated with myotonic muscular dystrophy (Steinert's disease). <i>International Journal of Cardiology</i> , 1987 , 16, 205-8	3.2	10
84	Sensitivity and specificity of echocardiography in the assessment of valve calcification in mitral stenosis. <i>American Heart Journal</i> , 1979 , 98, 171-5	4.9	10
83	Left ventricular shape and mass impact torsional dynamics in asymptomatic patients with chronic aortic regurgitation and normal left ventricular ejection fraction. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 1315-26	2.5	9
82	Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava. <i>American Heart Journal</i> , 1986 , 112, 621-2	4.9	9

81	Influence of chest conformation on myocardial strain parameters in healthy subjects with mitral valve prolapse. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1009-1022	2.5	9
80	CME: long-term outcome in asymptomatic patients with severe aortic regurgitation, normal left ventricular ejection fraction, and severe left ventricular dilatation. <i>Echocardiography</i> , 2010 , 27, 915-22	1.5	8
79	Non-linear pharmacokinetics of high-dose intravenous verapamil. <i>British Journal of Clinical Pharmacology</i> , 1997 , 44, 255-60	3.8	8
78	Double-exit transaortic sinus cusp ventricular tachycardia: an unusual form of idiopathic outflow tract tachycardia treated by radiofrequency catheter ablation. <i>Heart Rhythm</i> , 2006 , 3, 1490-3	6.7	8
77	PREAMI: Perindopril and Remodelling in Elderly with Acute Myocardial Infarction: study rationale and design. <i>Cardiovascular Drugs and Therapy</i> , 2000 , 14, 671-9	3.9	8
76	Analysis of interobserver and intraobserver variation of interpretation of the echocardiographic and Doppler flow determination of cardiac output by the mitral orifice method. <i>Heart</i> , 1986 , 55, 446-8	5.1	8
75	Polymorphic ventricular tachycardia induced by Valsalva manoeuvre in a patient with paroxysmal supraventricular tachycardia. <i>Europace</i> , 2012 , 14, 767-8	3.9	7
74	Incremental value of arterial stiffness over traditional risk factors in predicting subclinical cardiovascular remodeling in patients with moderate chronic renal failure. <i>Angiology</i> , 2011 , 62, 662-8	2.1	7
73	Echocardiography to understand remodeling and to assess prognosis after acute myocardial infarction. <i>International Journal of Cardiology</i> , 1998 , 65 Suppl 1, S75-8	3.2	7
72	Tumour markers in chronic heart failure. Review of the literature and clinical implications. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 573-9	1.9	7
71	Early left atrial dysfunction in idiopathic pulmonary fibrosis patients without chronic right heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1711-1723	2.5	6
70	Echocardiography in pulmonary embolism disease. <i>International Journal of Cardiology</i> , 1998 , 65 Suppl 1, S87-90	3.2	6
69	A medical therapy for aortic valve sclerosis and aortic valve stenosis? Rationale of the ASSIST study (Asymptomatic aortic Sclerosis/Stenosis: Influence of STatins): a large, observational, prospective, multicenter study of the Italian Society of Cardiovascular Echography. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 464-9	1.9	6
68	Limitations in the assessment of changes of cardiac output by Doppler echocardiography under various hemodynamic conditions. <i>American Journal of Cardiology</i> , 1992 , 70, 1370-4	3	6
67	Interpretative reproducibility of two-dimensional echocardiographic images. Analysis of intraobserver, interobserver and beat to beat reproducibility of the mitral valve orifice. <i>European Heart Journal</i> , 1983 , 4, 733-7	9.5	6
66	Incremental prognostic value of global left atrial peak strain in women with new-onset gestational hypertension. <i>Journal of Hypertension</i> , 2019 , 37, 1668-1675	1.9	6
65	Use of the ejection fraction-velocity ratio in the hemodynamic assessment of aortic bioprosthetic valves. <i>Echocardiography</i> , 2006 , 23, 97-102	1.5	5
64	Quantification of mitral regurgitation: comparison between transthoracic and transesophageal color Doppler flow mapping. <i>Echocardiography</i> , 1991 , 8, 619-26	1.5	5

63	Echocardiographic findings of left ventricular hypertrophy and normalization of parameters of left ventricular function in patients with previous evidence of dilated and poorly contracting left ventricle and coexisting systemic hypertension. <i>Clinical Cardiology</i> , 1989 , 12, 91-6	3.3	5
62	Familial dilated cardiomyopathy: a transverse and longitudinal clinical and echocardiographic study. <i>International Journal of Cardiology</i> , 1991 , 33, 225-31	3.2	5
61	Modes of death and prognostic outliers in chronic heart failure. <i>American Heart Journal</i> , 2019 , 208, 100-109		5
60	Potential uselessness and futility of left atrial appendage occlusion and patent foramen ovale closure in cardioembolic stroke. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 393-397	1.9	4
59	Clinical and echocardiographic predictors of long-term outcome of a large cohort of patients with bicuspid aortic valve. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 74-82	1.9	4
58	Cancer in chronic heart failure patients in the GISSI-HF trial. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13273	4.6	4
57	False-positive electrocardiographic changes during exercise test in a patient with pectus excavatum. <i>Journal of Clinical Ultrasound</i> , 2020 , 48, 579-584	1	4
56	Spontaneous idiopathic subclavian arteriovenous fistula: a case report. <i>Angiology</i> , 1992 , 43, 672-7	2.1	4
55	Prolapse of atrioventricular valve leaflets in the setting of double orifice. <i>International Journal of Cardiology</i> , 1988 , 19, 115-9	3.2	4
54	Dietary Supplementation With n-3 Polyunsaturated Fatty Acids and Vitamin E After Myocardial Infarction: Results of the Gissi-Prevenzione Trial. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2000 , 20, 131		4
53	Does chest wall conformation influence myocardial strain parameters in infants with pectus excavatum?. <i>Journal of Clinical Ultrasound</i> , 2021 , 49, 918-928	1	4
52	Speckle-Tracking Echocardiography for Cardioncological Evaluation in Bevacizumab-Treated Colorectal Cancer Patients. <i>Cardiovascular Toxicology</i> , 2020 , 20, 581-592	3.4	3
51	An unusual etiology of torsade de pointes-induced syncope. <i>Archives of Medical Science</i> , 2017 , 13, 686-689		3
50	The Anp genetic variant Rs5068 and circulating levels of natriuretic peptides in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2014 , 176, 1249-51	3.2	3
49	Critical success factors for establishing a multidisciplinary health community knowledge management system using internet-based ICTs: the cardiology paradigm. <i>International Journal of Healthcare Technology and Management</i> , 2006 , 7, 283	0.3	3
48	Is there a role of statins in the prevention of aortic biological prostheses degeneration. <i>Cardiovascular Ultrasound</i> , 2006 , 4, 26	2.4	3
47	Echocardiographic evaluation of mitral stenosis in predicting mitral valve replacement vs commissurotomy. Relation to hemodynamic measurements. <i>Chest</i> , 1980 , 77, 147-54	5.3	3
46	Chest conformation spuriously influences strain parameters of myocardial contractile function in healthy pregnant women. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 767-779	1.9	3

45	Incremental diagnostic role of left atrial strain analysis in thrombotic risk assessment of nonvalvular atrial fibrillation patients planned for electrical cardioversion. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1539-1550	2.5	3
44	Incremental prognostic role of left atrial reservoir strain in asymptomatic patients with moderate aortic stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1913-1925	2.5	3
43	Influence of chest conformation on ventricular-arterial coupling during normal pregnancy. <i>Journal of Clinical Ultrasound</i> , 2021 , 49, 586-596	1	3
42	Major rectus abdominis hematoma complicating low molecular weight heparin therapy. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 758-9	1.9	2
41	Relation of the total ejection isovolume index to symptoms in aortic stenosis. <i>American Journal of Cardiology</i> , 2002 , 90, 665-8	3	2
40	Modification of the characteristics of regurgitant jets when impinging upon a surface: an in-vitro investigation using Doppler colour flow mapping. <i>European Heart Journal</i> , 1992 , 13, 882-8	9.5	2
39	Abnormal myocardial texture demonstrated by ultrasound in two patients with idiopathic haemochromatosis. <i>European Heart Journal</i> , 1987 , 8, 630-3	9.5	2
38	A SIMPLE DIAGNOSTIC TEST IN THE STEIN-LEVENTHAL SYNDROME. <i>Lancet, The</i> , 1960 , 275, 656-657	40	2
37	A Nonfatal Massive Pulmonary Embolism in a Very Old Patient: The Protective Filter-Effect of the Chiari Network. <i>Journal of Cardiovascular Echography</i> , 2019 , 29, 32-34	0.6	2
36	Appropriate use criteria implementation with modified Haller index for predicting stress echocardiographic results and outcome in a population of patients with suspected coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2917-2930	2.5	2
35	Rapid Risk Stratification of Acute Ischemic Stroke Patients in the Emergency Department: The Incremental Prognostic Role of Left Atrial Reservoir Strain. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 106100	2.8	2
34	Anatomy and pathophysiology of the heart in a centenarian cohort (MILANO study). <i>American Heart Journal</i> , 2018 , 205, 12-20	4.9	1
33	Is there a role for tissue Doppler imaging in predicting thromboembolic risk? A challenging case report of dilated cardiomyopathy with intracardiac thrombus and recurrent stroke. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 503-504	1.9	1
32	Impact of metabolic syndrome traits on cardiovascular function: should the Adult Treatment Panel III definition be further stratified?. <i>Journal of Cardiovascular Medicine</i> , 2014 , 15, 752-8	1.9	1
31	Septal pacing: ready for prime time?. <i>Europace</i> , 2012 , 14, 1220; author reply 1220-1	3.9	1
30	Specifying and representing temporal abstractions on clinical data by a query language based on the event calculus		1
29	Modifications of Oxygen Saturation During Transesophageal Echocardiography. <i>Echocardiography</i> , 1997 , 14, 261-266	1.5	1
28	Re-expansion unilateral pulmonary oedema after surgical drainage of a giant hepatic cyst: a case report. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 188-91	1.9	1

27	Late coronary thrombosis in paclitaxel-eluting stents. Case reports. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 284-8	1.9	1
26	Is the SCP-ECG format suitable for inpatient ECG management? 2003 ,		1
25	Echocardiographic prediction of the final event in patients dying of acute myocardial infarction. <i>European Heart Journal</i> , 1993 , 14, 775-9	9.5	1
24	Prognostic Value of Modified Haller Index in Patients with Suspected Coronary Artery Disease Referred for Exercise Stress Echocardiography. <i>Journal of Cardiovascular Echography</i> , 2021 , 31, 85-95	0.6	1
23	Does chest shape influence exercise stress echocardiographic results in patients with suspected coronary artery disease?. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	1
22	Unusual presentation of acute pulmonary hypertension in a patient with bilateral pneumonia and hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 853-856	1.9	1
21	Prognostic Relevance of Left Ventricular Thrombus Motility: Assessment by Pulsed Wave Tissue Doppler Imaging. <i>Angiology</i> , 2021 , 72, 355-363	2.1	1
20	Correlation Between Doppler Echocardiography and Right Heart Catheterisation-Derived Systolic and Mean Pulmonary Artery Pressures: Determinants of Discrepancies Between the Two Methods. <i>Heart Lung and Circulation</i> , 2021 , 30, 656-664	1.8	1
19	Heterogeneity of clinical presentation in Tako-Tsubo syndromes: the prevalence of normal segmental wall motion and normal ECG pattern. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 717-724	1.9	1
18	Influence of chest wall conformation on spirometry parameters and outcome in mild-to-moderate idiopathic pulmonary fibrosis.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
17	Incremental prognostic value of arterial elastance in mild-to-moderate idiopathic pulmonary fibrosis.. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	0
16	Mechanical concordance between left atrium and left atrial appendage in nonvalvular atrial fibrillation: can it be exploited to avoid transesophageal echocardiography prior to electrical cardioversion during Covid-19 pandemic?. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 1	2.5	0
15	CHADS-VASc score stratifies mortality risk in heart failure patients aged 75 years and older with and without atrial fibrillation.. <i>Aging Clinical and Experimental Research</i> , 2022 , 1	4.8	0
14	Liver stiffness measurement identifies subclinical myocardial dysfunction in non-advanced non-alcoholic fatty liver disease patients without overt heart disease.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
13	Usefulness of second trimester left ventricular global longitudinal strain for predicting adverse maternal outcome in pregnant women aged 35 years or older. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 38, 1061	2.5	0
12	A reliable witness: dual-chamber pacemaker prolonged intracardiac recordings of a resuscitated cardiac arrest episode. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16 Suppl 1, S5-7	1.9	
11	Letter by De Mattia et al regarding article, "Digital clubbing". <i>Circulation</i> , 2013 , 128, e448	16.7	
10	Cardiac structure and function and insulin resistance in morbid obese patients: does superobesity play a further role?. <i>European Heart Journal</i> , 2013 , 34, P737-P737	9.5	

- | | | |
|---|---|-----|
| 9 | Impact of different ATP III traits of metabolic syndrome on cardiac remodeling and function. <i>European Heart Journal</i> , 2013 , 34, P1578-P1578 | 9.5 |
| 8 | Dynamic Left Ventricular Outflow Tract Obstruction During Myocardial Ischemia in Mitral Valve Prolapse Syndrome. <i>Echocardiography</i> , 1997 , 14, 387-392 | 1.5 |
| 7 | Role of Echocardiography in the Management of Atrial Fibrillation Patients 2005 , 91-97 | |
| 6 | Influence of Variable Loading Conditions on Pulsed Doppler Indices of Left Ventricular Ejection Dynamics. <i>Echocardiography</i> , 1994 , 11, 207-213 | 1.5 |
| 5 | Isolated Tricuspid Valve Prolapse: Evaluation by Cross-Sectional and Doppler Echocardiography. <i>American Journal of Noninvasive Cardiology</i> , 1992 , 6, 19-22 | |
| 4 | Serum dopamine beta-hydroxylase (DBH) activity in acute myocardial infarction. <i>Clinica Chimica Acta</i> , 1978 , 90, 279-84 | 6.2 |
| 3 | Is Transesophageal Echocardiography Always Necessary Before Cardioversion of AF Patients After Conventional Anticoagulation Therapy? 2003 , 325-328 | |
| 2 | A rare case of native pulmonary valve infective endocarditis complicated by septic pulmonary embolism. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 152-155 | 1.9 |
| 1 | Why are left ventricular linear internal diameters still so important for clinical decision-making to undergo surgery in asymptomatic patients with chronic severe aortic or primary mitral regurgitation?. <i>Journal of Cardiovascular Medicine</i> , 2022 , 23, 304-307 | 1.9 |