

Gian Luigi Nicolosi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3457518/gian-luigi-nicolosi-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

6,701
citations

33
h-index

79
g-index

194
ext. papers

7,522
ext. citations

4.7
avg, IF

4.93
L-index

#	Paper	IF	Citations
170	Influence of chest wall conformation on spirometry parameters and outcome in mild-to-moderate idiopathic pulmonary fibrosis.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
169	Incremental prognostic value of arterial elastance in mild-to-moderate idiopathic pulmonary fibrosis.. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	0
168	CHADS-VASc score stratifies mortality risk in heart failure patients aged 75 years and older with and without atrial fibrillation.. <i>Aging Clinical and Experimental Research</i> , 2022 , 1	4.8	0
167	Liver stiffness measurement identifies subclinical myocardial dysfunction in non-advanced non-alcoholic fatty liver disease patients without overt heart disease.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
166	Why are left ventricular linear internal diameters still so important for clinical decision-making to undergo surgery in asymptomatic patients with chronic severe aortic or primary mitral regurgitation?. <i>Journal of Cardiovascular Medicine</i> , 2022 , 23, 304-307	1.9	
165	Prognostic Value of Modified Haller Index in Patients with Suspected Coronary Artery Disease Referred for Exercise Stress Echocardiography. <i>Journal of Cardiovascular Echography</i> , 2021 , 31, 85-95	0.6	1
164	Appropriate use criteria implementation with modified Haller index for predicting stress echocardiographic results and outcome in a population of patients with suspected coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2917-2930	2.5	2
163	Chest conformation spuriously influences strain parameters of myocardial contractile function in healthy pregnant women. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 767-779	1.9	3
162	Does chest shape influence exercise stress echocardiographic results in patients with suspected coronary artery disease?. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	1
161	Prognostic Relevance of Left Ventricular Thrombus Motility: Assessment by Pulsed Wave Tissue Doppler Imaging. <i>Angiology</i> , 2021 , 72, 355-363	2.1	1
160	Correlation Between Doppler Echocardiography and Right Heart Catheterisation-Derived Systolic and Mean Pulmonary Artery Pressures: Determinants of Discrepancies Between the Two Methods. <i>Heart Lung and Circulation</i> , 2021 , 30, 656-664	1.8	1
159	Influence of chest conformation on myocardial strain parameters in healthy subjects with mitral valve prolapse. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1009-1022	2.5	9
158	Incremental diagnostic role of left atrial strain analysis in thrombotic risk assessment of nonvalvular atrial fibrillation patients planned for electrical cardioversion. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1539-1550	2.5	3
157	Incremental prognostic role of left atrial reservoir strain in asymptomatic patients with moderate aortic stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1913-1925	2.5	3
156	Influence of chest conformation on ventricular-arterial coupling during normal pregnancy. <i>Journal of Clinical Ultrasound</i> , 2021 , 49, 586-596	1	3
155	Does chest wall conformation influence myocardial strain parameters in infants with pectus excavatum?. <i>Journal of Clinical Ultrasound</i> , 2021 , 49, 918-928	1	4
154	Mechanical concordance between left atrium and left atrial appendage in nonvalvular atrial fibrillation: can it be exploited to avoid transesophageal echocardiography prior to electrical cardioversion during Covid-19 pandemic?. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 1	2.5	0

153	Rapid Risk Stratification of Acute Ischemic Stroke Patients in the Emergency Department: The Incremental Prognostic Role of Left Atrial Reservoir Strain. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 106100	2.8	2
152	Reduced Myocardial Strain Parameters in Subjects With Pectus Excavatum: Impaired Myocardial Function or Methodological Limitations Due to Chest Deformity?. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021 , 33, 251-262	1.7	12
151	Usefulness of second trimester left ventricular global longitudinal strain for predicting adverse maternal outcome in pregnant women aged 35 years or older. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 38, 1061	2.5	0
150	Cancer in chronic heart failure patients in the GISSI-HF trial. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13273	4.6	4
149	Early left atrial dysfunction in idiopathic pulmonary fibrosis patients without chronic right heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1711-1723	2.5	6
148	Speckle-Tracking Echocardiography for Cardioncological Evaluation in Bevacizumab-Treated Colorectal Cancer Patients. <i>Cardiovascular Toxicology</i> , 2020 , 20, 581-592	3.4	3
147	False-positive electrocardiographic changes during exercise test in a patient with pectus excavatum. <i>Journal of Clinical Ultrasound</i> , 2020 , 48, 579-584	1	4
146	A Nonfatal Massive Pulmonary Embolism in a Very Old Patient: The Protective Filter-Effect of the Chiari Network. <i>Journal of Cardiovascular Echography</i> , 2019 , 29, 32-34	0.6	2
145	A rare case of native pulmonary valve infective endocarditis complicated by septic pulmonary embolism. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 152-155	1.9	
144	Incremental prognostic value of global left atrial peak strain in women with new-onset gestational hypertension. <i>Journal of Hypertension</i> , 2019 , 37, 1668-1675	1.9	6
143	Unusual presentation of acute pulmonary hypertension in a patient with bilateral pneumonia and hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 853-856	1.9	1
142	Modes of death and prognostic outliers in chronic heart failure. <i>American Heart Journal</i> , 2019 , 208, 100-109		5
141	Prognostic value of global left atrial peak strain in patients with acute ischemic stroke and no evidence of atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 603-613	2.5	13
140	Prognostic impact of elevated serum uric acid levels on long-term outcomes in patients with chronic heart failure: A post-hoc analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) trial. <i>Metabolism: Clinical and Experimental</i> , 2018 , 83, 205-215	12.7	20
139	Circulating microRNA-132 levels improve risk prediction for heart failure hospitalization in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 78-85	12.3	43
138	Anatomy and pathophysiology of the heart in a centenarian cohort (MILANO study). <i>American Heart Journal</i> , 2018 , 205, 12-20	4.9	1
137	Is there a role for tissue Doppler imaging in predicting thromboembolic risk? A challenging case report of dilated cardiomyopathy with intracardiac thrombus and recurrent stroke. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 503-504	1.9	1
136	Heterogeneity of clinical presentation in Tako-Tsubo syndromes: the prevalence of normal segmental wall motion and normal ECG pattern. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 717-724	1.9	1

135	A New modified anthropometric haller index obtained without radiological exposure. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 1505-1509	2.5	14
134	Prognostic effects of rosuvastatin in patients with co-existing chronic obstructive pulmonary disease and chronic heart failure: A sub-analysis of GISSI-HF trial. <i>Pulmonary Pharmacology and Therapeutics</i> , 2017 , 44, 16-23	3.5	12
133	Potential uselessness and futility of left atrial appendage occlusion and patent foramen ovale closure in cardioembolic stroke. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 393-397	1.9	4
132	Clinical and echocardiographic predictors of long-term outcome of a large cohort of patients with bicuspid aortic valve. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 74-82	1.9	4
131	An unusual etiology of torsade de pointes-induced syncope. <i>Archives of Medical Science</i> , 2017 , 13, 686-689	3	3
130	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) Trial. <i>Journal of the American Heart Association</i> , 2017 , 6, e00889	6	39
129	Prevalence and Prognostic Impact of Chronic Obstructive Pulmonary Disease in Patients with Chronic Heart Failure: Data from the GISSI-HF Trial. <i>Cardiology</i> , 2017 , 136, 128-137	1.6	27
128	Tricuspid Annuloplasty for Tricuspid Regurgitation Secondary to Left-Sided Heart Valve Disease: Immediate Outcomes and Risk Factors for Late Failure. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 760-6	3.8	15
127	Flexible band versus rigid ring annuloplasty for functional tricuspid regurgitation: two different patterns of right heart reverse remodelling. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 23, 79-89	1.8	21
126	A reliable witness: dual-chamber pacemaker prolonged intracardiac recordings of a resuscitated cardiac arrest episode. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16 Suppl 1, S5-7	1.9	
125	Left ventricular shape and mass impact torsional dynamics in asymptomatic patients with chronic aortic regurgitation and normal left ventricular ejection fraction. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 1315-26	2.5	9
124	The Anp genetic variant Rs5068 and circulating levels of natriuretic peptides in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2014 , 176, 1249-51	3.2	3
123	Cardiac structure and function and insulin resistance in morbidly obese patients: does superobesity play an additional role?. <i>Cardiology</i> , 2014 , 127, 144-51	1.6	15
122	Impact of metabolic syndrome traits on cardiovascular function: should the Adult Treatment Panel III definition be further stratified?. <i>Journal of Cardiovascular Medicine</i> , 2014 , 15, 752-8	1.9	1
121	Wine consumption and risk of cardiovascular events after myocardial infarction: results from the GISSI-Prevenzione trial. <i>International Journal of Cardiology</i> , 2013 , 163, 282-287	3.2	31
120	Tubular damage and worsening renal function in chronic heart failure. <i>JACC: Heart Failure</i> , 2013 , 1, 417-24	7.9	73
119	Predictors of mortality in 6975 patients with chronic heart failure in the Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico-Heart Failure trial: proposal for a nomogram. <i>Circulation: Heart Failure</i> , 2013 , 6, 31-9	7.6	75
118	n-3 polyunsaturated fatty acids and atrial fibrillation in patients with chronic heart failure: the GISSI-HF trial. <i>European Journal of Heart Failure</i> , 2013 , 15, 1289-95	12.3	25

117	Uric acid: a cardiovascular risk factor in patients with recent myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 262-9	3.2	30
116	Impact of associated significant aortic regurgitation on left ventricular remodeling and hemodynamic impairment in severe aortic valve stenosis. <i>Cardiology</i> , 2013 , 124, 174-81	1.6	12
115	Letter by De Mattia et al regarding article, "Digital clubbing". <i>Circulation</i> , 2013 , 128, e448	16.7	
114	Cardiac structure and function and insulin resistance in morbid obese patients: does superobesity play a further role?. <i>European Heart Journal</i> , 2013 , 34, P737-P737	9.5	
113	Impact of different ATP III traits of metabolic syndrome on cardiac remodeling and function. <i>European Heart Journal</i> , 2013 , 34, P1578-P1578	9.5	
112	The Ventricular-Arterial Coupling: From Basic Pathophysiology to Clinical Application in the Echocardiography Laboratory. <i>Journal of Cardiovascular Echography</i> , 2013 , 23, 91-95	0.6	47
111	Polymorphic ventricular tachycardia induced by Valsalva manoeuvre in a patient with paroxysmal supraventricular tachycardia. <i>Europace</i> , 2012 , 14, 767-8	3.9	7
110	Autonomic markers and cardiovascular and arrhythmic events in heart failure patients: still a place in prognostication? Data from the GISSI-HF trial. <i>European Journal of Heart Failure</i> , 2012 , 14, 1410-9	12.3	51
109	Septal pacing: ready for prime time?. <i>Europace</i> , 2012 , 14, 1220; author reply 1220-1	3.9	1
108	Incremental value of arterial stiffness over traditional risk factors in predicting subclinical cardiovascular remodeling in patients with moderate chronic renal failure. <i>Angiology</i> , 2011 , 62, 662-8	2.1	7
107	CME: long-term outcome in asymptomatic patients with severe aortic regurgitation, normal left ventricular ejection fraction, and severe left ventricular dilatation. <i>Echocardiography</i> , 2010 , 27, 915-22	1.5	8
106	Effect of hydroxymethylglutaryl coenzyme-a reductase inhibitors on the long-term progression of rheumatic mitral valve disease. <i>Circulation</i> , 2010 , 121, 2130-6	16.7	15
105	Left ventricular torsional dynamics in aortic stenosis: relationship between left ventricular untwisting and filling pressures. A two-dimensional speckle tracking study. <i>European Journal of Echocardiography</i> , 2010 , 11, 406-13		24
104	Cardiogenic shock with basal transient left ventricular ballooning (Takotsubo-like cardiomyopathy) as first presentation of pheochromocytoma. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 507-10	1.9	23
103	Arterial stiffness and ventricular stiffness: a couple of diseases or a coupling disease? A review from the cardiologist's point of view. <i>European Journal of Echocardiography</i> , 2009 , 10, 36-43		96
102	Association between carotid and coronary artery disease in patients with aortic valve stenosis: an angiographic study. <i>Angiology</i> , 2009 , 60, 596-600	2.1	12
101	Effects of rosuvastatin on atrial fibrillation occurrence: ancillary results of the GISSI-HF trial. <i>European Heart Journal</i> , 2009 , 30, 2327-36	9.5	84
100	Effects of perindopril on cardiac remodelling and prognostic value of pre-discharge quantitative echocardiographic parameters in elderly patients after acute myocardial infarction: the PREAMI echo sub-study. <i>European Heart Journal</i> , 2009 , 30, 1656-65	9.5	16

99	Relation of carotid intima-media thickness and aortic valve sclerosis (from the ISMIR study ["Ispessimento Medio Intimale e Rischio Cardiovascolare"] of the Italian Society of Cardiovascular Echography). <i>American Journal of Cardiology</i> , 2009 , 103, 1556-61	3	12
98	Echo-tracking assessment of carotid artery stiffness in patients with aortic valve stenosis. <i>Echocardiography</i> , 2009 , 26, 823-31	1.5	27
97	Hydroxymethylglutaryl coenzyme-a reductase inhibitors delay the progression of rheumatic aortic valve stenosis a long-term echocardiographic study. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1874-9	15.1	25
96	Prognostic value of ventricular-arterial coupling and B-type natriuretic peptide in patients after myocardial infarction: a five-year follow-up study. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 1239-45	5.8	46
95	Medical therapy for rheumatic heart disease: is it time to be proactive rather than reactive?. <i>Indian Heart Journal</i> , 2009 , 61, 14-23	1.6	12
94	Stage-related effect of statin treatment on the progression of aortic valve sclerosis and stenosis. <i>American Journal of Cardiology</i> , 2008 , 102, 738-42	3	75
93	Heart failure in patients with aortic stenosis: clinical and prognostic significance of carbohydrate antigen 125 and brain natriuretic peptide measurement. <i>International Journal of Cardiology</i> , 2008 , 128, 406-12	3.2	33
92	Effect of n-3 polyunsaturated fatty acids in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008 , 372, 1223-30	40	998
91	Effect of rosuvastatin in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008 , 372, 1231-9	40	767
90	Left atrial remodelling early after mitral valve repair for degenerative mitral regurgitation. <i>Heart</i> , 2008 , 94, 759-64	5.1	28
89	Major rectus abdominis hematoma complicating low molecular weight heparin therapy. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 758-9	1.9	2
88	Prognostic role of left atrial volume in elderly patients with symptomatic stable chronic heart failure: comparison with left ventricular diastolic dysfunction and B-type natriuretic peptide. <i>Echocardiography</i> , 2007 , 24, 1035-43	1.5	24
87	Efficacy of n-3 polyunsaturated fatty acids according to clinical characteristics of patients with recent myocardial infarction: insights from the GISSI-Prevenzione trial. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8 Suppl 1, S34-7	1.9	26
86	Re-expansion unilateral pulmonary oedema after surgical drainage of a giant hepatic cyst: a case report. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 188-91	1.9	1
85	Late coronary thrombosis in paclitaxel-eluting stents. Case reports. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 284-8	1.9	1
84	Double-exit transaortic sinus cusp ventricular tachycardia: an unusual form of idiopathic outflow tract tachycardia treated by radiofrequency catheter ablation. <i>Heart Rhythm</i> , 2006 , 3, 1490-3	6.7	8
83	High pulse pressure and low mean arterial pressure: two predictors of death after a myocardial infarction. <i>Journal of Hypertension</i> , 2006 , 24, 2377-85	1.9	24
82	Tumour markers in chronic heart failure. Review of the literature and clinical implications. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 573-9	1.9	7

81	Critical success factors for establishing a multidisciplinary health community knowledge management system using internet-based ICTs: the cardiology paradigm. <i>International Journal of Healthcare Technology and Management</i> , 2006 , 7, 283	0.3	3
80	Vitamin E increases the risk of developing heart failure after myocardial infarction: Results from the GISSI-Prevenzione trial. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 347-50	1.9	83
79	A medical therapy for aortic valve sclerosis and aortic valve stenosis? Rationale of the ASSIST study (Asymptomatic aortic Sclerosis/Stenosis: Influence of STatins): a large, observational, prospective, multicenter study of the Italian Society of Cardiovascular Echography. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 464-9	1.9	6
78	Severe ventricular dysrhythmias and silent ischemia during infusion of the antimetabolite 5-fluorouracil and cis-platin. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 637-40	1.9	21
77	Is there a role of statins in the prevention of aortic biological prostheses degeneration. <i>Cardiovascular Ultrasound</i> , 2006 , 4, 26	2.4	3
76	Use of the ejection fraction-velocity ratio in the hemodynamic assessment of aortic bioprosthetic valves. <i>Echocardiography</i> , 2006 , 23, 97-102	1.5	5
75	Metabolic syndrome and risk of cardiovascular events after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 277-83	15.1	122
74	Role of Echocardiography in the Management of Atrial Fibrillation Patients 2005 , 91-97		
73	Left ventricular systolic dysfunction, total mortality, and sudden death in patients with myocardial infarction treated with n-3 polyunsaturated fatty acids. <i>European Journal of Heart Failure</i> , 2005 , 7, 904-9	12.3	90
72	Right ventricular functional recovery after acute myocardial infarction: relation with left ventricular function and interventricular septum motion. GISSI-3 echo substudy. <i>Heart</i> , 2005 , 91, 484-8	5.1	42
71	Rationale and design of the GISSI heart failure trial: a large trial to assess the effects of n-3 polyunsaturated fatty acids and rosuvastatin in symptomatic congestive heart failure. <i>European Journal of Heart Failure</i> , 2004 , 6, 635-41	12.3	180
70	Left atrium remodeling after acute myocardial infarction (results of the GISSI-3 Echo Substudy). <i>American Journal of Cardiology</i> , 2004 , 93, 1156-9	3	23
69	Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction: results of the GISSI-3 echo substudy. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1646-53	15.1	117
68	Is the SCP-ECG format suitable for inpatient ECG management? 2003 ,		1
67	Effect of statins on the progression of bioprosthetic aortic valve degeneration. <i>American Journal of Cardiology</i> , 2003 , 92, 1479-82	3	62
66	Progression of aortic valve sclerosis to aortic stenosis. <i>American Journal of Cardiology</i> , 2003 , 91, 99-101	3	76
65	Asymptomatic isolated congenital left ventricular muscular diverticulum in an adult: a case report. <i>Echocardiography</i> , 2003 , 20, 191-5	1.5	24
64	Symptomatic aortic stenosis: does systemic hypertension play an additional role?. <i>Hypertension</i> , 2003 , 41, 1268-72	8.5	111

63	Is Transesophageal Echocardiography Always Necessary Before Cardioversion of AF Patients After Conventional Anticoagulation Therapy? 2003 , 325-328		
62	Relation of the total ejection isovolume index to symptoms in aortic stenosis. <i>American Journal of Cardiology</i> , 2002 , 90, 665-8	3	2
61	Dynamic left ventricular outflow tract obstruction in the setting of acute anterior myocardial infarction: a serious and potentially fatal complication?. <i>Echocardiography</i> , 2002 , 19, 449-55	1.5	32
60	Relation between early mitral regurgitation and left ventricular thrombus formation after acute myocardial infarction: results of the GISSI-3 echo substudy. <i>British Heart Journal</i> , 2002 , 88, 131-6		14
59	Prediction of 6 months left ventricular dilatation after myocardial infarction in relation to cardiac morbidity and mortality. Application of a new dilatation model to GISSI-3 data. <i>European Heart Journal</i> , 2002 , 23, 536-42	9.5	20
58	Early protection against sudden death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione. <i>Circulation</i> , 2002 , 105, 1897-903	16.7	1059
57	Value of transesophageal echocardiography in the diagnosis of compressive, atypically located pericardial cysts. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 192-4	5.8	14
56	Association between mitral annular calcium and carotid artery stenosis and role of age and gender. <i>American Journal of Cardiology</i> , 2001 , 88, 581-3	3	16
55	Assessment of absolute risk of death after myocardial infarction by use of multiple-risk-factor assessment equations: GISSI-Prevenzione mortality risk chart. <i>European Heart Journal</i> , 2001 , 22, 2085-103	9.5	84
54	Heterogeneity of left ventricular remodeling after acute myocardial infarction: results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico-3 Echo Substudy. <i>American Heart Journal</i> , 2001 , 141, 131-8	4.9	83
53	Pulmonary artery hypertension in adult patients with symptomatic valvular aortic stenosis. <i>American Journal of Cardiology</i> , 2000 , 85, 204-8	3	68
52	Validation of the ejection fraction-velocity ratio: a new simplified "function-corrected" index for assessing aortic stenosis severity. <i>American Journal of Cardiology</i> , 2000 , 86, 427-33	3	13
51	PREAMI: Perindopril and Remodelling in Elderly with Acute Myocardial Infarction: study rationale and design. <i>Cardiovascular Drugs and Therapy</i> , 2000 , 14, 671-9	3.9	8
50	Electrocardiographic evolutionary changes and left ventricular remodeling after acute myocardial infarction: results of the GISSI-3 Echo substudy. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 127-35	15.1	39
49	Dietary Supplementation With n-3 Polyunsaturated Fatty Acids and Vitamin E After Myocardial Infarction: Results of the Gissi-Prevenzione Trial. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2000 , 20, 131		4
48	Echocardiography to understand remodeling and to assess prognosis after acute myocardial infarction. <i>International Journal of Cardiology</i> , 1998 , 65 Suppl 1, S75-8	3.2	7
47	Echocardiography in pulmonary embolism disease. <i>International Journal of Cardiology</i> , 1998 , 65 Suppl 1, S87-90	3.2	6
46	Modifications of Oxygen Saturation During Transesophageal Echocardiography. <i>Echocardiography</i> , 1997 , 14, 261-266	1.5	1

45	Dynamic Left Ventricular Outflow Tract Obstruction During Myocardial Ischemia in Mitral Valve Prolapse Syndrome. <i>Echocardiography</i> , 1997 , 14, 387-392	1.5	
44	Non-linear pharmacokinetics of high-dose intravenous verapamil. <i>British Journal of Clinical Pharmacology</i> , 1997 , 44, 255-60	3.8	8
43	The prognostic value of pre-discharge quantitative two-dimensional echocardiographic measurements and the effects of early lisinopril treatment on left ventricular structure and function after acute myocardial infarction in the GISSI-3 Trial. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico. <i>European Heart Journal</i> , 1996 , 17, 1646-56	9.5	89
42	Reproducibility of wall motion score and its correlation with left ventricular ejection fraction in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 1996 , 78, 855-8	3	21
41	Long-term evaluation of patients with apical hypertrophic cardiomyopathy. Correlation between quantitative echocardiographic assessment of apical hypertrophy and clinical-electrocardiographic findings. <i>European Heart Journal</i> , 1995 , 16, 210-7	9.5	35
40	Spontaneous closure of a patent foramen ovale and disappearance of impending paradoxical embolism after fibrinolytic therapy in the course of massive pulmonary embolism. <i>American Journal of Cardiology</i> , 1995 , 76, 422-4	3	24
39	Relation of right ventricular morphology and function in pectus excavatum to the severity of the chest wall deformity. <i>American Journal of Cardiology</i> , 1995 , 76, 941-6	3	63
38	Influence of Variable Loading Conditions on Pulsed Doppler Indices of Left Ventricular Ejection Dynamics. <i>Echocardiography</i> , 1994 , 11, 207-213	1.5	
37	Determinants of 6-month mortality in survivors of myocardial infarction after thrombolysis. Results of the GISSI-2 data base. The Ad hoc Working Group of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-2 Data Base. <i>Circulation</i> , 1993 , 88, 416-29	16.7	322
36	Diagnosis of heart tumours by transoesophageal echocardiography: a multicentre study in 154 patients. European Cooperative Study Group. <i>European Heart Journal</i> , 1993 , 14, 1223-8	9.5	146
35	Effect of atrial fibrillation on pulmonary venous flow patterns: transoesophageal pulsed Doppler echocardiographic study. <i>European Heart Journal</i> , 1993 , 14, 1320-7	9.5	26
34	Echocardiographic prediction of the final event in patients dying of acute myocardial infarction. <i>European Heart Journal</i> , 1993 , 14, 775-9	9.5	1
33	Spontaneous idiopathic subclavian arteriovenous fistula: a case report. <i>Angiology</i> , 1992 , 43, 672-7	2.1	4
32	Modification of the characteristics of regurgitant jets when impinging upon a surface: an in-vitro investigation using Doppler colour flow mapping. <i>European Heart Journal</i> , 1992 , 13, 882-8	9.5	2
31	Isolated Tricuspid Valve Prolapse: Evaluation by Cross-Sectional and Doppler Echocardiography. <i>American Journal of Noninvasive Cardiology</i> , 1992 , 6, 19-22		
30	Role of transesophageal echocardiography in evaluation of pulmonary venous obstruction by paracardiac neoplastic masses. <i>American Journal of Cardiology</i> , 1992 , 70, 1362-6	3	15
29	Limitations in the assessment of changes of cardiac output by Doppler echocardiography under various hemodynamic conditions. <i>American Journal of Cardiology</i> , 1992 , 70, 1370-4	3	6
28	Usefulness of transesophageal echocardiography in evaluation of paracardiac neoplastic masses. <i>American Journal of Cardiology</i> , 1992 , 70, 247-51	3	25

27	Quantification of mitral regurgitation: comparison between transthoracic and transesophageal color Doppler flow mapping. <i>Echocardiography</i> , 1991 , 8, 619-26	1.5	5
26	Echocardiographic contrast imaging of the human right heart: a multicenter study of the efficacy, safety, and reproducibility of intravenous SHU-454. <i>Journal of Clinical Ultrasound</i> , 1991 , 19, 523-30	1	11
25	Sodium-lithium countertransport and cardiorenal abnormalities in essential hypertension. <i>Hypertension</i> , 1991 , 18, 191-8	8.5	66
24	Familial dilated cardiomyopathy: a transverse and longitudinal clinical and echocardiographic study. <i>International Journal of Cardiology</i> , 1991 , 33, 225-31	3.2	5
23	Transthoracic and transoesophageal echocardiographic documentation of disappearance of massive right atrial and pulmonary artery thromboemboli after fibrinolytic therapy and normalization of left ventricular dimensions and function. <i>European Heart Journal</i> , 1990 , 11, 863-5	9.5	17
22	Interobserver and echo-angio variability of two-dimensional colour Doppler evaluation of aortic and mitral regurgitation. <i>European Heart Journal</i> , 1989 , 10, 334-40	9.5	23
21	Sensitivity and specificity of electrocardiographic ST-T changes as markers of neoplastic myocardial infiltration. Echocardiographic correlation. <i>Chest</i> , 1989 , 95, 980-5	5.3	20
20	Echocardiographic findings of left ventricular hypertrophy and normalization of parameters of left ventricular function in patients with previous evidence of dilated and poorly contracting left ventricle and coexisting systemic hypertension. <i>Clinical Cardiology</i> , 1989 , 12, 91-6	3.3	5
19	Prolapse of atrioventricular valve leaflets in the setting of double orifice. <i>International Journal of Cardiology</i> , 1988 , 19, 115-9	3.2	4
18	Feasibility and variability of six methods for the echocardiographic and Doppler determination of cardiac output. <i>Heart</i> , 1988 , 59, 299-303	5.1	26
17	Influence of aortic regurgitation on the assessment of the pressure half-time and derived mitral-valve area in patients with mitral stenosis. <i>European Heart Journal</i> , 1988 , 9, 1010-7	9.5	21
16	Normalization of variables of left ventricular function in patients with alcoholic cardiomyopathy after cessation of excessive alcohol intake: an echocardiographic study. <i>European Heart Journal</i> , 1987 , 8, 535-40	9.5	36
15	Abnormal myocardial texture demonstrated by ultrasound in two patients with idiopathic haemochromatosis. <i>European Heart Journal</i> , 1987 , 8, 630-3	9.5	2
14	Secondary neoplastic infiltration of the myocardium diagnosed by two-dimensional echocardiography in seven cases with anatomic confirmation. <i>Journal of the American College of Cardiology</i> , 1987 , 9, 439-45	15.1	22
13	Hypertrophic cardiomyopathy associated with myotonic muscular dystrophy (Steinert's disease). <i>International Journal of Cardiology</i> , 1987 , 16, 205-8	3.2	10
12	Analysis of interobserver and intraobserver variation of interpretation of the echocardiographic and Doppler flow determination of cardiac output by the mitral orifice method. <i>Heart</i> , 1986 , 55, 446-8	5.1	8
11	Dual-chamber transvenous pacemaker implantation via anomalous left superior vena cava. <i>American Heart Journal</i> , 1986 , 112, 621-2	4.9	9
10	Prospective identification of patients with amyloid heart disease by two-dimensional echocardiography. <i>Circulation</i> , 1984 , 70, 432-7	16.7	33

9	Interpretative reproducibility of two-dimensional echocardiographic images. Analysis of intraobserver, interobserver and beat to beat reproducibility of the mitral valve orifice. <i>European Heart Journal</i> , 1983 , 4, 733-7	9.5	6
8	Two-dimensional echocardiographic evaluation of mitral valve calcification. Sensitivity and specificity. <i>Chest</i> , 1982 , 82, 154-7	5.3	11
7	M-mode and two-dimensional echocardiography in congenital absence of the pericardium. <i>Chest</i> , 1982 , 81, 610-3	5.3	28
6	Echocardiographic evaluation of mitral stenosis in predicting mitral valve replacement vs commissurotomy. Relation to hemodynamic measurements. <i>Chest</i> , 1980 , 77, 147-54	5.3	3
5	Sensitivity and specificity of echocardiography in the assessment of valve calcification in mitral stenosis. <i>American Heart Journal</i> , 1979 , 98, 171-5	4.9	10
4	Alpha-adrenergic blocking activity of prazosin. Effect on catecholamine levels and catecholamine synthetic enzymes. <i>Biochemical Pharmacology</i> , 1979 , 28, 1233-7	6	11
3	Serum dopamine beta-hydroxylase (DBH) activity in acute myocardial infarction. <i>Clinica Chimica Acta</i> , 1978 , 90, 279-84	6.2	
2	A SIMPLE DIAGNOSTIC TEST IN THE STEIN-LEVENTHAL SYNDROME. <i>Lancet, The</i> , 1960 , 275, 656-657	4.0	2
1	Specifying and representing temporal abstractions on clinical data by a query language based on the event calculus		1