

Sonia Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3457941/publications.pdf>

Version: 2024-02-01

322
papers

15,744
citations

20817

60
h-index

27406

106
g-index

368
all docs

368
docs citations

368
times ranked

11524
citing authors

#	ARTICLE	IF	CITATIONS
1	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 813-824.	7.4	1,101
2	Schizophrenia and employment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 337-349.	3.1	713
3	Associations between loneliness and perceived social support and outcomes of mental health problems: a systematic review. <i>BMC Psychiatry</i> , 2018, 18, 156.	2.6	705
4	A systematic review and meta-analysis of randomised controlled trials of peer support for people with severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 39.	2.6	380
5	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. <i>British Journal of Psychiatry</i> , 1996, 168, 612-619.	2.8	354
6	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. <i>British Journal of Psychiatry</i> , 2007, 191, 30-37.	2.8	294
7	Social isolation in mental health: a conceptual and methodological review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1451-1461.	3.1	252
8	Randomised controlled trial of acute mental health care by a crisis resolution team: the north Islington crisis study. <i>BMJ: British Medical Journal</i> , 2005, 331, 599.	2.3	250
9	Overview: deinstitutionalization of psychiatric patients, a critical review of outcome studies. <i>American Journal of Psychiatry</i> , 1981, 138, 736-749.	7.2	214
10	The REACT study: randomised evaluation of assertive community treatment in north London. <i>BMJ: British Medical Journal</i> , 2006, 332, 815-820.	2.3	208
11	A life less lonely: the state of the art in interventions to reduce loneliness in people with mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 627-638.	3.1	200
12	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 14-23.	4.5	195
13	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. <i>Lancet Psychiatry</i> , 2021, 8, 48-57.	7.4	178
14	Mental Health, "Burnout"™ and Job Satisfaction among Hospital and Community-Based Mental Health Staff. <i>British Journal of Psychiatry</i> , 1996, 169, 334-337.	2.8	172
15	Rationale and design. <i>British Journal of Psychiatry</i> , 1998, 173, 363-370.	2.8	159
16	Impact on mental health care and on mental health service users of the COVID-19 pandemic: a mixed methods survey of UK mental health care staff. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 25-37.	3.1	157
17	Domestic and sexual violence against patients with severe mental illness. <i>Psychological Medicine</i> , 2015, 45, 875-886.	4.5	156
18	Early impacts of the COVID-19 pandemic on mental health care and on people with mental health conditions: framework synthesis of international experiences and responses. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 13-24.	3.1	156

#	ARTICLE	IF	CITATIONS
19	From efficacy to effectiveness in community mental health services. <i>British Journal of Psychiatry</i> , 1998, 173, 423-427.	2.8	153
20	The views and experiences of severely mentally ill mothers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 472-82.	3.1	153
21	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. <i>BMC Medicine</i> , 2014, 12, 181.	5.5	153
22	Substance misuse and risk of aggression and offending among the severely mentally ill. <i>British Journal of Psychiatry</i> , 1998, 172, 345-350.	2.8	152
23	Initiatives to shorten duration of untreated psychosis: systematic review. <i>British Journal of Psychiatry</i> , 2011, 198, 256-263.	2.8	131
24	Perceived sources of work stress and satisfaction among hospital and community mental health staff, and their relation to mental health, burnout and job satisfaction. <i>Journal of Psychosomatic Research</i> , 1997, 43, 51-59.	2.6	119
25	Implementation of the Crisis Resolution Team model in adult mental health settings: a systematic review. <i>BMC Psychiatry</i> , 2015, 15, 74.	2.6	116
26	Outcomes of crises before and after introduction of a crisis resolution team. <i>British Journal of Psychiatry</i> , 2005, 187, 68-75.	2.8	115
27	Views and Experiences of Employment among People with Psychosis: A Qualitative Descriptive Study. <i>International Journal of Social Psychiatry</i> , 2005, 51, 302-316.	3.1	108
28	Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. <i>British Journal of Psychiatry</i> , 2007, 190, 333-338.	2.8	108
29	User perspective on needs and satisfaction with mental health services. <i>British Journal of Psychiatry</i> , 1998, 173, 409-415.	2.8	105
30	The experience of loneliness among young people with depression: a qualitative meta-synthesis of the literature. <i>BMC Psychiatry</i> , 2020, 20, 415.	2.6	105
31	Peer-supported self-management for people discharged from a mental health crisis team: a randomised controlled trial. <i>Lancet, The</i> , 2018, 392, 409-418.	13.7	104
32	Variations in patterns of involuntary hospitalisation and in legal frameworks: an international comparative study. <i>Lancet Psychiatry, the</i> , 2019, 6, 403-417.	7.4	104
33	Clinical and social factors associated with increased risk for involuntary psychiatric hospitalisation: a systematic review, meta-analysis, and narrative synthesis. <i>Lancet Psychiatry, the</i> , 2019, 6, 1039-1053.	7.4	103
34	Explanations for stress and satisfaction in mental health professionals: a qualitative study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 301-308.	3.1	102
35	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. <i>British Journal of Psychiatry</i> , 1997, 171, 169-174.	2.8	99
36	Mental health, "burnout" and job satisfaction in a longitudinal study of mental health staff. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 295-300.	3.1	99

#	ARTICLE	IF	CITATIONS
37	Self-management interventions for people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2019, 214, 260-268.	2.8	99
38	The effectiveness of interventions for reducing subjective and objective social isolation among people with mental health problems: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 839-876.	3.1	99
39	Continuity of care for the severely mentally ill: concepts and measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997, 32, 137-142.	3.1	96
40	Characteristics of Subgroups of Individuals With Psychotic Illness and a Comorbid Substance Use Disorder. <i>Psychiatric Services</i> , 2003, 54, 554-561.	2.0	93
41	Childhood trauma and schizotypy: a systematic literature review. <i>Psychological Medicine</i> , 2015, 45, 947-963.	4.5	88
42	Dual diagnosis of severe mental illness and substance misuse: A case for specialist services?. <i>British Journal of Psychiatry</i> , 1997, 171, 205-208.	2.8	87
43	Service user and carer experiences of seeking help for a first episode of psychosis: a UK qualitative study. <i>BMC Psychiatry</i> , 2011, 11, 157.	2.6	87
44	Patients' experiences of assessment and detention under mental health legislation: systematic review and qualitative meta-synthesis. <i>BJPsych Open</i> , 2019, 5, e37.	0.7	85
45	Factors affecting implementation of digital health interventions for people with psychosis or bipolar disorder, and their family and friends: a systematic review. <i>Lancet Psychiatry</i> , 2019, 6, 257-266.	7.4	85
46	Implementation, Adoption, and Perceptions of Telemental Health During the COVID-19 Pandemic: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e31746.	4.3	84
47	Correlates of Subjective Quality of Life in People With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 87-94.	1.0	83
48	Crisis resolution and home treatment teams: an evolving model. <i>Advances in Psychiatric Treatment</i> , 2013, 19, 115-123.	0.5	83
49	Recent physical and sexual violence against adults with severe mental illness: a systematic review and meta-analysis. <i>International Review of Psychiatry</i> , 2016, 28, 433-451.	2.8	83
50	How does drug and alcohol misuse develop among people with psychotic illness? A literature review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 269-276.	3.1	81
51	Characteristics and needs of asylum seekers and refugees in contact with London community mental health teams. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 789-795.	3.1	78
52	Implementation of Telemental Health Services Before COVID-19: Rapid Umbrella Review of Systematic Reviews. <i>Journal of Medical Internet Research</i> , 2021, 23, e26492.	4.3	78
53	The social context of insight in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 500-507.	3.1	77
54	A qualitative study of online mental health information seeking behaviour by those with psychosis. <i>BMC Psychiatry</i> , 2016, 16, 232.	2.6	75

#	ARTICLE	IF	CITATIONS
55	Randomised evaluation of assertive community treatment: 3-year outcomes. <i>British Journal of Psychiatry</i> , 2009, 195, 81-82.	2.8	74
56	Violent and non-violent crime against adults with severe mental illness. <i>British Journal of Psychiatry</i> , 2015, 206, 275-282.	2.8	71
57	Experiences of living with mental health problems during the COVID-19 pandemic in the UK: a coproduced, participatory qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1447-1457.	3.1	71
58	Residential alternatives to acute psychiatric hospital admission: systematic review. <i>British Journal of Psychiatry</i> , 2009, 195, 109-117.	2.8	68
59	Identification of <i>Mycoplasma fermentans</i> in Synovial Fluid Samples from Arthritis Patients with Inflammatory Disease. <i>Journal of Clinical Microbiology</i> , 2000, 38, 90-93.	3.9	68
60	Insight and psychosis: a social perspective. <i>Psychological Medicine</i> , 1995, 25, 515-520.	4.5	67
61	Recent intimate partner violence among people with chronic mental illness: Findings from a national cross-sectional survey. <i>British Journal of Psychiatry</i> , 2015, 207, 207-212.	2.8	67
62	Social networks and service use among representative cases of psychosis in South London. <i>British Journal of Psychiatry</i> , 1997, 171, 15-19.	2.8	66
63	Evaluation of an integrated system for classification, assessment and comparison of services for long-term care in Europe: the eDESDE-LTC study. <i>BMC Health Services Research</i> , 2013, 13, 218.	2.2	66
64	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e100153.	2.5	66
65	Improving outcomes for people in mental health crisis: a rapid synthesis of the evidence for available models of care. <i>Health Technology Assessment</i> , 2016, 20, 1-162.	2.8	65
66	Variations in rates of comorbid substance use in psychosis between mental health settings and geographical areas in the UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 429-447.	3.1	63
67	Community mental health teams: evidence or belief?. <i>British Journal of Psychiatry</i> , 1999, 175, 508-513.	2.8	62
68	The European Socio-demographic Schedule (ESDS): rationale, principles and development. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 33-46.	4.5	61
69	Assertive outreach teams in London: Models of operation. <i>British Journal of Psychiatry</i> , 2003, 183, 132-138.	2.8	60
70	In-patient and residential alternatives to standard acute psychiatric wards in England. <i>British Journal of Psychiatry</i> , 2009, 194, 456-463.	2.8	60
71	Cannabis use and first-episode psychosis: relationship with manic and psychotic symptoms, and with age at presentation. <i>Psychological Medicine</i> , 2014, 44, 499-506.	4.5	60
72	How has COVID-19 affected mental health nurses and the delivery of mental health nursing care in the UK? Results of a mixed-methods study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021, 28, 126-137.	2.1	60

#	ARTICLE	IF	CITATIONS
73	The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: findings from the European Schizophrenia Cohort (EuroSC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 607-616.	3.2	59
74	Development of a measure of model fidelity for mental health Crisis Resolution Teams. <i>BMC Psychiatry</i> , 2016, 16, 427.	2.6	59
75	The European Schizophrenia Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 707-717.	3.1	58
76	Economic evaluation of a crisis resolution service: A randomised controlled trial. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 54-58.	0.9	58
77	An investigation of factors associated with psychiatric hospital admission despite the presence of crisis resolution teams. <i>BMC Psychiatry</i> , 2007, 7, 52.	2.6	57
78	Characteristics of teams, staff and patients: associations with outcomes of patients in assertive outreach. <i>British Journal of Psychiatry</i> , 2004, 185, 306-311.	2.8	55
79	Continuity of care and clinical outcome: a prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 242-247.	3.1	54
80	Violence against People with Disability in England and Wales: Findings from a National Cross-Sectional Survey. <i>PLoS ONE</i> , 2013, 8, e55952.	2.5	54
81	Compulsory community treatment to reduce readmission to hospital and increase engagement with community care in people with mental illness: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2018, 5, 1013-1022.	7.4	54
82	Crisis resolution and home treatment: stakeholders' views on critical ingredients and implementation in England. <i>BMC Psychiatry</i> , 2017, 17, 254.	2.6	53
83	Assertive outreach teams in London: Patient characteristics and outcomes. <i>British Journal of Psychiatry</i> , 2003, 183, 148-154.	2.8	52
84	The sectorisation of psychiatric services in England and Wales. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993, 28, 45-47.	3.1	51
85	Utilisation and costs of community mental health services. <i>British Journal of Psychiatry</i> , 1998, 173, 391-398.	2.8	51
86	Factors affecting staff morale on inpatient mental health wards in England: a qualitative investigation. <i>BMC Psychiatry</i> , 2011, 11, 68.	2.6	51
87	Drug and alcohol misuse among in-patients with psychotic illnesses in three inner-London psychiatric units. <i>Psychiatric Bulletin</i> , 2003, 27, 217-220.	0.3	49
88	Routine evaluation in first episode psychosis services: feasibility and results from the MiData project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 960-967.	3.1	49
89	Training in dual diagnosis interventions (the COMO Study): Randomised controlled trial. <i>BMC Psychiatry</i> , 2008, 8, 12.	2.6	49
90	Dual diagnosis of severe mental health problems and substance abuse/dependence: a major priority for mental health nursing. <i>Journal of Psychiatric and Mental Health Nursing</i> , 1997, 4, 89-95.	2.1	48

#	ARTICLE	IF	CITATIONS
91	Patterns of mental health service utilisation in Italy and Spain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 149-159.	3.1	48
92	Evidence of the effectiveness of a specialist vocational intervention following first episode psychosis: a naturalistic prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1-8.	3.1	48
93	Morale in the English mental health workforce: questionnaire survey. <i>British Journal of Psychiatry</i> , 2012, 201, 239-246.	2.8	48
94	National implementation of a mental health service model: A survey of Crisis Resolution Teams in England. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 214-226.	3.8	48
95	Service use and costs of people with dual diagnosis in South London. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 464-472.	4.5	47
96	Ethnic variations in pathways into early intervention services for psychosis. <i>British Journal of Psychiatry</i> , 2013, 202, 277-283.	2.8	46
97	Psychosocial functioning, quality of life and clinical correlates of comorbid alcohol and drug dependence syndromes in people with schizophrenia across Europe. <i>Psychiatry Research</i> , 2016, 239, 301-307.	3.3	46
98	Improving support for mental health staff: a qualitative study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 309-315.	3.1	45
99	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. <i>British Journal of Psychiatry</i> , 2010, 197, s26-s31.	2.8	45
100	The least worst option: user experiences of antipsychotic medication and lack of involvement in medication decisions in a UK community sample. <i>Journal of Mental Health</i> , 2018, 27, 322-328.	1.9	44
101	Assertive outreach teams in London: Staff experiences and perceptions. <i>British Journal of Psychiatry</i> , 2003, 183, 139-147.	2.8	43
102	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 532-540.	3.1	43
103	Clinicians' attitudes to the employment of people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 349-360.	3.1	42
104	Assessment instruments: standardization of the <i>European Service Mapping Schedule</i> (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 24-32.	4.5	41
105	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. <i>Psychiatric Services</i> , 2008, 59, 276-282.	2.0	41
106	Home Treatment as an Alternative to Hospital Admission for Mothers in a Mental Health Crisis: A Qualitative Study. <i>Psychiatric Services</i> , 2009, 60, 634-639.	2.0	41
107	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. <i>Psychiatric Services</i> , 2009, 60, 908-913.	2.0	40
108	Acute psychiatric care: approaches to increasing the range of services and improving access and quality of care. <i>World Psychiatry</i> , 2022, 21, 220-236.	10.4	40

#	ARTICLE	IF	CITATIONS
109	Women's experiences of admission to a crisis house and to acute hospital wards: A qualitative study. <i>Journal of Mental Health</i> , 2004, 13, 247-262.	1.9	39
110	Ethnic variations in compulsory detention and hospital admission for psychosis across four UK Early Intervention Services. <i>BMC Psychiatry</i> , 2014, 14, 256.	2.6	39
111	Shared goals for mental health research: what, why and when for the 2020s. <i>Journal of Mental Health</i> , 2023, 32, 997-1005.	1.9	39
112	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 14-23.	4.5	38
113	Loneliness and the onset of new mental health problems in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2161-2178.	3.1	38
114	Social interventions in mental health: a call to action. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 245-247.	3.1	37
115	Service user experiences and views regarding telemental health during the COVID-19 pandemic: A co-produced framework analysis. <i>PLoS ONE</i> , 2021, 16, e0257270.	2.5	37
116	An implementation study of the crisis resolution team model in Norway: Are the crisis resolution teams fulfilling their role?. <i>BMC Health Services Research</i> , 2011, 11, 96.	2.2	36
117	Advancing our understanding of loneliness and mental health problems in young people. <i>Lancet Psychiatry</i> , 2018, 5, 955-956.	7.4	36
118	Maternal perinatal depressive symptoms and offspring psychotic experiences at 18 years of age: a longitudinal study. <i>Lancet Psychiatry</i> , 2020, 7, 431-440.	7.4	36
119	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. <i>British Journal of Psychiatry</i> , 2010, 197, s41-s45.	2.8	35
120	Duration of untreated psychosis in adolescents: Ethnic differences and clinical profiles. <i>Schizophrenia Research</i> , 2013, 150, 526-532.	2.0	35
121	Standardised description of health and social care: A systematic review of use of the ESMS/DESDE (European Service Mapping Schedule/Description and Evaluation of Services and DirectoriEs). <i>European Psychiatry</i> , 2019, 61, 97-110.	0.2	35
122	Crisis-planning interventions for people with psychotic illness or bipolar disorder: systematic review and meta-analyses. <i>BJPsych Open</i> , 2019, 5, e53.	0.7	35
123	Drayton Park, an alternative to hospital admission for women in acute mental health crisis. <i>Psychiatric Bulletin</i> , 2000, 24, 101-104.	0.3	34
124	Social firms as a means of vocational recovery for people with mental illness: a UK survey. <i>BMC Health Services Research</i> , 2013, 13, 270.	2.2	34
125	Effectiveness and cost-effectiveness of admissions to women's crisis houses compared with traditional psychiatric wards: pilot patient-preference randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010, 197, s32-s40.	2.8	33
126	The CORE service improvement programme for mental health crisis resolution teams: results from a cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2020, 216, 314-322.	2.8	33

#	ARTICLE	IF	CITATIONS
127	Loneliness as a predictor of outcomes in mental disorders among people who have experienced a mental health crisis: a 4-month prospective study. <i>BMC Psychiatry</i> , 2020, 20, 249.	2.6	33
128	Description and classification of mental health services: a European perspective. <i>European Psychiatry</i> , 1998, 13, 333-341.	0.2	32
129	Tomorrow's world: current developments in the therapeutic use of technology for psychosis. <i>BJ Psych Advances</i> , 2016, 22, 301-310.	0.7	32
130	Mental health service provision in England. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 47-55.	4.5	31
131	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation) <i>Tj ETQq1 1 0.7849 14 rgB11/Overlo</i>	1.0	31
132	Epidemiology of loneliness in a cohort of UK mental health community crisis service users. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 811-822.	3.1	30
133	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. <i>Acta Psychiatrica Scandinavica, Supplement</i> , 2000, 405, 14-23.	0.1	30
134	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. <i>British Journal of Psychiatry</i> , 2010, 197, s14-s19.	2.8	29
135	Ethnic variations in pathways to acute care and compulsory detention for women experiencing a mental health crisis. <i>International Journal of Social Psychiatry</i> , 2012, 58, 3-15.	3.1	29
136	A systematic review and meta-analysis of cognitive behavioural informed psychological interventions for psychiatric inpatients with psychosis. <i>Schizophrenia Research</i> , 2020, 222, 133-144.	2.0	29
137	Assessing the content of mental health services: a review of measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 673-682.	3.1	28
138	Quality of life and illness beliefs in individuals with early psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 545-551.	3.1	28
139	Experiences of Improving Access to Psychological Therapy Services for Perinatal Mental Health Difficulties: a Qualitative Study of Women's and Therapists' Views. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 421-436.	1.2	28
140	The Community Navigator Study: Results from a feasibility randomised controlled trial of a programme to reduce loneliness for people with complex anxiety or depression. <i>PLoS ONE</i> , 2020, 15, e0233535.	2.5	28
141	Effects of training community staff in interventions for substance misuse in dual diagnosis patients with psychosis (COMO study). <i>British Journal of Psychiatry</i> , 2007, 191, 451-452.	2.8	27
142	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. <i>Epidemiology and Psychiatric Sciences</i> , 2009, 18, 344-351.	3.9	27
143	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. <i>Psychiatric Services</i> , 2008, 59, 276-282.	2.0	27
144	Carers' experiences of involuntary admission under mental health legislation: systematic review and qualitative meta-synthesis. <i>BJPsych Open</i> , 2020, 6, e19.	0.7	27

#	ARTICLE	IF	CITATIONS
145	Frequency and predictors of adverse events. <i>British Journal of Psychiatry</i> , 1998, 173, 376-384.	2.8	26
146	Satisfaction and burnout among staff of crisis resolution, assertive outreach and community mental health teams. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 541-549.	3.1	26
147	Results of a pilot cluster randomised trial of the use of a Medication Review Tool for people taking antipsychotic medication. <i>BMC Psychiatry</i> , 2016, 16, 205.	2.6	25
148	Smartphone-delivered self-management for first-episode psychosis: the ARIES feasibility randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e034927.	1.9	25
149	Demands, control, supportive relationships and well-being amongst British mental health workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1055-1068.	3.1	24
150	Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. <i>BMC Psychiatry</i> , 2015, 15, 98.	2.6	24
151	The therapeutic needs of psychiatric in-patients with psychosis: A qualitative exploration of patient and staff perspectives. <i>BJPsych Open</i> , 2019, 5, e45.	0.7	24
152	Service user experiences of community services for complex emotional needs: A qualitative thematic synthesis. <i>PLoS ONE</i> , 2021, 16, e0248316.	2.5	24
153	Crisis resolution and intensive home treatment teams. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 22-25.	0.2	23
154	A National Survey of Psychiatric Mother and Baby Units in England. <i>Psychiatric Services</i> , 2009, 60, 629-633.	2.0	23
155	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. <i>British Journal of Psychiatry</i> , 2010, 197, s20-s25.	2.8	23
156	Treatment and outcomes of crisis resolution teams: a prospective multicentre study. <i>BMC Psychiatry</i> , 2011, 11, 183.	2.6	23
157	Clinical effectiveness of a web-based peer-supported self-management intervention for relatives of people with psychosis or bipolar (REACT): online, observer-blind, randomised controlled superiority trial. <i>BMC Psychiatry</i> , 2020, 20, 160.	2.6	23
158	Insight, psychosis and ethnicity: a case-note study. <i>Psychological Medicine</i> , 1996, 26, 1081-1084.	4.5	22
159	Outcomes and costs of a community support worker service for the severely mentally ill. <i>Acta Psychiatrica Scandinavica</i> , 1999, 99, 196-206.	4.5	22
160	Alternatives to standard acute in-patient care in England: differences in content of care and staff-patient contact. <i>British Journal of Psychiatry</i> , 2010, 197, s46-s51.	2.8	22
161	How do women's partners view perinatal mental health services? A qualitative meta-synthesis. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 112-129.	2.7	22
162	Negative symptoms in first-episode psychosis: Clinical correlates and 1-year follow-up outcomes in London Early Intervention Services. <i>Microbial Biotechnology</i> , 2019, 13, 443-452.	1.7	22

#	ARTICLE	IF	CITATIONS
163	Maternal and Perinatal Outcomes of White Coat Hypertension During Pregnancy. <i>Hypertension</i> , 2020, 76, 157-166.	2.7	22
164	Drug and alcohol misuse among in-patients with psychotic illnesses in three inner-London psychiatric units. <i>Psychiatric Bulletin</i> , 2003, 27, 217-220.	0.3	21
165	Be Good to Your Patient. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 789-791.	1.0	21
166	A comparison of the implementation of Assertive Community Treatment in Melbourne, Australia and London, England. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 151-161.	3.9	21
167	Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis. <i>Microbial Biotechnology</i> , 2019, 13, 841-847.	1.7	21
168	Clinical and social factors associated with involuntary psychiatric hospitalisation in children and adolescents: a systematic review, meta-analysis, and narrative synthesis. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 501-512.	5.6	21
169	Can we reverse the rising tide of compulsory admissions?. <i>Lancet, The</i> , 2013, 381, 1603-1604.	13.7	20
170	First episode psychosis in the over 35s: is there a role for early intervention?. <i>Microbial Biotechnology</i> , 2018, 12, 348-354.	1.7	20
171	A qualitative comparison of experiences of specialist mother and baby units versus general psychiatric wards. <i>BMC Psychiatry</i> , 2019, 19, 401.	2.6	20
172	Alternatives to standard acute in-patient care in England: roles and populations served. <i>British Journal of Psychiatry</i> , 2010, 197, s6-s13.	2.8	19
173	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry, the</i> , 2017, 4, 257-260.	7.4	19
174	Experiences of how services supporting women with perinatal mental health difficulties work with their families: a qualitative study in England. <i>BMJ Open</i> , 2019, 9, e030208.	1.9	19
175	The role of psychology in a multidisciplinary psychiatric inpatient setting: Perspective from the multidisciplinary team. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 92, 554-564.	2.5	19
176	Indicators predicting use of mental health services in Piedmont, Italy. <i>Journal of Mental Health Policy and Economics</i> , 2005, 8, 95-106.	0.6	19
177	Predicting the Costs of Community Care for Individuals With Severe Mental Illness in South London. <i>Schizophrenia Bulletin</i> , 2001, 27, 653-660.	4.3	18
178	Developing mental health services in response to research evidence. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 47-56.	0.9	18
179	Psychiatric admissions from crisis resolution teams in Norway: a prospective multicentre study. <i>BMC Psychiatry</i> , 2013, 13, 117.	2.6	18
180	A systematic review of ethnic variations in hospital admission and compulsory detention in first-episode psychosis. <i>Journal of Mental Health</i> , 2014, 23, 205-211.	1.9	18

#	ARTICLE	IF	CITATIONS
181	Protocol for an online randomised controlled trial to evaluate the clinical and cost-effectiveness of a peer-supported self-management intervention for relatives of people with psychosis or bipolar disorder: Relatives Education And Coping Toolkit (REACT). <i>BMJ Open</i> , 2017, 7, e016965.	1.9	18
182	Psychologists's™ Perspectives on the implementation of Psychological Therapy for Psychosis in the Acute Psychiatric Inpatient Setting. <i>Qualitative Health Research</i> , 2019, 29, 2048-2056.	2.1	18
183	Emergency psychiatric services in England and Wales. <i>BMJ: British Medical Journal</i> , 1995, 311, 287-288.	2.3	18
184	Acute mental health care for older people by crisis resolution teams in England. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 263-265.	2.7	17
185	Methodological Challenges in Evaluating the Effectiveness of Women's Crisis Houses Compared With Psychiatric Wards. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 722-727.	1.0	17
186	The CORE Service Improvement Programme for mental health crisis resolution teams: study protocol for a cluster-randomised controlled trial. <i>Trials</i> , 2016, 17, 158.	1.6	17
187	Mental health crisis resolution teams and crisis care systems in England: a national survey. <i>BJPsych Bulletin</i> , 2018, 42, 146-151.	1.1	17
188	Crisis resolution and home treatment in the UK: A survey of model fidelity using a novel review methodology. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 187-201.	3.8	17
189	Challenges and opportunities of the COVID-19 pandemic for perinatal mental health care: a mixed-methods study of mental health care staff. <i>Archives of Women's Mental Health</i> , 2021, 24, 749-757.	2.6	17
190	Mums Alone: Exploring the Role of Isolation and Loneliness in the Narratives of Women Diagnosed with Perinatal Depression. <i>Journal of Clinical Medicine</i> , 2021, 10, 2271.	2.4	17
191	Crisis resolution and intensive home treatment teams. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 339-342.	0.2	16
192	Admission to Women's Crisis Houses or to Psychiatric Wards: Women's Pathways to Admission. <i>Psychiatric Services</i> , 2008, 59, 1443-1449.	2.0	16
193	Development of a peer-supported, self-management intervention for people following mental health crisis. <i>BMC Research Notes</i> , 2017, 10, 588.	1.4	16
194	The CIRCuiTS study (Implementation of cognitive remediation in early intervention services): protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 183.	1.6	16
195	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. <i>BMC Medicine</i> , 2019, 17, 161.	5.5	16
196	Psychosocial Interventions to Reduce Compulsory Psychiatric Admissions: A Rapid Evidence Synthesis. <i>EClinicalMedicine</i> , 2019, 10, 58-67.	7.1	16
197	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-108.	2.8	16
198	Service user perspectives of community mental health services for people with complex emotional needs: a co-produced qualitative interview study. <i>BMC Psychiatry</i> , 2022, 22, 55.	2.6	16

#	ARTICLE	IF	CITATIONS
199	Synthesis of the Evidence on What Works for Whom in Telemental Health: Rapid Realist Review. <i>Interactive Journal of Medical Research</i> , 2022, 11, e38239.	1.4	16
200	Ethnic differences among a community cohort of individuals with dual diagnosis in South London. <i>Journal of Mental Health</i> , 2006, 15, 551-567.	1.9	15
201	Acute in-patient psychiatry: residential alternatives to hospital admission. <i>Psychiatric Bulletin</i> , 2007, 31, 262-264.	0.3	15
202	So what shall we do about assertive community treatment?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 110-114.	0.9	15
203	Predictors of vocational activity over the first year in inner-city early intervention in psychosis services. <i>Microbial Biotechnology</i> , 2015, 9, 447-458.	1.7	15
204	Community alternatives to inpatient admissions in psychiatry. <i>World Psychiatry</i> , 2019, 18, 31-32.	10.4	15
205	Emerging models and trends in mental health crisis care in England: a national investigation of crisis care systems. <i>BMC Health Services Research</i> , 2021, 21, 1174.	2.2	15
206	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders. <i>BMC Psychiatry</i> , 2022, 22, 185.	2.6	15
207	Impact of a crisis resolution team on service costs in the UK. <i>Psychiatric Bulletin</i> , 2009, 33, 17-19.	0.3	14
208	The clinical profile of employees with mental health problems working in social firms in the UK. <i>Journal of Mental Health</i> , 2015, 24, 242-248.	1.9	14
209	Protocol for a quasi-experimental study of the effectiveness and cost-effectiveness of mother and baby units compared with general psychiatric inpatient wards and crisis resolution team services (The Tj ETQq1 1 0.784314 ngBT /Overl	0.3	14
210	A qualitative study of stakeholder views on the use of a digital app for supported self-management in early intervention services for psychosis. <i>BMC Psychiatry</i> , 2021, 21, 311.	2.6	14
211	A web-based, peer-supported self-management intervention to reduce distress in relatives of people with psychosis or bipolar disorder: the REACT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-142.	2.8	14
212	Implementation of Assertive Community Treatment in Australia: Model Fidelity, Patient Characteristics and Staff Experiences. <i>Community Mental Health Journal</i> , 2012, 48, 652-661.	2.0	13
213	Twitter Users's Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis. <i>JMIR Mental Health</i> , 2021, 8, e25742.	3.3	13
214	Enabling people, not completing tasks: patient perspectives on relationships and staff morale in mental health wards in England. <i>BMC Psychiatry</i> , 2015, 15, 307.	2.6	12
215	Implementation of A Relatives's Toolkit (IMPART study): an iterative case study to identify key factors impacting on the implementation of a web-based supported self-management intervention for relatives of people with psychosis or bipolar experiences in a National Health Service: a study protocol. <i>Implementation Science</i> , 2017, 12, 152.	6.9	12
216	Distribution of ecto-5'-nucleotidase on Mycoplasma species associated with arthritis. <i>FEMS Microbiology Letters</i> , 2000, 192, 59-65.	1.8	11

#	ARTICLE	IF	CITATIONS
217	The longer term outcomes of community care: a 12 year follow-up of the Camberwell High Contact Survey. <i>Psychological Medicine</i> , 2001, 31, 351-359.	4.5	11
218	What is the relationship between substance abuse and schizophrenia?. , 2002, , 317-342.		11
219	Is locating acute wards in the general hospital an essential element in psychiatric reform? The UK experience. <i>Epidemiology and Psychiatric Sciences</i> , 2010, 19, 282-286.	3.9	11
220	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 175-185.	3.9	11
221	The nature and correlates of paid and unpaid work among service users of London Community Mental Health Teams. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 169-180.	3.9	11
222	Gender differences in one-year outcomes of first presentation psychosis patients in inner-city UK Early Intervention Services. <i>Microbial Biotechnology</i> , 2017, 11, 215-223.	1.7	11
223	The Community Navigator Study: a feasibility randomised controlled trial of an intervention to increase community connections and reduce loneliness for people with complex anxiety or depression. <i>Trials</i> , 2017, 18, 493.	1.6	11
224	A qualitative investigation of models of community mental health care for women with perinatal mental health problems. <i>Journal of Mental Health</i> , 2021, 30, 594-600.	1.9	11
225	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica, Supplement</i> , 2000, 405, 24-32.	0.1	11
226	What has changed in the experiences of people with mental health problems during the COVID-19 pandemic: a coproduced, qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1291-1303.	3.1	11
227	The development of crisis resolution and home treatment teams. , 2008, , 9-22.		10
228	App to support Recovery in Early Intervention Services (ARIES) study: protocol of a feasibility randomised controlled trial of a self-management Smartphone application for psychosis. <i>BMJ Open</i> , 2019, 9, e025823.	1.9	10
229	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019, 19, 866.	2.2	10
230	The psychiatric decision unit as an emerging model in mental health crisis care: a national survey in England. <i>International Journal of Mental Health Nursing</i> , 2021, 30, 955-962.	3.8	10
231	The European Socio-Demographic Schedule (ESDS): rationale, principles and development. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 33-46.	4.5	10
232	Methodological Challenges in Web-Based Trials: Update and Insights From the Relatives Education and Coping Toolkit Trial. <i>JMIR Mental Health</i> , 2020, 7, e15878.	3.3	10
233	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-102.	1.0	10
234	Loneliness as an active ingredient in preventing or alleviating youth anxiety and depression: a critical interpretative synthesis incorporating principles from rapid realist reviews. <i>Translational Psychiatry</i> , 2021, 11, 628.	4.8	10

#	ARTICLE	IF	CITATIONS
235	Interventions to improve social circumstances of people with mental health conditions: a rapid evidence synthesis. <i>BMC Psychiatry</i> , 2022, 22, 302.	2.6	10
236	Crisis resolution teams: rationale and core model. , 2008, , 67-84.		9
237	Where next with residential alternatives to admission?. <i>British Journal of Psychiatry</i> , 2010, 197, s52-s54.	2.8	9
238	Has the closure of psychiatric beds gone too far? No. <i>BMJ: British Medical Journal</i> , 2011, 343, d7410-d7410.	2.3	9
239	The accuracy and accessibility of cited evidence: a study examining mental health policy documents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 111-121.	3.1	9
240	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. <i>BJPsych Open</i> , 2020, 6, e88.	0.7	9
241	Experiences of intensive home treatment for a mental health crisis during the perinatal period: A UK qualitative study. <i>International Journal of Mental Health Nursing</i> , 2021, 30, 208-218.	3.8	9
242	Acute day units for mental health crises: a qualitative study of service user and staff views and experiences. <i>BMC Psychiatry</i> , 2021, 21, 146.	2.6	9
243	Fidelity to an evidence-based model for crisis resolution teams: a cross-sectional multicentre study in Norway. <i>BMC Psychiatry</i> , 2021, 21, 231.	2.6	9
244	Trajectories of loneliness and objective social isolation and associations between persistent loneliness and self-reported personal recovery in a cohort of secondary mental health service users in the UK. <i>BMC Psychiatry</i> , 2021, 21, 421.	2.6	9
245	Randomised controlled trial of the clinical and cost-effectiveness of a peer-delivered self-management intervention to prevent relapse in crisis resolution team users: study protocol. <i>BMJ Open</i> , 2017, 7, e015665.	1.9	9
246	Experiences of crisis care among service users with complex emotional needs or a diagnosis of 'personality disorder', and other stakeholders: systematic review and meta-synthesis of the qualitative literature. <i>BJPsych Open</i> , 2022, 8, e53.	0.7	9
247	Effectiveness and cost-effectiveness of psychiatric mother and baby units: quasi-experimental study. <i>British Journal of Psychiatry</i> , 2022, 221, 628-636.	2.8	9
248	Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. <i>Programme Grants for Applied Research</i> , 2022, 10, 1-142.	1.0	9
249	Home treatment and "hospitality"™ within a comprehensive community mental health centre. , 2008, , 251-266.		8
250	Initial treatment phase in early psychosis: can intensive home treatment prevent admission?. <i>Psychiatric Bulletin</i> , 2006, 30, 243-246.	0.3	8
251	Childhood sexual abuse in patients with severe mental illness: Demographic, clinical and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 495-502.	4.5	8
252	Investigating geographical variation in the use of mental health services by area of England: a cross-sectional ecological study. <i>BMC Health Services Research</i> , 2021, 21, 951.	2.2	8

#	ARTICLE	IF	CITATIONS
253	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 24-32.	4.5	8
254	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. <i>Psychiatric Services</i> , 2009, 60, .	2.0	8
255	A survey of Core Medical Traineesâ€™ opinions on the ePortfolio record of educational activities: beneficial and cost-effective?. <i>Journal of the Royal College of Physicians of Edinburgh</i> , The, 2012, 42, 15-20.	0.6	7
256	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 515.	1.6	7
257	Mental Health Support in the Perinatal Period for Women With a Personality Disorder Diagnosis: A Qualitative Study of Women's Experiences. <i>Journal of Personality Disorders</i> , 2020, 35, 1-16.	1.4	7
258	IMpLementation of An online Relativesâ€™ Toolkit for psychosis or bipolar (IMPART study): iterative multiple case study to identify key factors impacting on staff uptake and use. <i>BMC Health Services Research</i> , 2020, 20, 219.	2.2	7
259	Women in academic psychiatry in the United Kingdom. <i>Psychiatric Bulletin</i> , 2003, 27, 323-326.	0.3	7
260	A mixed-methods study exploring therapeutic relationships and their association with service user satisfaction in acute psychiatric wards and crisis residential alternatives. <i>Health Services and Delivery Research</i> , 2014, 2, 1-106.	1.4	7
261	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-136.	2.8	7
262	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Traineesâ€™ Experiences, Views, and Understanding. <i>JMIR Mental Health</i> , 2020, 7, e19008.	3.3	7
263	The crisis resolution team model: recent developments and dissemination. , 2008, , 23-34.		6
264	Muslim adolescent mental health in the UK: an exploratory cross-sectional school survey. <i>International Journal of Culture and Mental Health</i> , 2012, 5, 202-218.	0.6	6
265	NICE v. SIGN on psychosis and schizophrenia: Same roots, similar guidelines, different interpretations. <i>British Journal of Psychiatry</i> , 2016, 208, 316-319.	2.8	6
266	Clinical and demographic differences between patients with manic, depressive and schizophreniaâ€™spectrum psychoses presenting to Early Intervention Services in London. <i>Microbial Biotechnology</i> , 2019, 13, 509-516.	1.7	6
267	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.	0.7	6
268	Home Treatment as an Alternative to Hospital Admission for Mothers in a Mental Health Crisis: A Qualitative Study. <i>Psychiatric Services</i> , 2009, 60, .	2.0	6
269	The case for catchment areas for mental health services. <i>Psychiatric Bulletin</i> , 1995, 19, 343-345.	0.3	6
270	The experience of loneliness among people with a â€™personality disorderâ€™ diagnosis or traits: a qualitative meta-synthesis. <i>BMC Psychiatry</i> , 2022, 22, 130.	2.6	6

#	ARTICLE	IF	CITATIONS
271	Clinician perspectives on what constitutes good practice in community services for people with complex emotional needs: A qualitative thematic meta-synthesis. PLoS ONE, 2022, 17, e0267787.	2.5	6
272	Digital interventions for subjective and objective social isolation among individuals with mental health conditions: a scoping review. BMC Psychiatry, 2022, 22, 331.	2.6	6
273	Patients' views of the letters their psychiatrists and psychologists send to referrers. Journal of Mental Health, 2005, 14, 369-382.	1.9	5
274	Developing and comparing methods for measuring the content of care in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 219-229.	3.1	5
275	Improving substance misuse outcomes in contingency management treatment with adjunctive formal psychotherapy: a systematic review and meta-analysis. BMJ Open, 2020, 10, e034735.	1.9	5
276	Influences on participation in a programme addressing loneliness among people with depression and anxiety: findings from the Community Navigator Study. BMC Psychiatry, 2020, 20, 565.	2.6	5
277	Experiences of friendships of young people with first-episode psychosis: A qualitative study. PLoS ONE, 2021, 16, e0255469.	2.5	5
278	Admission to Women's Crisis Houses or to Psychiatric Wards: Women's Pathways to Admission. Psychiatric Services, 2008, 59, 1443-1449.	2.0	5
279	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, .	2.0	5
280	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-122.	1.4	5
281	Integration of the crisis resolution function within community mental health teams. , 2008, , 235-250.		4
282	Recent research on crisis resolution teams: findings and limitations. , 2008, , 51-64.		4
283	The Camberwell Elderly Mentally Ill and Their Needs for Services. International Journal of Social Psychiatry, 2009, 55, 82-90.	3.1	4
284	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. BMC Public Health, 2020, 20, 1736.	2.9	4
285	Loneliness in early psychosis: a qualitative study exploring the views of mental health practitioners in early intervention services. BMC Psychiatry, 2021, 21, 134.	2.6	4
286	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. BJPsych Open, 2021, 7, e136.	0.7	4
287	Acceptability of Using Social Media Content in Mental Health Research: A Reflection. Comment on "Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis". JMIR Mental Health, 2021, 8, e32475.	3.3	4
288	An online supported self-management toolkit for relatives of people with psychosis or bipolar experiences: the IMPART multiple case study. Health Services and Delivery Research, 2020, 8, 1-248.	1.4	4

#	ARTICLE	IF	CITATIONS
289	Vocational rehabilitation via social firms: a qualitative investigation of the views and experiences of employees with mental health problems, social firm managers and clinicians. BMC Psychiatry, 2021, 21, 566.	2.6	4
290	Clinician views on best practice community care for people with complex emotional needs and how it can be achieved: a qualitative study. BMC Psychiatry, 2022, 22, 72.	2.6	4
291	The European Socio-Demographic Schedule (ESDS): rationale, principles and development. Acta Psychiatrica Scandinavica, Supplement, 2000, 405, 33-46.	0.1	4
292	Diagnosis and Monitoring of White Coat Hypertension in Pregnancy: an ISSHP Consensus Delphi Procedure. Hypertension, 2022, 79, 993-1005.	2.7	4
293	The relationship between social support in pregnancy and postnatal depression. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1435-1444.	3.1	4
294	The needs of elderly graduates. , 1999, 14, 984-985.		3
295	The classic home treatment studies. , 0, , 37-50.		3
296	Personal and Team Morale in Health Services: Distinct and Measurable Concepts. Journal of Health Management, 2012, 14, 535-557.	1.1	3
297	Reviewing the Mental Health Act: delivering evidence-informed policy. Lancet Psychiatry,the, 2019, 6, 90-91.	7.4	3
298	Community Mental Health Care: Promises and Pitfalls. , 0, , 131-170.		2
299	The crisis resolution team within the community service system. , 2008, , 85-96.		2
300	Social network confidants, duration of untreated psychosis and cannabis use in people with first episode psychosis: An exploratory study. Microbial Biotechnology, 2018, 12, 942-946.	1.7	2
301	Patterns of use of the Mental Health Act 1983, from 2007â€“2008 to 2016â€“2017, in two major London secondary mental healthcare providers. BJPsych Open, 2019, 5, e102.	0.7	2
302	The impact of manic symptoms in firstâ€“episode psychosis: Findings from the UK National EDEN study. Acta Psychiatrica Scandinavica, 2021, 144, 358-367.	4.5	2
303	Assessing Needs for Mental Health Services. , 2010, , 217-226.		2
304	Chapter 13 Crisis and emergency services. , 2010, , .		2
305	Responding to diversity in home treatment. , 2008, , 205-222.		1
306	Practical psychosocial interventions. , 0, , 137-150.		1

#	ARTICLE	IF	CITATIONS
307	Planning and implementing a local service. , 0, , 295-306.		1
308	Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. BJPsych Open, 2021, 7, .	0.7	1
309	What's new inâ€ Psychiatry: crisis resolution teams. Medicine, 2004, 32, 1-3.	0.4	0
310	Integrating crisis residential care and crisis resolution teams. , 2008, , 283-292.		0
311	Recruiting, training and retaining an effective crisis team. , 2008, , 307-318.		0
312	Crisis resolution teams and older people. , 0, , 267-274.		0
313	Assessment of crises. , 0, , 97-110.		0
314	A National Evaluation of Mental Health Inpatient Staff Morale in England. European Psychiatry, 2009, 24, .	0.2	0
315	Domestic and sexual violence against people with severe mental illness: comparisons with the 2011/2012 National Crime survey for England and Wales. European Journal of Public Health, 2014, 24, .	0.3	0
316	EPA-1641 â€“ The influence of age and family factors in shaping pathways to care in first episode psychosis. European Psychiatry, 2014, 29, 1.	0.2	0
317	Authors' reply. British Journal of Psychiatry, 2019, 215, 503-504.	2.8	0
318	Experiences of parent-infant teams among mothers diagnosed with perinatal mental health difficulties. Journal of Reproductive and Infant Psychology, 2021, , 1-12.	1.8	0
319	Three psychiatric day centres in a London borough. Psychiatric Bulletin, 1992, 16, 540-542.	0.3	0
320	Descripci3n y clasificaci3n de los servicios de salud mental: una perspectiva europea. European Psychiatry (Ed Espa±ola), 1999, 6, 182-194.	0.0	0
321	Mental health. Sending in the paras. The Health Service Journal, 1997, 107, 30-1.	0.0	0
322	Morale in the mental health workforce. Mental Health Today (brighton, England), 2013, , 18-9.	0.0	0