
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3457941/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Shared goals for mental health research: what, why and when for the 2020s. Journal of Mental Health, 2023, 32, 997-1005.	1.9	39
2	Clinician views on best practice community care for people with complex emotional needs and how it can be achieved: a qualitative study. BMC Psychiatry, 2022, 22, 72.	2.6	4
3	Service user perspectives of community mental health services for people with complex emotional needs: a co-produced qualitative interview study. BMC Psychiatry, 2022, 22, 55.	2.6	16
4	Experiences of crisis care among service users with complex emotional needs or a diagnosis of 'personality disorder', and other stakeholders: systematic review and meta-synthesis of the qualitative literature. BJPsych Open, 2022, 8, e53.	0.7	9
5	The experience of loneliness among people with a "personality disorder―diagnosis or traits: a qualitative meta-synthesis. BMC Psychiatry, 2022, 22, 130.	2.6	6
6	What has changed in the experiences of people with mental health problems during the COVID-19 pandemic: a coproduced, qualitative interview study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1291-1303.	3.1	11
7	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders. BMC Psychiatry, 2022, 22, 185.	2.6	15
8	Diagnosis and Monitoring of White Coat Hypertension in Pregnancy: an ISSHP Consensus Delphi Procedure. Hypertension, 2022, 79, 993-1005.	2.7	4
9	The relationship between social support in pregnancy and postnatal depression. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1435-1444.	3.1	4
10	Interventions to improve social circumstances of people with mental health conditions: a rapid evidence synthesis. BMC Psychiatry, 2022, 22, 302.	2.6	10
11	Clinician perspectives on what constitutes good practice in community services for people with complex emotional needs: A qualitative thematic meta-synthesis. PLoS ONE, 2022, 17, e0267787.	2.5	6
12	Effectiveness and cost-effectiveness of psychiatric mother and baby units: quasi-experimental study. British Journal of Psychiatry, 2022, 221, 628-636.	2.8	9
13	Digital interventions for subjective and objective social isolation among individuals with mental health conditions: a scoping review. BMC Psychiatry, 2022, 22, 331.	2.6	6
14	Acute psychiatric care: approaches to increasing the range of services and improving access and quality of care. World Psychiatry, 2022, 21, 220-236.	10.4	40
15	Loneliness and the onset of new mental health problems in the general population. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2161-2178.	3.1	38
16	Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. Programme Grants for Applied Research, 2022, 10, 1-142.	1.0	9
17	Synthesis of the Evidence on What Works for Whom in Telemental Health: Rapid Realist Review. Interactive Journal of Medical Research, 2022, 11, e38239.	1.4	16
18	A qualitative investigation of models of community mental health care for women with perinatal mental health problems. Journal of Mental Health, 2021, 30, 594-600.	1.9	11

#	Article	IF	CITATIONS
19	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. Lancet Psychiatry,the, 2021, 8, 48-57.	7.4	178
20	Experiences of intensive home treatment for a mental health crisis during the perinatal period: A UK qualitative study. International Journal of Mental Health Nursing, 2021, 30, 208-218.	3.8	9
21	Early impacts of the COVID-19 pandemic on mental health care and on people with mental health conditions: framework synthesis of international experiences and responses. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 13-24.	3.1	156
22	Impact on mental health care and on mental health service users of the COVID-19 pandemic: a mixed methods survey of UK mental health care staff. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 25-37.	3.1	157
23	The psychiatric decision unit as an emerging model in mental health crisis care: a national survey in England. International Journal of Mental Health Nursing, 2021, 30, 955-962.	3.8	10
24	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. BJPsych Open, 2021, 7, e68.	0.7	6
25	Acute day units for mental health crises: a qualitative study of service user and staff views and experiences. BMC Psychiatry, 2021, 21, 146.	2.6	9
26	How has COVIDâ€19 affected mental health nurses and the delivery of mental health nursing care in the UK? Results of a mixedâ€methods study. Journal of Psychiatric and Mental Health Nursing, 2021, 28, 126-137.	2.1	60
27	Experiences of living with mental health problems during the COVID-19 pandemic in the UK: a coproduced, participatory qualitative interview study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1447-1457.	3.1	71
28	Loneliness in early psychosis: a qualitative study exploring the views of mental health practitioners in early intervention services. BMC Psychiatry, 2021, 21, 134.	2.6	4
29	Challenges and opportunities of the COVID-19 pandemic for perinatal mental health care: a mixed-methods study of mental health care staff. Archives of Women's Mental Health, 2021, 24, 749-757.	2.6	17
30	Service user experiences of community services for complex emotional needs: A qualitative thematic synthesis. PLoS ONE, 2021, 16, e0248316.	2.5	24
31	The impact of manic symptoms in firstâ€episode psychosis: Findings from the UK National EDEN study. Acta Psychiatrica Scandinavica, 2021, 144, 358-367.	4.5	2
32	Childhood sexual abuse in patients with severe mental Illness: Demographic, clinical and functional correlates. Acta Psychiatrica Scandinavica, 2021, 143, 495-502.	4.5	8
33	Clinical and social factors associated with involuntary psychiatric hospitalisation in children and adolescents: a systematic review, meta-analysis, and narrative synthesis. The Lancet Child and Adolescent Health, 2021, 5, 501-512.	5.6	21
34	Mums Alone: Exploring the Role of Isolation and Loneliness in the Narratives of Women Diagnosed with Perinatal Depression. Journal of Clinical Medicine, 2021, 10, 2271.	2.4	17
35	Fidelity to an evidence-based model for crisis resolution teams: a cross-sectional multicentre study in Norway. BMC Psychiatry, 2021, 21, 231.	2.6	9
36	A qualitative study of stakeholder views on the use of a digital app for supported self-management in early intervention services for psychosis. BMC Psychiatry, 2021, 21, 311.	2.6	14

#	Article	IF	CITATIONS
37	Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis. JMIR Mental Health, 2021, 8, e25742.	3.3	13
38	Implementation of Telemental Health Services Before COVID-19: Rapid Umbrella Review of Systematic Reviews. Journal of Medical Internet Research, 2021, 23, e26492.	4.3	78
39	Experiences of friendships of young people with first-episode psychosis: A qualitative study. PLoS ONE, 2021, 16, e0255469.	2.5	5
40	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. BJPsych Open, 2021, 7, e136.	0.7	4
41	Trajectories of loneliness and objective social isolation and associations between persistent loneliness and self-reported personal recovery in a cohort of secondary mental health service users in the UK. BMC Psychiatry, 2021, 21, 421.	2.6	9
42	Acceptability of Using Social Media Content in Mental Health Research: A Reflection. Comment on "Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis― JMIR Mental Health, 2021, 8, e32475.	3.3	4
43	Investigating geographical variation in the use of mental health services by area of England: a cross-sectional ecological study. BMC Health Services Research, 2021, 21, 951.	2.2	8
44	Service user experiences and views regarding telemental health during the COVID-19 pandemic: A co-produced framework analysis. PLoS ONE, 2021, 16, e0257270.	2.5	37
45	Experiences of parent-infant teams among mothers diagnosed with perinatal mental health difficulties. Journal of Reproductive and Infant Psychology, 2021, , 1-12.	1.8	0
46	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-122.	1.4	5
47	Emerging models and trends in mental health crisis care in England: a national investigation of crisis care systems. BMC Health Services Research, 2021, 21, 1174.	2.2	15
48	Implementation, Adoption, and Perceptions of Telemental Health During the COVID-19 Pandemic: Systematic Review. Journal of Medical Internet Research, 2021, 23, e31746.	4.3	84
49	Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. BJPsych Open, 2021, 7, .	0.7	1
50	Vocational rehabilitation via social firms: a qualitative investigation of the views and experiences of employees with mental health problems, social firm managers and clinicians. BMC Psychiatry, 2021, 21, 566.	2.6	4
51	Loneliness as an active ingredient in preventing or alleviating youth anxiety and depression: a critical interpretative synthesis incorporating principles from rapid realist reviews. Translational Psychiatry, 2021, 11, 628.	4.8	10
52	The CORE service improvement programme for mental health crisis resolution teams: results from a cluster-randomised trial. British Journal of Psychiatry, 2020, 216, 314-322.	2.8	33
53	Epidemiology of loneliness in a cohort of UK mental health community crisis service users. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 811-822.	3.1	30
54	The accuracy and accessibility of cited evidence: a study examining mental health policy documents. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 111-121.	3.1	9

#	Article	IF	CITATIONS
55	Crisis resolution and home treatment in the UK: A survey of model fidelity using a novel review methodology. International Journal of Mental Health Nursing, 2020, 29, 187-201.	3.8	17
56	The effectiveness of interventions for reducing subjective and objective social isolation among people with mental health problems: a systematic review. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 839-876.	3.1	99
57	How mental health care should change as a consequence of the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 813-824.	7.4	1,101
58	Improving substance misuse outcomes in contingency management treatment with adjunctive formal psychotherapy: a systematic review and meta-analysis. BMJ Open, 2020, 10, e034735.	1.9	5
59	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. BMC Public Health, 2020, 20, 1736.	2.9	4
60	Influences on participation in a programme addressing loneliness among people with depression and anxiety: findings from the Community Navigator Study. BMC Psychiatry, 2020, 20, 565.	2.6	5
61	Smartphone-delivered self-management for first-episode psychosis: the ARIES feasibility randomised controlled trial. BMJ Open, 2020, 10, e034927.	1.9	25
62	The experience of loneliness among young people with depression: a qualitative meta-synthesis of the literature. BMC Psychiatry, 2020, 20, 415.	2.6	105
63	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. BJPsych Open, 2020, 6, e88.	0.7	9
64	Maternal and Perinatal Outcomes of White Coat Hypertension During Pregnancy. Hypertension, 2020, 76, 157-166.	2.7	22
65	The Community Navigator Study: Results from a feasibility randomised controlled trial of a programme to reduce loneliness for people with complex anxiety or depression. PLoS ONE, 2020, 15, e0233535.	2.5	28
66	A systematic review and meta-analysis of cognitive behavioural informed psychological interventions for psychiatric inpatients with psychosis. Schizophrenia Research, 2020, 222, 133-144.	2.0	29
67	Mental Health Support in the Perinatal Period for Women With a Personality Disorder Diagnosis: A Qualitative Study of Women's Experiences. Journal of Personality Disorders, 2020, 35, 1-16.	1.4	7
68	IMPlementation of An online Relatives' Toolkit for psychosis or bipolar (IMPART study): iterative multiple case study to identify key factors impacting on staff uptake and use. BMC Health Services Research, 2020, 20, 219.	2.2	7
69	Maternal perinatal depressive symptoms and offspring psychotic experiences at 18 years of age: a longitudinal study. Lancet Psychiatry,the, 2020, 7, 431-440.	7.4	36
70	Clinical effectiveness of a web-based peer-supported self-management intervention for relatives of people with psychosis or bipolar (REACT): online, observer-blind, randomised controlled superiority trial. BMC Psychiatry, 2020, 20, 160.	2.6	23
71	Loneliness as a predictor of outcomes in mental disorders among people who have experienced a mental health crisis: a 4-month prospective study. BMC Psychiatry, 2020, 20, 249.	2.6	33
72	Carers' experiences of involuntary admission under mental health legislation: systematic review and qualitative meta-synthesis. BJPsych Open, 2020, 6, e19.	0.7	27

#	Article	IF	CITATIONS
73	Methodological Challenges in Web-Based Trials: Update and Insights From the Relatives Education and Coping Toolkit Trial. JMIR Mental Health, 2020, 7, e15878.	3.3	10
74	A web-based, peer-supported self-management intervention to reduce distress in relatives of people with psychosis or bipolar disorder: the REACT RCT. Health Technology Assessment, 2020, 24, 1-142.	2.8	14
75	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Trainees' Experiences, Views, and Understanding. JMIR Mental Health, 2020, 7, e19008.	3.3	7
76	An online supported self-management toolkit for relatives of people with psychosis or bipolar experiences: the IMPART multiple case study. Health Services and Delivery Research, 2020, 8, 1-248.	1.4	4
77	Standardised description of health and social care: A systematic review of use of the ESMS/DESDE (European Service Mapping Schedule/Description and Evaluation of Services and DirectoriEs). European Psychiatry, 2019, 61, 97-110.	0.2	35
78	Crisis-planning interventions for people with psychotic illness or bipolar disorder: systematic review and meta-analyses. BJPsych Open, 2019, 5, e53.	0.7	35
79	Protocol for a quasi-experimental study of the effectiveness and cost-effectiveness of mother and baby units compared with general psychiatric inpatient wards and crisis resolution team services (The) Tj ETQq1	1 0 <b>.</b> ø8431	4 <b>11</b> gBT /Overl
80	The therapeutic needs of psychiatric in-patients with psychosis: A qualitative exploration of patient and staff perspectives. BJPsych Open, 2019, 5, e45.	0.7	24
81	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. BMC Medicine, 2019, 17, 161.	5.5	16
82	Patients' experiences of assessment and detention under mental health legislation: systematic review and qualitative meta-synthesis. BJPsych Open, 2019, 5, e37.	0.7	85
83	App to support Recovery in Early Intervention Services (ARIES) study: protocol of a feasibility randomised controlled trial of a self-management Smartphone application for psychosis. BMJ Open, 2019, 9, e025823.	1.9	10
84	Variations in patterns of involuntary hospitalisation and in legal frameworks: an international comparative study. Lancet Psychiatry,the, 2019, 6, 403-417.	7.4	104
85	Psychologists' Perspectives on the implementation of Psychological Therapy for Psychosis in the Acute Psychiatric Inpatient Setting. Qualitative Health Research, 2019, 29, 2048-2056.	2.1	18
86	Self-management interventions for people with severe mental illness: systematic review and meta-analysis. British Journal of Psychiatry, 2019, 214, 260-268.	2.8	99
87	Psychosocial Interventions to Reduce Compulsory Psychiatric Admissions: A Rapid Evidence Synthesis. EClinicalMedicine, 2019, 10, 58-67.	7.1	16
88	Experiences of how services supporting women with perinatal mental health difficulties work with their families: a qualitative study in England. BMJ Open, 2019, 9, e030208.	1.9	19
89	Adult mental health provision in England: a national survey of acute day units. BMC Health Services Research, 2019, 19, 866.	2.2	10
90	Clinical and social factors associated with increased risk for involuntary psychiatric hospitalisation: a systematic review, meta-analysis, and narrative synthesis. Lancet Psychiatry,the, 2019, 6, 1039-1053.	7.4	103

#	Article	IF	CITATIONS
91	Authors' reply. British Journal of Psychiatry, 2019, 215, 503-504.	2.8	0
92	A qualitative comparison of experiences of specialist mother and baby units versus general psychiatric wards. BMC Psychiatry, 2019, 19, 401.	2.6	20
93	Patterns of use of the Mental Health Act 1983, from 2007–2008 to 2016–2017, in two major London secondary mental healthcare providers. BJPsych Open, 2019, 5, e102.	0.7	2
94	Community alternatives to inpatient admissions in psychiatry. World Psychiatry, 2019, 18, 31-32.	10.4	15
95	The role of psychology in a multidisciplinary psychiatric inpatient setting: Perspective from the multidisciplinary team. Psychology and Psychotherapy: Theory, Research and Practice, 2019, 92, 554-564.	2.5	19
96	Reviewing the Mental Health Act: delivering evidence-informed policy. Lancet Psychiatry,the, 2019, 6, 90-91.	7.4	3
97	Factors affecting implementation of digital health interventions for people with psychosis or bipolar disorder, and their family and friends: a systematic review. Lancet Psychiatry,the, 2019, 6, 257-266.	7.4	85
98	Clinical and demographic differences between patients with manic, depressive and schizophreniaâ€spectrum psychoses presenting to Early Intervention Services in London. Microbial Biotechnology, 2019, 13, 509-516.	1.7	6
99	Negative symptoms in firstâ€episode psychosis: Clinical correlates and 1â€year followâ€up outcomes in London Early Intervention Services. Microbial Biotechnology, 2019, 13, 443-452.	1.7	22
100	Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis. Microbial Biotechnology, 2019, 13, 841-847.	1.7	21
101	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation) Tj ETQq1 1 C	.78149314 r	gB <b>3</b> ‡Overloc
102	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	16
103	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. Health Technology Assessment, 2019, 23, 1-136.	2.8	7
104	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. Programme Grants for Applied Research, 2019, 7, 1-102.	1.0	10
105	The CIRCuiTS study (Implementation of cognitive remediation in early intervention services): protocol for a randomised controlled trial. Trials, 2018, 19, 183.	1.6	16
106	First episode psychosis in the over 35 s: is there a role for early intervention?. Microbial Biotechnology, 2018, 12, 348-354.	1.7	20
107	National implementation of a mental health service model: A survey of Crisis Resolution Teams in England. International Journal of Mental Health Nursing, 2018, 27, 214-226.	3.8	48
108	Social network confidants, duration of untreated psychosis and cannabis use in people with first episode psychosis: An exploratory study. Microbial Biotechnology, 2018, 12, 942-946.	1.7	2

#	Article	IF	CITATIONS
109	The least worst option: user experiences of antipsychotic medication and lack of involvement in medication decisions in a UK community sample. Journal of Mental Health, 2018, 27, 322-328.	1.9	44
110	How do women's partners view perinatal mental health services? A qualitative metaâ€synthesis. Clinical Psychology and Psychotherapy, 2018, 25, 112-129.	2.7	22
111	Experiences of Improving Access to Psychological Therapy Services for Perinatal Mental Health Difficulties: a Qualitative Study of Women's and Therapists' Views. Behavioural and Cognitive Psychotherapy, 2018, 46, 421-436.	1.2	28
112	Advancing our understanding of loneliness and mental health problems in young people. Lancet Psychiatry,the, 2018, 5, 955-956.	7.4	36
113	Compulsory community treatment to reduce readmission to hospital and increase engagement with community care in people with mental illness: a systematic review and meta-analysis. Lancet Psychiatry,the, 2018, 5, 1013-1022.	7.4	54
114	Mental health crisis resolution teams and crisis care systems in England: a national survey. BJPsych Bulletin, 2018, 42, 146-151.	1.1	17
115	Associations between loneliness and perceived social support and outcomes of mental health problems: a systematic review. BMC Psychiatry, 2018, 18, 156.	2.6	705
116	Peer-supported self-management for people discharged from a mental health crisis team: a randomised controlled trial. Lancet, The, 2018, 392, 409-418.	13.7	104
117	Gender differences in oneâ€year outcomes of firstâ€presentation psychosis patients in innerâ€city <scp>UK E</scp> arly <scp>I</scp> ntervention <scp>S</scp> ervices. Microbial Biotechnology, 2017, 11, 215-223.	1.7	11
118	Social interventions in mental health: a call to action. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 245-247.	3.1	37
119	Protocol for an online randomised controlled trial to evaluate the clinical and cost-effectiveness of a peer-supported self-management intervention for relatives of people with psychosis or bipolar disorder: Relatives Education And Coping Toolkit (REACT). BMJ Open, 2017, 7, e016965.	1.9	18
120	Social isolation in mental health: a conceptual and methodological review. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1451-1461.	3.1	252
121	A life less lonely: the state of the art in interventions to reduce loneliness in people with mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 627-638.	3.1	200
122	Scenarios for the future of mental health care: a social perspective. Lancet Psychiatry,the, 2017, 4, 257-260.	7.4	19
123	IMPlementation of A Relatives' Toolkit (IMPART study): an iterative case study to identify key factors impacting on the implementation of a web-based supported self-management intervention for relatives of people with psychosis or bipolar experiences in a National Health Service: a study protocol. Implementation Science, 2017, 12, 152.	6.9	12
124	The Community Navigator Study: a feasibility randomised controlled trial of an intervention to increase community connections and reduce loneliness for people with complex anxiety or depression. Trials, 2017, 18, 493.	1.6	11
125	Development of a peer-supported, self-management intervention for people following mental health crisis. BMC Research Notes, 2017, 10, 588.	1.4	16
126	Crisis resolution and home treatment: stakeholders' views on critical ingredients and implementation in England. BMC Psychiatry, 2017, 17, 254.	2.6	53

#	Article	IF	CITATIONS
127	Randomised controlled trial of the clinical and cost-effectiveness of a peer-delivered self-management intervention to prevent relapse in crisis resolution team users: study protocol. BMJ Open, 2017, 7, e015665.	1.9	9
128	Results of a pilot cluster randomised trial of the use of a Medication Review Tool for people taking antipsychotic medication. BMC Psychiatry, 2016, 16, 205.	2.6	25
129	NICE v. SIGN on psychosis and schizophrenia: Same roots, similar guidelines, different interpretations. British Journal of Psychiatry, 2016, 208, 316-319.	2.8	6
130	Psychosocial functioning, quality of life and clinical correlates of comorbid alcohol and drug dependence syndromes in people with schizophrenia across Europe. Psychiatry Research, 2016, 239, 301-307.	3.3	46
131	A qualitative study of online mental health information seeking behaviour by those with psychosis. BMC Psychiatry, 2016, 16, 232.	2.6	75
132	Recent physical and sexual violence against adults with severe mental illness: a systematic review and meta-analysis. International Review of Psychiatry, 2016, 28, 433-451.	2.8	83
133	Tomorrow's world: current developments in the therapeutic use of technology for psychosis. BJ Psych Advances, 2016, 22, 301-310.	0.7	32
134	Development of a measure of model fidelity for mental health Crisis Resolution Teams. BMC Psychiatry, 2016, 16, 427.	2.6	59
135	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. Trials, 2016, 17, 515.	1.6	7
136	The CORE Service Improvement Programme for mental health crisis resolution teams: study protocol for a cluster-randomised controlled trial. Trials, 2016, 17, 158.	1.6	17
137	Improving outcomes for people in mental health crisis: a rapid synthesis of the evidence for available models of care. Health Technology Assessment, 2016, 20, 1-162.	2.8	65
138	The clinical profile of employees with mental health problems working in social firms in the UK. Journal of Mental Health, 2015, 24, 242-248.	1.9	14
139	Enabling people, not completing tasks: patient perspectives on relationships and staff morale in mental health wards in England. BMC Psychiatry, 2015, 15, 307.	2.6	12
140	Predictors of vocational activity over the first year in innerâ€city early intervention in psychosis services. Microbial Biotechnology, 2015, 9, 447-458.	1.7	15
141	Childhood trauma and schizotypy: a systematic literature review. Psychological Medicine, 2015, 45, 947-963.	4.5	88
142	Violent and non-violent crime against adults with severe mental illness. British Journal of Psychiatry, 2015, 206, 275-282.	2.8	71
143	Implementation of the Crisis Resolution Team model in adult mental health settings: a systematic review. BMC Psychiatry, 2015, 15, 74.	2.6	116
144	Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. BMC Psychiatry, 2015, 15, 98.	2.6	24

#	Article	IF	CITATIONS
145	Domestic and sexual violence against patients with severe mental illness. Psychological Medicine, 2015, 45, 875-886.	4.5	156
146	Recent intimate partner violence among people with chronic mental illness: Findings from a national cross-sectional survey. British Journal of Psychiatry, 2015, 207, 207-212.	2.8	67
147	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. PLoS ONE, 2014, 9, e100153.	2.5	66
148	Domestic and sexual violence against people with severe mental illness: comparisons with the 2011/2012 National Crime survey for England and Wales. European Journal of Public Health, 2014, 24, .	0.3	0
149	Ethnic variations in compulsory detention and hospital admission for psychosis across four UK Early Intervention Services. BMC Psychiatry, 2014, 14, 256.	2.6	39
150	A systematic review of ethnic variations in hospital admission and compulsory detention in first-episode psychosis. Journal of Mental Health, 2014, 23, 205-211.	1.9	18
151	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. BMC Medicine, 2014, 12, 181.	5.5	153
152	Cannabis use and first-episode psychosis: relationship with manic and psychotic symptoms, and with age at presentation. Psychological Medicine, 2014, 44, 499-506.	4.5	60
153	A systematic review and meta-analysis of randomised controlled trials of peer support for people with severe mental illness. BMC Psychiatry, 2014, 14, 39.	2.6	380
154	EPA-1641 – The influence of age and family factors in shaping pathways to care in first episode psychosis. European Psychiatry, 2014, 29, 1.	0.2	0
155	A mixed-methods study exploring therapeutic relationships and their association with service user satisfaction in acute psychiatric wards and crisis residential alternatives. Health Services and Delivery Research, 2014, 2, 1-106.	1.4	7
156	Social firms as a means of vocational recovery for people with mental illness: a UK survey. BMC Health Services Research, 2013, 13, 270.	2.2	34
157	Evaluation of an integrated system for classification, assessment and comparison of services for long-term care in Europe: the eDESDE-LTC study. BMC Health Services Research, 2013, 13, 218.	2.2	66
158	Duration of untreated psychosis in adolescents: Ethnic differences and clinical profiles. Schizophrenia Research, 2013, 150, 526-532.	2.0	35
159	Psychiatric admissions from crisis resolution teams in Norway: a prospective multicentre study. BMC Psychiatry, 2013, 13, 117.	2.6	18
160	Can we reverse the rising tide of compulsory admissions?. Lancet, The, 2013, 381, 1603-1604.	13.7	20
161	Crisis resolution and home treatment teams: an evolving model. Advances in Psychiatric Treatment, 2013, 19, 115-123.	0.5	83
162	The nature and correlates of paid and unpaid work among service users of London Community Mental Health Teams. Epidemiology and Psychiatric Sciences, 2013, 22, 169-180.	3.9	11

#	Article	IF	CITATIONS
163	Ethnic variations in pathways into early intervention services for psychosis. British Journal of Psychiatry, 2013, 202, 277-283.	2.8	46
164	Violence against People with Disability in England and Wales: Findings from a National Cross-Sectional Survey. PLoS ONE, 2013, 8, e55952.	2.5	54
165	Morale in the mental health workforce. Mental Health Today (brighton, England), 2013, , 18-9.	0.0	0
166	Ethnic variations in pathways to acute care and compulsory detention for women experiencing a mental health crisis. International Journal of Social Psychiatry, 2012, 58, 3-15.	3.1	29
167	Personal and Team Morale in Health Services: Distinct and Measurable Concepts. Journal of Health Management, 2012, 14, 535-557.	1.1	3
168	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. Epidemiology and Psychiatric Sciences, 2012, 21, 175-185.	3.9	11
169	Muslim adolescent mental health in the UK: an exploratory cross-sectional school survey. International Journal of Culture and Mental Health, 2012, 5, 202-218.	0.6	6
170	Morale in the English mental health workforce: questionnaire survey. British Journal of Psychiatry, 2012, 201, 239-246.	2.8	48
171	Implementation of Assertive Community Treatment in Australia: Model Fidelity, Patient Characteristics and Staff Experiences. Community Mental Health Journal, 2012, 48, 652-661.	2.0	13
172	The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: findings from the European Schizophrenia Cohort (EuroSC). European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 607-616.	3.2	59
173	A survey of Core Medical Trainees' opinions on the ePortfolio record of educational activities: beneficial and cost-effective?. Journal of the Royal College of Physicians of Edinburgh, The, 2012, 42, 15-20.	0.6	7
174	Quality of life and illness beliefs in individuals with early psychosis. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 545-551.	3.1	28
175	Initiatives to shorten duration of untreated psychosis: systematic review. British Journal of Psychiatry, 2011, 198, 256-263.	2.8	131
176	Has the closure of psychiatric beds gone too far? No. BMJ: British Medical Journal, 2011, 343, d7410-d7410.	2.3	9
177	Developing and comparing methods for measuring the content of care in mental health services. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 219-229.	3.1	5
178	Demands, control, supportive relationships and well-being amongst British mental health workers. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1055-1068.	3.1	24
179	Service user and carer experiences of seeking help for a first episode of psychosis: a UK qualitative study. BMC Psychiatry, 2011, 11, 157.	2.6	87
180	Treatment and outcomes of crisis resolution teams: a prospective multicentre study. BMC Psychiatry, 2011, 11, 183.	2.6	23

#	Article	IF	CITATIONS
181	Factors affecting staff morale on inpatient mental health wards in England: a qualitative investigation. BMC Psychiatry, 2011, 11, 68.	2.6	51
182	An implementation study of the crisis resolution team model in Norway: Are the crisis resolution teams fulfilling their role?. BMC Health Services Research, 2011, 11, 96.	2.2	36
183	A comparison of the implementation of Assertive Community Treatment in Melbourne, Australia and London, England. Epidemiology and Psychiatric Sciences, 2011, 20, 151-161.	3.9	21
184	Alternatives to standard acute in-patient care in England: roles and populations served. British Journal of Psychiatry, 2010, 197, s6-s13.	2.8	19
185	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. British Journal of Psychiatry, 2010, 197, s14-s19.	2.8	29
186	Where next with residential alternatives to admission?. British Journal of Psychiatry, 2010, 197, s52-s54.	2.8	9
187	Alternatives to standard acute in-patient care in England: differences in content of care and staff–patient contact. British Journal of Psychiatry, 2010, 197, s46-s51.	2.8	22
188	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. British Journal of Psychiatry, 2010, 197, s26-s31.	2.8	45
189	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. British Journal of Psychiatry, 2010, 197, s20-s25.	2.8	23
190	Evidence of the effectiveness of a specialist vocational intervention following first episode psychosis: a naturalistic prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 1-8.	3.1	48
191	Is locating acute wards in the general hospital an essential element in psychiatric reform? The UK experience. Epidemiology and Psychiatric Sciences, 2010, 19, 282-286.	3.9	11
192	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. British Journal of Psychiatry, 2010, 197, s41-s45.	2.8	35
193	Effectiveness and cost-effectiveness of admissions to women's crisis houses compared with traditional psychiatric wards: pilot patient-preference randomised controlled trial. British Journal of Psychiatry, 2010, 197, s32-s40.	2.8	33
194	Assessing Needs for Mental Health Services. , 2010, , 217-226.		2
195	Chapter 13 Crisis and emergency services. , 2010, , .		2
196	Residential alternatives to acute psychiatric hospital admission: systematic review. British Journal of Psychiatry, 2009, 195, 109-117.	2.8	68
197	Economic evaluation of a crisis resolution service: A randomised controlled trial. Epidemiologia E Psichiatria Sociale, 2009, 18, 54-58.	0.9	58
198	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. Epidemiology and Psychiatric Sciences, 2009, 18, 344-351.	3.9	27

#	Article	IF	CITATIONS
199	The Camberwell Elderly Mentally III and Their Needs for Services. International Journal of Social Psychiatry, 2009, 55, 82-90.	3.1	4
200	Clinicians' attitudes to the employment of people with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 349-360.	3.1	42
201	Variations in rates of comorbid substance use in psychosis between mental health settings and geographical areas in the UK. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 429-447.	3.1	63
202	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 532-540.	3.1	43
203	Satisfaction and burnout among staff of crisis resolution, assertive outreach and community mental health teams. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 541-549.	3.1	26
204	A National Evaluation of Mental Health Inpatient Staff Morale in England. European Psychiatry, 2009, 24, .	0.2	0
205	Methodological Challenges in Evaluating the Effectiveness of Women's Crisis Houses Compared With Psychiatric Wards. Journal of Nervous and Mental Disease, 2009, 197, 722-727.	1.0	17
206	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, 629-633.	2.0	23
207	Impact of a crisis resolution team on service costs in the UK. Psychiatric Bulletin, 2009, 33, 17-19.	0.3	14
208	In-patient and residential alternatives to standard acute psychiatric wards in England. British Journal of Psychiatry, 2009, 194, 456-463.	2.8	60
209	Randomised evaluation of assertive community treatment: 3-year outcomes. British Journal of Psychiatry, 2009, 195, 81-82.	2.8	74
210	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. Psychiatric Services, 2009, 60, 908-913.	2.0	40
211	Home Treatment as an Alternative to Hospital Admission for Mothers in a Mental Health Crisis: A Qualitative Study. Psychiatric Services, 2009, 60, 634-639.	2.0	41
212	A National Survey of Psychiatric Mother and Baby Units in England. Psychiatric Services, 2009, 60, .	2.0	5
213	Home Treatment as an Alternative to Hospital Admission for Mothers in a Mental Health Crisis: A Qualitative Study. Psychiatric Services, 2009, 60, .	2.0	6
214	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. Psychiatric Services, 2009, 60, .	2.0	8
215	Home treatment and â€~hospitality' within a comprehensive community mental health centre. , 2008, , 251-266.		8
216	Routine evaluation in first episode psychosis services: feasibility and results from the MiData project. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 960-967.	3.1	49

#	Article	IF	CITATIONS
217	Training in dual diagnosis interventions (the COMO Study): Randomised controlled trial. BMC Psychiatry, 2008, 8, 12.	2.6	49
218	Developing mental health services in response to research evidence. Epidemiologia E Psichiatria Sociale, 2008, 17, 47-56.	0.9	18
219	So what shall we do about assertive community treatment?. Epidemiologia E Psichiatria Sociale, 2008, 17, 110-114.	0.9	15
220	Integrating crisis residential care and crisis resolution teams. , 2008, , 283-292.		0
221	Recruiting, training and retaining an effective crisis team. , 2008, , 307-318.		0
222	The crisis resolution team within the community service system. , 2008, , 85-96.		2
223	Responding to diversity in home treatment. , 2008, , 205-222.		1
224	The crisis resolution team model: recent developments and dissemination. , 2008, , 23-34.		6
225	Crisis resolution teams: rationale and core model. , 2008, , 67-84.		9
226	Integration of the crisis resolution function within community mental health teams. , 2008, , 235-250.		4
227	The development of crisis resolution and home treatment teams. , 2008, , 9-22.		10
228	Recent research on crisis resolution teams: findings and limitations. , 2008, , 51-64.		4
229	Correlates of Subjective Quality of Life in People With Schizophrenia. Journal of Nervous and Mental Disease, 2008, 196, 87-94.	1.0	83
230	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. Psychiatric Services, 2008, 59, 276-282.	2.0	41
231	Admission to Women's Crisis Houses or to Psychiatric Wards: Women's Pathways to Admission. Psychiatric Services, 2008, 59, 1443-1449.	2.0	16
232	Admission to Women's Crisis Houses or to Psychiatric Wards: Women's Pathways to Admission. Psychiatric Services, 2008, 59, 1443-1449.	2.0	5
233	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. Psychiatric Services, 2008, 59, 276-282.	2.0	27
234	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. British Journal of Psychiatry, 2007, 191, 30-37.	2.8	294

#	Article	IF	CITATIONS
235	Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. British Journal of Psychiatry, 2007, 190, 333-338.	2.8	108
236	Be Good to Your Patient. Journal of Nervous and Mental Disease, 2007, 195, 789-791.	1.0	21
237	Acute in-patient psychiatry: residential alternatives to hospital admission. Psychiatric Bulletin, 2007, 31, 262-264.	0.3	15
238	Effects of training community staff in interventions for substance misuse in dual diagnosis patients with psychosis (COMO study). British Journal of Psychiatry, 2007, 191, 451-452.	2.8	27
239	Acute mental health care for older people by crisis resolution teams in England. International Journal of Geriatric Psychiatry, 2007, 22, 263-265.	2.7	17
240	An investigation of factors associated with psychiatric hospital admission despite the presence of crisis resolution teams. BMC Psychiatry, 2007, 7, 52.	2.6	57
241	Crisis resolution and intensive home treatment teams. Psychiatry (Abingdon, England), 2007, 6, 339-342.	0.2	16
242	Assessing the content of mental health services: a review of measures. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 673-682.	3.1	28
243	Initial treatment phase in early psychosis: can intensive home treatment prevent admission?. Psychiatric Bulletin, 2006, 30, 243-246.	0.3	8
244	Characteristics and needs of asylum seekers and refugees in contact with London community mental health teams. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 789-795.	3.1	78
245	The REACT study: randomised evaluation of assertive community treatment in north London. BMJ: British Medical Journal, 2006, 332, 815-820.	2.3	208
246	Ethnic differences among a community cohort of individuals with dual diagnosis in South London. Journal of Mental Health, 2006, 15, 551-567.	1.9	15
247	Outcomes of crises before and after introduction of a crisis resolution team. British Journal of Psychiatry, 2005, 187, 68-75.	2.8	115
248	Patterns of mental health service utilisation in Italy and Spain. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 149-159.	3.1	48
249	The European Schizophrenia Cohort. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 707-717.	3.1	58
250	Randomised controlled trial of acute mental health care by a crisis resolution team: the north Islington crisis study. BMJ: British Medical Journal, 2005, 331, 599.	2.3	250
251	Patients' views of the letters their psychiatrists and psychologists send to referrers. Journal of Mental Health, 2005, 14, 369-382.	1.9	5
252	Views and Experiences of Employment among People with Psychosis: A Qualitative Descriptive Study. International Journal of Social Psychiatry, 2005, 51, 302-316.	3.1	108

#	Article	IF	CITATIONS
253	Indicators predicting use of mental health services in Piedmont, Italy. Journal of Mental Health Policy and Economics, 2005, 8, 95-106.	0.6	19
254	Characteristics of teams, staff and patients: associations with outcomes of patients in assertive outreach. British Journal of Psychiatry, 2004, 185, 306-311.	2.8	55
255	Women's experiences of admission to a crisis house and to acute hospital wards: A qualitative study. Journal of Mental Health, 2004, 13, 247-262.	1.9	39
256	Crisis resolution and intensive home treatment teams. Psychiatry (Abingdon, England), 2004, 3, 22-25.	0.2	23
257	Schizophrenia and employment. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 337-349.	3.1	713
258	The views and experiences of severely mentally ill mothers. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 472-82.	3.1	153
259	What's new inâ $\in^{l}_{l}$ Psychiatry: crisis resolution teams. Medicine, 2004, 32, 1-3.	0.4	0
260	Characteristics of Subgroups of Individuals With Psychotic Illness and a Comorbid Substance Use Disorder. Psychiatric Services, 2003, 54, 554-561.	2.0	93
261	Assertive outreach teams in London: Models of operation. British Journal of Psychiatry, 2003, 183, 132-138.	2.8	60
262	Assertive outreach teams in London: Staff experiences and perceptions. British Journal of Psychiatry, 2003, 183, 139-147.	2.8	43
263	Drug and alcohol misuse among in-patients with psychotic illnesses in three inner-London psychiatric units. Psychiatric Bulletin, 2003, 27, 217-220.	0.3	21
264	Assertive outreach teams in London: Patient characteristics and outcomes. British Journal of Psychiatry, 2003, 183, 148-154.	2.8	52
265	Drug and alcohol misuse among in-patients with psychotic illnesses in three inner-London psychiatric units. Psychiatric Bulletin, 2003, 27, 217-220.	0.3	49
266	Women in academic psychiatry in the United Kingdom. Psychiatric Bulletin, 2003, 27, 323-326.	0.3	7
267	What is the relationship between substance abuse and schizophrenia?. , 2002, , 317-342.		11
268	The longer term outcomes of community care: a 12 year follow-up of the Camberwell High Contact Survey. Psychological Medicine, 2001, 31, 351-359.	4.5	11
269	How does drug and alcohol misuse develop among people with psychotic illness? A literature review. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 269-276.	3.1	81
270	Mental health service provision in England. Acta Psychiatrica Scandinavica, 2001, 104, 47-55.	4.5	31

#	Article	IF	CITATIONS
271	Predicting the Costs of Community Care for Individuals With Severe Mental Illness in South London. Schizophrenia Bulletin, 2001, 27, 653-660.	4.3	18
272	Drayton Park, an alternative to hospital admission for women in acute mental health crisis. Psychiatric Bulletin, 2000, 24, 101-104.	0.3	34
273	Service use and costs of people with dual diagnosis in South London. Acta Psychiatrica Scandinavica, 2000, 101, 464-472.	4.5	47
274	Distribution of ecto 5′-nucleotidase on Mycoplasma species associated with arthritis. FEMS Microbiology Letters, 2000, 192, 59-65.	1.8	11
275	The European Socioâ€Demographic Schedule (ESDS): rationale, principles and development. Acta Psychiatrica Scandinavica, 2000, 102, 33-46.	4.5	61
276	The European Service Mapping Schedule (ESMS): development of an instrumentfor the description and classificationof mental health services. Acta Psychiatrica Scandinavica, 2000, 102, 14-23.	4.5	195
277	Continuity of care and clinical outcome: a prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 242-247.	3.1	54
278	The social context of insight in schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 500-507.	3.1	77
279	Assessment instruments: standardization of the <i>European Service Mapping Schedule</i> (ESMS) in Spain. Acta Psychiatrica Scandinavica, 2000, 102, 24-32.	4.5	41
280	The European Socio-Demographic Schedule (ESDS): rationale, principles and development. Acta Psychiatrica Scandinavica, 2000, 102, 33-46.	4.5	10
281	The European Service Mapping Schedule (ESMS): development of an instrumentfor the description and classificationof mental health services. Acta Psychiatrica Scandinavica, 2000, 102, 14-23.	4.5	38
282	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. Acta Psychiatrica Scandinavica, 2000, 102, 24-32.	4.5	8
283	Identification of <i>Mycoplasma fermentans</i> in Synovial Fluid Samples from Arthritis Patients with Inflammatory Disease. Journal of Clinical Microbiology, 2000, 38, 90-93.	3.9	68
284	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. Acta Psychiatrica Scandinavica, Supplement, 2000, 405, 14-23.	0.1	30
285	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. Acta Psychiatrica Scandinavica, Supplement, 2000, 405, 24-32.	0.1	11
286	The European Socio-Demographic Schedule (ESDS): rationale, principles and development. Acta Psychiatrica Scandinavica, Supplement, 2000, 405, 33-46.	0.1	4
287	Mental health, "burnout" and job satisfaction in a longitudinal study of mental health staff. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 295-300.	3.1	99
288	Explanations for stress and satisfaction in mental health professionals: a qualitative study. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 301-308.	3.1	102

#	Article	IF	CITATIONS
289	Improving support for mental health staff: a qualitative study. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 309-315.	3.1	45
290	Outcomes and costs of a community support worker service for the severely mentally ill. Acta Psychiatrica Scandinavica, 1999, 99, 196-206.	4.5	22
291	The needs of elderly graduates. , 1999, 14, 984-985.		3
292	Community mental health teams: evidence or belief?. British Journal of Psychiatry, 1999, 175, 508-513.	2.8	62
293	Descripción y clasificación de los servicios de salud mental: una perspectiva europea. European Psychiatry (Ed Española), 1999, 6, 182-194.	0.0	Ο
294	Description and classification of mental health services: a European perspective. European Psychiatry, 1998, 13, 333-341.	0.2	32
295	Substance misuse and risk of aggression and offending among the severely mentally ill. British Journal of Psychiatry, 1998, 172, 345-350.	2.8	152
296	User perspective on needs and satisfaction with mental health services. British Journal of Psychiatry, 1998, 173, 409-415.	2.8	105
297	Utilisation and costs of community mental health services. British Journal of Psychiatry, 1998, 173, 391-398.	2.8	51
298	Rationale and design. British Journal of Psychiatry, 1998, 173, 363-370.	2.8	159
299	From efficacy to effectiveness in community mental health services. British Journal of Psychiatry, 1998, 173, 423-427.	2.8	153
300	Frequency and predictors of adverse events. British Journal of Psychiatry, 1998, 173, 376-384.	2.8	26
301	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. British Journal of Psychiatry, 1997, 171, 169-174.	2.8	99
302	Dual diagnosis of severe mental illness and substance misuse: A case for specialist services?. British Journal of Psychiatry, 1997, 171, 205-208.	2.8	87
303	Social networks and service use among representative cases of psychosis in South London. British Journal of Psychiatry, 1997, 171, 15-19.	2.8	66
304	Perceived sources of work stress and satisfaction among hospital and community mental health staff, and their relation to mental health, burnout and job satisfaction. Journal of Psychosomatic Research, 1997, 43, 51-59.	2.6	119
305	Dual diagnosis of severe mental health problems and substance abuse/dependence: a major priority for mental health nursing. Journal of Psychiatric and Mental Health Nursing, 1997, 4, 89-95.	2.1	48
306	Continuity of care for the severely mentally ill: concepts and measures. Social Psychiatry and Psychiatry 2, 137-142.	3.1	96

#	Article	IF	CITATIONS
307	Mental health. Sending in the paras. The Health Service Journal, 1997, 107, 30-1.	0.0	0
308	Insight, psychosis and ethnicity: a case-note study. Psychological Medicine, 1996, 26, 1081-1084.	4.5	22
309	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. British Journal of Psychiatry, 1996, 168, 612-619.	2.8	354
310	Mental Health, â€ <sup>~</sup> Burnout' and Job Satisfaction among Hospital and Community-Based Mental Health Staff. British Journal of Psychiatry, 1996, 169, 334-337.	2.8	172
311	Insight and psychosis: a social perspective. Psychological Medicine, 1995, 25, 515-520.	4.5	67
312	Emergency psychiatric services in England and Wales. BMJ: British Medical Journal, 1995, 311, 287-288.	2.3	18
313	The case for catchment areas for mental health services. Psychiatric Bulletin, 1995, 19, 343-345.	0.3	6
314	The sectorisation of psychiatric services in England and Wales. Social Psychiatry and Psychiatric Epidemiology, 1993, 28, 45-47.	3.1	51
315	Three psychiatric day centres in a London borough. Psychiatric Bulletin, 1992, 16, 540-542.	0.3	Ο
316	Overview: deinstitutionalization of psychiatric patients, a critical review of outcome studies. American Journal of Psychiatry, 1981, 138, 736-749.	7.2	214
317	Community Mental Health Care: Promises and Pitfalls. , 0, , 131-170.		2
318	Practical psychosocial interventions. , 0, , 137-150.		1
319	Planning and implementing a local service. , 0, , 295-306.		1
320	Crisis resolution teams and older people. , 0, , 267-274.		0
321	The classic home treatment studies. , 0, , 37-50.		3
322	Assessment of crises. , 0, , 97-110.		0