Sven Kehl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3458534/publications.pdf

Version: 2024-02-01

430442 454577 1,199 70 18 h-index citations papers

g-index 90 90 90 1405 docs citations times ranked citing authors all docs

30

#	Article	IF	CITATIONS
1	Maternal SARS-CoV-2 infection during pregnancy: possible impact on the infant. European Journal of Pediatrics, 2022, 181, 413-418.	1.3	14
2	Do obstetric units adhere to the evidence-based national guideline? A Germany-wide survey on the current practice of initial tocolysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 270, 133-138.	0.5	6
3	Prevalence of SARS-CoV-2 in Pregnant Women Assessed by RT-PCR in Franconia, Germany: First Results of the SCENARIO Study (SARS-CoV-2 prEvalence in pregNAncy and at biRth In FrancOnia). Geburtshilfe Und Frauenheilkunde, 2022, 82, 226-234.	0.8	6
4	Influence of labor on direct and indirect determinants of placental 11beta-hydroxysteroid dehydrogenase activity. Archives of Gynecology and Obstetrics, 2021, 303, 401-408.	0.8	2
5	Outpatient Induction of Labor – Are Balloon Catheters an Appropriate Method?. Geburtshilfe Und Frauenheilkunde, 2021, 81, 70-80.	0.8	6
6	Recommendations of the AGG (Task Force for Obstetrics, Section Maternal Diseases) on the Management of Maternal Hepatitis B, C and D Infection in Pregnancy. Geburtshilfe Und Frauenheilkunde, 2021, 81, 390-397.	0.8	2
7	The use of PAMG-1 testing in patients with preterm labor, intact membranes and a short sonographic cervix reduces the rate of unnecessary antenatal glucocorticoid administration. Journal of Perinatal Medicine, 2021, 49, 1135-1140.	0.6	1
8	Caesarean Section. Guideline of the DGGG, OEGGG and SGGG (S3-Level, AWMF Registry No. 015/084, June)	Tj.F.T.Qq0	0 OrgBT /Ove
9	Labour Induction with Misoprostol in German Obstetric Clinics: What Are the Facts on Such Use?. Geburtshilfe Und Frauenheilkunde, 2021, 81, 955-965.	0.8	3
10	Induction of Labour. Guideline of the DGGG, OEGGG and SGGG (S2k, AWMF Registry No. 015-088,) Tj ETQq	0.8 rgB1	Г/Qverlock 10 14
11	Management of Intrahepatic Cholestasis of Pregnancy: Recommendations of the Working Group on Obstetrics and Prenatal Medicine – Section on Maternal Disorders. Geburtshilfe Und Frauenheilkunde, 2021, 81, 922-939.	0.8	9
12	Ultrasound Fetal Weight Estimation in Diabetic Pregnancies. Journal of Ultrasound in Medicine, 2020, 39, 341-350.	0.8	5
13	Longitudinal Course of Short-Term Variation and Doppler Parameters in Early Onset Growth Restricted Fetuses. Ultraschall in Der Medizin, 2020, 41, e23-e32.	0.8	2
14	Amniotic-Umbilical-to-Cerebral Ratio – A Novel Ratio Combining Doppler Parameters and Amniotic Fluid Volume to Predict Adverse Perinatal Outcome in SGA Fetuses At Term. Ultraschall in Der Medizin, 2020, , .	0.8	1
15	Influence of Preeclampsia on Induction of Labor at Term: A Cohort Study. In Vivo, 2020, 34, 1195-1200.	0.6	4
16	SARS-CoV-2 Infection in Pregnancy – a Review of the Current Literature and Possible Impact on Maternal and Neonatal Outcome. Geburtshilfe Und Frauenheilkunde, 2020, 80, 380-390.	0.8	38
17	Maintenance tocolysis: a reappraisal of clinical evidence. Archives of Gynecology and Obstetrics, 2019, 300, 1189-1199.	0.8	12
18	Clarifications concerning the commentary "Published analysis of contraceptive effectiveness of Daysy and DaysyView app is fatally flawed― Reproductive Health, 2019, 16, 83.	1.2	0

#	Article	IF	CITATIONS
19	Correlation of short-term variation and Doppler parameters with adverse perinatal outcome in small-for-gestational age fetuses at term. Archives of Gynecology and Obstetrics, 2019, 300, 575-581.	0.8	5
20	Induction of labour with sequential double-balloon catheter and oral misoprostol versus oral misoprostol alone in obese women. European Journal of Obstetrics and Gynecology and Reproductive Biology: X, 2019, 3, 100034.	0.6	7
21	Induction of Labour in Growth Restricted and Small for Gestational Age Foetuses – A Historical Cohort Study. Geburtshilfe Und Frauenheilkunde, 2019, 79, 402-408.	0.8	2
22	Can Sonographic Fetal Biometry Predict Adverse Perinatal Outcome?. Ultraschall in Der Medizin, 2019, 40, 230-236.	0.8	6
23	Accuracy of colposcopy-directed biopsy in detecting early cervical neoplasia: a retrospective study. Archives of Gynecology and Obstetrics, 2019, 299, 525-532.	0.8	42
24	Correlation of short-term variation and Doppler parameters with adverse perinatal outcome in low-risk fetuses at term. Archives of Gynecology and Obstetrics, 2019, 299, 411-420.	0.8	13
25	Influence of body mass index on induction of labor: A historical cohort study. Journal of Obstetrics and Gynaecology Research, 2018, 44, 697-707.	0.6	17
26	Expression and Regulation of Retinoic Acid Receptor Responders in the Human Placenta. Reproductive Sciences, 2018, 25, 1357-1370.	1.1	14
27	Acute Tocolysis – a Critical Analysis of Evidence-Based Data. Geburtshilfe Und Frauenheilkunde, 2018, 78, 1245-1255.	0.8	16
28	Predicting attention deficit hyperactivity disorder using pregnancy and birth characteristics. Archives of Gynecology and Obstetrics, 2018, 298, 889-895.	0.8	28
29	Longitudinal Assessment of Examiner Experience and the Accuracy of Sonographic Fetal Weight Estimation at Term. Journal of Ultrasound in Medicine, 2017, 36, 163-174.	0.8	7
30	Longitudinal <i>>z</i> Score Distribution in Sonographic Fetal Biometry: Influence of Examiner and Experience. Journal of Ultrasound in Medicine, 2017, 36, 1021-1028.	0.8	2
31	Effect of Premature Rupture of Membranes on Induction of Labor: A Historical Cohort Study. Geburtshilfe Und Frauenheilkunde, 2017, 77, 1174-1181.	0.8	13
32	Dilatation or no dilatation of the cervix during cesarean section (Dondi Trial): a randomized controlled trial. Archives of Gynecology and Obstetrics, 2017, 295, 39-43.	0.8	9
33	Intrauterine Growth Restriction. Guideline of the German Society of Gynecology and Obstetrics (S2k-Level, AWMF Registry No. 015/080, October 2016). Geburtshilfe Und Frauenheilkunde, 2017, 77, 1157-1173.	0.8	45
34	Correlation of Observed-to-Expected MRI Fetal Lung Volume and Ultrasound Lung-to-Head Ratio at Different Gestational Times in Fetuses With Congenital Diaphragmatic Hernia. American Journal of Roentgenology, 2016, 206, 856-866.	1.0	44
35	Timing of sequential use of doubleâ€balloon catheter and oral misoprostol for induction of labor. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1495-1501.	0.6	5
36	A New Sonographic Weight Estimation Formula for Smallâ€forâ€Gestationalâ€Age Fetuses. Journal of Ultrasound in Medicine, 2016, 35, 1713-1724.	0.8	6

#	Article	IF	CITATIONS
37	Balloon catheters for induction of labor at term after previous cesarean section: a systematic review. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 204, 44-50.	0.5	49
38	Double-balloon catheter and sequential oral misoprostol versus oral misoprostol alone for induction of labour at term: a retrospective cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 204, 78-82.	0.5	11
39	Single deepest vertical pocket or amniotic fluid index as evaluation test for predicting adverse pregnancy outcome (SAFE trial): a multicenter, openâ€label, randomized controlled trial. Ultrasound in Obstetrics and Gynecology, 2016, 47, 674-679.	0.9	88
40	Double-balloon catheter and sequential vaginal prostaglandin E2 versus vaginal prostaglandin E2 alone for induction of labor after previous cesarean section. Archives of Gynecology and Obstetrics, 2016, 293, 757-765.	0.8	16
41	Trophoblast expression dynamics of the tumor suppressor gene gastrokine 2. Histochemistry and Cell Biology, 2015, 144, 281-291.	0.8	9
42	Bioelectrical impedance analysis in the assessment of pre-eclampsia. Archives of Gynecology and Obstetrics, 2015, 291, 31-38.	0.8	8
43	Sequential use of doubleâ€balloon catheter and oral misoprostol versus oral misoprostol alone for induction of labour at term (<scp>CRB</scp> plus trial): a multicentre, openâ€label randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 129-136.	1.1	30
44	Influence of Fetal Birth Weight on Caesarean Section Rate and Fetal Outcome After Induction of Labor. In Vivo, 2015, 29, 519-24.	0.6	1
45	Influence of fetal birth weight on perinatal outcome in planned vaginal births. Archives of Gynecology and Obstetrics, 2014, 289, 313-318.	0.8	10
46	Repetitive MR measurements of lung volume in fetuses with congenital diaphragmatic hernia: individual development of pulmonary hypoplasia during pregnancy and calculation of weekly lung growth rates. European Radiology, 2014, 24, 312-319.	2.3	12
47	Novel codogenic retrotransposable MART-genes in the human and murine placentogenesis. Placenta, 2014, 35, A46.	0.7	0
48	Characterisation of the tumor-suppressor gene gastrokine 2 in the human placenta. Placenta, 2014, 35, A52.	0.7	0
49	Finding the most accurate method to measure head circumference for fetal weight estimation. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 178, 153-156.	0.5	22
50	MRI-Based Ratio of Fetal Lung Volume to Fetal Body Volume as a New Prognostic Marker in Congenital Diaphragmatic Hernia. American Journal of Roentgenology, 2014, 202, 1330-1336.	1.0	20
51	Prediction of Postnatal Outcomes in Fetuses With Isolated Congenital Diaphragmatic Hernias Using Different Lungâ€toâ€Head Ratio Measurements. Journal of Ultrasound in Medicine, 2014, 33, 759-767.	0.8	23
52	Touch imprint cytology of core needle biopsy specimens for the breast and quick stain procedure for immediate diagnosis. Anticancer Research, 2014, 34, 153-7.	0.5	7
53	Clinical aspects of intraoperative radiotherapy in early breast cancer: short-term complications after IORT in women treated with low energy x-rays. Radiation Oncology, 2013, 8, 95.	1.2	43
54	Emergency caesarean section: risk factors for adverse neonatal outcome. Archives of Gynecology and Obstetrics, 2013, 287, 901-905.	0.8	10

#	Article	IF	CITATIONS
55	Effectiveness of nitrous oxide for postpartum perineal repair: a randomised controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 170, 329-332.	0.5	9
56	Women's acceptance of a double-balloon device as an additional method for inducing labour. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 168, 30-35.	0.5	30
57	Prediction of Mortality and the Need for Neonatal Extracorporeal Membrane Oxygenation Therapy by 3â€Dimensional Sonography and Magnetic Resonance Imaging in Fetuses With Congenital Diaphragmatic Hernias. Journal of Ultrasound in Medicine, 2013, 32, 981-988.	0.8	16
58	New Formulas for Calculating the Lungâ€ŧoâ€Head Ratio in Healthy Fetuses Between 20 and 40 Weeks' Gestation. Journal of Ultrasound in Medicine, 2013, 32, 1939-1943.	0.8	4
59	Mode of delivery and its influence on women's satisfaction with childbirth. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 170, 401-406.	0.5	65
60	Periodic MRI Lung Volume Assessment in Fetuses With Congenital Diaphragmatic Hernia: Prediction of Survival, Need for ECMO, and Development of Chronic Lung Disease. American Journal of Roentgenology, 2013, 201, 419-426.	1.0	27
61	Bioelectrical impedance analysis in pregnancy: reference ranges. In Vivo, 2013, 27, 851-4.	0.6	10
62	Combination of misoprostol and mechanical dilation for induction of labour: a randomized controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 159, 315-319.	0.5	31
63	Influence of Different Rotation Angles in Assessment of Lung Volumes by 3-Dimensional Sonography in Comparison to Magnetic Resonance Imaging in Healthy Fetuses. Journal of Ultrasound in Medicine, 2011, 30, 819-825.	0.8	7
64	In Vitro Models of the Fetal Lung. Journal of Ultrasound in Medicine, 2011, 30, 1085-1091.	0.8	6
65	Assessment of Lung Volume by 3-Dimensional Sonography and Magnetic Resonance Imaging in Fetuses With Congenital Diaphragmatic Hernias. Journal of Ultrasound in Medicine, 2011, 30, 1539-1545.	0.8	13
66	Role of fetal abdominal circumference as a prognostic parameter of perinatal complications. Archives of Gynecology and Obstetrics, 2011, 284, 1345-1349.	0.8	7
67	HIV-infection and modern antiretroviral therapy impair sperm quality. Archives of Gynecology and Obstetrics, 2011, 284, 229-233.	0.8	50
68	Spontaneous uterine rupture at the 21st week of gestation caused by placenta percreta. Archives of Gynecology and Obstetrics, 2011, 284, 875-878.	0.8	21
69	Associated Malformations in Congenital Diaphragmatic Hernia. American Journal of Perinatology, 2011, 28, 211-218.	0.6	55
70	Comparison of Different Sonographic Methods to Determine Fetal Abdominal Circumference. Fetal Diagnosis and Therapy, 2010, 28, 201-206.	0.6	10