

Christopher Flatley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3460786/publications.pdf>

Version: 2024-02-01

57
papers

723
citations

623188

14
h-index

642321

23
g-index

58
all docs

58
docs citations

58
times ranked

1175
citing authors

#	ARTICLE	IF	CITATIONS
1	Placental weight centiles adjusted for age, parity and fetal sex. <i>Placenta</i> , 2022, 117, 87-94.	0.7	14
2	Characterization of the genetic architecture of infant and early childhood body mass index. <i>Nature Metabolism</i> , 2022, 4, 344-358.	5.1	26
3	Severe neonatal outcomes associated with emergency cesarean section at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 629-633.	0.7	14
4	Caesarean section improves neonatal outcomes only from 24-30 weeks for periviable breech but not for cephalic infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 599-605.	0.7	5
5	Factors Associated with Increased Risk of Early Severe Neonatal Morbidity in Late Preterm and Early Term Infants. <i>Journal of Clinical Medicine</i> , 2021, 10, 1319.	1.0	7
6	Maternal Dietary Selenium Intake during Pregnancy and Neonatal Outcomes in the Norwegian Mother, Father, and Child Cohort Study. <i>Nutrients</i> , 2021, 13, 1239.	1.7	7
7	Autozygosity mapping and time-to-spontaneous delivery in Norwegian parent-offspring trios. <i>Human Molecular Genetics</i> , 2021, 29, 3845-3858.	1.4	1
8	Maternal demographic and intrapartum antecedents of severe neonatal outcomes at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2103-2108.	0.7	7
9	Emergency caesarean for intrapartum fetal compromise and admission to the neonatal intensive care unit at term is more influenced by fetal weight than the cerebroplacental ratio. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 1664-1669.	0.7	2
10	An Epworth Sleep Score ≥ 11 is associated with emergency operative birth and poor neonatal composite outcome at term. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 49-54.	0.4	5
11	Maternal age potentiates the impact of operative birth on serious neonatal outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 598-605.	0.7	6
12	Development of a cross-validated model for predicting emergency cesarean for intrapartum fetal compromise at term. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 148, 41-47.	1.0	3
13	Epidural use in labour is not associated with an increased risk of maternal or neonatal morbidity when the second stage is prolonged. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 336-343.	0.4	13
14	Malnutrition and quality of life among adult inflammatory bowel disease patients. <i>JGH Open</i> , 2020, 4, 454-460.	0.7	23
15	The Impact of Severe Maternal Morbidity on Perinatal Outcomes in High Income Countries: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2035.	1.0	15
16	Safety and efficacy of sildenafil citrate to reduce operative birth for intrapartum fetal compromise at term: a phase 2 randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 401-414.	0.7	25
17	Changes in data management contribute to temporal variation in gestational duration distribution in the Swedish Medical Birth Registry. <i>PLoS ONE</i> , 2020, 15, e0241911.	1.1	3
18	Title is missing!. , 2020, 15, e0241911.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0241911.		0
20	Title is missing!. , 2020, 15, e0241911.		0
21	Title is missing!. , 2020, 15, e0241911.		0
22	Glycaemic variability and its association with enteral and parenteral nutrition in critically ill ventilated patients. <i>Clinical Nutrition</i> , 2019, 38, 1707-1712.	2.3	15
23	The burden of adverse obstetric and perinatal outcomes from maternal smoking in an Australian cohort. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, 356-361.	0.4	15
24	Reduced growth velocity at term is associated with adverse neonatal outcomes in non-small for gestational age infants. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 125-129.	0.5	9
25	Reference centiles for maternal placental growth factor levels at term from a low-risk population. <i>Placenta</i> , 2019, 86, 15-19.	0.7	4
26	Impact of severe maternal morbidity on adverse perinatal outcomes in high-income countries: systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2019, 9, e027100.	0.8	6
27	Cross-validated prediction model for severe adverse neonatal outcomes in a term, non-anomalous, singleton cohort. <i>BMJ Paediatrics Open</i> , 2019, 3, e000424.	0.6	9
28	Prolonged second stage of labour increases maternal morbidity but not neonatal morbidity. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, 555-560.	0.4	15
29	The risk of preterm birth associated with a low cerebroplacental ratio. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 610-616.	0.7	1
30	Obstetric and perinatal outcomes in pregnancies with isolated foetal congenital heart abnormalities. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 2985-2992.	0.7	13
31	Reference centiles for the middle cerebral artery and umbilical artery pulsatility index and cerebro-placental ratio from a low-risk population â€“ a Generalised Additive Model for Location, Shape and Scale (GAMLSS) approach. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 2338-2345.	0.7	22
32	Is the fetal cerebroplacental ratio better than the estimated fetal weight in predicting adverse perinatal outcomes in a low risk cohort?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 2380-2386.	0.7	11
33	Term small-for-gestational-age infants from low-risk women are at significantly greater risk of adverse neonatal outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 525.e1-525.e9.	0.7	89
34	Birth-weight centiles and the risk of serious adverse neonatal outcomes at term. <i>Journal of Perinatal Medicine</i> , 2018, 46, 1048-1056.	0.6	31
35	The relationship between the five minute Apgar score, mode of birth and neonatal outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1335-1341.	0.7	48
36	Impact of shoulder dystocia, stratified by type of manoeuvre, on severe neonatal outcome and maternal morbidity. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 298-305.	0.4	18

#	ARTICLE	IF	CITATIONS
37	Changes in maternal placental growth factor levels during term labour. <i>Placenta</i> , 2018, 61, 11-16.	0.7	8
38	Obstetric and perinatal outcomes for twin pregnancies in adolescent girls. <i>Scientific Reports</i> , 2018, 8, 18072.	1.6	2
39	A low fetal cerebroplacental ratio confers a greater risk of intrapartum fetal compromise and adverse neonatal outcomes in low risk multiparous women at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 230, 15-21.	0.5	5
40	Maternal demographic factors associated with emergency caesarean section for non-reassuring foetal status. <i>Journal of Perinatal Medicine</i> , 2018, 46, 641-647.	0.6	8
41	Maternal vitamin D levels and the risk of perinatal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1544-1548.	0.7	2
42	Perinatal risk factors for low and moderate five-minute Apgar scores at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 251-256.	0.5	34
43	The fetal cerebro-placental ratio in diabetic pregnancies is influenced more by the umbilical artery rather than middle cerebral artery pulsatility index. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 211, 56-61.	0.5	6
44	Birth weight centiles, risk of intrapartum compromise, and adverse perinatal outcomes in term infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2126-2132.	0.7	10
45	Intrapartum intervention rates and perinatal outcomes following induction of labour compared to expectant management at term from an Australian perinatal centre. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017, 57, 40-48.	0.4	16
46	Demographic characteristics and pregnancy outcomes in adolescents – Experience from an Australian perinatal centre. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017, 57, 630-635.	0.4	3
47	Intrapartum and neonatal outcomes in singleton pregnancies following conception by assisted reproduction techniques. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017, 57, 588-592.	0.4	4
48	Cerebroplacental ratio in pregnancies complicated by gestational diabetes mellitus. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 200-206.	0.9	13
49	Magnitude of change in fetal cerebroplacental ratio in third trimester and risk of adverse pregnancy outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 514-519.	0.9	23
50	Response to Re: Intrapartum intervention rates and perinatal outcomes following induction of labour compared to expectant management at term from an Australian perinatal centre. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017, 57, E10-E10.	0.4	0
51	Comparison between public and private sectors of care and disparities in adverse neonatal outcomes following emergency intrapartum cesarean at term – A retrospective cohort study. <i>PLoS ONE</i> , 2017, 12, e0187040.	1.1	7
52	Occurrence, management and outcome of fever in critically ill children. <i>Australian Critical Care</i> , 2016, 29, 123.	0.6	1
53	The association between a low cerebro-umbilical ratio at 30–34 weeks gestation, increased intrapartum operative intervention and adverse perinatal outcomes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 203, 89-93.	0.5	12
54	Cell line and patient-derived xenograft models reveal elevated CDCP1 as a target in high-grade serous ovarian cancer. <i>British Journal of Cancer</i> , 2016, 114, 417-426.	2.9	35

#	ARTICLE	IF	CITATIONS
55	A randomised, double-blind controlled trial of intranasal midazolam for the palliation of dyspnoea in patients with life-limiting disease. <i>Supportive Care in Cancer</i> , 2016, 24, 3069-76.	1.0	13
56	Intrapartum intervention rates and perinatal outcomes following successful external cephalic version. <i>Journal of Perinatology</i> , 2016, 36, 439-442.	0.9	9
57	Relation of Reduced Preclinical Left Ventricular Diastolic Function and Cardiac Remodeling in Overweight Youth to Insulin Resistance and Inflammation. <i>American Journal of Cardiology</i> , 2015, 115, 1222-1228.	0.7	30