

# Hongbo Dong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3460938/publications.pdf>

Version: 2024-02-01

25  
papers

514  
citations

623188

14  
h-index

713013

21  
g-index

26  
all docs

26  
docs citations

26  
times ranked

760  
citing authors

#	ARTICLE	IF	CITATIONS
1	Central body fat deposits are associated with poor vitamin D status in Chinese children and adolescents. <i>Nutrition</i> , 2022, 99-100, 111651.	1.1	3
2	Vitamin D Trajectories and Cardiometabolic Risk Factors During Childhood: A Large Population-Based Prospective Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 836376.	1.1	4
3	Prevalence and related factors of hyperuricaemia in Chinese children and adolescents: a pooled analysis of 11 population-based studies. <i>Annals of Medicine</i> , 2022, 54, 1608-1615.	1.5	14
4	Reference centiles for evaluating total body fat development and fat distribution by dual-energy x-ray absorptiometry among children and adolescents aged 3-18 years. <i>Clinical Nutrition</i> , 2021, 40, 1289-1295.	2.3	13
5	High BMI with Adequate Lean Mass Is Not Associated with Cardiometabolic Risk Factors in Children and Adolescents. <i>Journal of Nutrition</i> , 2021, 151, 1213-1221.	1.3	9
6	Palmitoleic Acid Protects against Hypertension by Inhibiting NF- $\kappa$ B-Mediated Inflammation. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2001025.	1.5	12
7	Coding Variants are Relevant to the Expression of Obesity-Related Genes for Pediatric Adiposity. <i>Obesity</i> , 2021, 29, 194-203.	1.5	3
8	Performance of different adiposity measures for predicting left ventricular remodeling in Chinese hypertensive youth. <i>Scientific Reports</i> , 2021, 11, 21943.	1.6	3
9	Widespread vitamin D deficiency and its sex-specific association with adiposity in Chinese children and adolescents. <i>Nutrition</i> , 2020, 71, 110646.	1.1	20
10	Waist-to-height ratio as a screening tool for cardiometabolic risk in children and adolescents: a nationwide cross-sectional study in China. <i>BMJ Open</i> , 2020, 10, e037040.	0.8	20
11	Life-Course Cumulative Burden of Body Mass Index and Blood Pressure on Progression of Left Ventricular Mass and Geometry in Midlife. <i>Circulation Research</i> , 2020, 126, 633-643.	2.0	33
12	Adequate 25-hydroxyvitamin D levels are inversely associated with various cardiometabolic risk factors in Chinese children, especially obese children. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000846.	1.2	20
13	Temporal relationship between inflammation and insulin resistance and their joint effect on hyperglycemia: the Bogalusa Heart Study. <i>Cardiovascular Diabetology</i> , 2019, 18, 109.	2.7	29
14	Regional Adipose Compartments Confer Different Cardiometabolic Risk in Children and Adolescents. <i>Mayo Clinic Proceedings</i> , 2019, 94, 1974-1982.	1.4	18
15	Long-term childhood body mass index and adult bone mass are linked through concurrent body mass index and body composition. <i>Bone</i> , 2019, 121, 259-266.	1.4	4
16	Abnormal Metabolic Phenotypes Among Urban Chinese Children: Epidemiology and the Impact of DXA-Measured Body Composition. <i>Obesity</i> , 2019, 27, 837-844.	1.5	27
17	Cardiovascular health in urban Chinese children and adolescents. <i>Annals of Medicine</i> , 2019, 51, 88-96.	1.5	23
18	Abdominal visceral and subcutaneous adipose tissues in association with cardiometabolic risk in children and adolescents: the China Child and Adolescent Cardiovascular Health (CCACH) study. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000824.	1.2	22

#	ARTICLE	IF	CITATIONS
19	Performance of gender- and age-specific cut-points versus NCEP pediatric cutpoints in dyslipidemia screening among Chinese children. <i>Atherosclerosis</i> , 2019, 280, 37-44.	0.4	16
20	The prevalence of smoking, second-hand smoke exposure, and knowledge of the health hazards of smoking among internal migrants in 12 provinces in China: a cross-sectional analysis. <i>BMC Public Health</i> , 2018, 18, 655.	1.2	47
21	Childhood body mass index and blood pressure in prediction of subclinical vascular damage in adulthood. <i>Journal of Hypertension</i> , 2017, 35, 47-54.	0.3	26
22	Identification of Genetic and Environmental Factors Predicting Metabolically Healthy Obesity in Children: Data From the BCAMS Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1816-1825.	1.8	59
23	Age- and Sex-Dependent Association between FTO rs9939609 and Obesity-Related Traits in Chinese Children and Adolescents. <i>PLoS ONE</i> , 2014, 9, e97545.	1.1	24
24	Study on the reference values of serum lipids in children aged 3-18 years old in Beijing, China. <i>Pediatrics International</i> , 2010, 52, 472-479.	0.2	9
25	Waist Circumference Reference Values for Screening Cardiovascular Risk Factors in Chinese Children and Adolescents. <i>Biomedical and Environmental Sciences</i> , 2010, 23, 21-31.	0.2	56