

Anna Fijalkowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3461269/publications.pdf>

Version: 2024-02-01

36
papers

5,389
citations

393982

19
h-index

414034

32
g-index

36
all docs

36
docs citations

36
times ranked

5014
citing authors

#	ARTICLE	IF	CITATIONS
1	Oral Apixaban for the Treatment of Acute Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2013, 369, 799-808.	13.9	1,915
2	Apixaban for Extended Treatment of Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2013, 368, 699-708.	13.9	1,116
3	Mutations of the TGF- β 2 type II receptorBMPR2 in pulmonary arterial hypertension. <i>Human Mutation</i> , 2006, 27, 121-132.	1.1	368
4	Serum N-Terminal Brain Natriuretic Peptide as a Prognostic Parameter in Patients With Pulmonary Hypertension. <i>Chest</i> , 2006, 129, 1313-1321.	0.4	354
5	Detectable Serum Cardiac Troponin T as a Marker of Poor Prognosis Among Patients With Chronic Precapillary Pulmonary Hypertension. <i>Circulation</i> , 2003, 108, 844-848.	1.6	282
6	Stress Doppler Echocardiography in Relatives of Patients With Idiopathic and Familial Pulmonary Arterial Hypertension. <i>Circulation</i> , 2009, 119, 1747-1757.	1.6	205
7	Cardiac Troponin T Monitoring Identifies High-Risk Group of Normotensive Patients With Acute Pulmonary Embolism. <i>Chest</i> , 2003, 123, 1947-1952.	0.4	203
8	N-terminal pro-brain natriuretic peptide in patients with acute pulmonary embolism. <i>European Respiratory Journal</i> , 2003, 22, 649-653.	3.1	185
9	Disturbed right ventricular ejection pattern as a new Doppler echocardiographic sign of acute pulmonary embolism. <i>American Journal of Cardiology</i> , 2002, 90, 507-511.	0.7	145
10	Atrial Septostomy in Treatment of End-Stage Right Heart Failure in Patients With Pulmonary Hypertension. <i>Chest</i> , 2007, 131, 977-983.	0.4	144
11	Pulmonary Artery Dilatation Correlates With the Risk of Unexpected Death in Chronic Arterial or Thromboembolic Pulmonary Hypertension. <i>Chest</i> , 2012, 142, 1406-1416.	0.4	90
12	Genetic Association of the Serotonin Transporter in Pulmonary Arterial Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 173, 793-797.	2.5	88
13	Evaluation of intrapericardial cisplatin administration in cases with recurrent malignant pericardial effusion and cardiac tamponade. <i>Supportive Care in Cancer</i> , 2004, 12, 53-57.	1.0	42
14	In-hospital major bleeding predicts mortality in patients with pulmonary embolism: An analysis of ZATPOL Registry data. <i>International Journal of Cardiology</i> , 2013, 168, 3543-3549.	0.8	35
15	Recurrent Hemoptysis. <i>Chest</i> , 2011, 139, 690-693.	0.4	29
16	Insight into the Key Points of Preeclampsia Pathophysiology: Uterine Artery Remodeling and the Role of MicroRNAs. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3132.	1.8	29
17	New approaches to the management and treatment of malignant pericardial effusion. <i>Supportive Care in Cancer</i> , 1997, 5, 64-66.	1.0	25
18	Outcome of Medically Versus Surgically Treated Patients With Chronic Thromboembolic Pulmonary Hypertension. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016, 22, 92-99.	0.7	25

#	ARTICLE	IF	CITATIONS
19	Intrapericardial cisplatin for the management of patients with large malignant pericardial effusion. <i>Journal of Cancer Research and Clinical Oncology</i> , 1994, 120, 434-436.	1.2	21
20	Demographic analysis of difficulties related to remote education in Poland from the perspective of adolescents during the COVID-19 pandemic. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 149-157.	0.5	16
21	Functional class and type of pulmonary hypertension determinate severity. <i>Acta Cardiologica</i> , 2015, 70, 286-286.	0.3	9
22	Role of cardiac biomarkers in assessment of RV function and prognosis in chronic pulmonary hypertension. <i>Country Review Ukraine</i> , 2007, 9, H41-H47.	0.8	8
23	Maternal serum vitamin D and parathormone concentrations during gestation and in umbilical cord blood – pilot study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 158-163.	0.7	8
24	Low DLCO in Idiopathic Pulmonary Arterial Hypertension – Clinical Correlates and Prognostic Significance. <i>Pneumonologia I Alergologia Polska</i> , 2016, 84, 87-94.	0.6	8
25	Severity of Arterial and Chronic Thromboembolic Pulmonary Hypertension is Associated with Impairment of Heart Rate Turbulence. , 2015, 20, 69-78.		7
26	Pregnancy as a predictor of deviations from the recommended diagnostic pathway in women with suspected pulmonary embolism: ZATPOL registry data. <i>Archives of Medical Science</i> , 2018, 14, 838-845.	0.4	6
27	Rise in antifibrotic and decrease in profibrotic microRNA protect the heart against fibrosis during pregnancy: A preliminary study. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 867-872.	0.6	6
28	The value of the new scoring system for predicting neoplastic pericarditis in the patients with large pericardial effusion. <i>Supportive Care in Cancer</i> , 2017, 25, 2399-2403.	1.0	5
29	In Reply: The Role of NT-proBNP as a Prognostic Marker in Pulmonary Hypertension. <i>Chest</i> , 2006, 130, 1627-1628.	0.4	4
30	Centrilobular Nodules in High Resolution Computed Tomography of the Lung in IPAH Patients – Preliminary Data Concerning Clinico-Radiological Correlates. <i>Pneumonologia I Alergologia Polska</i> , 2016, 84, 265-270.	0.6	4
31	In search of markers of treatment failure and poor prognosis in IPAH - the value of mosaic lung attenuation pattern on thin-section CT scans. <i>Multidisciplinary Respiratory Medicine</i> , 2010, 5, 409.	0.6	2
32	766 Plasma N terminal pro-brain natriuretic peptide reflects the severity of right-ventricular overload in patients with acute pulmonary embolism. <i>European Heart Journal</i> , 2003, 24, 138.	1.0	2
33	Nutrition and physical activity environments in primary schools in Poland – COSI study. <i>Annals of Agricultural and Environmental Medicine</i> , 2020, 27, 605-612.	0.5	2
34	Functional class and type of pulmonary hypertension determinate severity. , 0, .		1
35	The safety of low-molecular-weight heparins in the prevention of venous thromboembolism in surgically-treated cancer patients: results of a multicentre observational study. <i>Wspolczesna Onkologia</i> , 2017, 2, 152-156.	0.7	0
36	446 Normal plasma N terminal pro-brain natriuretic peptide levels predicts good short-term prognosis in patients with acute pulmonary embolism. <i>European Heart Journal</i> , 2003, 24, 63.	1.0	0