

Anna Fijalkowska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3461269/anna-fijalkowska-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

4,291
citations

18
h-index

36
g-index

36
ext. papers

4,951
ext. citations

7.7
avg, IF

4.6
L-index

#	Paper	IF	Citations
34	Insight into the Key Points of Preeclampsia Pathophysiology: Uterine Artery Remodeling and the Role of MicroRNAs. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
33	Demographic analysis of difficulties related to remote education in Poland from the perspective of adolescents during the COVID-19 pandemic. <i>Annals of Agricultural and Environmental Medicine</i> , 2021 , 28, 149-157	1.4	4
32	Nutrition and physical activity environments in primary schools in Poland - COSI study. <i>Annals of Agricultural and Environmental Medicine</i> , 2020 , 27, 605-612	1.4	0
31	Maternal serum vitamin D and parathormone concentrations during gestation and in umbilical cord blood - pilot study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 158-163	2	5
30	Pregnancy as a predictor of deviations from the recommended diagnostic pathway in women with suspected pulmonary embolism: ZATPOL registry data. <i>Archives of Medical Science</i> , 2018 , 14, 838-845	2.9	4
29	Rise in antifibrotic and decrease in profibrotic microRNA protect the heart against fibrosis during pregnancy: A preliminary study. <i>Advances in Clinical and Experimental Medicine</i> , 2018 , 27, 867-872	1.8	5
28	The value of the new scoring system for predicting neoplastic pericarditis in the patients with large pericardial effusion. <i>Supportive Care in Cancer</i> , 2017 , 25, 2399-2403	3.9	2
27	The safety of low-molecular-weight heparins in the prevention of venous thromboembolism in surgically-treated cancer patients: results of a multicentre observational study. <i>Wspolczesna Onkologia</i> , 2017 , 21, 152-156	1	
26	Outcome of Medically Versus Surgically Treated Patients With Chronic Thromboembolic Pulmonary Hypertension. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016 , 22, 92-9	3.3	24
25	Low DLCO in idiopathic pulmonary arterial hypertension - clinical correlates and prognostic significance. <i>Pneumonologia I Alergologia Polska</i> , 2016 , 84, 87-94		4
24	Centrilobular nodules in high resolution computed tomography of the lung in IPAH patients - preliminary data concerning clinico-radiological correlates. <i>Pneumonologia I Alergologia Polska</i> , 2016 , 84, 265-70		3
23	Severity of arterial and chronic thromboembolic pulmonary hypertension is associated with impairment of heart rate turbulence. <i>Annals of Noninvasive Electrocardiology</i> , 2015 , 20, 69-78	1.5	5
22	Functional class and type of pulmonary hypertension determinate severity of cardiac autonomic dysfunction assessed by heart rate variability and turbulence. <i>Acta Cardiologica</i> , 2015 , 70, 286-96	0.9	8
21	In-hospital major bleeding predicts mortality in patients with pulmonary embolism: an analysis of ZATPOL Registry data. <i>International Journal of Cardiology</i> , 2013 , 168, 3543-9	3.2	31
20	Apixaban for extended treatment of venous thromboembolism. <i>New England Journal of Medicine</i> , 2013 , 368, 699-708	59.2	882
19	Oral apixaban for the treatment of acute venous thromboembolism. <i>New England Journal of Medicine</i> , 2013 , 369, 799-808	59.2	1495
18	Pulmonary artery dilatation correlates with the risk of unexpected death in chronic arterial or thromboembolic pulmonary hypertension. <i>Chest</i> , 2012 , 142, 1406-1416	5.3	73

17	Recurrent hemoptysis: an emerging life-threatening complication in idiopathic pulmonary arterial hypertension. <i>Chest</i> , 2011 , 139, 690-693	5.3	27
16	In search of markers of treatment failure and poor prognosis in IPAH - the value of mosaic lung attenuation pattern on thin-section CT scans. <i>Multidisciplinary Respiratory Medicine</i> , 2010 , 5, 409-16	3	1
15	Stress Doppler echocardiography in relatives of patients with idiopathic and familial pulmonary arterial hypertension: results of a multicenter European analysis of pulmonary artery pressure response to exercise and hypoxia. <i>Circulation</i> , 2009 , 119, 1747-57	16.7	164
14	Role of cardiac biomarkers in assessment of RV function and prognosis in chronic pulmonary hypertension. <i>Country Review Ukraine</i> , 2007 , 9, H41-H47		8
13	Atrial septostomy in treatment of end-stage right heart failure in patients with pulmonary hypertension. <i>Chest</i> , 2007 , 131, 977-83	5.3	112
12	Mutations of the TGF-beta type II receptor BMPR2 in pulmonary arterial hypertension. <i>Human Mutation</i> , 2006 , 27, 121-32	4.7	322
11	Serum N-terminal brain natriuretic peptide as a prognostic parameter in patients with pulmonary hypertension. <i>Chest</i> , 2006 , 129, 1313-21	5.3	299
10	Genetic association of the serotonin transporter in pulmonary arterial hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 793-7	10.2	81
9	In Reply: The Role of NT-proBNP as a Prognostic Marker in Pulmonary Hypertension. <i>Chest</i> , 2006 , 130, 1627-1628	5.3	4
8	Evaluation of intrapericardial cisplatin administration in cases with recurrent malignant pericardial effusion and cardiac tamponade. <i>Supportive Care in Cancer</i> , 2004 , 12, 53-7	3.9	31
7	Detectable serum cardiac troponin T as a marker of poor prognosis among patients with chronic precapillary pulmonary hypertension. <i>Circulation</i> , 2003 , 108, 844-8	16.7	226
6	Cardiac troponin T monitoring identifies high-risk group of normotensive patients with acute pulmonary embolism. <i>Chest</i> , 2003 , 123, 1947-52	5.3	162
5	N-terminal pro-brain natriuretic peptide in patients with acute pulmonary embolism. <i>European Respiratory Journal</i> , 2003 , 22, 649-53	13.6	150
4	Disturbed right ventricular ejection pattern as a new Doppler echocardiographic sign of acute pulmonary embolism. <i>American Journal of Cardiology</i> , 2002 , 90, 507-11	3	113
3	New approaches to the management and treatment of malignant pericardial effusion. <i>Supportive Care in Cancer</i> , 1997 , 5, 64-6	3.9	20
2	Intrapericardial cisplatin for the management of patients with large malignant pericardial effusion. <i>Journal of Cancer Research and Clinical Oncology</i> , 1994 , 120, 434-6	4.9	19
1	Functional class and type of pulmonary hypertension determinate severity		1