

Danilo Porro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/346154/danilo-porro-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

5,184
citations

34
h-index

70
g-index

120
ext. papers

5,746
ext. citations

4.6
avg, IF

5.24
L-index

#	Paper	IF	Citations
111	Could microalgae be a strategic choice for responding to the demand for omega-3 fatty acids? A European perspective. <i>Trends in Food Science and Technology</i> , 2022 , 121, 142-155	15.3	1
110	State of the Art on the Microbial Production of Industrially Relevant Organic Acids. <i>Catalysts</i> , 2022 , 12, 234	4	0
109	Molecular Tools for Leveraging the Potential of the Acid-Tolerant Yeast <i>Zygosaccharomyces bailii</i> as Cell Factory. <i>Methods in Molecular Biology</i> , 2022 , 179-204	1.4	
108	VirMutSig: Discovery and assignment of viral mutational signatures from sequencing data. <i>STAR Protocols</i> , 2021 , 2, 100911	1.4	0
107	Using Glycerol to Produce European Sea Bass Feed With Oleaginous Microbial Biomass: Effects on Growth Performance, Filet Fatty Acid Profile, and FADS2 Gene Expression. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	2
106	Optimization of Carotenoids Production from <i>Camelina sativa</i> Meal Hydrolysate by <i>Rhodospiridium toruloides</i> . <i>Fermentation</i> , 2021 , 7, 208	4.7	0
105	meal hydrolysate as sustainable biomass for the production of carotenoids by. <i>Biotechnology for Biofuels</i> , 2020 , 13, 47	7.8	15
104	Conversion of sugar beet residues into lipids by <i>Lipomyces starkeyi</i> for biodiesel production. <i>Microbial Cell Factories</i> , 2020 , 19, 204	6.4	9
103	Microbial desulfurization of ground tire rubber (GTR): Characterization of microbial communities and rheological and mechanical properties of GTR and natural rubber composites (GTR/NR). <i>Polymer Degradation and Stability</i> , 2019 , 160, 102-109	4.7	17
102	Transcriptional Response to Lactic Acid Stress in the Hybrid Yeast <i>Zygosaccharomyces parabaillii</i> . <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	11
101	Copper homeostasis as a target to improve <i>Saccharomyces cerevisiae</i> tolerance to oxidative stress. <i>Metabolic Engineering</i> , 2018 , 46, 43-50	9.7	13
100	The spoilage yeast <i>Zygosaccharomyces bailii</i> : Foe or friend?. <i>Yeast</i> , 2017 , 34, 359-370	3.4	23
99	Temperature-induced lipocalin (TIL): a shield against stress-inducing environmental shocks in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2017 , 17,	3.1	2
98	The importance of fermentative conditions for the biotechnological production of lignin modifying enzymes from white-rot fungi. <i>FEMS Microbiology Letters</i> , 2017 , 364,	2.9	20
97	Evolutionary restoration of fertility in an interspecies hybrid yeast, by whole-genome duplication after a failed mating-type switch. <i>PLoS Biology</i> , 2017 , 15, e2002128	9.7	43
96	Production of Organic Acids by Yeasts and Filamentous Fungi 2017 , 205-223		10
95	Optimization of construct design and fermentation strategy for the production of bioactive ATF-SAP, a saporin based anti-tumoral uPAR-targeted chimera. <i>Microbial Cell Factories</i> , 2016 , 15, 194	6.4	16

94	Protein aggregation and membrane lipid modifications under lactic acid stress in wild type and OPI1 deleted <i>Saccharomyces cerevisiae</i> strains. <i>Microbial Cell Factories</i> , 2016 , 15, 39	6.4	25
93	Assessing an effective feeding strategy to optimize crude glycerol utilization as sustainable carbon source for lipid accumulation in oleaginous yeasts. <i>Microbial Cell Factories</i> , 2016 , 15, 75	6.4	42
92	Physiological Effects of GLT1 Modulation in <i>Saccharomyces cerevisiae</i> Strains Growing on Different Nitrogen Sources. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 326-36	3.3	1
91	Assessing physio-macromolecular effects of lactic acid on <i>Zygosaccharomyces bailii</i> cells during microaerobic fermentation. <i>FEMS Yeast Research</i> , 2016 , 16,	3.1	10
90	n-butanol: challenges and solutions for shifting natural metabolic pathways into a viable microbial production. <i>FEMS Microbiology Letters</i> , 2016 , 363,	2.9	12
89	The <i>Saccharomyces cerevisiae</i> poly(A) binding protein Pab1 as a target for eliciting stress tolerant phenotypes. <i>Scientific Reports</i> , 2015 , 5, 18318	4.9	9
88	Microbial n-butanol production from Clostridia to non-Clostridial hosts. <i>Engineering in Life Sciences</i> , 2014 , 14, 16-26	3.4	34
87	Fourier transform infrared spectroscopy as a method to study lipid accumulation in oleaginous yeasts. <i>Biotechnology for Biofuels</i> , 2014 , 7, 12	7.8	58
86	Old obstacles and new horizons for microbial chemical production. <i>Current Opinion in Biotechnology</i> , 2014 , 30, 101-6	11.4	22
85	Re-assessment of YAP1 and MCR1 contributions to inhibitor tolerance in robust engineered <i>Saccharomyces cerevisiae</i> fermenting undetoxified lignocellulosic hydrolysate. <i>AMB Express</i> , 2014 , 4, 56	4.1	17
84	Effect of oxygenation and temperature on glucose-xylose fermentation in <i>Kluyveromyces marxianus</i> CBS712 strain. <i>Microbial Cell Factories</i> , 2014 , 13, 51	6.4	34
83	Changes in SAM2 expression affect lactic acid tolerance and lactic acid production in <i>Saccharomyces cerevisiae</i> . <i>Microbial Cell Factories</i> , 2014 , 13, 147	6.4	7
82	Molecular tools and protocols for engineering the acid-tolerant yeast <i>Zygosaccharomyces bailii</i> as a potential cell factory. <i>Methods in Molecular Biology</i> , 2014 , 1152, 63-85	1.4	8
81	Production of Metabolites and Heterologous Proteins 2014 , 299-326		1
80	A novel pathway to produce butanol and isobutanol in <i>Saccharomyces cerevisiae</i> . <i>Biotechnology for Biofuels</i> , 2013 , 6, 68	7.8	77
79	Different response to acetic acid stress in <i>Saccharomyces cerevisiae</i> wild-type and l-ascorbic acid-producing strains. <i>Yeast</i> , 2013 , 30, 365-78	3.4	24
78	Yeasts in Biotechnology 2012 , 347-370		3
77	Recombinant protein production in yeasts. <i>Methods in Molecular Biology</i> , 2012 , 824, 329-58	1.4	198

76	Production of recombinant proteins and metabolites in yeasts: when are these systems better than bacterial production systems?. <i>Applied Microbiology and Biotechnology</i> , 2011 , 89, 939-48	5.7	77
75	The impact of oxygen on the transcriptome of recombinant <i>S. cerevisiae</i> and <i>P. pastoris</i> - a comparative analysis. <i>BMC Genomics</i> , 2011 , 12, 218	4.5	33
74	Influence of growth temperature on the production of antibody Fab fragments in different microbes: a host comparative analysis. <i>Biotechnology Progress</i> , 2011 , 27, 38-46	2.8	37
73	Reverse engineering of protein secretion by uncoupling of cell cycle phases from growth. <i>Biotechnology and Bioengineering</i> , 2011 , 108, 2403-12	4.9	24
72	L-ascorbic acid producing yeasts learn from plants how to recycle it. <i>Metabolic Engineering</i> , 2011 , 13, 177-85	9.7	16
71	Deletion or overexpression of mitochondrial NAD ⁺ carriers in <i>Saccharomyces cerevisiae</i> alters cellular NAD and ATP contents and affects mitochondrial metabolism and the rate of glycolysis. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 2239-46	4.8	38
70	Advances in molecular tools for the use of <i>Zygosaccharomyces bailii</i> as host for biotechnological productions and construction of the first auxotrophic mutant. <i>FEMS Yeast Research</i> , 2010 , 10, 894-908	3.1	18
69	CK2 activity is modulated by growth rate in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2010 , 398, 44-50	3.4	11
68	16 years research on lactic acid production with yeast - ready for the market?. <i>Biotechnology and Genetic Engineering Reviews</i> , 2010 , 27, 229-56	4.1	86
67	Effect of HXT1 and HXT7 hexose transporter overexpression on wild-type and lactic acid producing <i>Saccharomyces cerevisiae</i> cells. <i>Microbial Cell Factories</i> , 2010 , 9, 15	6.4	22
66	Cloning of the <i>Zygosaccharomyces bailii</i> GAS1 homologue and effect of cell wall engineering on protein secretory phenotype. <i>Microbial Cell Factories</i> , 2010 , 9, 7	6.4	15
65	Analysis and modeling of growing budding yeast populations at the single cell level. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2009 , 75, 114-20	4.6	33
64	Microbial production of organic acids: expanding the markets. <i>Trends in Biotechnology</i> , 2008 , 26, 100-8	15.1	599
63	Metabolically engineered yeasts: potential industrial applications. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2008 , 15, 31-40	0.9	25
62	Protein folding and conformational stress in microbial cells producing recombinant proteins: a host comparative overview. <i>Microbial Cell Factories</i> , 2008 , 7, 11	6.4	229
61	<i>Saccharomyces cerevisiae</i> SFP1: at the crossroads of central metabolism and ribosome biogenesis. <i>Microbiology (United Kingdom)</i> , 2008 , 154, 1686-1699	2.9	36
60	Investigating the multibudded and binucleate phenotype of the yeast <i>Zygosaccharomyces bailii</i> growing on minimal medium. <i>FEMS Yeast Research</i> , 2008 , 8, 906-15	3.1	6
59	Induction by hypoxia of heterologous-protein production with the KIPDC1 promoter in yeasts. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 922-9	4.8	26

58	Melanoma contains CD133 and ABCG2 positive cells with enhanced tumourigenic potential. <i>European Journal of Cancer</i> , 2007 , 43, 935-46	7.5	457
57	Towards understanding of the complex structure of growing yeast populations. <i>Journal of Biotechnology</i> , 2007 , 128, 393-402	3.7	34
56	Biosynthesis of vitamin C by yeast leads to increased stress resistance. <i>PLoS ONE</i> , 2007 , 2, e1092	3.7	69
55	Improvement of lactic acid production in <i>Saccharomyces cerevisiae</i> by cell sorting for high intracellular pH. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 5492-9	4.8	290
54	Disruption of the GAS1 gene of <i>Pichia pastoris</i> confers a supersecretory phenotype for <i>Rhizopus oryzae</i> lipase, but not for human trypsinogen. <i>Microbial Cell Factories</i> , 2006 , 5, P69	6.4	
53	Morphologically-structured models of growing budding yeast populations. <i>Journal of Biotechnology</i> , 2006 , 124, 420-38	3.7	30
52	Lactate production yield from engineered yeasts is dependent from the host background, the lactate dehydrogenase source and the lactate export. <i>Microbial Cell Factories</i> , 2006 , 5, 4	6.4	65
51	Cloning, disruption and protein secretory phenotype of the GAS1 homologue of <i>Pichia pastoris</i> . <i>FEMS Microbiology Letters</i> , 2006 , 264, 40-7	2.9	32
50	Heterologous production of five Hepatitis C virus-derived antigens in three <i>Saccharomyces cerevisiae</i> host strains. <i>Journal of Biotechnology</i> , 2005 , 120, 46-58	3.7	1
49	A modular systems biology analysis of cell cycle entrance into S-phase. <i>Topics in Current Genetics</i> , 2005 , 325-347		5
48	Recombinant protein production in yeasts. <i>Molecular Biotechnology</i> , 2005 , 31, 245-59	3	134
47	Heterologous protein production in <i>Zygosaccharomyces bailii</i> : physiological effects and fermentative strategies. <i>FEMS Yeast Research</i> , 2005 , 5, 647-52	3.1	17
46	SFP1 is involved in cell size modulation in respiro-fermentative growth conditions. <i>Yeast</i> , 2005 , 22, 385-99	3.4	23
45	Intracellular pH distribution in <i>Saccharomyces cerevisiae</i> cell populations, analyzed by flow cytometry. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 1515-21	4.8	83
44	Homofermentative lactate production cannot sustain anaerobic growth of engineered <i>Saccharomyces cerevisiae</i> : possible consequence of energy-dependent lactate export. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 2898-905	4.8	308
43	The yeast <i>Zygosaccharomyces bailii</i> : a new host for heterologous protein production, secretion and for metabolic engineering applications. <i>FEMS Yeast Research</i> , 2004 , 4, 493-504	3.1	45
42	Mutations of the CK2 phosphorylation site of Sic1 affect cell size and S-Cdk kinase activity in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 2004 , 51, 447-60	4.1	38
41	Production of L-ascorbic acid by metabolically engineered <i>Saccharomyces cerevisiae</i> and <i>Zygosaccharomyces bailii</i> . <i>Applied and Environmental Microbiology</i> , 2004 , 70, 6086-91	4.8	64

40	Differential gene expression in recombinant <i>Pichia pastoris</i> analysed by heterologous DNA microarray hybridisation. <i>Microbial Cell Factories</i> , 2004 , 3, 17	6.4	53
39	Recombinant protein production in yeasts. <i>Methods in Molecular Biology</i> , 2004 , 267, 241-58	1.4	8
38	Monitoring the transport of recombinant <i>Candida rugosa</i> lipase by a green fluorescent protein-lipase fusion. <i>Biotechnology Letters</i> , 2003 , 25, 1945-8	3	7
37	Glucose metabolism and cell size in continuous cultures of <i>Saccharomyces cerevisiae</i> . <i>FEMS Microbiology Letters</i> , 2003 , 229, 165-71	2.9	40
36	Differential localisation of nPKC delta during cell cycle progression. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 294, 127-31	3.4	9
35	Alterations of the glucose metabolism in a triose phosphate isomerase-negative <i>Saccharomyces cerevisiae</i> mutant. <i>Yeast</i> , 2001 , 18, 663-70	3.4	38
34	Isolation and sequence analysis of the gene encoding triose phosphate isomerase from <i>Zygosaccharomyces bailii</i> . <i>Yeast</i> , 2001 , 18, 775-80	3.4	6
33	High lipase production by <i>Candida rugosa</i> is associated with G1 cells. A flow cytometry study. <i>Biotechnology Letters</i> , 2001 , 23, 1803-1808	3	2
32	Relation between growth dynamics and diffusional limitations in <i>Saccharomyces cerevisiae</i> cells growing as entrapped in an insolubilised gelatin gel. <i>FEMS Microbiology Letters</i> , 2001 , 195, 245-51	2.9	3
31	Towards a blueprint of the cell cycle. <i>Oncogene</i> , 2001 , 20, 1128-34	9.2	21
30	Efficient homolactic fermentation by <i>Kluyveromyces lactis</i> strains defective in pyruvate utilization and transformed with the heterologous LDH gene. <i>Applied and Environmental Microbiology</i> , 2001 , 67, 5621-5	4.8	69
29	Microbial analysis at the single-cell level. <i>Journal of Microbiological Methods</i> , 2000 , 42, 1-2	2.8	2
28	Relating growth dynamics and glucoamylase excretion of individual <i>Saccharomyces cerevisiae</i> cells. <i>Journal of Microbiological Methods</i> , 2000 , 42, 49-55	2.8	3
27	Real-time flow cytometric quantification of GFP expression and Gfp-fluorescence generation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Microbiological Methods</i> , 2000 , 42, 57-64	2.8	12
26	Improved secretion of native human insulin-like growth factor 1 from gas1 mutant <i>Saccharomyces cerevisiae</i> cells. <i>Applied and Environmental Microbiology</i> , 2000 , 66, 5477-9	4.8	29
25	Replacement of a metabolic pathway for large-scale production of lactic acid from engineered yeasts. <i>Applied and Environmental Microbiology</i> , 1999 , 65, 4211-5	4.8	316
24	In budding yeast, reactive oxygen species induce both RAS-dependent and RAS-independent cell cycle-specific arrest. <i>Molecular Microbiology</i> , 1999 , 32, 753-64	4.1	22
23	Isolation, nucleotide sequence, and physiological relevance of the gene encoding triose phosphate isomerase from <i>Kluyveromyces lactis</i> . <i>Applied and Environmental Microbiology</i> , 1999 , 65, 4216-9	4.8	14

22	Opposite effects of TPA on G1/S transition and on cell size in the low metastatic B16F1 with respect to high metastatic BL6 murine melanoma cells. <i>Cancer Letters</i> , 1998 , 132, 159-64	9.9	5
21	A mutation in a novel yeast proteasomal gene, RPN11/MPR1, produces a cell cycle arrest, overreplication of nuclear and mitochondrial DNA, and an altered mitochondrial morphology. <i>Molecular Biology of the Cell</i> , 1998 , 9, 2917-31	3.5	64
20	Control by nutrients of growth and cell cycle progression in budding yeast, analyzed by double-tag flow cytometry. <i>Journal of Bacteriology</i> , 1998 , 180, 3864-72	3.5	40
19	Selection of yeast cells with a higher plasmid copy number in a <i>Saccharomyces cerevisiae</i> autoselection system. <i>Yeast</i> , 1996 , 12, 199-205	3.4	6
18	Effect of the leader sequence on the expression of recombinant <i>C. rugosa</i> lipase by <i>S. cerevisiae</i> cells. <i>Biotechnology Letters</i> , 1996 , 18, 281	3	15
17	A double flow cytometric tag allows tracking of the dynamics of cell cycle progression of newborn <i>Saccharomyces cerevisiae</i> cells during balanced exponential growth. <i>Yeast</i> , 1995 , 11, 1157-69	3.4	25
16	Development of metabolically engineered <i>Saccharomyces cerevisiae</i> cells for the production of lactic acid. <i>Biotechnology Progress</i> , 1995 , 11, 294-8	2.8	104
15	Tracking of individual cell cohorts in asynchronous <i>Saccharomyces cerevisiae</i> populations. <i>Biotechnology Progress</i> , 1995 , 11, 342-7	2.8	22
14	Flow-Cytometric Determination of the Respiratory Activity in Growing <i>Saccharomyces cerevisiae</i> Populations. <i>Biotechnology Progress</i> , 1994 , 10, 193-197	2.8	22
13	In <i>Saccharomyces cerevisiae</i> , protein secretion into the growth medium depends on environmental factors. <i>Yeast</i> , 1993 , 9, 77-84	3.4	25
12	Alteration of cell population structure due to cell lysis in <i>Saccharomyces cerevisiae</i> cells overexpressing the GAL4 gene. <i>Yeast</i> , 1993 , 9, 575-82	3.4	25
11	Quantitative flow cytometry: analysis of protein distributions in budding yeast. A mini-review. <i>Yeast</i> , 1993 , 9, 815-23	3.4	45
10	Enhanced expression of heterologous proteins by the use of a superinducible vector in budding yeast. <i>Applied Microbiology and Biotechnology</i> , 1992 , 36, 655-8	5.7	11
9	Development of high cell density cultures of engineered <i>Saccharomyces cerevisiae</i> cells able to grow on lactose. <i>Biotechnology Letters</i> , 1992 , 14, 1085-1088	3	13
8	Lactose/whey utilization and ethanol production by transformed <i>Saccharomyces cerevisiae</i> cells. <i>Biotechnology and Bioengineering</i> , 1992 , 39, 799-805	4.9	57
7	Heterologous gene expression in continuous cultures of budding yeast. <i>Applied Microbiology and Biotechnology</i> , 1991 , 34, 632-6	5.7	16
6	Involvement of a cell size control mechanism in the induction and maintenance of oscillations in continuous cultures of budding yeast. <i>Biotechnology and Bioengineering</i> , 1990 , 36, 453-9	4.9	64
5	Growth phase modulation of the productivity of β -galactosidase in budding yeast cultures. <i>Journal of Biotechnology</i> , 1989 , 12, 71-78	3.7	2

4	Secretion of Escherichia coli beta-galactosidase in Saccharomyces cerevisiae using the signal sequence from the glucoamylase-encoding STA2 gene. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 164, 1331-8	3.4	18
3	Oscillations in continuous cultures of budding yeast: a segregated parameter analysis. <i>Biotechnology and Bioengineering</i> , 1988 , 32, 411-7	4.9	104
2	Physiological and genetic modulation of inducible expression of Escherichia coli β -galactosidase in Saccharomyces cerevisiae. <i>Applied Microbiology and Biotechnology</i> , 1988 , 28, 160-165	5.7	12
1	Protein and cell volume distributions during the production of beta-galactosidase in batch cultures of Kluyveromyces lactis. <i>Journal of Biotechnology</i> , 1987 , 5, 227-231	3.7	10