

Jacobo Abati

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3461836/publications.pdf>

Version: 2024-02-01

41
papers

2,550
citations

186265

28
h-index

330143

37
g-index

41
all docs

41
docs citations

41
times ranked

1093
citing authors

#	ARTICLE	IF	CITATIONS
1	Detrital zircon ages and provenance of a Cambrian succession in the Sierra Albarrana Domain (SW) Tj ETQq1 1 0.784314 rgBT /Overlock	1.4	10
2	A unique blueschist facies metapelite with Mg-rich chloritoid from the Badajoz-C�rdoba Unit (SW) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 International Geology Review, 2021, 63, 1634-1657.	2.1	10
3	Isotopic and geochemical record of the active to passive margin transition in NW Iberia during the Cambrian-Ordovician: vestiges of a waning continental arc. Journal of Iberian Geology, 2021, 47, 323-346.	1.3	2
4	Ordovician metamorphism and magmatism preserved in the Ossa Morena Complex: SHRIMP geochronology, geochemistry and Sr Nd isotopic signatures of the Sierra Albarrana Domain (SW) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.4	10
5	Variscan Suture Zone and Suspect Terranes in the NW Iberian Massif: Allochthonous Complexes of the Galicia-Tr�s os Montes Zone (NW Iberia). Regional Geology Reviews, 2019, , 99-130.	1.2	12
6	Combined zircon U Pb and Lu Hf isotopes study of magmatism and high-P metamorphism of the basal allochthonous units in the SW Iberian Massif (Ossa-Morena complex). Lithos, 2018, 322, 20-37.	1.4	23
7	Allochthonous terranes involved in the Variscan suture of NW Iberia: A review of their origin and tectonothermal evolution. Earth-Science Reviews, 2016, 161, 140-178.	9.1	71
8	Reconstructing subduction polarity through the geochemistry of mafic rocks in a Cambrian magmatic arc along the Gondwana margin (A�rdenes Complex, NW Iberian Massif). International Journal of Earth Sciences, 2016, 105, 713-725.	1.8	10
9	Retrogressed lawsonite blueschists from the NW Iberian Massif: P�T�t constraints from thermodynamic modelling and 40Ar/39Ar geochronology. Contributions To Mineralogy and Petrology, 2014, 167, 1.	3.1	81
10	Correlation of the nappe stack in the Ibero-Armorican arc across the Bay of Biscay: a joint French�Spanish project. Geological Society Special Publication, 2014, 405, 77-113.	1.3	95
11	Blueschist�facies metapelites from the Malpica de Tui Unit (NW Iberian Massif): phase equilibria modelling and H ₂ O and Fe ₂ O ₃ influence in high�pressure assemblages. Journal of Metamorphic Geology, 2013, 31, 263-280.	3.4	64
12	U�Pb detrital zircon analysis of the lower allochthon of NW Iberia: age constraints, provenance and links with the Variscan mobile belt and Gondwanan cratons. Journal of the Geological Society, 2012, 169, 655-665.	2.1	52
13	Insights on the crustal evolution of the West African Craton from Hf isotopes in detrital zircons from the Anti-Atlas belt. Precambrian Research, 2012, 212-213, 263-274.	2.7	62
14	Sm�Nd isotope geochemistry and tectonic setting of the metasedimentary rocks from the basal allochthonous units of NW Iberia (Variscan suture, Galicia). Lithos, 2012, 148, 196-208.	1.4	39
15	The Bazar Ophiolite of NW Iberia: a relic of the Iapetus�Tornquist Ocean in the Variscan suture. Terra Nova, 2012, 24, 283-294.	2.1	40
16	The onset of the assembly of Pangaea in NW Iberia: Constraints on the kinematics of continental subduction. Gondwana Research, 2012, 22, 20-25.	6.0	47
17	The Corredoiras orthogneiss (NW Iberian Massif): Geochemistry and geochronology of the Paleozoic magmatic suite developed in a peri-Gondwanan arc. Lithos, 2012, 128-131, 84-99.	1.4	41
18	Tectonic evolution of a continental subduction�exhumation channel: Variscan structure of the basal allochthonous units in NW Spain. Tectonics, 2011, 30, .	2.8	57

#	ARTICLE	IF	CITATIONS
19	P-T and structural constraints of lawsonite and epidote blueschists from Liberty Creek and Seldovia: Tectonic implications for early stages of subduction along the southern Alaska convergent margin. <i>Lithos</i> , 2011, 121, 100-116.	1.4	16
20	Petrologic modeling of chloritoid-glaucophane schists from the NW Iberian Massif. <i>Gondwana Research</i> , 2010, 17, 377-391.	6.0	49
21	U-Pb ages of detrital zircons from the Basal allochthonous units of NW Iberia: Provenance and paleoposition on the northern margin of Gondwana during the Neoproterozoic and Paleozoic. <i>Gondwana Research</i> , 2010, 18, 385-399.	6.0	149
22	Magmatism and early-Variscan continental subduction in the northern Gondwana margin recorded in zircons from the basal units of Galicia, NW Spain. <i>Bulletin of the Geological Society of America</i> , 2010, 122, 219-235.	3.3	110
23	Detrital zircon ages of Neoproterozoic sequences of the Moroccan Anti-Atlas belt. <i>Precambrian Research</i> , 2010, 181, 115-128.	2.7	141
24	A rootless suture and the loss of the roots of a mountain chain: The Variscan belt of NW Iberia. <i>Comptes Rendus - Geoscience</i> , 2009, 341, 114-126.	1.2	214
25	Tectonic evolution of the upper allochthon of the Ordenes complex (northwestern Iberian Massif): Structural constraints to a polyorogenic peri-Gondwanan terrane. , 2007, , .		37
26	Space and time in the tectonic evolution of the northwestern Iberian Massif: Implications for the Variscan belt. <i>Memoir of the Geological Society of America</i> , 2007, , 403-423.	0.5	148
27	Paleozoic ophiolites in the Variscan suture of Galicia (northwest Spain): Distribution, characteristics, and meaning. <i>Memoir of the Geological Society of America</i> , 2007, , 425-444.	0.5	51
28	U-Pb chronometry of polymetamorphic high-pressure granulites: An example from the allochthonous terranes of the NW Iberian Variscan belt. <i>Memoir of the Geological Society of America</i> , 2007, , 469-488.	0.5	55
29	Using SHRIMP zircon dating to unravel tectonothermal events in arc environments. The early Palaeozoic arc of NW Iberia revisited. <i>Terra Nova</i> , 2007, 19, 432-439.	2.1	45
30	⁴⁰ Ar/ ³⁹ Ar laserprobe dating of mylonitic fabrics in a polyorogenic terrane of NW Iberia. <i>Journal of the Geological Society</i> , 2006, 163, 61-73.	2.1	57
31	Metamorphic evolution of anthophyllite/cumingtonite-cordierite rocks from the upper unit of the Ordenes Complex (Galicia, NW Spain). <i>European Journal of Mineralogy</i> , 2005, 17, 57-68.	1.3	5
32	Constraints on the provenance of the uppermost allochthonous terrane of the NW Iberian Massif: inferences from detrital zircon U-Pb ages. <i>Terra Nova</i> , 2003, 15, 138-144.	2.1	69
33	Anticlockwise P-T Path of Granulites from the Monte Castelo Gabbro (Ordenes Complex, NW Spain). <i>Journal of Petrology</i> , 2003, 44, 305-327.	2.8	54
34	Tectonic setting of the Monte Castelo gabbro (Ordenes Complex, northwestern Iberian Massif): Evidence for an arc-related terrane in the hanging wall to the Variscan suture. , 2002, , .		24
35	Contrasting high-pressure metabasites from the Santiago unit (Ordenes Complex, northwestern) Tj ETQq1 1 0.784314 rgBT /Overlock 15		
36	Thrust and detachment systems in the Ordenes Complex (northwestern Spain): Implications for the Variscan-Appalachian geodynamics. , 2002, , .		34

#	ARTICLE	IF	CITATIONS
37	U-Pb evidence for a polyorogenic evolution of the HP-HT units of the NW Iberian Massif. Contributions To Mineralogy and Petrology, 2002, 143, 236-253.	3.1	66
38	Early Ordovician orogenic event in Galicia (NW Spain): evidence from U-Pb ages in the uppermost unit of the Ordenes Complex. Earth and Planetary Science Letters, 1999, 165, 213-228.	4.4	108
39	Variscan accretionary complex of northwest Iberia: Terrane correlation and succession of tectonothermal events. Geology, 1997, 25, 1103.	4.4	180
40	P-T evolution of eclogites from the Agualada Unit (Ordenes Complex, northwest Iberian Massif, Spain): Implications for crustal subduction. Lithos, 1997, 40, 221-242.	1.4	57
41	Variscan exhumation of a subducted Paleozoic continental margin: The basal units of the Ordenes Complex, Galicia, NW Spain. Tectonics, 1996, 15, 106-121.	2.8	146