Federico Biagi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3461999/federico-biagi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers5,370
citations35
h-index71
g-index158
ext. papers6,304
ext. citations5.9
avg, IF5.15
L-index

#	Paper	IF	Citations
132	Seronegative villous atrophy 2022 , 69-87		
131	Prognosis of Refractory Coeliac Disease: The Prognostic Scores 2022 , 135-145		
130	Adherence to international guidelines for the management of Helicobacter pylori infection among gastroenterologists and gastroenterology fellows in Italy: A Survey of the Italian Federation of Digestive Diseases - FISMAD. <i>Helicobacter</i> , 2021 , e12862	4.9	
129	Prevalence, incidence and clinical features of SARS-CoV-2 infection in adult coeliac patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 1361-1366	2.2	5
128	AGA Clinical Practice Update on the Evaluation and Management of Seronegative Enteropathies: Expert Review. <i>Gastroenterology</i> , 2021 , 160, 437-444	13.3	11
127	Prevalence and clinical features of bile acid diarrhea in patients with chronic diarrhea. <i>Journal of Digestive Diseases</i> , 2021 , 22, 108-112	3.3	1
126	Relationship between duodenal microbiota composition, clinical features at diagnosis, and persistent symptoms in adult Coeliac disease. <i>Digestive and Liver Disease</i> , 2021 , 53, 972-979	3.3	4
125	Long-Term Adherence to a Gluten-Free Diet and Quality of Life of Celiac Patients After Transition to an Adult Referral Center. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	0
124	Clinical classification and long-term outcomes of seronegative coeliac disease: a 20-year multicentre follow-up study. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 1278-1289	6.1	2
123	Clinical and gastro-duodenal histopathological features of enteropathy due to angiotensin II receptor blockers. <i>Digestive and Liver Disease</i> , 2021 , 53, 1262-1267	3.3	3
122	Determinants and Trends of Adherence to a Gluten-Free Diet in Adult Celiac Patients on a Long-term Follow-up (2000-2020). <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	7
121	Pitfalls in the Diagnosis of Coeliac Disease and Gluten-Related Disorders. <i>Nutrients</i> , 2020 , 12,	6.7	7
120	Optimising the follow-up of adult coeliac disease with a clinical-based score to identify patients in need of a histological reassessment: a retrospective single centre study. <i>British Journal of Nutrition</i> , 2020 , 123, 1159-1164	3.6	2
119	Comparative Study of Salivary, Duodenal, and Fecal Microbiota Composition Across Adult Celiac Disease. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	11
118	Gluten-sensitive enteropathy of the Irish Setter and similarities with human celiac disease. <i>Minerva Gastroenterologica E Dietologica</i> , 2020 , 66, 151-156	1.6	1
117	Clinical phenotype and mortality in patients with idiopathic small bowel villous atrophy: a dual-centre international study. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 938-94	——— 19 ^{2.2}	7
116	Long-term morbidity and mortality in Whippleß disease: a single-center experience over 20 years. <i>Future Microbiology</i> , 2020 , 15, 847-854	2.9	O

(2016-2020)

115	Low prevalence of upper endoscopic gastrointestinal findings despite high frequency of alarm symptoms at the time of diagnosis in adult coeliac disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1447-1451	2.2	1
114	The high mortality of patients with common variable immunodeficiency and small bowel villous atrophy. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 164-168	2.4	8
113	Two cases of monomorphic epitheliotropic intestinal T-cell lymphoma associated with coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 965-968	2.4	10
112	Overview in the clinical management of patients with seronegative villous atrophy. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 409-417	2.2	18
111	Coeliac disease and obstetric and gynaecological disorders: where are we now?. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 425-433	2.2	6
110	Inadvertent and minimal gluten intake has a negligible role in the onset of symptoms in patients with coeliac disease on a gluten-free diet. <i>British Journal of Nutrition</i> , 2019 , 121, 576-581	3.6	O
109	Seronegative coeliac disease: clearing the diagnostic dilemma. <i>Current Opinion in Gastroenterology</i> , 2018 , 34, 154-158	3	35
108	Intestinal T-cell lymphoma with enteropathy-associated T-cell lymphoma-like features arising in the setting of adult autoimmune enteropathy. <i>Hematological Oncology</i> , 2018 , 36, 481-488	1.3	12
107	Risk of complications in coeliac patients depends on age at diagnosis and type of clinical presentation. <i>Digestive and Liver Disease</i> , 2018 , 50, 549-552	3.3	27
106	A misleading diagnosis of granulomatosis with polyangiitis disguising Whippleß disease. <i>Rheumatology</i> , 2018 , 57, 1307-1309	3.9	O
105	The Relationship Between Child Mortality Rates and Prevalence of Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 289-294	2.8	4
104	Short article: Mortality and differential diagnoses of villous atrophy without coeliac antibodies. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 572-576	2.2	28
103	Clinical usefulness of serum antibodies as biomarkers of gastrointestinal and liver diseases. Digestive and Liver Disease, 2017 , 49, 947-956	3.3	23
102	Peripheral T-Cell Reactivity to Heat Shock Protein 70 and Its Cofactor GrpE from Tropheryma whipplei Is Reduced in Patients with Classical Whippleß Disease. <i>Infection and Immunity</i> , 2017 , 85,	3.7	4
101	What is the best therapy for Whipple® disease? Our point of view. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 465-466	2.4	2
100	A consensus for the development of a vector model to assess clinical complexity. <i>Internal and Emergency Medicine</i> , 2017 , 12, 1313-1318	3.7	9
99	Olmesartan-associated enteropathy: new insights on the natural history? Report of two cases. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 152-6	2.4	11
98	P.05.3 A RARE CASE OF GASTROINTESTINAL BLEEDING. <i>Digestive and Liver Disease</i> , 2016 , 48, e147-e14	183.3	

97	Tropheryma whipplei infection and Whippleß disease. Lancet Infectious Diseases, The, 2016, 16, e13-22	25.5	92
96	Is a detailed grading of villous atrophy necessary for the diagnosis of enteropathy?. <i>Journal of Clinical Pathology</i> , 2016 , 69, 1051-1054	3.9	4
95	Detection of Active Epstein-Barr Virus Infection in Duodenal Mucosa of Patients With Refractory Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1216-20	6.9	8
94	A Refractory Celiac Patient Successfully Treated With Mesenchymal Stem Cell Infusions. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 812-9	6.4	15
93	Prevalence of Whippleß disease in north-western Italy. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 1347-8	5.3	31
92	Do different patients with coeliac disease have different mortality rates?. <i>Gut</i> , 2015 , 64, 1187-8	19.2	6
91	-295 T-to-C promoter region IL-16 gene polymorphism is associated with Whippleß disease. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 1919-21	5.3	7
90	A no biopsy strategy for adult patients with suspected coeliac disease: making the world gluten-free. <i>Gut</i> , 2015 , 64, 1003-4	19.2	9
89	Increase in neuroendocrine cells in the duodenal mucosa of patients with refractory celiac disease. <i>American Journal of Gastroenterology</i> , 2014 , 109, 258-69	0.7	21
88	Low incidence but poor prognosis of complicated coeliac disease: a retrospective multicentre study. <i>Digestive and Liver Disease</i> , 2014 , 46, 227-30	3.3	43
87	A multicentre case control study on complicated coeliac disease: two different patterns of natural history, two different prognoses. <i>BMC Gastroenterology</i> , 2014 , 14, 139	3	19
86	Diagnosis and management of adult coeliac disease: guidelines from the British Society of Gastroenterology. <i>Gut</i> , 2014 , 63, 1210-28	19.2	660
85	A second duodenal biopsy is necessary in the follow-up of adult coeliac patients. <i>Annals of Medicine</i> , 2014 , 46, 430-3	1.5	13
84	Relationship between previous treatments and onset of symptoms in patients with Whippleß disease. <i>Internal and Emergency Medicine</i> , 2014 , 9, 161-4	3.7	4
83	PROgnosticating COeliac patieNts SUrvivaL: the PROCONSUL score. <i>PLoS ONE</i> , 2014 , 9, e84163	3.7	19
82	IgA anti-epidermal transglutaminase autoantibodies: a sensible and sensitive marker for diagnosis of dermatitis herpetiformis in adult patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 836-41	4.6	20
81	Prevalence and natural history of potential celiac disease in adult patients. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 537-42	2.4	48
80	The Spectrum of Gluten-Related Disorders. <i>Current Pediatrics Reports</i> , 2013 , 1, 182-188	0.7	2

(2010-2013)

79	The Oslo definitions for coeliac disease and related terms. <i>Gut</i> , 2013 , 62, 43-52	19.2	992
78	Quality of life in coeliac patients: Italian validation of a coeliac questionnaire. <i>European Journal of Internal Medicine</i> , 2013 , 24, 87-91	3.9	19
77	Dental enamel defects in adult coeliac disease: prevalence and correlation with symptoms and age at diagnosis. <i>European Journal of Internal Medicine</i> , 2013 , 24, 832-4	3.9	15
76	How I treat enteropathy-associated T-cell lymphoma. <i>Blood</i> , 2012 , 119, 2458-68	2.2	73
<i>75</i>	Cytokine genetic profile in Whippleß disease. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 3145-50	5.3	23
74	Antibodies to wheat high-molecular-weight glutenin subunits in patients with celiac disease. <i>International Archives of Allergy and Immunology</i> , 2012 , 159, 428-34	3.7	9
73	Previous immunosuppressive therapy is a risk factor for immune reconstitution inflammatory syndrome in Whippleß disease. <i>Digestive and Liver Disease</i> , 2012 , 44, 880-2	3.3	23
72	Mesenchymal stromal cell infusions as rescue therapy for corticosteroid-refractory adult autoimmune enteropathy. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 909-14	6.4	25
71	Histologic evidence for mild lesions in coeliac disease: the challenge is open. <i>Internal and Emergency Medicine</i> , 2012 , 7, 295-6	3.7	2
70	Whippleß disease. Internal and Emergency Medicine, 2012, 7 Suppl 3, S209-13	3.7	7
69	A score that verifies adherence to a gluten-free diet: a cross-sectional, multicentre validation in real clinical life. <i>British Journal of Nutrition</i> , 2012 , 108, 1884-8	3.6	70
69 68		3.6	7° 8 ₃
	clinical life. <i>British Journal of Nutrition</i> , 2012 , 108, 1884-8 The significance of duodenal mucosal atrophy in patients with common variable immunodeficiency:		,
68	Clinical life. <i>British Journal of Nutrition</i> , 2012 , 108, 1884-8 The significance of duodenal mucosal atrophy in patients with common variable immunodeficiency: a clinical and histopathologic study. <i>American Journal of Clinical Pathology</i> , 2012 , 138, 185-9 Influence of HLA-DQ2 and DQ8 on severity in celiac Disease. <i>Journal of Clinical Gastroenterology</i> ,	1.9	83
68 67	Clinical life. <i>British Journal of Nutrition</i> , 2012 , 108, 1884-8 The significance of duodenal mucosal atrophy in patients with common variable immunodeficiency: a clinical and histopathologic study. <i>American Journal of Clinical Pathology</i> , 2012 , 138, 185-9 Influence of HLA-DQ2 and DQ8 on severity in celiac Disease. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 46-50 TCRItlonality improves diagnostic yield of TCRItlonality in refractory celiac disease. <i>Journal of</i>	1.9	83
68 67 66	Clinical life. British Journal of Nutrition, 2012, 108, 1884-8 The significance of duodenal mucosal atrophy in patients with common variable immunodeficiency: a clinical and histopathologic study. American Journal of Clinical Pathology, 2012, 138, 185-9 Influence of HLA-DQ2 and DQ8 on severity in celiac Disease. Journal of Clinical Gastroenterology, 2012, 46, 46-50 TCRItlonality improves diagnostic yield of TCRItlonality in refractory celiac disease. Journal of Clinical Gastroenterology, 2012, 46, 675-9 Comment and reply on: Are we not over-estimating the prevalence of celiac disease in the general	1.9 3	83
68 67 66 65	Clinical life. British Journal of Nutrition, 2012, 108, 1884-8 The significance of duodenal mucosal atrophy in patients with common variable immunodeficiency: a clinical and histopathologic study. American Journal of Clinical Pathology, 2012, 138, 185-9 Influence of HLA-DQ2 and DQ8 on severity in celiac Disease. Journal of Clinical Gastroenterology, 2012, 46, 46-50 TCRItlonality improves diagnostic yield of TCRItlonality in refractory celiac disease. Journal of Clinical Gastroenterology, 2012, 46, 675-9 Comment and reply on: Are we not over-estimating the prevalence of celiac disease in the general population?. Annals of Medicine, 2011, 43, 164-5; author reply 165	1.9 3 1.5	83 49 19

61	The impact of misdiagnosing celiac disease at a referral centre. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2009 , 23, 543-5		31
60	Cerebellar signs in celiac disease. <i>Neurology</i> , 2009 , 72, 2046-8	6.5	19
59	Splenic hypofunction in Whippleß disease. American Journal of Gastroenterology, 2009, 104, 2641-3	0.7	1
58	Anti-goblet cell antibodies for the diagnosis of autoimmune enteropathy?. <i>American Journal of Gastroenterology</i> , 2009 , 104, 3112	0.7	22
57	The HLA alleles DRB1*13 and DQB1*06 are associated to Whippleß disease. <i>Gastroenterology</i> , 2009 , 136, 2289-94	13.3	71
56	A gluten-free diet score to evaluate dietary compliance in patients with coeliac disease. <i>British Journal of Nutrition</i> , 2009 , 102, 882-7	3.6	81
55	The incidence of coeliac disease in adult first degree relatives. <i>Digestive and Liver Disease</i> , 2008 , 40, 97-7	19.63	16
54	Clinical response to gluten withdrawal is not an indicator of coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1311-4	2.4	39
53	The prevalence and the causes of minimal intestinal lesions in patients complaining of symptoms suggestive of enteropathy: a follow-up study. <i>Journal of Clinical Pathology</i> , 2008 , 61, 1116-8	3.9	28
52	Genotyping reveals a wide heterogeneity of Tropheryma whipplei. <i>Microbiology (United Kingdom)</i> , 2008 , 154, 521-527	2.9	68
51	Anemia of chronic disease and defective erythropoietin production in patients with celiac disease. Haematologica, 2008 , 93, 1785-91	6.6	64
50	A prospective, double-blind, placebo-controlled trial to establish a safe gluten threshold for patients with celiac disease. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 160-6	7	369
49	Prevalence of coeliac disease in Italian patients affected by Addison® disease. <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 302-5	2.4	23
48	Video capsule endoscopy and histology for small-bowel mucosa evaluation: a comparison performed by blinded observers. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 998-1003	6.9	59
47	Splenic hypofunction and the spectrum of autoimmune and malignant complications in celiac disease. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 179-86	6.9	72
46	Transglutaminase 2 in the enterocytes is coeliac specific and gluten dependent. <i>Digestive and Liver Disease</i> , 2006 , 38, 652-8	3.3	13
45	Matrix metalloproteinase pattern in celiac duodenal mucosa. <i>Laboratory Investigation</i> , 2005 , 85, 397-40	7 5.9	74
44	Unusual association of neurofibromatosis type 1 and coeliac disease in a single patient. <i>Functional Neurology</i> , 2005 , 20, 33-4	2.2	1

(2001-2004)

43	Intraepithelial lymphocytes in the villous tip: do they indicate potential coeliac disease?. <i>Journal of Clinical Pathology</i> , 2004 , 57, 835-9	3.9	83
42	Follow-up on Celiac Disease and the Communion Wafer. <i>Nutrition Reviews</i> , 2004 , 62, 491-491	6.4	
41	A milligram of gluten a day keeps the mucosal recovery away: a case report. <i>Nutrition Reviews</i> , 2004 , 62, 360-3	6.4	53
40	Celiac disease in patients with sporadic and inherited cardiomyopathies and in their relatives. <i>European Heart Journal</i> , 2003 , 24, 1455-61	9.5	30
39	Characterizing one of the DQ2 candidate epitopes in coeliac disease: A-gliadin 51-70 toxicity assessed using an organ culture system. <i>European Journal of Gastroenterology and Hepatology</i> , 2003 , 15, 1293-8	2.2	12
38	Gliadin and tissue transglutaminase complexes in normal and coeliac duodenal mucosa. <i>Clinical and Experimental Immunology</i> , 2003 , 134, 516-24	6.2	36
37	In patients with dermatitis herpetiformis distribution of transglutaminase in cutaneous tissue does not differ from controls. <i>Digestive and Liver Disease</i> , 2003 , 35, 41-5	3.3	6
36	Extremely early onset of ranitidine action on human histamine H2 receptors expressed in HEK293 cells. <i>Digestion</i> , 2003 , 68, 145-52	3.6	
35	Coeliac disease. Baillierels Best Practice and Research in Clinical Gastroenterology, 2002, 16, 37-49	2.5	25
34	Gene and gliadin/gut and kidney. American Journal of Gastroenterology, 2002, 97, 2486-8	0.7	2
33	Gene and gliadin/gut and kidney. <i>American Journal of Gastroenterology</i> , 2002 , 97, 2486-8 Gluten exposure and risk of autoimmune disorders. <i>Gut</i> , 2002 , 51, 140-1	0.7	13
		<u> </u>	
33	Gluten exposure and risk of autoimmune disorders. <i>Gut</i> , 2002 , 51, 140-1 Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA - Journal of the American Medical Association</i>	19.2	13
33	Gluten exposure and risk of autoimmune disorders. <i>Gut</i> , 2002 , 51, 140-1 Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1413-9	19.2 27.4	13
33 32 31	Gluten exposure and risk of autoimmune disorders. <i>Gut</i> , 2002 , 51, 140-1 Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1413-9 Clinical features of coeliac disease. <i>Digestive and Liver Disease</i> , 2002 , 34, 225-8 Defining gluten refractory enteropathy. <i>European Journal of Gastroenterology and Hepatology</i> ,	19.2 27.4 3.3	13 219 32
33 32 31 30	Gluten exposure and risk of autoimmune disorders. <i>Gut</i> , 2002 , 51, 140-1 Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1413-9 Clinical features of coeliac disease. <i>Digestive and Liver Disease</i> , 2002 , 34, 225-8 Defining gluten refractory enteropathy. <i>European Journal of Gastroenterology and Hepatology</i> , 2001 , 13, 561-5 Endomysial and tissue transglutaminase antibodies in coeliac sera: a comparison not influenced by	19.2 27.4 3.3	13 219 32 60
33 32 31 30 29	Gluten exposure and risk of autoimmune disorders. <i>Gut</i> , 2002 , 51, 140-1 Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1413-9 Clinical features of coeliac disease. <i>Digestive and Liver Disease</i> , 2002 , 34, 225-8 Defining gluten refractory enteropathy. <i>European Journal of Gastroenterology and Hepatology</i> , 2001 , 13, 561-5 Endomysial and tissue transglutaminase antibodies in coeliac sera: a comparison not influenced by previous serological testing. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 955-8 Tissue transglutaminase antibodies: is sensitivity more important than specificity?. <i>Digestive and</i>	19.2 27.4 3.3 2.2	13 219 32 60 35

25	Endomysial antibody production is not related to histological damage after in vitro gluten challenge. <i>European Journal of Gastroenterology and Hepatology</i> , 2000 , 12, 57-60	2.2	11
24	Coeliac disease and Down syndrome: associations not due to genetic linkage on chromosome 21. <i>Scandinavian Journal of Gastroenterology</i> , 2000 , 35, 177-80	2.4	9
23	Literature review on the clinical relationship between ulcerative jejunoileitis, coeliac disease, and enteropathy-associated T-cell. <i>Scandinavian Journal of Gastroenterology</i> , 2000 , 35, 785-90	2.4	41
22	Is gliadin mispresented to the immune system in coeliac disease? A hypothesis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1999 , 92, 119-22	2.7	12
21	Tissue transglutaminase antibodies in celiac disease. <i>American Journal of Gastroenterology</i> , 1999 , 94, 2187-92	0.7	44
20	The clinical pattern of subclinical/silent celiac disease: an analysis on 1026 consecutive cases. <i>American Journal of Gastroenterology</i> , 1999 , 94, 691-6	0.7	80
19	A non-toxic analogue of a coeliac-activating gliadin peptide: a basis for immunomodulation?. <i>Alimentary Pharmacology and Therapeutics</i> , 1999 , 13, 945-50	6.1	25
18	Transglutaminase and coeliac disease: endomysial reactivity and small bowel expression. <i>Clinical and Experimental Immunology</i> , 1999 , 118, 371-5	6.2	37
17	A new model for the pathogenesis of celiac disease. <i>Gastroenterology</i> , 1999 , 116, 1277-8	13.3	3
16	Proliferating cell nuclear antigen expression is increased in small bowel epithelium in the elderly. <i>Mechanisms of Ageing and Development</i> , 1998 , 104, 1-9	5.6	35
15	Intestinal strictures. Lancet, The, 1998, 352, 876	40	8
14	Chronic diarrhea in treated celiacs: are they really celiacs?. <i>Gastroenterology</i> , 1998 , 114, 420-1, 425	13.3	
13	Splenic function in old age. <i>Gerontology</i> , 1998 , 44, 91-4	5.5	9
12	The smaller size of the Roeliac icebergRin adults. <i>Scandinavian Journal of Gastroenterology</i> , 1997 , 32, 917-9	2.4	74
11	Screening test for coeliac disease. <i>Lancet, The</i> , 1997 , 349, 325-6	40	8
10	The illness of Gerard Manley Hopkins. <i>Lancet, The</i> , 1997 , 349, 1775-6	40	1
9	Autoimmune enteropathy in adults. <i>Lancet, The</i> , 1997 , 350, 959-60	40	14
8	Autoimmune enteropathy in adults. <i>Lancet, The</i> , 1997 , 350, 960	40	

LIST OF PUBLICATIONS

7	Autoimmune enteropathy and villous atrophy in adults. <i>Lancet, The</i> , 1997 , 350, 106-9	40	145
6	Splenic Function and Alcohol Addiction. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 197-20	0 3 .7	9
5	Are Down syndrome and coeliac disease associated?. <i>Gut</i> , 1997 , 41, 723.4-723	19.2	
4	Non-malignant complications of coeliac disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996 , 412, 68-75	3.1	68
3	Doppler ultrasonographic evaluation of splanchnic blood flow in coeliac disease. <i>Gut</i> , 1996 , 39, 369-73	19.2	25
2	Previous misdiagnosis and diagnostic delay in adult celiac sprue. <i>Journal of Clinical Gastroenterology</i> , 1996 , 22, 324-5	3	24
1	The effects of levosulpiride on gastric and gall-bladder emptying in functional dyspepsia. Alimentary Pharmacology and Therapeutics 1994, 8, 631-8	6.1	25