

Ignacio R Matias

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3463041/publications.pdf>

Version: 2024-02-01

374
papers

9,191
citations

41258

49
h-index

64668

79
g-index

387
all docs

387
docs citations

387
times ranked

4973
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimization of sensitivity in Long Period Fiber Gratings with overlay deposition. Optics Express, 2005, 13, 56.	1.7	318
2	Optical fiber humidity sensor based on a tapered fiber coated with agarose gel. Sensors and Actuators B: Chemical, 2000, 69, 127-131.	4.0	239
3	Lossy Mode Resonance Generation With Indium-Tin-Oxide-Coated Optical Fibers for Sensing Applications. Journal of Lightwave Technology, 2010, 28, 111-117.	2.7	228
4	Femtomolar Detection by Nanocoated Fiber Label-Free Biosensors. ACS Sensors, 2018, 3, 936-943.	4.0	193
5	Optical sensors based on lossy-mode resonances. Sensors and Actuators B: Chemical, 2017, 240, 174-185.	4.0	182
6	Recent Developments in Fiber Optics Humidity Sensors. Sensors, 2017, 17, 893.	2.1	178
7	Design rules for lossy mode resonance based sensors. Applied Optics, 2012, 51, 4298.	0.9	177
8	Optical fiber humidity sensor using a nano Fabry-Pérot cavity formed by the ionic self-assembly method. Sensors and Actuators B: Chemical, 1999, 59, 54-59.	4.0	170
9	Volatile Organic Compound Optical Fiber Sensors: A Review. Sensors, 2006, 6, 1440-1465.	2.1	165
10	Optical fiber pH sensor based on lossy-mode resonances by means of thin polymeric coatings. Sensors and Actuators B: Chemical, 2011, 155, 290-297.	4.0	149
11	Deposition of overlays by electrostatic self-assembly in long-period fiber gratings. Optics Letters, 2005, 30, 720.	1.7	129
12	Tunable humidity sensor based on ITO-coated optical fiber. Sensors and Actuators B: Chemical, 2010, 146, 414-417.	4.0	126
13	Optical fiber pH sensors based on layer-by-layer electrostatic self-assembled Neutral Red. Sensors and Actuators B: Chemical, 2008, 132, 305-311.	4.0	123
14	Sensitivity optimization of tapered optical fiber humidity sensors by means of tuning the thickness of nanostructured sensitive coatings. Sensors and Actuators B: Chemical, 2007, 122, 442-449.	4.0	120
15	Design of Humidity Sensors Based on Tapered Optical Fibers. Journal of Lightwave Technology, 2006, 24, 4329-4336.	2.7	118
16	Optical fiber refractometers based on lossy mode resonances supported by TiO ₂ coatings. Applied Optics, 2010, 49, 3980.	2.1	118
17	Optical fiber nanometer-scale Fabry-Pérot interferometer formed by the ionic self-assembly monolayer process. Optics Letters, 1999, 24, 596.	1.7	95
18	High sensitivity humidity sensor based on cladding-etched optical fiber and lossy mode resonances. Sensors and Actuators B: Chemical, 2016, 233, 7-16.	4.0	94

#	ARTICLE	IF	CITATIONS
19	An experimental study about hydrogels for the fabrication of optical fiber humidity sensors. <i>Sensors and Actuators B: Chemical</i> , 2003, 96, 165-172.	4.0	93
20	High sensitive and selective C-reactive protein detection by means of lossy mode resonance based optical fiber devices. <i>Biosensors and Bioelectronics</i> , 2017, 93, 176-181.	5.3	93
21	Giant sensitivity of optical fiber sensors by means of lossy mode resonance. <i>Sensors and Actuators B: Chemical</i> , 2016, 232, 660-665.	4.0	92
22	An antibacterial coating based on a polymer/sol-gel hybrid matrix loaded with silver nanoparticles. <i>Nanoscale Research Letters</i> , 2011, 6, 305.	3.1	80
23	Optical fiber sensor based on lutetium bisphthalocyanine for the detection of gases using standard telecommunication wavelengths. <i>Sensors and Actuators B: Chemical</i> , 2003, 93, 153-158.	4.0	78
24	Fiber-optic pH-sensors in long-period fiber gratings using electrostatic self-assembly. <i>Optics Letters</i> , 2007, 32, 29.	1.7	78
25	Nanodeposition of materials with complex refractive index in long-period fiber gratings. <i>Journal of Lightwave Technology</i> , 2005, 23, 4192-4199.	2.7	75
26	Design of pH Sensors in Long-Period Fiber Gratings Using Polymeric Nanocoatings. <i>IEEE Sensors Journal</i> , 2007, 7, 455-463.	2.4	75
27	Generation of lossy mode resonances by deposition of high-refractive-index coatings on uncladded multimode optical fibers. <i>Journal of Optics (United Kingdom)</i> , 2010, 12, 095503.	1.0	73
28	Optical Fiber Humidity Sensors Using Nanostructured Coatings of SiO ₂ Nanoparticles. <i>IEEE Sensors Journal</i> , 2008, 8, 281-285.	2.4	70
29	Detection of volatile organic compound vapors by using a vapochromic material on a tapered optical fiber. <i>Applied Physics Letters</i> , 2000, 77, 2274-2276.	1.5	69
30	Optical Fiber Humidity Sensors Using PVdF Electrospun Nanowebs. <i>IEEE Sensors Journal</i> , 2011, 11, 2383-2387.	2.4	69
31	High sensitive refractometers based on lossy mode resonances (LMRs) supported by ITO coated D-shaped optical fibers. <i>Optics Express</i> , 2015, 23, 8045.	1.7	69
32	Simultaneous measurement of humidity and temperature by combining a reflective intensity-based optical fiber sensor and a fiber Bragg grating. <i>IEEE Sensors Journal</i> , 2002, 2, 482-487.	2.4	68
33	Utilization of white light interferometry in pH sensing applications by mean of the fabrication of nanostructured cavities. <i>Sensors and Actuators B: Chemical</i> , 2009, 138, 613-618.	4.0	67
34	Volatile alcoholic compounds fibre optic nanosensor. <i>Sensors and Actuators B: Chemical</i> , 2006, 115, 444-449.	4.0	65
35	ITO Coated Optical Fiber Refractometers Based on Resonances in the Infrared Region. <i>IEEE Sensors Journal</i> , 2010, 10, 365-366.	2.4	65
36	Trends in the design of wavelength-based optical fibre biosensors (2008-2018). <i>Biosensors and Bioelectronics: X</i> , 2019, 1, 100015.	0.9	65

#	ARTICLE	IF	CITATIONS
37	Detection of bacterial endotoxin in food: New planar interdigital sensors based approach. Journal of Food Engineering, 2013, 114, 346-360.	2.7	64
38	Simultaneous measurement of strain and temperature using a fiber Bragg grating and a thermochromic material. Sensors and Actuators A: Physical, 2002, 101, 107-116.	2.0	62
39	Optical fiber refractometers based on Lossy Mode Resonances by means of SnO ₂ sputtered coatings. Sensors and Actuators B: Chemical, 2014, 202, 154-159.	4.0	62
40	Sensitivity optimization with cladding-etched long period fiber gratings at the dispersion turning point. Optics Express, 2016, 24, 17680.	1.7	58
41	Lossy mode resonance optical fiber sensor to detect organic vapors. Sensors and Actuators B: Chemical, 2013, 187, 65-71.	4.0	57
42	Quantum Dots-Based Optical Fiber Temperature Sensors Fabricated by Layer-by-Layer. IEEE Sensors Journal, 2006, 6, 1378-1379.	2.4	56
43	A self-referenced optical colorimetric sensor based on silver and gold nanoparticles for quantitative determination of hydrogen peroxide. Sensors and Actuators B: Chemical, 2017, 251, 624-631.	4.0	55
44	Tapered optical fiber biosensor for the detection of anti-gliadin antibodies. Sensors and Actuators B: Chemical, 2008, 135, 166-171.	4.0	54
45	A fibre optic humidity sensor based on a long-period fibre grating coated with a thin film of SiO ₂ nanospheres. Measurement Science and Technology, 2009, 20, 034002.	1.4	54
46	Fiber-optic biosensor based on lossy mode resonances. Sensors and Actuators B: Chemical, 2012, 174, 263-269.	4.0	54
47	Evanescent Field Fiber-Optic Sensors for Humidity Monitoring Based on Nanocoatings. IEEE Sensors Journal, 2007, 7, 89-95.	2.4	53
48	Influence on cladding mode distribution of overlay deposition on long-period fiber gratings. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 651.	0.8	50
49	Simultaneous Measurement of Humidity and Temperature Based on an SiO ₂ -Nanospheres Film Deposited on a Long-Period Grating In-Line With a Fiber Bragg Grating. IEEE Sensors Journal, 2011, 11, 162-166.	2.4	50
50	Analysis of one-dimensional photonic band gap structures with a liquid crystal defect towards development of fiber-optic tunable wavelength filters. Optics Express, 2003, 11, 430.	1.7	49
51	Nonadiabatic tapered single-mode fiber coated with humidity sensitive nanofilms. IEEE Photonics Technology Letters, 2006, 18, 935-937.	1.3	49
52	Enhancement of sensitivity in long-period fiber gratings with deposition of low-refractive-index materials. Optics Letters, 2005, 30, 2363.	1.7	48
53	Spectral width reduction in lossy mode resonance-based sensors by means of tapered optical fibre structures. Sensors and Actuators B: Chemical, 2014, 200, 53-60.	4.0	48
54	Micro and Nanostructured Materials for the Development of Optical Fibre Sensors. Sensors, 2017, 17, 2312.	2.1	48

#	ARTICLE	IF	CITATIONS
55	Optimization in nanocoated D-shaped optical fiber sensors. <i>Optics Express</i> , 2017, 25, 10743.	1.7	47
56	Optical fiber strain gauge based on a tapered single-mode fiber. <i>Sensors and Actuators A: Physical</i> , 2000, 79, 90-96.	2.0	46
57	An experimental study about the utilization of Liquicoat® solutions for the fabrication of pH optical fiber sensors. <i>Sensors and Actuators B: Chemical</i> , 2002, 87, 289-295.	4.0	46
58	Photonic Crystal Fiber Temperature Sensor Based on Quantum Dot Nanocoatings. <i>Journal of Sensors</i> , 2009, 2009, 1-6.	0.6	46
59	Response time enhancement of pH sensing films by means of hydrophilic nanostructured coatings. <i>Sensors and Actuators B: Chemical</i> , 2007, 128, 138-144.	4.0	44
60	A Lossy Mode Resonance optical sensor using silver nanoparticles-loaded films for monitoring human breathing. <i>Sensors and Actuators B: Chemical</i> , 2013, 187, 40-44.	4.0	44
61	Tapered optical-fiber temperature sensor. <i>Microwave and Optical Technology Letters</i> , 1996, 11, 93-95.	0.9	43
62	Fourier modal methods for modeling optical dielectric waveguides. <i>Optical and Quantum Electronics</i> , 2005, 37, 107-119.	1.5	43
63	Dual-Peak Resonance-Based Optical Fiber Refractometers. <i>IEEE Photonics Technology Letters</i> , 2010, 22, 1778-1780.	1.3	43
64	Lossy mode resonance sensors based on lateral light incidence in nanocoated planar waveguides. <i>Scientific Reports</i> , 2019, 9, 8882.	1.6	43
65	Fiber-based 205-mW (27% efficiency) power-delivery system for an all-fiber network with optoelectronic sensor units. <i>Applied Optics</i> , 1999, 38, 2463.	2.1	42
66	Experimental study of a thermochromic material based optical fiber sensor for monitoring the temperature of the water in several applications. <i>Sensors and Actuators B: Chemical</i> , 2003, 91, 231-240.	4.0	42
67	Unbalance and harmonics detection in induction motors using an optical fiber sensor. <i>IEEE Sensors Journal</i> , 2006, 6, 605-612.	2.4	41
68	Two-Layer Nanocoatings in Long-Period Fiber Gratings for Improved Sensitivity of Humidity Sensors. <i>IEEE Nanotechnology Magazine</i> , 2008, 7, 394-400.	1.1	40
69	Optical fiber sensing devices based on organic vapor indicators towards sensor array implementation. <i>Sensors and Actuators B: Chemical</i> , 2009, 137, 139-146.	4.0	40
70	Optimized Strain Long-Period Fiber Grating (LPFG) Sensors Operating at the Dispersion Turning Point. <i>Journal of Lightwave Technology</i> , 2018, 36, 2240-2247.	2.7	40
71	Optical fibre sensors based on vapochromic gold complexes for environmental applications. <i>Sensors and Actuators B: Chemical</i> , 2005, 108, 535-541.	4.0	39
72	Resonance-based refractometric response of cladding-removed optical fibers with sputtered indium tin oxide coatings. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 106-110.	4.0	39

#	ARTICLE	IF	CITATIONS
73	A Fiber Optic Ammonia Sensor Using a Universal pH Indicator. <i>Sensors</i> , 2014, 14, 4060-4073.	2.1	39
74	Wavelength and Phase Detection Based SMS Fiber Sensors Optimized With Etching and Nanodeposition. <i>Journal of Lightwave Technology</i> , 2017, 35, 3743-3749.	2.7	39
75	ESA-Based In-Fiber Nanocavity for Hydrogen Peroxide Detection. <i>IEEE Nanotechnology Magazine</i> , 2005, 4, 187-193.	1.1	38
76	Nanostructured optical fibre sensors for breathing airflow monitoring. <i>Measurement Science and Technology</i> , 2006, 17, 1207-1210.	1.4	37
77	Generation of Surface Plasmon Resonance and Lossy Mode Resonance by thermal treatment of ITO thin-films. <i>Optics and Laser Technology</i> , 2015, 69, 1-7.	2.2	37
78	Fiber-based early diagnosis of venous thromboembolic disease by label-free D-dimer detection. <i>Biosensors and Bioelectronics: X</i> , 2019, 2, 100026.	0.9	37
79	Fiber Optic Gas Sensors Based on Lossy Mode Resonances and Sensing Materials Used Therefor: A Comprehensive Review. <i>Sensors</i> , 2021, 21, 731.	2.1	37
80	Tapered Single-Mode Optical Fiber pH Sensor Based on Lossy Mode Resonances Generated by a Polymeric Thin-Film. <i>IEEE Sensors Journal</i> , 2012, 12, 2598-2603.	2.4	36
81	Electrospun nanofiber mats for evanescent optical fiber sensors. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 569-576.	4.0	36
82	Sensitivity enhancement in a multimode interference-based SMS fibre structure coated with a thin-film: Theoretical and experimental study. <i>Sensors and Actuators B: Chemical</i> , 2014, 190, 363-369.	4.0	36
83	Tunable optical fiber pH sensors based on TE and TM Lossy Mode Resonances (LMRs). <i>Sensors and Actuators B: Chemical</i> , 2016, 231, 484-490.	4.0	36
84	Optical fiber resonance-based pH sensors using gold nanoparticles into polymeric layer-by-layer coatings. <i>Microsystem Technologies</i> , 2016, 22, 1821-1829.	1.2	35
85	Fiber-optic hydrogen peroxide nanosensor. <i>IEEE Sensors Journal</i> , 2005, 5, 365-371.	2.4	34
86	Experimental demonstration of lossy mode resonance generation for transverse-magnetic and transverse-electric polarizations. <i>Optics Letters</i> , 2013, 38, 2481.	1.7	34
87	Mode transition in complex refractive index coated single-mode-multimode-single-mode structure. <i>Optics Express</i> , 2013, 21, 12668.	1.7	34
88	Refractometric sensors based on multimode interference in a thin-film coated single-mode-multimode-single-mode structure with reflection configuration. <i>Applied Optics</i> , 2014, 53, 3913.	0.9	34
89	Tapered optical-fiber-based pressure sensor. <i>Optical Engineering</i> , 2000, 39, 2241.	0.5	33
90	Behavioral experimental studies of a novel vapochromic material towards development of optical fiber organic compounds sensor. <i>Sensors and Actuators B: Chemical</i> , 2001, 76, 25-31.	4.0	33

#	ARTICLE	IF	CITATIONS
91	New preparation of gold-silver complexes and optical fibre environmental sensors based on vapochromic $[\text{Au}_2\text{Ag}_2(\text{C}_6\text{F}_5)_4(\text{phen})_2]_n$. <i>Applied Organometallic Chemistry</i> , 2005, 19, 1232-1238.	1.7	33
92	Fabrication of microgratings on the ends of standard optical fibers by the electrostatic self-assembly monolayer process. <i>Optics Letters</i> , 2001, 26, 131.	1.7	32
93	Editorial Optical Fiber Sensor Technology and Applications. <i>IEEE Sensors Journal</i> , 2008, 8, 1052-1054.	2.4	32
94	Sensitivity Improvement of a Humidity Sensor Based on Silica Nanospheres on a Long-Period Fiber Grating. <i>Sensors</i> , 2009, 9, 519-527.	2.1	32
95	Comparative study of layer-by-layer deposition techniques for poly(sodium phosphate) and poly(allylamine hydrochloride). <i>Nanoscale Research Letters</i> , 2013, 8, 539.	3.1	32
96	Lossy mode resonances toward the fabrication of optical fiber humidity sensors. <i>Measurement Science and Technology</i> , 2012, 23, 014002.	1.4	31
97	Volatile organic compounds optical fiber sensor based on lossy mode resonances. <i>Sensors and Actuators B: Chemical</i> , 2012, 173, 523-529.	4.0	31
98	Layer-by-Layer assembly of a water-insoluble platinum complex for optical fiber oxygen sensors. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 683-689.	4.0	31
99	Minimizing the photobleaching of self-assembled multilayers for sensor applications. <i>Sensors and Actuators B: Chemical</i> , 2007, 126, 41-47.	4.0	30
100	Generation of Lossy Mode Resonances With Absorbing Thin-Films. <i>Journal of Lightwave Technology</i> , 2010, , .	2.7	30
101	Optical Fiber Humidity Sensor Based on Lossy Mode Resonances Supported by TiO_2/PSS Coatings. <i>Procedia Engineering</i> , 2011, 25, 1385-1388.	1.2	30
102	Ammonia optical fiber sensor based on self-assembled zirconia thin films. <i>Smart Materials and Structures</i> , 2005, 14, 739-744.	1.8	29
103	Fringe generation with non-uniformly coated long-period fiber gratings. <i>Optics Express</i> , 2007, 15, 9326.	1.7	29
104	Pyridine Vapors Detection by an Optical Fibre Sensor. <i>Sensors</i> , 2008, 8, 847-859.	2.1	29
105	Resonances in coated long period fiber gratings and cladding removed multimode optical fibers: a comparative study. <i>Optics Express</i> , 2010, 18, 20183.	1.7	28
106	Sensing Properties of Indium Oxide Coated Optical Fiber Devices Based on Lossy Mode Resonances. <i>IEEE Sensors Journal</i> , 2012, 12, 151-155.	2.4	28
107	Analysis Matrix for Smart Cities. <i>Future Internet</i> , 2014, 6, 61-75.	2.4	28
108	Ultrahigh Sensitive Detection of Tau Protein as Alzheimer's Biomarker via Microfluidics and Nanofunctionalized Optical Fiber Sensors. <i>Advanced Photonics Research</i> , 2022, 3, .	1.7	28

#	ARTICLE	IF	CITATIONS
109	Multicolor Layer-by-Layer films using weak polyelectrolyte assisted synthesis of silver nanoparticles. <i>Nanoscale Research Letters</i> , 2013, 8, 438.	3.1	27
110	Optically tunable fiber optic delay generator utilizing photochromic doped sol-gel glass delay line. <i>Journal of Applied Physics</i> , 1995, 77, 2804-2805.	1.1	26
111	Strategies for fabrication of hydrogen peroxide sensors based on electrostatic self-assembly (ESA) method. <i>Sensors and Actuators B: Chemical</i> , 2005, 108, 751-757.	4.0	26
112	Development of an In-Fiber Nanocavity Towards Detection of Volatile Organic Gases. <i>Sensors</i> , 2006, 6, 578-592.	2.1	26
113	An antibacterial submicron fiber mat with <i>in situ</i> synthesized silver nanoparticles. <i>Journal of Applied Polymer Science</i> , 2012, 126, 1228-1235.	1.3	26
114	Fiber-optic Lossy Mode Resonance Sensors. <i>Procedia Engineering</i> , 2014, 87, 3-8.	1.2	26
115	Optical fiber gas sensor based on self-assembled gratings. <i>Journal of Lightwave Technology</i> , 2001, 19, 1932-1937.	2.7	25
116	Optimization of Sensors Based on Multimode Interference in Single-Mode-Multimode-Single-Mode Structure. <i>Journal of Lightwave Technology</i> , 2013, 31, 3460-3468.	2.7	25
117	A comparative study of two different approaches for the incorporation of silver nanoparticles into layer-by-layer films. <i>Nanoscale Research Letters</i> , 2014, 9, 301.	3.1	25
118	Fiber-Optic Immunosensor Based on an Etched SMS Structure. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017, 23, 314-321.	1.9	25
119	Long-period fiber gratings with overlay of variable refractive index. <i>IEEE Photonics Technology Letters</i> , 2005, 17, 1893-1895.	1.3	24
120	Nanofilms on hollow core fiber-based structures: an optical study. <i>Journal of Lightwave Technology</i> , 2006, 24, 2100-2107.	2.7	24
121	Optical fiber refractometers based on indium tin oxide coatings fabricated by sputtering. <i>Optics Letters</i> , 2012, 37, 28.	1.7	24
122	Generation of lossy mode resonances with different nanocoatings deposited on coverslips. <i>Optics Express</i> , 2020, 28, 288.	1.7	24
123	Optical fiber gas sensors based on hydrophobic alumina thin films formed by the electrostatic self-assembly monolayer process. <i>IEEE Sensors Journal</i> , 2003, 3, 56-61.	2.4	23
124	Experimental Study and Sensing Applications of Polarization-Dependent Lossy Mode Resonances Generated by D-Shape Coated Optical Fibers. <i>Journal of Lightwave Technology</i> , 2015, 33, 2412-2418.	2.7	23
125	Optical Fiber Current Transducer Using Lossy Mode Resonances for High Voltage Networks. <i>Journal of Lightwave Technology</i> , 2015, 33, 2504-2510.	2.7	23
126	Fiber optic ammonia sensing employing novel thermoplastic polyurethane membranes. <i>Sensors and Actuators B: Chemical</i> , 2005, 105, 419-424.	4.0	22

#	ARTICLE	IF	CITATIONS
127	Study of indicators for the development of fluorescence based optical fiber temperature sensors. <i>Sensors and Actuators B: Chemical</i> , 2006, 118, 425-432.	4.0	22
128	Tunable electro-optic wavelength filter based on lossy-guided mode resonances. <i>Optics Express</i> , 2013, 21, 31668.	1.7	22
129	Dually nanocoated planar waveguides towards multi-parameter sensing. <i>Scientific Reports</i> , 2021, 11, 3669.	1.6	22
130	Trends in the Design of Intensity-Based Optical Fiber Biosensors (2010–2020). <i>Biosensors</i> , 2021, 11, 197.	2.3	22
131	Spectral evolution with incremental nanocoating of long period fiber gratings. <i>Optics Express</i> , 2006, 14, 11972.	1.7	21
132	Vibration monitoring in electrical engines using an in-line fiber etalon. <i>Sensors and Actuators A: Physical</i> , 2006, 132, 506-515.	2.0	21
133	Indicator immobilization on Fabry-Perot nanocavities towards development of fiber optic sensors. <i>Sensors and Actuators B: Chemical</i> , 2008, 130, 158-163.	4.0	21
134	Smart Carbon Fiber Transtibial Prosthesis Based on Embedded Fiber Bragg Gratings. <i>IEEE Sensors Journal</i> , 2018, 18, 1520-1527.	2.4	21
135	Generation of Lossy Mode Resonances in Planar Waveguides Toward Development of Humidity Sensors. <i>Journal of Lightwave Technology</i> , 2019, 37, 2300-2306.	2.7	21
136	Application of gold complexes in the development of sensors for volatile organic compounds. <i>Gold Bulletin</i> , 2007, 40, 225-233.	3.2	20
137	Gasohol Quality Control for Real Time Applications by Means of a Multimode Interference Fiber Sensor. <i>Sensors</i> , 2014, 14, 17817-17828.	2.1	20
138	Enhancement of luminescence-based optical fiber oxygen sensors by tuning the distance between fluorophore layers. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 836-847.	4.0	20
139	Multimode-Coreless-Multimode Fiber-Based Sensors: Theoretical and Experimental Study. <i>Journal of Lightwave Technology</i> , 2019, 37, 3844-3850.	2.7	20
140	Fiber optic glucose sensor based on bionanofilms. <i>Sensors and Actuators B: Chemical</i> , 2008, 131, 633-639.	4.0	19
141	Optical fiber sensors based on Layer-by-Layer nanostructured films. <i>Procedia Engineering</i> , 2010, 5, 1087-1090.	1.2	19
142	Considerations for Lossy-Mode Resonance-Based Optical Fiber Sensor. <i>IEEE Sensors Journal</i> , 2013, 13, 1167-1171.	2.4	19
143	Single and Multiphase Flow Characterization by Means of an Optical Fiber Bragg Grating Grid. <i>Journal of Lightwave Technology</i> , 2015, 33, 1857-1862.	2.7	19
144	Humidity Sensor Based on Bragg Gratings Developed on the End Facet of an Optical Fiber by Sputtering of One Single Material. <i>Sensors</i> , 2017, 17, 991.	2.1	19

#	ARTICLE	IF	CITATIONS
145	Deposition of coatings on long-period fiber gratings: tunnel effect analogy. <i>Optical and Quantum Electronics</i> , 2006, 38, 655-665.	1.5	18
146	Optical fiber pH sensor fabrication by means of indium tin oxide coated optical fiber refractometers. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010, 7, 2705-2707.	0.8	18
147	Nanofabrication Techniques Applied to the Development of Novel Optical Fiber Sensors Based on Nanostructured Coatings. <i>IEEE Sensors Journal</i> , 2012, 12, 2699-2710.	2.4	18
148	Fiber optic glucose biosensor. <i>Optical Engineering</i> , 2006, 45, 104401.	0.5	17
149	Encapsulated Quantum Dot Nanofilms Inside Hollow Core Optical Fibers for Temperature Measurement. <i>IEEE Sensors Journal</i> , 2008, 8, 1368-1374.	2.4	17
150	Fiber-Optic Chemical Nanosensors by Electrostatic Molecular Self-Assembly. <i>Current Analytical Chemistry</i> , 2008, 4, 341-355.	0.6	17
151	Study and Optimization of Self-Assembled Polymeric Multilayer Structures with Neutral Red for pH Sensing Applications. <i>Journal of Sensors</i> , 2008, 2008, 1-7.	0.6	17
152	Influence of Waist Length in Lossy Mode Resonances Generated With Coated Tapered Single-Mode Optical Fibers. <i>IEEE Photonics Technology Letters</i> , 2011, 23, 1579-1581.	1.3	17
153	Increasing the Sensitivity of an Optic Level Sensor With a Wavelength and Phase Sensitive Single-Mode Multimode Single-Mode Fiber Structure. <i>IEEE Sensors Journal</i> , 2017, 17, 5515-5522.	2.4	17
154	Comparative study of the modeling of three-dimensional photonic bandgap structures. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2003, 20, 644.	0.8	16
155	Fiber-Optic Multiple-Wavelength Filter Based on One-Dimensional Photonic Bandgap Structures With Defects. <i>Journal of Lightwave Technology</i> , 2004, 22, 1615-1621.	2.7	16
156	Lossy mode resonances dependence on the geometry of a tapered monomode optical fiber. <i>Sensors and Actuators A: Physical</i> , 2012, 180, 25-31.	2.0	16
157	Single-stage in situ synthesis of silver nanoparticles in antibacterial self-assembled overlays. <i>Colloid and Polymer Science</i> , 2012, 290, 785-792.	1.0	16
158	Development of a Low Mobility IEEE 802.15.4 Compliant VANET System for Urban Environments. <i>Sensors</i> , 2013, 13, 7065-7078.	2.1	16
159	Strain Mapping in Carbon-Fiber Prosthesis Using Optical Fiber Sensors. <i>IEEE Sensors Journal</i> , 2017, 17, 3-4.	2.4	16
160	Luminescence-Based Optical Sensors Fabricated by Means of the Layer-by-Layer Nano-Assembly Technique. <i>Sensors</i> , 2017, 17, 2826.	2.1	16
161	Dynamic behavior of sol-gel gel-glass based thermochromic material applied toward development of practical optical temperature sensors. <i>Optical Engineering</i> , 1998, 37, 2620.	0.5	15
162	Polymeric thin films of controlled complex refractive index formed by the electrostatic self-assembled monolayer process. <i>IEEE Photonics Technology Letters</i> , 2001, 13, 1319-1321.	1.3	15

#	ARTICLE	IF	CITATIONS
163	Lossy mode resonances supported by TiO ₂ -coated optical fibers. <i>Procedia Engineering</i> , 2010, 5, 1099-1102.	1.2	15
164	A novel luminescent optical fibre probe based on immobilized tridentate bis(phosphinic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (a Chemical, 2012, 173, 254-261.	4.0	15
165	Fabrication of Optical Fiber Sensors for Measuring Ageing Transformer Oil in Wavelength. <i>IEEE Sensors Journal</i> , 2016, 16, 4798-4802.	2.4	15
166	Optical Biosensors for the Detection of Rheumatoid Arthritis (RA) Biomarkers: A Comprehensive Review. <i>Sensors</i> , 2020, 20, 6289.	2.1	15
167	<title>Experimental results toward development of humidity sensors by using a hygroscopic material on biconically tapered optical fiber</title>. , 1998, , .		14
168	Low-cost optical amplitude modulator based on a tapered single-mode optical fiber. <i>Applied Optics</i> , 2001, 40, 228.	2.1	14
169	An antibacterial surface coating composed of PAH/SiO ₂ nanostructured films by layer by layer. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010, 7, 2774-2777.	0.8	14
170	Thrombin detection by means of an aptamer based sensitive coating fabricated onto LMR-based optical fiber refractometer. , 2012, , .		14
171	Analysis of lossy mode resonances on thin-film coated cladding removed plastic fiber. <i>Optics Letters</i> , 2015, 40, 4867.	1.7	14
172	Transmitted Optical Power through a Tapered Single-Mode Fiber under Dynamic Bending Effects. <i>Fiber and Integrated Optics</i> , 2003, 22, 173-187.	1.7	13
173	Thermochromic-effect-based temperature optical fiber sensor for underwater applications. <i>Optical Engineering</i> , 2003, 42, 656.	0.5	13
174	Optical fiber humidity sensor based on surface plasmon resonance in the infra-red region. <i>Journal of Physics: Conference Series</i> , 2009, 178, 012019.	0.3	13
175	Agarose optical fibre humidity sensor based on electromagnetic resonance in the infra-red region. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010, 7, 2767-2769.	0.8	13
176	Optimization of single mode fibre sensors to detect organic vapours. <i>Sensors and Actuators B: Chemical</i> , 2011, 157, 388-394.	4.0	13
177	Optical Fiber Sensors Array to Identify Beverages by Their Odor. <i>IEEE Sensors Journal</i> , 2012, 12, 3156-3162.	2.4	13
178	Interdigital concept in photonic sensors based on an array of lossy mode resonances. <i>Scientific Reports</i> , 2021, 11, 13228.	1.6	13
179	Generation of lossy mode resonances in a broadband range with multilayer coated coverslips optimized for humidity sensing. <i>Sensors and Actuators B: Chemical</i> , 2020, 325, 128795.	4.0	13
180	<title>Experimental design rules for implementing biconically tapered single mode optical fibre displacement sensors</title>. , 1998, , .		12

#	ARTICLE	IF	CITATIONS
181	Development of an optical refractometer by analysis of one-dimensional photonic bandgap structures with defects. <i>Optics Letters</i> , 2003, 28, 1099.	1.7	12
182	Improved Multifrequency Phase-Modulation Method That Uses Rectangular-Wave Signals to Increase Accuracy in Luminescence Spectroscopy. <i>Analytical Chemistry</i> , 2014, 86, 5245-5256.	3.2	12
183	LMR-Based Optical Fiber Refractometers for Oil Degradation Sensing Applications in Synthetic Lubricant Oils. <i>Journal of Lightwave Technology</i> , 2016, 34, 4537-4542.	2.7	12
184	Humidity sensor based on silver nanoparticles embedded in a polymeric coating. <i>International Journal on Smart Sensing and Intelligent Systems</i> , 2012, 5, 71-83.	0.4	12
185	Wind turbines lubricant gearbox degradation detection by means of a lossy mode resonance based optical fiber refractometer. <i>Microsystem Technologies</i> , 2016, 22, 1619-1625.	1.2	11
186	Comparative study of polymeric matrices embedding oxygen-sensitive fluorophores by means of Layer-by-Layer nanosassembly. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 1124-1133.	4.0	11
187	Optical fiber thermo-refractometer. <i>Optics Express</i> , 2022, 30, 11036.	1.7	11
188	Lossy Mode Resonance Based Microfluidic Platform Developed on Planar Waveguide for Biosensing Applications. <i>Biosensors</i> , 2022, 12, 403.	2.3	11
189	Sensors Based on Thin-Film Coated Cladding Removed Multimode Optical Fiber and Single-Mode Multimode Single-Mode Fiber: A Comparative Study. <i>Journal of Sensors</i> , 2015, 2015, 1-7.	0.6	10
190	Single-mode "multimode" single-mode and lossy mode resonance-based devices: a comparative study for sensing applications. <i>Microsystem Technologies</i> , 2016, 22, 1633-1638.	1.2	10
191	An Analysis Matrix for the Assessment of Smart City Technologies: Main Results of Its Application. <i>Systems</i> , 2017, 5, 8.	1.2	10
192	Monitoring of Electric Buses Within an Urban Smart City Environment. <i>IEEE Sensors Journal</i> , 2022, 22, 11364-11372.	2.4	10
193	Mercury optical fibre probe based on a modified cladding of sensitised Al ₂ O ₃ nano-particles. <i>Sensors and Actuators B: Chemical</i> , 2009, 143, 103-110.	4.0	9
194	Luminescent Optical Fiber Oxygen Sensor following Layer-by-layer Method. <i>Procedia Engineering</i> , 2014, 87, 987-990.	1.2	9
195	Fabrication of Long Period Gratings by Periodically Removing the Coating of Cladding-Etched Single Mode Optical Fiber Towards Optical Fiber Sensor Development. <i>Sensors</i> , 2018, 18, 1866.	2.1	9
196	A COMPARATIVE STUDY IN THE SENSITIVITY OF OPTICAL FIBER REFRACTOMETERS BASED ON THE INCORPORATION OF GOLD NANOPARTICLES INTO LAYERBY-Å LAYER FILMS. <i>International Journal on Smart Sensing and Intelligent Systems</i> , 2015, 8, 822-841.	0.4	9
197	Simultaneous Generation of Surface Plasmon and Lossy Mode Resonances in the Same Planar Platform. <i>Sensors</i> , 2022, 22, 1505.	2.1	9
198	Disappearing for a while - using white lies in pervasive computing. , 2007, , .		8

#	ARTICLE	IF	CITATIONS
199	Fiber optic temperature sensor depositing quantum dots inside hollow core fibers using the layer by layer technique. Proceedings of SPIE, 2007, , .	0.8	8
200	Laterally selective adsorption of pH sensing coatings based on neutral red by means of the electric field directed layer-by-layer self assembly method. Thin Solid Films, 2009, 517, 3776-3780.	0.8	8
201	Energy Management System proposal for efficient smart homes. , 2013, , .		8
202	Optical Fiber Refractometers with Tunable Sensitivity Based on Indium Tin Oxide Coatings. Sensor Letters, 2010, 8, 744-746.	0.4	8
203	Multichannel Refractometer Based on Lossy Mode Resonances. IEEE Sensors Journal, 2022, 22, 3181-3187.	2.4	8
204	Sensing properties of ITO coated optical fibers to diverse VOCs. Procedia Engineering, 2010, 5, 653-656.	1.2	7
205	LMR-based optical fiber refractometers based on transparent conducting and semiconducting oxide coatings: a comparative study. Proceedings of SPIE, 2010, , .	0.8	7
206	Lossy Mode Resonance-based pH sensor using a tapered single mode optical fiber coated with a polymeric nanostructure. , 2011, , .		7
207	C-reactive protein aptasensor for early sepsis diagnosis by means of an optical fiber device. , 2013, , .		7
208	Exhaled breath optical fiber sensor based on LMRs for respiration monitoring. , 2014, , .		7
209	Optical fiber humidity sensor based on a tapered fiber asymmetrically coated with indium tin oxide. , 2014, , .		7
210	University-industry collaboration chairs: Initiatives at the Public University of Navarre. , 2014, , .		7
211	Etched and Nanocoated Single-Mode Multimode Single-Mode (SMS) Fibers for Detection of Wind Turbine Gearbox Oil Degradation. Journal of Lightwave Technology, 2019, 37, 4665-4673.	2.7	7
212	Optimization of Fiber Bragg Gratings Inscribed in Thin Films Deposited on D-Shaped Optical Fibers. Sensors, 2021, 21, 4056.	2.1	7
213	Twin lossy mode resonance on a single D-shaped optical fiber. Optics Letters, 2021, 46, 3284.	1.7	7
214	Optical Fiber Sensors to Detect Volatile Organic Compound in Sick Building Syndrome Applications. Open Construction and Building Technology Journal, 2010, 4, 113-120.	0.3	7
215	Design and application of double amplified recirculating ring structure for hybrid fibre buses. Optical and Quantum Electronics, 1995, 27, 847-857.	1.5	6
216	Optical intensity induced shutter in photochromic-doped sol-gel gel-glass waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 1997, 3, 780-788.	1.9	6

#	ARTICLE	IF	CITATIONS
217	Optical Fiber Devices Based on Nanoscale Self-Assembly. Science and Engineering of Composite Materials, 2002, 10, 19-28.	0.6	6
218	Generation of selective fringes with cascaded long-period gratings. IEEE Photonics Technology Letters, 2006, 18, 1412-1414.	1.3	6
219	Spectral characteristics in long-period fiber gratings with nonuniform symmetrically ring shaped coatings. Applied Physics Letters, 2007, 90, 141105.	1.5	6
220	Optical Fibre Humidity Sensors Using Nano-films. Lecture Notes in Electrical Engineering, 2008, , 153-177.	0.3	6
221	Humidity sensor based on a long-period fiber grating coated with a hydrophobic thin film. Proceedings of SPIE, 2010, , .	0.8	6
222	Editorial Third Special Issue on Optical Fiber Sensors. IEEE Sensors Journal, 2012, 12, 5-7.	2.4	6
223	Home automation based sensor system for monitoring elderly people safety. , 2012, , .		6
224	Engineering outreach programs at the Public University of Navarre: A holistic approach. , 2013, , .		6
225	Fabrication of Bragg Gratings on the End Facet of Standard Optical Fibers by Sputtering the Same Material. Journal of Lightwave Technology, 2017, 35, 212-219.	2.7	6
226	Temperature Sensor Using a Multiwavelength Erbium-Doped Fiber Ring Laser. Journal of Sensors, 2017, 2017, 1-6.	0.6	6
227	Guest Editorial Special Issue on Advances in Fiber Optic Sensing Technologies. IEEE Sensors Journal, 2021, 21, 16-16.	2.4	6
228	Beyond near-infrared lossy mode resonances with fluoride glass optical fiber. Optics Letters, 2021, 46, 2892.	1.7	6
229	Fiber-Optic Nanorefractometer Based on One-Dimensional Photonic-Bandgap Structures With Two Defects. IEEE Nanotechnology Magazine, 2004, 3, 293-299.	1.1	5
230	Enhanced Sensitivity in Humidity Sensors based on Long Period Fiber Gratings. , 2006, , .		5
231	Lossy-mode resonance-based refractometers by means of indium oxide coatings fabricated onto optical fibers. Proceedings of SPIE, 2010, , .	0.8	5
232	Humidity sensor fabricated by deposition of SnO ₂ layers onto optical fibers. Proceedings of SPIE, 2013, , .	0.8	5
233	Urban technology analysis matrix. Management of Environmental Quality, 2015, 26, 342-356.	2.2	5
234	Etched LPFGs in Reflective Configuration for Sensitivity and Attenuation Band Depth Increase. IEEE Photonics Technology Letters, 2016, 28, 1077-1080.	1.3	5

#	ARTICLE	IF	CITATIONS
235	Multimode Interference Fiber Sensors for the Monitoring of Gasoline/Ethanol Blends. Smart Sensors, Measurement and Instrumentation, 2017, , 329-346.	0.4	5
236	Optical Fiber Vacuum Sensor Based on Etched SMS Structure and PDMS Coating. IEEE Sensors Journal, 2021, 21, 9698-9705.	2.4	5
237	Mode Transitions and Thickness Measurements During Deposition of Nanoscale TiO ₂ Coatings on Tilted Fiber Bragg Gratings. Journal of Lightwave Technology, 2022, 40, 6006-6012.	2.7	5
238	Optical memory effects in sol-gel gel-glass based thermochromic material. Optical Engineering, 1997, 36, 1766.	0.5	4
239	Optical fiber humidity sensor based on surface plasmon resonance in the infra-red region. Proceedings of SPIE, 2009, , .	0.8	4
240	Optical Fiber Refractometers based on Indium Tin Oxide Coatings with Response in the Visible Spectral Region. Procedia Engineering, 2011, 25, 499-502.	1.2	4
241	City & technology: An analysis matrix to serve citizens. , 2013, , .		4
242	Analysis of women enrollment in Engineering programs at the Public University of Navarre. , 2014, , .		4
243	Optical fiber refractometers based on localized surface plasmon resonance (LSPR) and lossy mode resonance (LMR). , 2014, , .		4
244	D-shape optical fiber pH sensor based on Lossy Mode Resonances (LMRs). , 2015, , .		4
245	Distributed optical fiber microphone. , 2017, , .		4
246	Sensitivity enhancement experimental demonstration using a low cutoff wavelength SMS modified structure coated with a pH sensitive film. Sensors and Actuators B: Chemical, 2018, 262, 696-702.	4.0	4
247	DETECTION OF VOLATILE ORGANIC COMPOUNDS BASED ON OPTICAL FIBRE USING NANOSTRUCTURED FILMS. International Journal on Smart Sensing and Intelligent Systems, 2008, 1, 123-136.	0.4	4
248	Lossy Mode Resonance Sensors based on Tungsten Oxide Thin Films. , 2020, , .		4
249	Low cost electric field optical fiber detector. , 0, , .		3
250	Electrostatic self-assembled thin films deposited on optical fiber long-period gratings for the fabrication of chemical sensors. , 2004, , .		3
251	Optical fiber sensor for breathing diagnostics. , 2004, 5317, 167.		3
252	Nanorefractometer based on deposition of an overlay on a long period fiber grating. , 2005, 5855, 840.		3

#	ARTICLE	IF	CITATIONS
253	Nanofilms on a hollow core fiber. <i>Optical Engineering</i> , 2006, 45, 050503.	0.5	3
254	Study on White Light Optical Fiber Interferometry for pH Sensor Applications. , 2007, , .		3
255	Tapered Optical Fiber Biosensor for the Detection of Anti-Gliadin Antibodies. , 2007, , .		3
256	Quantum Dots for Sensing. , 2009, , 1-51.		3
257	Humidity sensor based on silver nanoparticles embedded in a polymeric coating. , 2011, , .		3
258	Optical Fiber Sensors Based on Lossy Mode Resonances. <i>Smart Sensors, Measurement and Instrumentation</i> , 2013, , 191-210.	0.4	3
259	Optical fiber Bragg grating mesh for multiphase flow sensing. , 2014, , .		3
260	Optical fiber pH sensor based on gold nanoparticles into polymeric coatings. , 2015, , .		3
261	Indium-Tin-Oxide coated optical fibers for temperature-viscosity sensing applications in synthetic lubricant oils. <i>Proceedings of SPIE</i> , 2015, , .	0.8	3
262	Magnetic field optical sensor based on Lossy Mode Resonances. , 2016, , .		3
263	Fiber-optic immunosensor based on lossy mode resonances induced by indium tin oxide thin-films. , 2016, , .		3
264	Lossy Mode Resonance-based Aptasensor for CRP Detection. <i>Procedia Technology</i> , 2017, 27, 159-160.	1.1	3
265	High Sensitivity Optical Structures for Relative Humidity Sensing. <i>Smart Sensors, Measurement and Instrumentation</i> , 2017, , 55-79.	0.4	3
266	Obligations: Building a Bridge between Personal and Enterprise Privacy in Pervasive Computing. <i>Lecture Notes in Computer Science</i> , 2008, , 173-184.	1.0	3
267	Thin-Film Resonance Supporting Coatings Deposited onto Optical Waveguides Towards the Fabrication of Sensing Devices. <i>Recent Patents on Materials Science</i> , 2011, 4, 28-34.	0.5	3
268	Rum adulteration detection using an optical fiber sensor based on multimodal interference (MMI). <i>Optica Pura Y Aplicada</i> , 2013, 46, 345-352.	0.0	3
269	A User-Centric Privacy Framework for Pervasive Environments. <i>Lecture Notes in Computer Science</i> , 2006, , 1347-1356.	1.0	3
270	Fault Detection of Planetary Gears Based on Signal Space Constellations. <i>Sensors</i> , 2022, 22, 366.	2.1	3

#	ARTICLE	IF	CITATIONS
271	Optical fiber humidity sensor using a nano Fabry-Perot cavity formed by electrostatic self-assembly. , 2000, , .		2
272	<title>Optical fiber-based sensor of harmful gas fabricated using the electronic self-assembly monolayer process</title>. , 2001, , .		2
273	<title>Optical fiber sensors for breathing diagnostics</title>. , 2002, 4616, 14.		2
274	Nanostructured optical fiber sensors for breathing airflow monitoring. , 2005, , .		2
275	Unbalance Detection in Electrical Engines Using an In-Line Fiber Etalon. , 2005, , .		2
276	Optical fiber sensors based on nanostructured coatings fabricated by means of the layer-by-layer electrostatic self-assembly method. , 2007, , .		2
277	Optical fiber sensor toward pyridine vapors detection. , 2008, , .		2
278	Lossy mode resonance-based optical fiber humidity sensor. , 2011, , .		2
279	High sensitivity optical fiber pH sensor using poly(acrylic acid) nanofibers. , 2013, , .		2
280	Low voltage transducer based on the changes in the wavelength of the attenuation band. , 2014, , .		2
281	Fiber optic ammonia sensor using Bromocresol Green pH indicator. , 2014, , .		2
282	Optical fiber °Brix sensor based on Lossy Mode Resonances (LMRs). , 2014, , .		2
283	Design of flexible cost-efficient international engineering curricula at Public University of Navarre. , 2015, , .		2
284	Nanocoated optical fibre for lossy mode resonance (LMR) sensors and filters. , 2015, , .		2
285	“24 hours of innovation”: A trans-pyreanean challenge initiative. , 2015, , .		2
286	Fiber optic refractometer based in multimode interference effects (MMI) using Indium Tin Oxide (ITO) coating. , 2015, , .		2
287	Magnetic field sensor based on a single mode-multimode-single mode optical fiber structure. , 2015, , .		2
288	A comparative study between SMS interferometers and lossy mode resonace optical fiber devices for sensing applications. Proceedings of SPIE, 2015, , .	0.8	2

#	ARTICLE	IF	CITATIONS
289	New organizational and assessment frameworks for company internship programs. , 2017, , .		2
290	Monitoring the Etching Process in LPFGs towards Development of Highly Sensitive Sensors. Proceedings (mdpi), 2017, 1, .	0.2	2
291	[INVITED] Nanofabrication of phase-shifted Bragg gratings on the end facet of multimode fiber towards development of optical filters and sensors. Optics and Laser Technology, 2018, 101, 49-56.	2.2	2
292	Two-Phase Flow Imaging by means of an 8x8 Optical Fiber Bragg Grating Grid. , 2014, , .		2
293	METODOLOGÍA PARA DEFINIR UNA HERRAMIENTA DE EVALUACIÓN TECNOLÓGICA EN LAS SMART-CITIES. Dyna (Spain), 2015, 90, 285-293.	0.1	2
294	Towards Personal Privacy Control. , 2007, , 886-895.		2
295	Rheumatoid Arthritis miRNA biomarker detection by means of LMR based fiber-optic biosensor. , 2020, , .		2
296	Simultaneous Measurement of Refractive Index and Temperature using LMR on planar waveguide. , 2020, , .		2
297	Gel-glass photochromic optical delay generator. , 1995, , .		1
298	Nanosensor for detection of glucose. , 2004, , .		1
299	Optical gateway for intelligent buildings: a new open-up window to the optical fibre sensors market?. , 2004, , .		1
300	Self-assembled nanostructured optical fiber sensors (Invited Paper). , 2005, , .		1
301	Influence on cladding mode distribution of overlay deposition on long-period fiber gratings: errata. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 2969.	0.8	1
302	Optical fiber pH sensors based on self-assembled multilayered neutral red coatings. Proceedings of SPIE, 2007, , .	0.8	1
303	Quantum Dots coatings inside Photonic Crystal Fibers for temperature sensing. , 2008, , .		1
304	Humidity sensor based on a long-period fiber grating coated with a SiO ₂ -nanosphere film. , 2008, , .		1
305	Two nanoFabry-Perot interferometers for humidity sensing. , 2008, , .		1
306	Experimental results of antigliadin antibodies detection using long period fiber grating. Proceedings of SPIE, 2008, , .	0.8	1

#	ARTICLE	IF	CITATIONS
307	Fiber-optic pH sensors fabrication based on selective deposition of Neutral Red. , 2009, , .		1
308	Organic vapors detection using single mode fiber at third telecommunication window. , 2009, , .		1
309	Optical fiber sensors based on indium tin oxide surface plasmon resonance supporting coatings. , 2009, , .		1
310	Optical fiber refractometers based on sputtered indium tin oxide coatings. , 2011, , .		1
311	Optical sensor based on polymer electrospun nanofibers for sensing humidity. , 2011, , .		1
312	Analyses of performance of novel sensors with different coatings for detection of Lipopolysaccharide. , 2011, , .		1
313	Integration of hybrid sensing networks in indoor intelligent homes. , 2011, , .		1
314	SnO ₂ based optical fiber refractometers. Proceedings of SPIE, 2012, , .	0.8	1
315	Sensitivity enhancement of a humidity sensor based on poly(sodium phosphate) and poly(allylamine) Tj ETQq1 1 0.784314 rgBT /Ove		1
316	Impact of Wireless Sensor Networks in the advancement of Ambient Intelligence and Smart Cities. , 2013, , .		1
317	Analysis of efficient dense wireless sensor network deployment in Smart City environments. , 2014, , .		1
318	Fluid turbulence monitoring by means of FBG mesh. , 2014, , .		1
319	D-shape optical fiber refractometer based on TM and TE lossy mode resonances. Proceedings of SPIE, 2014, , .	0.8	1
320	Engineering international programs at the public university of Navarre: A satisfactory on-going experience in a context of industrial globalization. , 2014, , .		1
321	Humidity sensor based on lossy mode resonances on an etched single mode fiber. , 2015, , .		1
322	High sensitivity extrinsic Fabry-Pérot interferometer for humidity sensing. , 2015, , .		1
323	High-sensitive lossy mode resonance-based optical fiber refractometers by means of sputtered indium oxide thin-films. Proceedings of SPIE, 2015, , .	0.8	1
324	Cladding etched single mode optical fiber refractometer based on Lossy Mode Resonances. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
325	Detection of Ethanol in Human Breath Using Optical Fiber Long Period Grating Coated with Metal-Organic Frameworks. Proceedings (mdpi), 2017, 1, .	0.2	1
326	Optical Fiber Immunosensor Based on Long Period Gratings Built by Periodic Laser Ablation. , 2018, , .		1
327	Evaluating engineering competencies in curricular internships. , 2018, , .		1
328	Lossy Mode Resonance Fiber-Optic Biosensing Allowing Ultra-Low Detection Limit. , 2019, , .		1
329	Optical devices. , 2020, , 143-160.		1
330	Lossy Mode Resonances Generated in Planar Configuration for Two-Parameter Sensing. IEEE Sensors Journal, 2022, 22, 11264-11270.	2.4	1
331	Detection of wind turbine gearbox oil degradation with etched single-mode multimode single-mode (SMS) fiber. , 2018, , .		1
332	<title>Self-assembled optical fiber sensors</title>. , 1999, 3670, 74.		0
333	Self-assembled nanostructured optical fiber sensors. , 2001, , .		0
334	<title>Multiplexed optical fiber sensors for humidity and chemical analysis</title>. , 2002, 4616, 47.		0
335	Optical fiber sensors based on nanoscale self-assembly. , 2003, , .		0
336	Optical Communications in the Universidad Publica de Navarra. Fiber and Integrated Optics, 2004, 23, 97-108.	1.7	0
337	Molecules assembly toward fiber optic nanosensor development. , 2004, , .		0
338	Self-assembled nanostructured optical fiber strain and pressure sensors. , 2004, , .		0
339	Improvements in self-assembled optical fiber-based biosensors. , 2005, , .		0
340	Electrical machine failure detection using an in-line fiber etalon. , 2005, 5855, 715.		0
341	Fibre Bragg gratings with one defect towards development of optical networks interrogators. International Journal of Intelligent Systems Technologies and Applications, 2007, 3, 119.	0.2	0
342	Non-uniform nano-coated long-period fiber gratings for sensing applications. Proceedings of SPIE, 2007, , .	0.8	0

#	ARTICLE	IF	CITATIONS
343	Optical fiber pH sensor based on poly (p-phenylene vinylene). Proceedings of SPIE, 2007, , .	0.8	0
344	Resonance based optical fiber sensors by means of transparent conductive oxide coatings. , 2009, , .		0
345	Nanofilm-based optical fiber sensor schemes. , 2009, , .		0
346	Editorial Special Issue on Photonic Crystal-Based Sensors. IEEE Sensors Journal, 2010, 10, 1167-1168.	2.4	0
347	Resonance-based optical fiber refractometers. , 2011, , .		0
348	Celiac disease biodetection using lossy-mode resonances generated in tapered single-mode optical fibers. , 2014, , .		0
349	Optical fiber current transducer using lossy mode resonances for high voltage networks. Proceedings of SPIE, 2014, , .	0.8	0
350	Redefining best practices in company internships. , 2015, , .		0
351	Fiber Optic Sensors Based on Nanostructured Materials. Springer Series in Surface Sciences, 2015, , 277-299.	0.3	0
352	Asymmetrically and symmetrically coated tapered optical fiber for sensing applications. , 2015, , .		0
353	Lossy Mode Resonances biosensor for the detection of C-reactive protein. , 2016, , .		0
354	An Optimized Method Based on Digitalized Lissajous Curve to Determine Lifetime of Luminescent Materials on Optical Fiber Sensors. Journal of Sensors, 2016, 2016, 1-10.	0.6	0
355	Single strand DNA detection by means of lossy mode resonance-based optical fiber devices. , 2016, , .		0
356	Refractive index sensing performance of a Bragg grating built up on the tip of an optical fiber by reactive sputtering. , 2017, , .		0
357	Sensitivity enhancement by diameter reduction in low cutoff wavelength single-mode multimode singlemode (SMS) fiber sensors. , 2017, , .		0
358	Study of ammonia and nitric oxide sensing performance of a Fabry-Perot interferometer. , 2017, , .		0
359	Optical fiber vacuum sensor based on modal interferometer and PDMS coating. , 2019, , .		0
360	Short single strand DNA detection by means of Lossy Mode Resonance based fiber-optic sensor. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
361	Intrusive Passive Optical Tapping Device. IEEE Access, 2021, 9, 31627-31637.	2.6	0
362	Transmitted Optical Power through a Tapered Single-Mode Fiber under Dynamic Bending Effects. Fiber and Integrated Optics, 2003, 22, 173-187.	1.7	0
363	Multilayered self-assembled optical fiber sensors for biomedical applications. , 2003, , .		0
364	Long-Period Fiber Grating Sensors Based on Deposition of Low-Refractive Index Materials. , 2006, , .		0
365	Amplitude Interference Immune pH Sensing Devices Based on White Light Interferometry. , 2008, , .		0
366	STUDY OF SUPERHYDROPHILIC NANOPARTICLE-BASED ULTRA-THIN FILMS TOWARDS THE DEVELOPMENT OF OPTICAL FIBER HUMIDITY SENSORS. International Journal on Smart Sensing and Intelligent Systems, 2009, 2, 63-74.	0.4	0
367	Optical fiber refractometers with response in the visible spectral region by means ITO coatings. Optica Pura Y Aplicada, 2012, 45, 183-187.	0.0	0
368	Fiber optic sensors based on lossy mode resonances. , 2014, , .		0
369	Proposal for Improving Connectivity and adding Authentication and Security to KNXNet/IP Protocol. International Journal of Smart Home, 2014, 8, 77-90.	0.6	0
370	Ultra-low detection limit lossy mode resonance-based fibre-optic biosensor. , 2018, , .		0
371	Fiber-optics: a new route towards ultra-low detection limit label-free biosensing. , 2019, , .		0
372	Lossy Mode Resonance Excitation in Fiber-Optics: Applications in Biosensing. , 2020, , .		0
373	Thin film coated D-shaped Fiber regenerable biosensor. , 2021, , .		0
374	Lab on Fiber Technology Towards Advanced and Multifunctional Point-of-Care Platforms for Precision Medicine. , 2023, , 504-527.		0