You-Min Ying

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/3463928/publications.pdf

Version: 2024-02-01

23 papers	362 citations	933447 10 h-index	794594 19 g-index
23 all docs	23 docs citations	23 times ranked	409 citing authors

#	Article	IF	Citations
1	Terpenoids with alpha-glucosidase inhibitory activity from the submerged culture of Inonotus obliquus. Phytochemistry, 2014, 108, 171-176.	2.9	65
2	Ceriponols Aâ€“K, tremulane sesquitepenes from Ceriporia lacerate HS-ZJUT-C13A, a fungal endophyte of Huperzia serrata. Phytochemistry, 2013, 95, 360-367.	2.9	54
3	Biotransformation of Huperzine A by a Fungal Endophyte of Huperzia serrata Furnished Sesquiterpenoidâ€“Alkaloid Hybrids. Journal of Natural Products, 2014, 77, 2054-2059.	3.0	28
4	Genome Mining Reveals Neurospora crassa Can Produce the Salicylaldehyde Sordarial. Journal of Natural Products, 2019, 82, 1029-1033.	3.0	27
5	Bergamotane Sesquiterpenes with Alphaâ€Glucosidase Inhibitory Activity from the Plant Pathogenic Fungus Penicillium expansum. Chemistry and Biodiversity, 2017, 14, e1600184.	2.1	24
6	Streptomyces albogriseolus SY67903 Produces Eunicellin Diterpenoids Structurally Similar to Terpenes of the Gorgonian Muricella sibogae, the Bacterial Source. Journal of Natural Products, 2020, 83, 1641-1645.	3.0	21
7	Spiroinonotsuoxotriols A and B, Two Highly Rearranged Triterpenoids from Inonotus obliquus. Organic Letters, 2020, 22, 3377-3380.	4.6	20
8	Bioassay-guided isolation of lanostane-type triterpenoids as Î±-glucosidase inhibitors from Ganoderma hainanense. Phytochemistry Letters, 2019, 29, 154-159.	1.2	19
9	Induced production of a new polyketide in Penicillium sp. HS-11 by chemical epigenetic manipulation. Natural Product Research, 2021, 35, 3446-3451.	1.8	13
10	Cultivated Fruit Body of Phellinus baumii: A Potentially Sustainable Antidiabetic Resource. ACS Omega, 2020, 5, 8596-8604.	3.5	12
11	Antiproliferative Prenylated Xanthones from the Pericarps of Garcinia mangostana. Chemistry of Natural Compounds, 2017, 53, 555-556.	0.8	10
12	Biotransformation of Huperzine B by a Fungal Endophyte of Huperzia serrata. Chemistry and Biodiversity, 2019, 16, e1900299.	2.1	10
13	Effects of Î±-Mangostin Derivatives on the Alzheimerâ€™s Disease Model of Rats and Their Mechanism: A Combination of Experimental Study and Computational Systems Pharmacology Analysis. ACS Omega, 2020, 5, 9846-9863.	3.5	10
14	Studies on the Chemical Diversities of Secondary Metabolites Produced by Neosartorya fischeri via the OSMAC Method. Molecules, 2018, 23, 2772.	3.8	9
15	Biotransformation of Huperzine A by Irpex lacteus-A fungal endophyte of Huperzia serrata. FÃ¬toterapÃ¬Ã¢, 2019, 138, 104341.	2.2	9
16	Diverse diterpenoids with Î±-glucosidase and Î²-glucuronidase inhibitory activities from Euphorbia milii. Phytochemistry, 2022, 196, 113106.	2.9	7
17	Induced Production of Furan Derivatives in a Fungal Endophyte Ceriporia lacerate HS-ZJUT-C13A by the Osmac Method. Chemistry of Natural Compounds, 2018, 54, 450-454.	0.8	5
18	A Cell Factory of a Fungicolous Fungus Calcarisporium arbuscula for Efficient Production of Natural Products. ACS Synthetic Biology, 2021, 10, 698-706.	3.8	5

#	Article	IF	Citations
19	Identification of Aszonalenin Derivatives as Î±-Glucosidase Inhibitors from Neosartorya fischeri NRRL 181. Chemistry of Natural Compounds, 2020, 56, 780-782.	0.8	4
20	Induced Production of Tremulane Sesquiterpenoids in Bjerkandera adusta by Chemical Epigenetic Modification. Chemistry of Natural Compounds, 2020, 56, 754-756.	0.8	4
21	A New Rumenic Acid Derivative from the Roots of Cudrania tricuspidata. Chemistry of Natural Compounds, 2016, 52, 202-204.	0.8	3
22	Î±-Glucosidase and Bacterial Î²-Glucuronidase Inhibitors from the Stems of Schisandra sphaerandra Staph. Pharmaceuticals, 2022, 15, 329.	3.8	2
23	Bioassay-Guided Isolation of Cytotoxic Steroids from Neosartorya fischeri. Chemistry of Natural Compounds, 2020, 56, 173-176.	0.8	1