Mitchel A Kling

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3464268/publications.pdf

Version: 2024-02-01

76196 62479 8,114 88 40 citations h-index papers

g-index 99 99 99 7790 docs citations times ranked citing authors all docs

80

#	Article	IF	CITATIONS
1	732 A daily diary study of nightmare reports among combat-exposed Veterans. Sleep, 2021, 44, A286-A286.	0.6	0
2	The effect of plasmalogen precursor supplementation on blood catalase and malondialdehyde levels in cognitively impaired persons. Alzheimer's and Dementia, 2021, 17, .	0.4	0
3	Metabolic Network Analysis Reveals Altered Bile Acid Synthesis and Metabolism in Alzheimer's Disease. Cell Reports Medicine, 2020, 1, 100138.	3.3	102
4	Circulating ethanolamine plasmalogen indices in Alzheimer's disease: Relation to diagnosis, cognition, and CSF tau. Alzheimer's and Dementia, 2020, 16, 1234-1247.	0.4	15
5	Correlates and Predictors of Cerebrospinal Fluid Cholesterol Efflux Capacity from Neural Cells, a Family of Biomarkers for Cholesterol Epidemiology in Alzheimer's Disease. Journal of Alzheimer's Disease, 2020, 74, 563-578.	1.2	5
6	P3â€069: CHOLESTEROL EFFLUX CAPACITY (CEC) IN PLASMA AND CEREBROSPINAL FLUID (CSF) OF PATIENTS WITH ALZHEIMER'S DISEASE (AD) AND MILD COGNITIVE IMPAIRMENT (MCI) AND COMPARISON SUBJECTS: EFFECTS OF GENDER AND DIAGNOSIS. Alzheimer's and Dementia, 2018, 14, P1090.	0.4	1
7	P2â€261: APOLIPOPROTEIN J/CLUSTERIN IS THE PRIMARY DETERMINANT OF THE CHOLESTEROL EFFLUX CAPACIT OF CEREBROSPINAL FLUID. Alzheimer's and Dementia, 2018, 14, P776.	Y _{0.4}	O
8	F3â€02â€04: SERUM INDICES OF ETHANOLAMINE PLASMALOGENS AND PHOSPHATIDE METABOLISM IN THE COMBINED ADNIâ€1/GO/2 COHORT: DOES THE LIVER CONTRIBUTE TO AD RISK BY FAILING TO SUPPLY KEY LIPIDS TO THE BRAIN?. Alzheimer's and Dementia, 2018, 14, P998.	50.4	1
9	F3â€02â€01: ALTERED BILE ACID METABOLITES IN MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE: RELATION TO NEUROIMAGING AND CSF BIOMARKERS. Alzheimer's and Dementia, 2018, 14, P997.	0.4	0
10	Genetic Influences on Plasma Homocysteine Levels in African Americans and Yoruba Nigerians. Journal of Alzheimer's Disease, 2016, 49, 991-1003.	1.2	12
11	P3-157: Indices of Plasmalogen Biosynthesis in ADNI-1 Baseline Serum Samples: Association with Progression to Dementia in Subjects with Mild Cognitive Impairment. , 2016, 12, P879-P880.		1
12	Comparing biological markers of Alzheimer's disease across blood fraction and platforms: Comparing apples to oranges. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2016, 3, 27-34.	1.2	44
13	A cross-sectional study of untreated depression and anxiety in cutaneous lupus erythematosus and dermatomyositis. Journal of the American Academy of Dermatology, 2016, 74, 377-379.	0.6	32
14	Chronic administration of anticonvulsants but not antidepressants impairs bone strength: clinical implications. Translational Psychiatry, 2015, 5, e576-e576.	2.4	12
15	Identifying amyloid pathology–related cerebrospinal fluid biomarkers for Alzheimer's disease in a multicohort study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 339-348.	1.2	35
16	P4-237: WHOLE GENE-BASED ASSOCIATION OF BASELINE PLASMA HOMOCYSTEINE IN THE ADNI-1 COHORT. , 2014, 10, P873-P874.		0
17	Central and Peripheral Norepinephrine Secretion in Major Depression is Activated, as Assessed by 24 hour CSF and Plasma Sampling. , 2014, , 154-155.		0
18	Comparing metabolomic and pathologic biomarkers alone and in combination for discriminating Alzheimer's disease from normal cognitive aging. Acta Neuropathologica Communications, 2013, 1, 28.	2.4	45

#	Article	IF	CITATIONS
19	Association of plasma C-reactive protein levels with the diagnosis of Alzheimer's disease. Journal of the Neurological Sciences, 2013, 333, 9-12.	0.3	55
20	Vascular disease and dementias: Paradigm shifts to drive research in new directions. Alzheimer's and Dementia, 2013, 9, 76-92.	0.4	117
21	Alterations in metabolic pathways and networks in Alzheimer's disease. Translational Psychiatry, 2013, 3, e244-e244.	2.4	174
22	Insomnia in Alcohol Dependence: Predictors of Symptoms in a Sample of Veterans Referred from Primary Care. American Journal on Addictions, 2013, 22, 266-270.	1.3	21
23	Subjective Memory Complaints, Cognitive Performance, and Psychological Factors in Healthy Older Adults. American Journal of Alzheimer's Disease and Other Dementias, 2013, 28, 776-783.	0.9	114
24	Plasma biomarkers of depressive symptoms in older adults. Translational Psychiatry, 2012, 2, e65-e65.	2.4	48
25	Cerebrovascular atherosclerosis correlates with Alzheimer pathology in neurodegenerative dementias. Brain, 2012, 135, 3749-3756.	3.7	228
26	Unmedicated, remitted patients with major depression have decreased serum immunoglobulin A. Neuroscience Letters, 2012, 520, 1-5.	1.0	21
27	Acute Hydrocortisone Treatment Increases Anxiety but Not Fear in Healthy Volunteers: A Fear-Potentiated Startle Study. Biological Psychiatry, 2011, 69, 549-555.	0.7	32
28	Rat brain and serum lithium concentrations after acute injections of lithium carbonate and orotate. Journal of Pharmacy and Pharmacology, 2011, 30, 368-370.	1.2	17
29	Imaging of CNS Systems: Importance for Drug Development. , 2010, , 11-28.		0
30	$11\hat{l}^2$ -Hydroxysteroid Dehydrogenases Are Regulated during the Pulmonary Granulomatous Response to the Mycobacterial Glycolipid Trehalose-6,6 \hat{a} \in 2-Dimycolate. NeurolmmunoModulation, 2009, 16, 147-154.	0.9	18
31	Glucocorticoid inhibition in the treatment of depression: can we think outside the endocrine hypothalamus?. Depression and Anxiety, 2009, 26, 641-649.	2.0	45
32	Elevated Cerebrospinal Fluid Lactate Concentrations in Patients with Bipolar Disorder and Schizophrenia: Implications for the Mitochondrial Dysfunction Hypothesis. Biological Psychiatry, 2009, 65, 489-494.	0.7	136
33	Cerebrospinal fluid evidence of increased extra-mitochondrial glucose metabolism implicates mitochondrial dysfunction in multiple sclerosis disease progression. Journal of the Neurological Sciences, 2008, 275, 106-112.	0.3	84
34	Decreased cerebrospinal fluid concentrations of substance P in treatment-resistant depression and lack of alteration after acute adjunct vagus nerve stimulation therapy. Psychiatry Research, 2008, 157, 123-129.	1.7	14
35	CRH Haplotype as a Factor Influencing Cerebrospinal Fluid Levels of Corticotropin-Releasing Hormone, Hypothalamic-Pituitary-Adrenal Axis Activity, Temperament, and Alcohol Consumption in Rhesus Macaques. Archives of General Psychiatry, 2008, 65, 934.	13.8	63
36	Activation of blood coagulation in patients with major depressive disorder during euglycemic hyperinsulinemia. Thrombosis Research, 2007, 120, 517-521.	0.8	6

#	Article	IF	Citations
37	Sustained Low-Grade Pro-inflammatory State in Unmedicated, Remitted Women with Major Depressive Disorder as Evidenced by Elevated Serum Levels of the Acute Phase Proteins C-reactive Protein and Serum Amyloid A. Biological Psychiatry, 2007, 62, 309-313.	0.7	101
38	Acute Stress Potentiates Anxiety in Humans. Biological Psychiatry, 2007, 62, 1183-1186.	0.7	92
39	Depressive symptoms as a risk factor for osteoporosis and fractures in older Mexican American women. Osteoporosis International, 2007, 18, 315-322.	1.3	33
40	Number of risk genotypes is a risk factor for major depressive disorder: a case control study. Behavioral and Brain Functions, 2006, 2, 24.	1.4	32
41	Lack of association of TPH2 exon XI polymorphisms with major depression and treatment resistance. Molecular Psychiatry, 2005, 10, 976-977.	4.1	54
42	Elevated prevalence of hepatitis C infection in users of United States veterans medical centers. Hepatology, 2005, 41, 88-96.	3.6	196
43	Cardiac implications of increased arterial entry and reversible 24-h central and peripheral norepinephrine levels in melancholia. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 8303-8308.	3.3	90
44	Major Depression Is Associated with Significant Diurnal Elevations in Plasma Interleukin-6 Levels, a Shift of Its Circadian Rhythm, and Loss of Physiological Complexity in Its Secretion: Clinical Implications. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 2522-2530.	1.8	330
45	Effects of 12 Months of Vagus Nerve Stimulation in Treatment-Resistant Depression: A Naturalistic Study. Biological Psychiatry, 2005, 58, 355-363.	0.7	345
46	Vagus Nerve Stimulation for Treatment-Resistant Depression: A Randomized, Controlled Acute Phase Trial. Biological Psychiatry, 2005, 58, 347-354.	0.7	542
47	A One-Year Comparison of Vagus Nerve Stimulation with Treatment as Usual for Treatment-Resistant Depression. Biological Psychiatry, 2005, 58, 364-373.	0.7	319
48	VNS and depression: current status and future directions. Expert Review of Medical Devices, 2004, 1 , $155-160$.	1.4	14
49	Demonstration of the Efficacy and Safety of a Novel Substance P (NK1) Receptor Antagonist in Major Depression. Neuropsychopharmacology, 2004, 29, 385-392.	2.8	268
50	Treatment Outcomes in Depression: Comparison of Remote Treatment Through Telepsychiatry to In-Person Treatment. American Journal of Psychiatry, 2004, 161, 1471-1476.	4.0	307
51	Simultaneous and Continuous 24-Hour Plasma and Cerebrospinal Fluid Leptin Measurements: Dissociation of Concentrations in Central and Peripheral Compartments. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 258-265.	1.8	32
52	Post-mortem evidence from human brain tissue of disturbed glucose metabolism in mood and psychotic disorders. Molecular Psychiatry, 2004, 9, 731-733.	4.1	27
53	Effect of vagus nerve stimulation on cerebrospinal fluid monoamine metabolites, norepinephrine, and gamma-aminobutyric acid concentrations in depressed patients. Biological Psychiatry, 2004, 56, 418-426.	0.7	103
54	Antithyroid Antibody-Linked Symptoms in Borderline Personality Disorder. Endocrine, 2003, 21, 153-158.	2.2	9

#	Article	IF	Citations
55	A prospective study of the incidence and open-label treatment of interferon-induced major depressive disorder in patients with hepatitis C. Molecular Psychiatry, 2002, 7, 942-947.	4.1	296
56	Elevated sorbitol concentration in the cerebrospinal fluid of patients with mood disorders. Psychoneuroendocrinology, 2000, 25, 593-606.	1.3	28
57	Prophylactic Treatment of Depression Induced by Interferon-α. Psychosomatics, 2000, 41, 439-441.	2.5	65
58	Pronounced and sustained central hypernoradrenergic function in major depression with melancholic features: Relation to hypercortisolism and corticotropin-releasing hormone. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 325-330.	3.3	518
59	Antidepressant effects of nicotine in an animal model of depression. Psychopharmacology, 1999, 142, 193-199.	1.5	200
60	Reliability and Acceptability of Psychiatric Diagnosis Via Telecommunication and Audiovisual Technology. Psychiatric Services, 1998, 49, 1086-1088.	1.1	119
61	Cerebrospinal fluid total protein in patients with affective disorders. Psychiatry Research, 1995, 57, 259-266.	1.7	9
62	Hypothalamic–pituitary–adrenal axis perturbations in patients with fibromyalgia. Arthritis and Rheumatism, 1994, 37, 1583-1592.	6.7	464
63	CSF magnesium in affective disorder: Lack of correlation with clinical course of treatment. Psychiatry Research, 1994, 51, 139-146.	1.7	23
64	Glucocorticoid treatment increases the ability of CRH to induce seizures. Neuroscience Letters, 1994, 174, 113-116.	1.0	33
65	Glucocorticoid Receptor (GR)â€Mediated Effects on Cocaine Kindling in Rats. Annals of the New York Academy of Sciences, 1994, 746, 400-402.	1.8	1
66	Facilitation of cocaine kindling by glucocorticoids in rats. Brain Research, 1993, 629, 163-166.	1.1	36
67	Cerebrospinal fluid monoamine metabolites in fluoxetine-treated patients with major depression and in healthy volunteers. Biological Psychiatry, 1993, 33, 636-641.	0.7	63
68	Effects of the Glucocorticoid Antagonist RU 486 on Pituitary-Adrenal Function in Patients with Anorexia nervosa and Healthy Volunteers: Enhancement of Plasma ACTH and Cortisol Secretion in Underweight Patients. Neuroendocrinology, 1993, 57, 1082-1091.	1.2	41
69	Association of fluoxetine treatment with reductions in CSF concentrations of corticotropin-releasing hormone and arginine vasopressin in patients with major depression. American Journal of Psychiatry, 1993, 150, 656-657.	4.0	264
70	Cerebrospinal Fluid Immunoreactive Somatostatin Concentrations in Patients with Cushing's Disease and Major Depression: Relationship to Indices of Corticotropin-Releasing Hormone and Cortisol Secretion. Neuroendocrinology, 1993, 57, 79-88.	1.2	26
71	Quantitative Electroencephalographic Correlates of Steroid Administration in Man. Neuropsychobiology, 1993, 27, 224-230.	0.9	9
72	Plasma and cerebrospinal fluid monoamine metabolism in patients with chronic fatigue syndrome: Preliminary findings. Biological Psychiatry, 1992, 32, 1065-1077.	0.7	73

#	Article	IF	Citations
73	Cortisol, thyroid hormone, and mood in atypical depression: A longitudinal case study. Biological Psychiatry, 1992, 31, 515-519.	0.7	13
74	Effect of m-chlorophenylpiperazine on plasma arginine-vasopressin concentrations in healthy subjects. Psychopharmacology, 1992, 108, 225-228.	1.5	6
75	Pituitary hormone responses to meta-chlorophenylpiperazine in panic disorder and healthy control subjects. Psychiatry Research, 1991, 37, 25-34.	1.7	38
76	Clinical and biochemical aspects of depressive disorders: I. Introduction, classification, and research techniques. Synapse, 1991, 8, 185-211.	0.6	21
77	Cerebrospinal Fluid Immunoreactive Cortieotropin-Releasing Hormone and Adrenocorticotropin Secretion in Cushing's Disease and Major Depression: Potential Clinical Implications. Journal of Clinical Endocrinology and Metabolism, 1991, 72, 260-271.	1.8	154
78	<i>In Vitro</i> and <i>in Vivo</i> Effects of the Triazolobenzodiazepine Alprazolam on Hypothalamic Pituitary-Adrenal Function: Pharmacological and Clinical Implications*. Journal of Clinical Endocrinology and Metabolism, 1990, 70, 1462-1471.	1.8	123
79	Corticotropin-Releasing Hormone: From Endocrinology to Psychobiology. Hormone Research, 1989, 31, 66-71.	1.8	34
80	Cocaine stimulates rat hypothalamic corticotropin-releasing hormone secretion in vitro. Brain Research, 1989, 505, 7-11.	1.1	86
81	Neuroactive Substances in Cerebrospinal Fluid Annals of the New York Academy of Sciences, 1988, 531, 15-28.	1.8	11
82	The Clinical Implications of Corticotropin-Releasing Hormone. Advances in Experimental Medicine and Biology, 1988, 245, 507-519.	0.8	14
83	Neuroendocrine effects of limbic activation by electrical, spontaneous, and pharmacological modes: Relevance to the pathophysiology of affective dysregulation in psychiatric disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1987, 11, 459-481.	2.5	20
84	Intravenous procaine as a probe of limbic system activity in psychiatric patients and normal controls. Biological Psychiatry, 1987, 22, 1107-1126.	0.7	53
85	Responses to Corticotropin-Releasing Hormone in the Hypercortisolism of Depression and Cushing's Disease. New England Journal of Medicine, 1986, 314, 1329-1335.	13.9	762
86	Abnormal acth and cortisol responses to ovine corticotropin releasing factor in patients with primary affective disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1986, 10, 57-65.	2. 5	37
87	Corticotropin releasing factor: Basic studies and clinical applications. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1985, 9, 349-359.	2.5	21
88	Amphetamine withdrawal: Effects on threshold of intracranial reinforcement. Psychopharmacology, 1981, 73, 318-322.	1.5	56