

Kotaro Higashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3464572/publications.pdf>

Version: 2024-02-01

18
papers

697
citations

840776

11
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

934
citing authors

#	ARTICLE	IF	CITATIONS
1	Acute peri-myocarditis with an unusual initial manifestation of gallbladder edema and a profound eosinophilic surge during convalescence. Fukushima Journal of Medical Sciences, 2018, 64, 95-102.	0.4	4
2	Follicular lymphoma-related colitis resembling ulcerative colitis. Clinical Journal of Gastroenterology, 2017, 10, 147-153.	0.8	2
3	High FDG uptake on PET is associated with negative cell-to-cell adhesion molecule E-cadherin expression in lung adenocarcinoma. Annals of Nuclear Medicine, 2017, 31, 590-595.	2.2	11
4	Correlation of HIF-1 β /HIF-2 β expression with FDG uptake in lung adenocarcinoma. Annals of Nuclear Medicine, 2016, 30, 708-715.	2.2	13
5	Primary tumour standardised uptake value is prognostic in nonsmall cell lung cancer: a multivariate pooled analysis of individual data. European Respiratory Journal, 2015, 46, 1751-1761.	6.7	37
6	VEGF-A and its isoform VEGF121 mRNA expression measured by quantitative real-time RT-PCR: correlation with F-18 FDG uptake and aggressiveness of lung adenocarcinoma: preliminary study. Annals of Nuclear Medicine, 2011, 25, 29-36.	2.2	8
7	Assessment of VEGF-D expression measured by immunohistochemical staining and F-18 FDG uptake on PET as biological prognostic factors for recurrence in patients with surgically resected lung adenocarcinoma. Annals of Nuclear Medicine, 2010, 24, 533-540.	2.2	1
8	Combined evaluation of preoperative FDG uptake on PET, ground-glass opacity area on CT, and serum CEA level: identification of both low and high risk of recurrence in patients with resected T1 lung adenocarcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 373-381.	6.4	19
9	Microvessel density: correlation with 18F-FDG uptake and prognostic impact in lung adenocarcinomas. Journal of Nuclear Medicine, 2006, 47, 419-25.	5.0	46
10	18F-FDG uptake by primary tumor as a predictor of intratumoral lymphatic vessel invasion and lymph node involvement in non-small cell lung cancer: analysis of a multicenter study. Journal of Nuclear Medicine, 2005, 46, 267-73.	5.0	50
11	11 C-acetate PET imaging of lung cancer: comparison with 18 F-FDG PET and 99m Tc-MIBI SPET. European Journal of Nuclear Medicine and Molecular Imaging, 2004, 31, 13-21.	6.4	34
12	Chorea-acanthocytosis associated with tourettism. Movement Disorders, 2004, 19, 833-836.	3.9	33
13	In vitro proton magnetic resonance spectroscopic lactate and choline measurements, 18F-FDG uptake, and prognosis in patients with lung adenocarcinoma. Journal of Nuclear Medicine, 2004, 45, 1334-9.	5.0	16
14	Value of whole-body FDG PET in management of lung cancer. Annals of Nuclear Medicine, 2003, 17, 1-14.	2.2	52
15	18F-FDG uptake as a biologic prognostic factor for recurrence in patients with surgically resected non-small cell lung cancer. Journal of Nuclear Medicine, 2002, 43, 39-45.	5.0	178
16	Correlation of Glut-1 glucose transporter expression with [18F]FDG uptake in non-small cell lung cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2000, 27, 1778-1785.	2.1	182
17	Single photon emission CT images in a case of intraventricular neurocytoma. Annals of Nuclear Medicine, 1998, 12, 161-164.	2.2	4
18	Bone scintigraphy in detection of bone invasion by oral carcinoma. Annals of Nuclear Medicine, 1996, 10, 57-61.	2.2	7