

Miguel A Sanchez-Monedero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3465034/publications.pdf>

Version: 2024-02-01

96
papers

10,241
citations

46984

47
h-index

37183

96
g-index

97
all docs

97
docs citations

97
times ranked

8593
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemically and biologically activated biochars slow down urea hydrolysis and improve nitrogen use efficiency. <i>Pedosphere</i> , 2023, 33, 659-669.	2.1	6
2	Overcoming biochar limitations to remediate pentachlorophenol in soil by modifying its electrochemical properties. <i>Journal of Hazardous Materials</i> , 2022, 426, 127805.	6.5	20
3	Paracetamol degradation pathways in soil after biochar addition. <i>Environmental Pollution</i> , 2022, 307, 119546.	3.7	7
4	Biochar in agriculture – A systematic review of 26 global meta-analyses. <i>GCB Bioenergy</i> , 2021, 13, 1708-1730.	2.5	136
5	Compost biochemical quality mediates nitrogen leaching loss in a greenhouse soil under vegetable cultivation. <i>Geoderma</i> , 2020, 358, 113984.	2.3	17
6	Role of biochar in promoting circular economy in the agriculture sector. Part 1: A review of the biochar roles in soil N, P and K cycles. <i>Chemical and Biological Technologies in Agriculture</i> , 2020, 7, .	1.9	41
7	Enhancing Cation Exchange Capacity of Weathered Soils Using Biochar: Feedstock, Pyrolysis Conditions and Addition Rate. <i>Agronomy</i> , 2020, 10, 824.	1.3	64
8	Olive tree pruning derived biochar increases glucosinolate concentrations in broccoli. <i>Scientia Horticulturae</i> , 2020, 267, 109329.	1.7	7
9	Biochar as electron donor for reduction of N ₂ O by <i>Paracoccus denitrificans</i> . <i>FEMS Microbiology Ecology</i> , 2020, 96, .	1.3	14
10	N ₂ O emissions during Brassica oleracea cultivation: Interaction of biochar with mineral and organic fertilization. <i>European Journal of Agronomy</i> , 2020, 115, 126021.	1.9	8
11	Linking biochars properties to their capacity to modify aerobic CH ₄ oxidation in an upland agricultural soil. <i>Geoderma</i> , 2020, 363, 114179.	2.3	16
12	From Lab to Field: Role of Humic Substances Under Open-Field and Greenhouse Conditions as Biostimulant and Biocontrol Agent. <i>Frontiers in Plant Science</i> , 2020, 11, 426.	1.7	72
13	Enhancing biochar redox properties through feedstock selection, metal preloading and post-pyrolysis treatments. <i>Chemical Engineering Journal</i> , 2020, 395, 125100.	6.6	99
14	Role of biochar in promoting circular economy in the agriculture sector. Part 2: A review of the biochar roles in growing media, composting and as soil amendment. <i>Chemical and Biological Technologies in Agriculture</i> , 2020, 7, .	1.9	23
15	Biochar Improves the Properties of Poultry Manure Compost as Growing Media for Rosemary Production. <i>Agronomy</i> , 2020, 10, 261.	1.3	3
16	Biochars from Mediterranean Agroindustry Residues: Physicochemical Properties Relevant for C Sequestration and Soil Water Retention. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 4724-4733.	3.2	21
17	The Efficiency of a Low Dose of Biochar in Enhancing the Aromaticity of Humic-Like Substance Extracted from Poultry Manure Compost. <i>Agronomy</i> , 2019, 9, 248.	1.3	20
18	Biochar reduces volatile organic compounds generated during chicken manure composting. <i>Bioresource Technology</i> , 2019, 288, 121584.	4.8	54

#	ARTICLE	IF	CITATIONS
19	Agronomic Evaluation of Biochar, Compost and Biochar-Blended Compost across Different Cropping Systems: Perspective from the European Project FERTIPLUS. <i>Agronomy</i> , 2019, 9, 225.	1.3	72
20	Interactive priming of soil N transformations from combining biochar and urea inputs: A ¹⁵ N isotope tracer study. <i>Soil Biology and Biochemistry</i> , 2019, 131, 166-175.	4.2	60
21	Copper immobilization by biochar and microbial community abundance in metal-contaminated soils. <i>Science of the Total Environment</i> , 2018, 616-617, 960-969.	3.9	52
22	Role of biochar as an additive in organic waste composting. <i>Bioresource Technology</i> , 2018, 247, 1155-1164.	4.8	316
23	Soil C Storage Potential of Exogenous Organic Matter at Regional Level (Italy) Under Climate Change Simulated by RothC Model Modified for Amended Soils. <i>Frontiers in Environmental Science</i> , 2018, 6, .	1.5	10
24	Suitability of Different Agricultural and Urban Organic Wastes as Feedstocks for the Production of Biochar—Part 1: Physicochemical Characterisation. <i>Sustainability</i> , 2018, 10, 2265.	1.6	17
25	Suitability of Different Agricultural and Urban Organic Wastes as Feedstocks for the Production of Biochar—Part 2: Agronomical Evaluation as Soil Amendment. <i>Sustainability</i> , 2018, 10, 2077.	1.6	11
26	Relationships between emitted volatile organic compounds and their concentration in the pile during municipal solid waste composting. <i>Waste Management</i> , 2018, 79, 179-187.	3.7	20
27	Development of a buried bag technique to study biochars incorporated in a compost or composting medium. <i>Journal of Soils and Sediments</i> , 2017, 17, 656-664.	1.5	7
28	Understanding, measuring and tuning the electrochemical properties of biochar for environmental applications. <i>Reviews in Environmental Science and Biotechnology</i> , 2017, 16, 695-715.	3.9	68
29	Properties of biochar derived from wood and high-nutrient biomasses with the aim of agronomic and environmental benefits. <i>PLoS ONE</i> , 2017, 12, e0176884.	1.1	380
30	Modification of the RothC model to simulate soil C mineralization of exogenous organic matter. <i>Biogeosciences</i> , 2017, 14, 3253-3274.	1.3	29
31	Effect of charcoal-blended compost on plant growth of <i>Brassica rapa</i> var. <i>peruviridis</i> for reduction of nitrogen fertilizer use. <i>Acta Horticulturae</i> , 2016, , 257-262.	0.1	1
32	Past, present and future of composting research. <i>Acta Horticulturae</i> , 2016, , 1-10.	0.1	4
33	The complexity of soil biological sustainability. <i>Acta Horticulturae</i> , 2016, , 69-78.	0.1	2
34	Physical and chemical properties of biochars co-composted with biowastes and incubated with a chicken litter compost. <i>Chemosphere</i> , 2016, 142, 14-23.	4.2	86
35	Biochar improves N cycling during composting of olive mill wastes and sheep manure. <i>Waste Management</i> , 2016, 49, 553-559.	3.7	157
36	Compost vs biochar amendment: a two-year field study evaluating soil C build-up and N dynamics in an organically managed olive crop. <i>Plant and Soil</i> , 2016, 408, 1-14.	1.8	68

#	ARTICLE	IF	CITATIONS
37	Influence of biochar addition on the humic substances of composting manures. <i>Waste Management</i> , 2016, 49, 545-552.	3.7	185
38	Greenhouse gas emissions from organic waste composting. <i>Environmental Chemistry Letters</i> , 2015, 13, 223-238.	8.3	103
39	Biochar accelerates organic matter degradation and enhances N mineralisation during composting of poultry manure without a relevant impact on gas emissions. <i>Bioresource Technology</i> , 2015, 192, 272-279.	4.8	284
40	The effects of earthworms <i>Eisenia</i> spp. on microbial community are habitat dependent. <i>European Journal of Soil Biology</i> , 2015, 68, 42-55.	1.4	48
41	High concentrations of polycyclic aromatic hydrocarbons (naphthalene, phenanthrene and pyrene) failed to explain biochar's capacity to reduce soil nitrous oxide emissions. <i>Environmental Pollution</i> , 2015, 196, 72-77.	3.7	25
42	Influence of Particle Size of Municipal Solid Waste Amendments and Presence or Absence of <i>Eisenia fetida</i> on Soil Greenhouse Gases Emission. <i>Communications in Soil Science and Plant Analysis</i> , 2014, 45, 1214-1226.	0.6	3
43	Physical and chemical characterization of biochars derived from different agricultural residues. <i>Biogeosciences</i> , 2014, 11, 6613-6621.	1.3	515
44	Methodological interference of biochar in the determination of extracellular enzyme activities in composting samples. <i>Solid Earth</i> , 2014, 5, 713-719.	1.2	15
45	Maturity indices in co-composting of chicken manure and sawdust with biochar. <i>Bioresource Technology</i> , 2014, 168, 245-251.	4.8	184
46	Fourier transform infrared spectroscopy and partial least square regression for the prediction of substrate maturity indexes. <i>Science of the Total Environment</i> , 2014, 470-471, 536-542.	3.9	12
47	Biochar's role in mitigating soil nitrous oxide emissions: A review and meta-analysis. <i>Agriculture, Ecosystems and Environment</i> , 2014, 191, 5-16.	2.5	746
48	Application of compost of two-phase olive mill waste on olive grove: Effects on soil, olive fruit and olive oil quality. <i>Waste Management</i> , 2014, 34, 1139-1147.	3.7	88
49	Biochar increases soil N ₂ O emissions produced by nitrification-mediated pathways. <i>Frontiers in Environmental Science</i> , 2014, 2, .	1.5	42
50	Matrix effect on the performance of headspace solid phase microextraction method for the analysis of target volatile organic compounds (VOCs) in environmental samples. <i>Chemosphere</i> , 2013, 93, 2311-2318.	4.2	32
51	Changes in soil humic pools after soil application of two-phase olive mill waste compost. <i>Geoderma</i> , 2013, 192, 21-30.	2.3	17
52	Response of Soil Microbial Community to a High Dose of Fresh Olive Mill Wastewater. <i>Pedosphere</i> , 2013, 23, 281-289.	2.1	9
53	Biochar and denitrification in soils: when, how much and why does biochar reduce N ₂ O emissions?. <i>Scientific Reports</i> , 2013, 3, 1732.	1.6	497
54	Influence of biochar addition on methane metabolism during thermophilic phase of composting. <i>Journal of Basic Microbiology</i> , 2013, 53, 617-621.	1.8	75

#	ARTICLE	IF	CITATIONS
55	COMPOST PREPARED WITH TWO PHASE OLIVE MILL WASTE "ALPERUJO" AS GROWING MEDIA. <i>Acta Horticulturae</i> , 2013, , 217-224.	0.1	6
56	Soil mineralization of two-phase olive mill wastes: effect of the lignocellulosic composition on soil C dynamics. <i>Journal of Environmental Monitoring</i> , 2012, 14, 499-509.	2.1	4
57	Biochemical changes and GHG emissions during composting of lignocellulosic residues with different N-rich by-products. <i>Chemosphere</i> , 2012, 88, 196-203.	4.2	49
58	Chemical and biochemical characterisation of biochar-blended composts prepared from poultry manure. <i>Bioresource Technology</i> , 2012, 110, 396-404.	4.8	203
59	Biochar influences the microbial community structure during manure composting with agricultural wastes. <i>Science of the Total Environment</i> , 2012, 416, 476-481.	3.9	185
60	QUALITY ASSESSMENT OF COMPOST PREPARED WITH BY-PRODUCT OF THE OLIVE OIL INDUSTRY - AGRONOMIC APPLICATION IN OLIVE GROVE. <i>Acta Horticulturae</i> , 2011, , 241-246.	0.1	0
61	Effects of nitrate contamination and seasonal variation on the denitrification and greenhouse gas production in La Rocina Stream (Doña Ana National Park, SW Spain). <i>Ecological Engineering</i> , 2011, 37, 539-548.	1.6	40
62	Influence of Stability and Origin of Organic Amendments on Humification in Semiarid Soils. <i>Soil Science Society of America Journal</i> , 2011, 75, 2178-2187.	1.2	25
63	Two-phase olive mill waste composting: enhancement of the composting rate and compost quality by grape stalks addition. <i>Biodegradation</i> , 2010, 21, 465-473.	1.5	45
64	Greenhouse gas emissions during composting of two-phase olive mill wastes with different agroindustrial by-products. <i>Chemosphere</i> , 2010, 81, 18-25.	4.2	94
65	Use of biochar as bulking agent for the composting of poultry manure: Effect on organic matter degradation and humification. <i>Bioresource Technology</i> , 2010, 101, 1239-1246.	4.8	370
66	Contribution of the lignocellulosic fraction of two-phase olive-mill wastes to the degradation and humification of the organic matter during composting. <i>Waste Management</i> , 2010, 30, 1939-1947.	3.7	45
67	A simple automated system for measuring soil respiration by gas chromatography. <i>Talanta</i> , 2010, 81, 849-855.	2.9	25
68	Fluorescein diacetate hydrolysis, respiration and microbial biomass in freshly amended soils. <i>Biology and Fertility of Soils</i> , 2008, 44, 885-890.	2.3	85
69	Carbon mineralization dynamics in soils amended with meat meals under laboratory conditions. <i>Waste Management</i> , 2008, 28, 707-715.	3.7	3
70	Potential of olive mill wastes for soil C sequestration. <i>Waste Management</i> , 2008, 28, 767-773.	3.7	40
71	Chemical properties and hydrolytic enzyme activities for the characterisation of two-phase olive mill wastes composting. <i>Bioresource Technology</i> , 2008, 99, 4255-4262.	4.8	89
72	Soil application of meat and bone meal. Short-term effects on mineralization dynamics and soil biochemical and microbiological properties. <i>Soil Biology and Biochemistry</i> , 2008, 40, 462-474.	4.2	92

#	ARTICLE	IF	CITATIONS
73	Effect of the aeration system on the levels of airborne microorganisms generated at wastewater treatment plants. <i>Water Research</i> , 2008, 42, 3739-3744.	5.3	138
74	Greenhouse gas emissions and carbon sink capacity of amended soils evaluated under laboratory conditions. <i>Soil Biology and Biochemistry</i> , 2007, 39, 1366-1374.	4.2	31
75	Evaluation of Extracted Organic Carbon and Microbial Biomass as Stability Parameters in Ligno-Cellulosic Waste Composts. <i>Journal of Environmental Quality</i> , 2006, 35, 2313-2320.	1.0	22
76	An overview on olive mill wastes and their valorisation methods. <i>Waste Management</i> , 2006, 26, 960-969.	3.7	614
77	Evaluation of two different aeration systems for composting two-phase olive mill wastes. <i>Process Biochemistry</i> , 2006, 41, 616-623.	1.8	121
78	Soil microbial biomass activation by trace amounts of readily available substrate. <i>Biology and Fertility of Soils</i> , 2006, 42, 542-549.	2.3	110
79	Bioaerosol Generation at Large-Scale Green Waste Composting Plants. <i>Journal of the Air and Waste Management Association</i> , 2005, 55, 612-618.	0.9	42
80	Composts as Media Constituents for Vegetable Transplant Production. <i>Compost Science and Utilization</i> , 2004, 12, 161-168.	1.2	105
81	Land application of biosolids, Soil response to different stabilization degree of the treated organic matter. <i>Waste Management</i> , 2004, 24, 325-332.	3.7	174
82	The use of elemental sulphur as organic alternative to control pH during composting of olive mill wastes. <i>Chemosphere</i> , 2004, 57, 1099-1105.	4.2	54
83	Generation and Dispersion of Airborne Microorganisms from Composting Facilities. <i>Chemical Engineering Research and Design</i> , 2003, 81, 166-170.	2.7	34
84	Biofiltration at Composting Facilities: Effectiveness for Bioaerosol Control. <i>Environmental Science & Technology</i> , 2003, 37, 4299-4303.	4.6	42
85	Effects of HCl-HF purification treatment on chemical composition and structure of humic acids. <i>European Journal of Soil Science</i> , 2002, 53, 375-381.	1.8	33
86	Chemical and structural evolution of humic acids during organic waste composting. <i>Biodegradation</i> , 2002, 13, 361-371.	1.5	99
87	Nitrogen transformation during organic waste composting by the Rutgers system and its effects on pH, EC and maturity of the composting mixtures. <i>Bioresource Technology</i> , 2001, 78, 301-308.	4.8	459
88	Evolution of organic matter and nitrogen during co-composting of olive mill wastewater with solid organic wastes. <i>Biology and Fertility of Soils</i> , 2000, 32, 222-227.	2.3	234
89	Characterization of olive mill wastewater (alpechin) and its sludge for agricultural purposes. <i>Bioresource Technology</i> , 1999, 67, 111-115.	4.8	246
90	Relationships between water-soluble carbohydrate and phenol fractions and the humification indices of different organic wastes during composting. <i>Bioresource Technology</i> , 1999, 70, 193-201.	4.8	163

#	ARTICLE	IF	CITATIONS
91	Carbon mineralization from organic wastes at different composting stages during their incubation with soil. <i>Agriculture, Ecosystems and Environment</i> , 1998, 69, 175-189.	2.5	294
92	Maturity and stability parameters of composts prepared with a wide range of organic wastes. <i>Bioresource Technology</i> , 1998, 63, 91-99.	4.8	640
93	Influence of sewage sludge compost stability and maturity on carbon and nitrogen mineralization in soil. <i>Soil Biology and Biochemistry</i> , 1998, 30, 305-313.	4.2	166
94	Carbon and ninhydrin-reactive nitrogen of the microbial biomass in rewetted compost samples. <i>Communications in Soil Science and Plant Analysis</i> , 1997, 28, 113-122.	0.6	17
95	A microanalysis method for determining total organic carbon in extracts of humic substances. Relationships between total organic carbon and oxidable carbon. <i>Bioresource Technology</i> , 1996, 57, 291-295.	4.8	91
96	Influence of the bulking agent on the degradation of olive-mill wastewater sludge during composting. <i>International Biodeterioration and Biodegradation</i> , 1996, 38, 205-210.	1.9	38