

List of Publications by Citations

Source: <https://exaly.com/author-pdf/346574/frederic-kuznik-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 papers	3,894 citations	30 h-index	61 g-index
99 ext. papers	4,479 ext. citations	5.6 avg, IF	5.82 L-index

#	Paper	IF	Citations
91	A review on phase change materials integrated in building walls. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 379-391	16.2	669
90	Experimental assessment of a phase change material for wall building use. <i>Applied Energy</i> , 2009 , 86, 2038-2046	8.7	287
89	Energetic efficiency of room wall containing PCM wallboard: A full-scale experimental investigation. <i>Energy and Buildings</i> , 2008 , 40, 148-156	7	214
88	Phase-change materials to improve solar panel performance. <i>Energy and Buildings</i> , 2013 , 62, 59-67	7	201
87	Development and characterisation of a new MgSO ₄ zeolite composite for long-term thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 1831-1837	6.4	196
86	Optimization of a phase change material wallboard for building use. <i>Applied Thermal Engineering</i> , 2008 , 28, 1291-1298	5.8	196
85	In-situ study of thermal comfort enhancement in a renovated building equipped with phase change material wallboard. <i>Renewable Energy</i> , 2011 , 36, 1458-1462	8.1	141
84	LBM based flow simulation using GPU computing processor. <i>Computers and Mathematics With Applications</i> , 2010 , 59, 2380-2392	2.7	134
83	Evaluation of thermal comfort using combined CFD and experimentation study in a test room equipped with a cooling ceiling. <i>Building and Environment</i> , 2009 , 44, 1740-1750	6.5	133
82	Development and validation of a new TRNSYS type for the simulation of external building walls containing PCM. <i>Energy and Buildings</i> , 2010 , 42, 1004-1009	7	104
81	A new approach to the lattice Boltzmann method for graphics processing units. <i>Computers and Mathematics With Applications</i> , 2011 , 61, 3628-3638	2.7	92
80	Modeling the heating and cooling energy demand of urban buildings at city scale. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 81, 2318-2327	16.2	83
79	Optimizing energy and environmental performance of passive Trombe wall. <i>Energy and Buildings</i> , 2014 , 70, 279-286	7	82
78	Design and characterisation of a high powered energy dense zeolite thermal energy storage system for buildings. <i>Applied Energy</i> , 2015 , 159, 80-86	10.7	78
77	Multi-GPU implementation of the lattice Boltzmann method. <i>Computers and Mathematics With Applications</i> , 2013 , 65, 252-261	2.7	73
76	Modeling phase change materials behavior in building applications: Comments on material characterization and model validation. <i>Renewable Energy</i> , 2014 , 61, 132-135	8.1	60
75	Storage of thermal solar energy. <i>Comptes Rendus Physique</i> , 2017 , 18, 401-414	1.4	52

74	Thermal decomposition kinetic of salt hydrates for heat storage systems. <i>Applied Energy</i> , 2015 , 154, 447-458	10.7	51
73	Simulation of the thermal and energy behaviour of a composite material containing encapsulated-PCM: Influence of the thermodynamical modelling. <i>Applied Energy</i> , 2015 , 140, 269-274	10.7	48
72	Experimental and numerical study of a full scale ventilated enclosure: Comparison of four two equations closure turbulence models. <i>Building and Environment</i> , 2007 , 42, 1043-1053	6.5	47
71	Numerical modeling and experimental validation of a PCM to air heat exchanger. <i>Energy and Buildings</i> , 2013 , 64, 415-422	7	43
70	Numerical study of the influence of the convective heat transfer on the dynamical behaviour of a phase change material wall. <i>Applied Thermal Engineering</i> , 2011 , 31, 3117-3124	5.8	42
69	Scalable lattice Boltzmann solvers for CUDA GPU clusters. <i>Parallel Computing</i> , 2013 , 39, 259-270	1	41
68	Numerical modelling of geothermal vertical heat exchangers for the short time analysis using the state model size reduction technique. <i>Applied Thermal Engineering</i> , 2010 , 30, 706-714	5.8	40
67	Interpretation of calorimetry experiments to characterise phase change materials. <i>International Journal of Thermal Sciences</i> , 2014 , 78, 48-55	4.1	39
66	A review on recent developments in physisorption thermal energy storage for building applications. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 94, 576-586	16.2	39
65	Numerical modelling of combined heat transfers in a double skin façade Full-scale laboratory experiment validation. <i>Applied Thermal Engineering</i> , 2011 , 31, 3043-3054	5.8	37
64	Thermal conductivity measurement of thermochemical storage materials. <i>Applied Thermal Engineering</i> , 2015 , 89, 916-926	5.8	36
63	Experimental study of a mechanically ventilated double-skin façade with venetian sun-shading device: A full-scale investigation in controlled environment. <i>Solar Energy</i> , 2010 , 84, 183-195	6.8	34
62	Performance analysis of a thermochemical based heat storage as an addition to cogeneration systems. <i>Energy Conversion and Management</i> , 2015 , 106, 1327-1344	10.6	32
61	Phase change material wall optimization for heating using metamodeling. <i>Energy and Buildings</i> , 2015 , 106, 216-224	7	27
60	Experimental investigation on thermal behavior and reduction of energy consumption in a real scale building by using phase change materials on its envelope. <i>Sustainable Cities and Society</i> , 2018 , 41, 35-43	10.1	27
59	Hybrid LBM-MRT model coupled with finite difference method for double-diffusive mixed convection in rectangular enclosure with insulated moving lid. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2016 , 444, 311-326	3.3	26
58	Melting with convection and radiation in a participating phase change material. <i>Applied Energy</i> , 2013 , 109, 454-461	10.7	26
57	Design of a PCM to air heat exchanger using dimensionless analysis: Application to electricity peak shaving in buildings. <i>Energy and Buildings</i> , 2015 , 106, 65-73	7	24

56	Thermodynamic study of MgSO ₄ ·H ₂ O system dehydration at low pressure in view of heat storage. <i>Thermochimica Acta</i> , 2017 , 656, 135-143	2.9	24
55	Hybrid lattice Boltzmann finite difference simulation of mixed convection flows in a lid-driven square cavity. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2014 , 378, 2429-2435	2.3	22
54	Towards aerodynamic simulations at urban scale using the lattice Boltzmann method. <i>Environmental Fluid Mechanics</i> , 2015 , 15, 753-770	2.2	20
53	Chemisorption heat storage in buildings: State-of-the-art and outlook. <i>Energy and Buildings</i> , 2015 , 106, 183-191	7	19
52	Development and validation of a new LBM-MRT hybrid model with enthalpy formulation for melting with natural convection. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2014 , 378, 374-381	2.3	18
51	A reality check on long-term thermochemical heat storage for household applications. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 139, 110683	16.2	18
50	Thermal synthesis of a thermochemical heat storage with heat exchanger optimization. <i>Applied Thermal Engineering</i> , 2016 , 101, 669-677	5.8	17
49	The TheLMA project: A thermal lattice Boltzmann solver for the GPU. <i>Computers and Fluids</i> , 2012 , 54, 118-126	2.8	17
48	Fast and accurate district heating and cooling energy demand and load calculations using reduced-order modelling. <i>Applied Energy</i> , 2019 , 238, 963-971	10.7	15
47	Multi-GPU implementation of a hybrid thermal lattice Boltzmann solver using the TheLMA framework. <i>Computers and Fluids</i> , 2013 , 80, 269-275	2.8	15
46	Lattice Boltzmann Simulation of Mixed Convection Heat Transfer in a Driven Cavity with Non-uniform Heating of the Bottom Wall. <i>Communications in Theoretical Physics</i> , 2015 , 63, 91-100	2.4	15
45	Derivation of generic typologies for microscale urban airflow studies. <i>Sustainable Cities and Society</i> , 2018 , 36, 71-80	10.1	15
44	Numerical modelling and investigations on a full-scale zeolite 13X open heat storage for buildings. <i>Renewable Energy</i> , 2019 , 132, 761-772	8.1	13
43	Specification requirements for inter-seasonal heat storage systems in a low energy residential house. <i>Energy Conversion and Management</i> , 2014 , 77, 628-636	10.6	13
42	High-performance implementations and large-scale validation of the link-wise artificial compressibility method. <i>Journal of Computational Physics</i> , 2014 , 275, 143-153	4.1	13
41	The TheLMA project: Multi-GPU implementation of the lattice Boltzmann method. <i>International Journal of High Performance Computing Applications</i> , 2011 , 25, 295-303	1.8	13
40	IEA SHC Task 42 / ECES Annex 29 Working Group B: Applications of Compact Thermal Energy Storage. <i>Energy Procedia</i> , 2016 , 91, 231-245	2.3	13
39	New kinetic model of the dehydration reaction of magnesium sulfate hexahydrate: Application for heat storage. <i>Thermochimica Acta</i> , 2020 , 687, 178569	2.9	11

38	Thermal link-wise artificial compressibility method: GPU implementation and validation of a double-population model. <i>Computers and Mathematics With Applications</i> , 2016 , 72, 375-385	2.7	10
37	A Review on Chemisorption Heat Storage in Low-energy Buildings. <i>Energy Procedia</i> , 2014 , 57, 2333-2341	2.3	9
36	A full-scale experimental study concerning the moisture condensation on building glazing surface. <i>Building and Environment</i> , 2019 , 156, 215-224	6.5	8
35	Modelling of Heat Exchangers Based on Thermochemical Material for Solar Heat Storage Systems. <i>Energy Procedia</i> , 2014 , 61, 2809-2813	2.3	8
34	Evaluation of Thermal Energy Storage Potential in Low-Energy Buildings in France 2011 ,		8
33	Experimental investigation of natural convection near a wall containing phase change material. <i>International Journal of Thermal Sciences</i> , 2016 , 104, 281-291	4.1	8
32	On the impact of local microclimate on building performance simulation. Part II: Effect of external conditions on the dynamic thermal behavior of buildings. <i>Building Simulation</i> , 2019 , 12, 747-757	3.9	7
31	Numerical Simulation of Melting with Natural Convection Based on Lattice Boltzmann Method and Performed with CUDA Enabled GPU. <i>Communications in Computational Physics</i> , 2015 , 17, 1201-1224	2.4	7
30	Experimental and numerical study of a mechanically ventilated enclosure with thermal effects. <i>Energy and Buildings</i> , 2006 , 38, 931-938	7	7
29	Adaptation of building envelope models for energy simulation at district scale. <i>Energy Procedia</i> , 2017 , 122, 307-312	2.3	6
28	Decomposition and coupling of soil domain for modeling vertical ground heat exchangers using the state model size reduction technique. <i>Applied Thermal Engineering</i> , 2014 , 69, 155-164	5.8	6
27	Efficient GPU implementation of the linearly interpolated bounce-back boundary condition. <i>Computers and Mathematics With Applications</i> , 2013 , 65, 936-944	2.7	6
26	Sensitivity Analysis of the Energy Density in a Thermo Chemical Heat Storage Device. <i>Energy Procedia</i> , 2014 , 48, 405-412	2.3	5
25	A second order turbulence model for the prediction of air movement and heat transfer in a ventilated room. <i>Building Simulation</i> , 2008 , 1, 72-82	3.9	5
24	Thermodynamic Efficiency of Water Vapor/Solid Chemical Sorption Heat Storage for Buildings: Theoretical Limits and Integration Considerations. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 489	2.6	5
23	Numerical Study of Thermal Diffusion and Diffusion Thermo Effects in a Differentially Heated and Salted Driven Cavity Using MRT-Lattice Boltzmann Finite Difference Model. <i>International Journal of Applied Mechanics</i> , 2021 , 13, 2150049	2.4	5
22	On the impact of local microclimate on building performance simulation. Part I: Prediction of building external conditions. <i>Building Simulation</i> , 2019 , 12, 735-746	3.9	4
21	Studying the evolution of both thermal and kinetic boundary layers in the vicinity of a vertical conductive gypsum plate under dynamic time-depending conditions at the building scale. <i>Energy and Buildings</i> , 2015 , 86, 898-908	7	4

20	Numerical analysis of truncation error, consistency, and axis boundary condition for axis-symmetric flow simulations via the radius weighted lattice Boltzmann model. <i>Computers and Fluids</i> , 2015 , 116, 46-59	3.8	4
19	Sensitivity analysis of a zeolite energy storage model: Impact of parameters on heat storage density and discharge power density. <i>Renewable Energy</i> , 2020 , 149, 468-478	8.1	4
18	Quantification of the natural convection perturbations on differential scanning calorimetry measurements of PCMs. <i>Thermochimica Acta</i> , 2017 , 655, 145-154	2.9	3
17	Hybrid thermal link-wise artificial compressibility method. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2015 , 379, 2224-2229	2.3	3
16	Experimental Study of Turbulent Structures in a Non Isothermal Horizontal Jet Issuing from a Round Nozzle Distanced from a Wall. <i>International Journal of Ventilation</i> , 2011 , 10, 277-290	1.1	3
15	Global Memory Access Modelling for Efficient Implementation of the Lattice Boltzmann Method on Graphics Processing Units. <i>Lecture Notes in Computer Science</i> , 2011 , 151-161	0.9	3
14	Performance Evaluation of an OpenCL Implementation of the Lattice Boltzmann Method on the Intel Xeon Phi. <i>Parallel Processing Letters</i> , 2015 , 25, 1541001	0.3	2
13	Thermal energy storage for space heating and domestic hot water in individual residential buildings 2021 , 567-594		2
12	Magnetohydrodynamic blood flow study in stenotic coronary artery using lattice Boltzmann method.. <i>Computer Methods and Programs in Biomedicine</i> , 2022 , 221, 106850	6.9	2
11	Inter-seasonal Heat Storage in Low Energy House: From Requirements to TESS Specifications. <i>Energy Procedia</i> , 2014 , 57, 2399-2407	2.3	1
10	Energy Storage by Adsorption Technology for Building 2018 , 1-27		1
9	Energy Storage by Adsorption Technology for Building 2018 , 1025-1051		1
8	Detailed airflow dynamics and temperature data of axisymmetric and anisothermal jets developing in a room. <i>Data in Brief</i> , 2020 , 29, 105382	1.2	0
7	An adapted steady RANS RSM wall-function for building external convection. <i>Building and Environment</i> , 2015 , 94, 654-664	6.5	0
6	Thermodynamic equilibrium and kinetic study of lanthanum chloride heptahydrate dehydration for thermal energy storage. <i>Journal of Energy Storage</i> , 2022 , 48, 103562	7.8	0
5	Integrating phase change materials in thermal energy storage systems for buildings 2021 , 381-422		0
4	Use of a RSM Turbulence Model for the Prediction of Velocity and Temperature Fields in a Mechanically Ventilated Room. <i>International Journal of Ventilation</i> , 2007 , 6, 157-166	1.1	
3	Energy Storage by Adsorption Technology for Building 2018 , 1-27		

- 2 Artificial Neural Network Simulation of Energetic Performance for Sorption Thermal Energy Storage Reactors. *Energies*, **2021**, 14, 3294 3.1
- 1 Calculation of heating and cooling energy loads at the district scale: Development of MoDEM, a modular and technologically explicit platform. *Sustainable Cities and Society*, **2022**, 103901 10.1