

Tania Crucitti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3465922/publications.pdf>

Version: 2024-02-01

156
papers

7,174
citations

87888

38
h-index

62596

80
g-index

162
all docs

162
docs citations

162
times ranked

7488
citing authors

#	ARTICLE	IF	CITATIONS
1	Preexposure Prophylaxis for HIV Infection among African Women. <i>New England Journal of Medicine</i> , 2012, 367, 411-422.	27.0	1,377
2	Laboratory evaluation of four HIV/syphilis rapid diagnostic tests. <i>BMC Infectious Diseases</i> , 2019, 19, 1.	2.9	510
3	Lack of Effectiveness of Cellulose Sulfate Gel for the Prevention of Vaginal HIV Transmission. <i>New England Journal of Medicine</i> , 2008, 359, 463-472.	27.0	410
4	The Vaginal Microbiota: What Have We Learned after a Decade of Molecular Characterization?. <i>PLoS ONE</i> , 2014, 9, e105998.	2.5	397
5	The global epidemiology of bacterial vaginosis: a systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 505-523.	1.3	326
6	The Evolving Facets of Bacterial Vaginosis: Implications for HIV Transmission. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 219-228.	1.1	188
7	Public health surveillance of multidrug-resistant clones of <i>Neisseria gonorrhoeae</i> in Europe: a genomic survey. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 758-768.	9.1	164
8	FEM-PrEP. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 324-331.	2.1	139
9	Effectiveness of Cellulose Sulfate Vaginal Gel for the Prevention of HIV Infection: Results of a Phase III Trial in Nigeria. <i>PLoS ONE</i> , 2008, 3, e3784.	2.5	136
10	Prevalence of sexually transmitted infections among young people in South Africa: A nested survey in a health and demographic surveillance site. <i>PLoS Medicine</i> , 2018, 15, e1002512.	8.4	132
11	Quantification of bacterial species of the vaginal microbiome in different groups of women, using nucleic acid amplification tests. <i>BMC Microbiology</i> , 2012, 12, 83.	3.3	125
12	A longitudinal analysis of the vaginal microbiota and vaginal immune mediators in women from sub-Saharan Africa. <i>Scientific Reports</i> , 2017, 7, 11974.	3.3	112
13	The significance of <i>Lactobacillus crispatus</i> and <i>L. vaginalis</i> for vaginal health and the negative effect of recent sex: a cross-sectional descriptive study across groups of African women. <i>BMC Infectious Diseases</i> , 2015, 15, 115.	2.9	92
14	Overall Low Extended-Spectrum Cephalosporin Resistance but high Azithromycin Resistance in <i>Neisseria gonorrhoeae</i> in 24 European Countries, 2015. <i>BMC Infectious Diseases</i> , 2017, 17, 617.	2.9	90
15	The vaginal microbiota and susceptibility to HIV. <i>Aids</i> , 2014, 28, 2333-2344.	2.2	88
16	Prevalence and Correlates of Bacterial Vaginosis in Different Sub-Populations of Women in Sub-Saharan Africa: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e109670.	2.5	85
17	Bacterial biofilms in the vagina. <i>Research in Microbiology</i> , 2017, 168, 865-874.	2.1	84
18	A fruitful alliance: the synergy between <i>Atopobium vaginae</i> and <i>Gardnerella vaginalis</i> in bacterial vaginosis-associated biofilm. <i>Sexually Transmitted Infections</i> , 2016, 92, 487-491.	1.9	83

#	ARTICLE	IF	CITATIONS
19	Daily and event-driven pre-exposure prophylaxis for men who have sex with men in Belgium: results of a prospective cohort measuring adherence, sexual behaviour and STI incidence. <i>Journal of the International AIDS Society</i> , 2019, 22, e25407.	3.0	82
20	WGS analysis and molecular resistance mechanisms of azithromycin-resistant (MIC >2) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td</i> Chemotherapy, 2016, 71, 3109-3116.	3.0	81
21	Unravelling the Bacterial Vaginosis-Associated Biofilm: A Multiplex <i>Gardnerella vaginalis</i> and <i>Atopobium vaginae</i> Fluorescence In Situ Hybridization Assay Using Peptide Nucleic Acid Probes. <i>PLoS ONE</i> , 2015, 10, e0136658.	2.5	79
22	High prevalence of HIV and sexually transmitted infections among male sex workers in Abidjan, CÔte d'Ivoire: need for services tailored to their needs. <i>Sexually Transmitted Infections</i> , 2012, 88, 288-293.	1.9	77
23	The presence of the putative <i>Gardnerella vaginalis</i> sialidase A gene in vaginal specimens is associated with bacterial vaginosis biofilm. <i>PLoS ONE</i> , 2017, 12, e0172522.	2.5	77
24	Comparison of culture and different PCR assays for detection of <i>Trichomonas vaginalis</i> in self collected vaginal swab specimens. <i>Sexually Transmitted Infections</i> , 2003, 79, 393-398.	1.9	76
25	<i>Trichomonas vaginalis</i> and HIV infection acquisition: a systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2019, 95, 36-42.	1.9	74
26	Cross-Sectional Analysis of Selected Genital Tract Immunological Markers and Molecular Vaginal Microbiota in Sub-Saharan African Women, with Relevance to HIV Risk and Prevention. <i>Vaccine Journal</i> , 2015, 22, 526-538.	3.1	72
27	Choosing Between Daily and Event-Driven Pre-exposure Prophylaxis: Results of a Belgian PrEP Demonstration Project. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 186-194.	2.1	72
28	Searching for Lower Female Genital Tract Soluble and Cellular Biomarkers: Defining Levels and Predictors in a Cohort of Healthy Caucasian Women. <i>PLoS ONE</i> , 2012, 7, e43951.	2.5	69
29	Stably high azithromycin resistance and decreasing ceftriaxone susceptibility in <i>Neisseria gonorrhoeae</i> in 25 European countries, 2016. <i>BMC Infectious Diseases</i> , 2018, 18, 609.	2.9	69
30	Injectable Progestin-Only Contraception is Associated With Increased Levels of Pro-inflammatory Cytokines in the Female Genital Tract. <i>American Journal of Reproductive Immunology</i> , 2015, 74, 357-367.	1.2	63
31	A Multi-Country Cross-Sectional Study of Vaginal Carriage of Group B Streptococci (GBS) and <i>Escherichia coli</i> in Resource-Poor Settings: Prevalences and Risk Factors. <i>PLoS ONE</i> , 2016, 11, e0148052.	2.5	61
32	European surveillance of antimicrobial resistance in <i>Neisseria gonorrhoeae</i> . <i>Sexually Transmitted Infections</i> , 2010, 86, 427-432.	1.9	53
33	Inflammatory cytokine biomarkers of asymptomatic sexually transmitted infections and vaginal dysbiosis: a multicentre validation study. <i>Sexually Transmitted Infections</i> , 2019, 95, 5-12.	1.9	51
34	Global phylogeny of <i>Treponema pallidum</i> lineages reveals recent expansion and spread of contemporary syphilis. <i>Nature Microbiology</i> , 2021, 6, 1549-1560.	18.3	51
35	HIV and STI Prevalence among Female Sex Workers in CÔte d'Ivoire: Why Targeted Prevention Programs Should Be Continued and Strengthened. <i>PLoS ONE</i> , 2012, 7, e32627.	2.5	49
36	The epidemiology of human papillomavirus infection in HIV-positive and HIV-negative high-risk women in Kigali, Rwanda. <i>BMC Infectious Diseases</i> , 2011, 11, 333.	2.9	48

#	ARTICLE	IF	CITATIONS
37	Is the tide turning again for cephalosporin resistance in <i>Neisseria gonorrhoeae</i> in Europe? Results from the 2013 European surveillance. <i>BMC Infectious Diseases</i> , 2015, 15, 321.	2.9	44
38	Correlates of the molecular vaginal microbiota composition of African women. <i>BMC Infectious Diseases</i> , 2015, 15, 86.	2.9	43
39	Non-Sexual Transmission of <i>Trichomonas vaginalis</i> in Adolescent Girls Attending School in Ndola, Zambia. <i>PLoS ONE</i> , 2011, 6, e16310.	2.5	42
40	High <i>In Vitro</i> Susceptibility to the Novel Spiropyrimidinetrione ETX0914 (AZD0914) among 873 Contemporary Clinical <i>Neisseria gonorrhoeae</i> Isolates from 21 European Countries from 2012 to 2014. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5220-5225.	3.2	42
41	Targeted point-of-care testing compared with syndromic management of urogenital infections in women (WISH): a cross-sectional screening and diagnostic accuracy study. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 658-669.	9.1	42
42	Tenofovir Diphosphate and Emtricitabine Triphosphate Concentrations in Blood Cells Compared With Isolated Peripheral Blood Mononuclear Cells. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2013, 62, 260-266.	2.1	37
43	Drug resistance and plasma viral RNA level after ineffective use of oral pre-exposure prophylaxis in women. <i>Aids</i> , 2015, 29, 331-337.	2.2	37
44	Contraceptive rings promote vaginal lactobacilli in a high bacterial vaginosis prevalence population: A randomised, open-label longitudinal study in Rwandan women. <i>PLoS ONE</i> , 2018, 13, e0201003.	2.5	36
45	High prevalence of curable sexually transmitted infections among pregnant women in a rural county hospital in Kilifi, Kenya. <i>PLoS ONE</i> , 2017, 12, e0175166.	2.5	36
46	Evaluation of a new multiplex polymerase chain reaction assay STDFinder for the simultaneous detection of 7 sexually transmitted disease pathogens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 71, 29-37.	1.8	33
47	Risk Factors for Antimicrobial-Resistant <i>Neisseria gonorrhoeae</i> in Europe. <i>Sexually Transmitted Diseases</i> , 2014, 41, 723-729.	1.7	33
48	<i>Trichomonas vaginalis</i> is Highly Prevalent in Adolescent Girls, Pregnant Women, and Commercial Sex Workers in Ndola, Zambia. <i>Sexually Transmitted Diseases</i> , 2010, 37, 223-227.	1.7	32
49	Molecular typing of the actin gene of <i>Trichomonas vaginalis</i> isolates by PCR-restriction fragment length polymorphism. <i>Clinical Microbiology and Infection</i> , 2008, 14, 844-852.	6.0	31
50	Performance of a Rapid and Simple HIV Testing Algorithm in a Multicenter Phase III Microbicide Clinical Trial. <i>Vaccine Journal</i> , 2011, 18, 1480-1485.	3.1	31
51	Prevalence of HIV and Other Sexually Transmitted Infections among Female Sex Workers in Kisumu, Western Kenya, 1997 and 2008. <i>PLoS ONE</i> , 2013, 8, e54953.	2.5	29
52	Behavioural and medical predictors of bacterial vaginosis recurrence among female sex workers: longitudinal analysis from a randomized controlled trial. <i>BMC Infectious Diseases</i> , 2013, 13, 208.	2.9	27
53	The European gonococcal antimicrobial surveillance programme (Euro-GASP) appropriately reflects the antimicrobial resistance situation for <i>Neisseria gonorrhoeae</i> in the European Union/European Economic Area. <i>BMC Infectious Diseases</i> , 2019, 19, 1040.	2.9	27
54	Pre-Exposure Prophylaxis (PrEP) as an Additional Tool for HIV Prevention Among Men Who Have Sex With Men in Belgium: The Be-PrEP-ared Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e11.	1.0	27

#	ARTICLE	IF	CITATIONS
55	Molecular Typing of Syphilis-Causing Strains Among Human Immunodeficiency Virus-Positive Patients in Antwerp, Belgium. <i>Sexually Transmitted Diseases</i> , 2017, 44, 376-379.	1.7	25
56	Intermediate vaginal flora is associated with HIV prevalence as strongly as bacterial vaginosis in a cross-sectional study of participants screened for a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2012, 88, 545-551.	1.9	24
57	Development and characterization of a solid dispersion film for the vaginal application of the anti-HIV microbicide UAMC01398. <i>International Journal of Pharmaceutics</i> , 2014, 475, 238-244.	5.2	24
58	An alarming high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in <i>Mycoplasma genitalium</i> in Belgium: results from samples collected between 2015 and 2018. <i>Sexually Transmitted Infections</i> , 2021, 97, 297-303.	1.9	22
59	Association of Sexual Debut in Adolescents With Microbiota and Inflammatory Markers. <i>Obstetrics and Gynecology</i> , 2016, 128, 22-31.	2.4	20
60	Take three, test one: a cross-sectional study to evaluate the molecular detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in pooled pharyngeal, anorectal and urine samples versus single-site testing among men who have sex with men in Belgium. <i>Acta Clinica Belgica</i> , 2020, 75, 91-95.	1.2	20
61	High prevalence of sexually transmitted diseases in a rural area in Mozambique.. <i>Sexually Transmitted Infections</i> , 1993, 69, 427-430.	1.9	19
62	Detection of Pentatrichomonas hominis DNA in biological specimens by PCR. <i>Letters in Applied Microbiology</i> , 2004, 38, 510-516.	2.2	19
63	Role of HIV exposure and infection in relation to neonatal GBS disease and rectovaginal GBS carriage: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 13820.	3.3	19
64	Molecular pathways to high-level azithromycin resistance in <i>Neisseria gonorrhoeae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1752-1758.	3.0	19
65	Molecular typing of Trichomonas vaginalis isolates by actin gene sequence analysis and carriage of T. vaginalis viruses. <i>Parasites and Vectors</i> , 2017, 10, 537.	2.5	18
66	Repeat syphilis has a different immune response compared with initial syphilis: an analysis of biomarker kinetics in two cohorts. <i>Sexually Transmitted Infections</i> , 2018, 94, 180-186.	1.9	18
67	The immunological response to syphilis differs by HIV status; a prospective observational cohort study. <i>BMC Infectious Diseases</i> , 2017, 17, 111.	2.9	17
68	Results from a cross-sectional sexual and reproductive health study among school girls in Tanzania: high prevalence of bacterial vaginosis. <i>Sexually Transmitted Infections</i> , 2019, 95, 219-227.	1.9	17
69	Markedly Reduced Azithromycin and Ceftriaxone Susceptibility in Commensal <i>Neisseria</i> Species in Clinical Samples From Belgian Men Who Have Sex With Men. <i>Clinical Infectious Diseases</i> , 2021, 72, 363-364.	5.8	17
70	Diaryltriazine non-nucleoside reverse transcriptase inhibitors are potent candidates for pre-exposure prophylaxis in the prevention of sexual HIV transmission. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2038-2047.	3.0	16
71	Association of vaginal dysbiosis and biofilm with contraceptive vaginal ring biomass in African women. <i>PLoS ONE</i> , 2017, 12, e0178324.	2.5	16
72	A randomised trial of a contraceptive vaginal ring in women at risk of HIV infection in Rwanda: Safety of intermittent and continuous use. <i>PLoS ONE</i> , 2018, 13, e0197572.	2.5	16

#	ARTICLE	IF	CITATIONS
73	Prevalence and Concordance of HPV, HIV, and HSV-2 in Heterosexual Couples in Kigali, Rwanda. <i>Sexually Transmitted Diseases</i> , 2012, 39, 128-135.	1.7	15
74	The ring plus project: safety and acceptability of vaginal rings that protect women from unintended pregnancy. <i>BMC Public Health</i> , 2015, 15, 348.	2.9	15
75	Lymphogranuloma venereum is on the rise in Belgium among HIV negative men who have sex with men: surveillance data from 2011 until the end of June 2017. <i>BMC Infectious Diseases</i> , 2018, 18, 689.	2.9	14
76	High acceptability of a contraceptive vaginal ring among women in Kigali, Rwanda. <i>PLoS ONE</i> , 2018, 13, e0199096.	2.5	14
77	Prevalence of <i>Mycoplasma genitalium</i> in men with urethritis in a large public hospital in Brussels, Belgium: An observational, cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0196217.	2.5	14
78	Ten years of external quality assessment (EQA) of <i>Neisseria gonorrhoeae</i> antimicrobial susceptibility testing in Europe elucidate high reliability of data. <i>BMC Infectious Diseases</i> , 2019, 19, 281.	2.9	14
79	HPV prevalence around the time of sexual debut in adolescent girls in Tanzania. <i>Sexually Transmitted Infections</i> , 2020, 96, 211-219.	1.9	14
80	To Pool or Not to Pool Samples for Sexually Transmitted Infections Detection in Men Who Have Sex With Men? An Evaluation of a New Pooling Method Using the GeneXpert Instrument in West Africa. <i>Sexually Transmitted Diseases</i> , 2020, 47, 556-561.	1.7	13
81	Sharp increase in ciprofloxacin resistance of <i>Neisseria gonorrhoeae</i> in Yaounde, Cameroon: analyses of a laboratory database period 2012-2018. <i>International Journal of STD and AIDS</i> , 2020, 31, 579-586.	1.1	13
82	Methodological Issues in Sampling the Local Immune System of the Female Genital Tract in the Context of HIV Prevention Trials. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 368-376.	1.2	12
83	Sino-implant (II)® continuation and effect of concomitant tenofovir disoproxil fumarate-emtricitabine use on plasma levonorgestrel concentrations among women in Bondo, Kenya. <i>Contraception</i> , 2015, 91, 248-252.	1.5	12
84	A DNA tool for early detection of vaginal dysbiosis in African women. <i>Research in Microbiology</i> , 2016, 167, 133-141.	2.1	12
85	Comparative analysis of the vaginal microbiome of pregnant women with either <i>Trichomonas vaginalis</i> or <i>Chlamydia trachomatis</i> . <i>PLoS ONE</i> , 2019, 14, e0225545.	2.5	12
86	Does gonorrhoea screening intensity play a role in the early selection of antimicrobial resistance in men who have sex with men (MSM)? A comparative study of Belgium and the United Kingdom. <i>F1000Research</i> , 2018, 7, 569.	1.6	12
87	Evaluation of the Colli-Pee™, a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. <i>BMJ Open</i> , 2019, 9, e028145.	1.9	12
88	Lack of evidence for the involvement of rectal and oral trichomonads in the aetiology of vaginal trichomoniasis in Ghana. <i>Sexually Transmitted Infections</i> , 2007, 83, 130-132.	1.9	11
89	Obtaining Valid Laboratory Data in Clinical Trials Conducted in Resource Diverse Settings: Lessons Learned from a Microbicide Phase III Clinical Trial. <i>PLoS ONE</i> , 2010, 5, e13592.	2.5	11
90	Intermediate vaginal flora and bacterial vaginosis are associated with the same factors: findings from an exploratory analysis among female sex workers in Africa and India. <i>Sexually Transmitted Infections</i> , 2014, 90, 161-164.	1.9	11

#	ARTICLE	IF	CITATIONS
91	National External Quality Assessment Scheme for Lymphocyte Immunophenotyping in Belgium. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 323-30.	2.3	10
92	INCIDENCE OF HCV AND SEXUALLY TRANSMITTED DISEASES AMONG HIV POSITIVE MSM IN ANTWERP, BELGIUM, 2001-2011. <i>Acta Clinica Belgica</i> , 2013, 68, 421-426.	1.2	10
93	Eve's garden: myths, legends and secrets unmasked. <i>Research in Microbiology</i> , 2017, 168, 773-781.	2.1	10
94	Syphilis reinfection is associated with an attenuated immune profile in the same individual: a prospective observational cohort study. <i>BMC Infectious Diseases</i> , 2018, 18, 479.	2.9	10
95	Evaluation of an automated quantitative latex immunoturbidimetric non-treponemal assay for diagnosis and follow-up of syphilis: a prospective cohort study. <i>Journal of Medical Microbiology</i> , 2017, 66, 1130-1139.	1.8	10
96	Construction and optimization of a $\hat{\epsilon}$ NG Morbidostat $\hat{\epsilon}$ ™ - An automated continuous-culture device for studying the pathways towards antibiotic resistance in <i>Neisseria gonorrhoeae</i> . <i>F1000Research</i> , 2019, 8, 560.	1.6	10
97	The development of mouthwashes without anti-gonococcal activity for controlled clinical trials: an in vitro study. <i>F1000Research</i> , 0, 8, 1620.	1.6	10
98	Lymphogranuloma venereum outbreak in men who have sex with men (MSM) in Belgium, January 2004 to July 2005. , 2005, 10, E050929.3.		10
99	Prevalence and Incidence Estimation of HSV-2 by Two IgG ELISA Methods among South African Women at High Risk of HIV. <i>PLoS ONE</i> , 2015, 10, e0120207.	2.5	9
100	Evaluation of the Bio-Rad Dx CT/NG/MG $\hat{\epsilon}$ ® assay for simultaneous detection of <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> and <i>Mycoplasma genitalium</i> in urine. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 1159-1163.	2.9	9
101	Worryingly high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in <i>Mycoplasma genitalium</i> among men who have sex with men with recurrent sexually transmitted infections. <i>International Journal of STD and AIDS</i> , 2022, 33, 385-390.	1.1	9
102	Performance of serological and molecular tests within acute HIV infection. <i>Journal of Clinical Virology</i> , 2017, 93, 81-84.	3.1	8
103	Dual screen and confirm rapid test does not reduce overtreatment of syphilis in pregnant women living in a non-venereal treponematoses endemic region: a field evaluation among antenatal care attendees in Burkina Faso. <i>Sexually Transmitted Infections</i> , 2019, 95, 402-404.	1.9	8
104	Vaginal microbicides can interfere with nucleic acid amplification tests used for the diagnosis of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 57, 97-99.	1.8	7
105	What Is the Role of Paired Rapid Plasma Reagin Testing (Simultaneous Testing of Acute and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Transmitted Diseases, 2018, 45, 35-38.	1.7	7
106	The Vaginal Microbiota Among Adolescent Girls in Tanzania Around the Time of Sexual Debut. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 305.	3.9	7
107	The development of mouthwashes without anti-gonococcal activity for controlled clinical trials: an in vitro study. <i>F1000Research</i> , 2019, 8, 1620.	1.6	7
108	Sexually transmitted infections: what's new?. <i>Acta Clinica Belgica</i> , 2012, 67, 154-9.	1.2	7

#	ARTICLE	IF	CITATIONS
109	Evaluation of an enzymatic <i>Chlamydia trachomatis</i> point-of-care rapid assay in Rwanda: the BioChekSwab Rapid Test: Table A1. Sexually Transmitted Infections, 2016, 92, 430-432.	1.9	6
110	Construction and optimization of a <i>NG Morbidostat</i> ™ - An automated continuous-culture device for studying the pathways towards antibiotic resistance in <i>Neisseria gonorrhoeae</i> . F1000Research, 2019, 8, 560.	1.6	6
111	Role of IgM testing in the diagnosis and post-treatment follow-up of syphilis: a prospective cohort study. BMJ Open, 2020, 10, e035838.	1.9	5
112	Ulcerative skin lesions among children in Cameroon: It is not always Yaws. PLoS Neglected Tropical Diseases, 2021, 15, e0009180.	3.0	5
113	Recurrent Sexually Transmitted Infections Among a Cohort of Men Who Have Sex With Men Using Preexposure Prophylaxis in Belgium Are Highly Associated With Sexualized Drug Use. Sexually Transmitted Diseases, 2021, 48, 726-732.	1.7	5
114	Prevalence of extended-spectrum beta-lactamase-producing enterobacterial urinary infections and associated risk factors in small children of Garoua, Northern Cameroon. Pan African Medical Journal, 2020, 36, 157.	0.8	4
115	Detection of new HIV infections in a multicentre HIV antiretroviral pre-exposure prophylaxis trial. Journal of Clinical Virology, 2017, 93, 76-80.	3.1	3
116	Diagnosis and treatment of gonorrhoea: 2019 Belgian National guideline for primary care. Acta Clinica Belgica, 2022, 77, 186-194.	1.2	3
117	Technologies, strategies and approaches for testing populations at risk of sexually transmitted infections: a systematic review protocol to inform prevention and control in EU/EEA countries. Systematic Reviews, 2020, 9, 64.	5.3	3
118	Did Pre-exposure Prophylaxis Roll-Out Influence the Epidemic of Rectal Lymphogranuloma Venereum in Belgium? Results From the National Surveillance System. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, e1-e5.	2.1	3
119	Evaluation of the 'Colli-Pee', a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. BMJ Open, 2019, 9, e028145.	1.9	3
120	Evaluation of the APTIMA Combo 2 Assay using self-administered vaginal swabs for the detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> . Diagnostic Microbiology and Infectious Disease, 2013, 76, 385-386.	1.8	2
121	Observation of a cytopathogenic effect on cell lines used for routine viral cultures led to the diagnosis of lymphogranuloma venereum: Table A1. Sexually Transmitted Infections, 2013, 89, 395-397.	1.9	2
122	Genital Tract Immunological Markers in Sub-Saharan African Women with Relevance to HIV Risk and Prevention. AIDS Research and Human Retroviruses, 2014, 30, A233-A233.	1.1	2
123	Diagnosis and treatment of syphilis: 2019 Belgian National guideline for primary care. Acta Clinica Belgica, 2022, 77, 195-203.	1.2	2
124	Verification of chemistry reference ranges using a simple method in sub-Saharan Africa. African Journal of Laboratory Medicine, 2016, 5, 404.	0.6	2
125	Implementation and evaluation of the Presto combined qualitative real-time assay for <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in Rwanda. African Journal of Laboratory Medicine, 2019, 8, 739.	0.6	2
126	LAMP4yaws: <i>Treponema pallidum</i> , <i>Haemophilus ducreyi</i> loop mediated isothermal amplification protocol for a cross-sectional, observational, diagnostic accuracy study. BMJ Open, 2022, 12, e058605.	1.9	2

#	ARTICLE	IF	CITATIONS
127	P1-S2.56 Sexually transmitted diseases among HIV positive MSM, prior to HCV infection. Sexually Transmitted Infections, 2011, 87, A146-A146.	1.9	1
128	P3.060â€¦There is a Need For Multipurpose Prevention Technologies Targeting HIV and Common Reproductive Tract Infections: Data from the Microbicide Safety Biomarkers Study Team: Abstract P3.060 Table 1. Sexually Transmitted Infections, 2013, 89, A166.4-A167.	1.9	1
129	O13.3â€¦The impact of vaginal bacterial biofilm on intravaginal rings. Sexually Transmitted Infections, 2015, 91, A53.3-A54.	1.9	1
130	Lymphogranuloma venereum among patients presenting at the HIV/STI clinic in Antwerp, Belgium : a case series. Acta Gastro-Enterologica Belgica, 2017, 80, 385-387.	1.0	1
131	National External Quality Assessment Schemes for microbiology, parasitology, and virology in Europe. Accreditation and Quality Assurance, 2001, 6, 379-381.	0.8	0
132	O1-S05.06 Association between prevalent Bacterial vaginosis (BV) and HIV Infection among female sex workers at two African and two Indian sites. Sexually Transmitted Infections, 2011, 87, A34-A35.	1.9	0
133	O3-S6.03 The diagnosis of lymphogranuloma venereum at one's fingertips. Sexually Transmitted Infections, 2011, 87, A82-A82.	1.9	0
134	P3-S3.06 Quantifying lactobacillae species with real time PCR methods for HIV prevention trials. Sexually Transmitted Infections, 2011, 87, A287-A287.	1.9	0
135	P5.072â€¦The Performance of Two IgG ELISA Methods to Detect HSV-2 Infections Among South-African Women Who Are at Higher Risk of Becoming HIV Infected. Sexually Transmitted Infections, 2013, 89, A357.1-A357.	1.9	0
136	P1.032â€¦Bacterial Species in the Vaginal Microbiome Correlated by Nugent Score: Cross-Sectional Data from the Microbicide Safety Biomarkers Study in Kenya, Rwanda, and South Africa: Abstract P1.032 Table. Sexually Transmitted Infections, 2013, 89, A83.3-A83.	1.9	0
137	P5.100â€¦Trends in the Antimicrobial Susceptibility of <i>Neisseria Gonorrhoeae</i> Isolates in Belgium (2006â€“2011): Abstract P5.100 Table 1. Sexually Transmitted Infections, 2013, 89, A366.2-A366.	1.9	0
138	P06.05â€¦Dynamics of vaginal immune correlates and microbiota in women from sub-saharan africa. Sexually Transmitted Infections, 2015, 91, A116.1-A116.	1.9	0
139	O04.6â€¦High prevalence of bacterial vaginosis among adolescent girls attending secondary school in tanzania. Sexually Transmitted Infections, 2015, 91, A34.2-A35.	1.9	0
140	P07.16â€¦The importance of <i>atopobium vaginae</i> in bacterial vaginosis-associated biofilm. Sexually Transmitted Infections, 2015, 91, A126.2-A126.	1.9	0
141	O04.5â€¦The influence of sexual debut on selected vaginal, rectal and oral microbiota and vaginal inflammatory markers in belgian adolescent girls: a cohort study. Sexually Transmitted Infections, 2015, 91, A34.1-A34.	1.9	0
142	P05.02â€¦ <i>Neisseria gonorrhoeae</i> strain types and antibiotic susceptibility. Sexually Transmitted Infections, 2015, 91, A108.2-A108.	1.9	0
143	P03.14â€¦High prevalence of <i>lactobacillus crispatus</i> among adolescent girls attending secondary school in tanzania. Sexually Transmitted Infections, 2015, 91, A90.3-A91.	1.9	0
144	P06.04â€¦ <i>Gardnerella vaginalis</i> presence in vaginal dysbiosis: a secondary analysis. Sexually Transmitted Infections, 2015, 91, A115.2-A115.	1.9	0

#	ARTICLE	IF	CITATIONS
145	P07.19â€¦Added value of a novel dual treponemal/nontreponemal rapid diagnostic test for syphilis among pregnant women. Sexually Transmitted Infections, 2015, 91, A127.2-A127.	1.9	0
146	P08.15â€¦Increasing number of lymphogranuloma venereum cases in belgium, overview 2011â€“2014. Sexually Transmitted Infections, 2015, 91, A137.2-A137.	1.9	0
147	P05.03â€¦Performance of two enzyme and one strip immune assay for the detection of igm anti-treponema pallidum antibodies. Sexually Transmitted Infections, 2015, 91, A108.3-A109.	1.9	0
148	P06.13â€¦Inflammatory cytokine biomarkers identify women with asymptomatic genital infections that increase the risk of hiv infection. Sexually Transmitted Infections, 2015, 91, A119.1-A119.	1.9	0
149	P1.24â€¦Mycoplasma genitalium and trichomonas vaginalis detection in a cohort of men who have sex with men in belgium: evaluation of the diagenode s-diamgtv multiplex kit. , 2017, , .		0
150	Contraceptive Vaginal Ring and Female Sexual Function in Kigali, Rwanda. Journal of Sexual Medicine, 2017, 14, e329.	0.6	0
151	P1.46â€¦Comparison of two enzyme immunoassays for the detection of igg and igm anti-treponema pallidum antibodies. , 2017, , .		0
152	P1.25â€¦Colli-pee: a new device to collect first-void urine at home for molecular detection of stis. evaluation & acceptability by msm in a prep study in belgium. , 2017, , .		0
153	P5.10â€¦Inhibitory effect of chlorhexidine antiseptic mouthwash against neisseria gonorrhoeae? an in-vitro study. , 2017, , .		0
154	P1.45â€¦Evaluation of sekure rpr reagent on the sk500 clinical chemistry system. , 2017, , .		0
155	O11.2â€¦Repeat syphilis is associated with an altered immune profile. , 2017, , .		0
156	Challenges to Differentiate Hepatitis C Genotype 1 and 6: Results from A Field-Study in Cambodia. Infectious Diseases and Therapy, 2020, 9, 657-667.	4.0	0