

Tania Crucitti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3465922/publications.pdf>

Version: 2024-02-01

156
papers

7,174
citations

100601

38
h-index

71088

80
g-index

162
all docs

162
docs citations

162
times ranked

7962
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and treatment of gonorrhoea: 2019 Belgian National guideline for primary care. <i>Acta Clinica Belgica</i> , 2022, 77, 186-194.	0.5	3
2	Diagnosis and treatment of syphilis: 2019 Belgian National guideline for primary care. <i>Acta Clinica Belgica</i> , 2022, 77, 195-203.	0.5	2
3	Worryingly high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in <i>Mycoplasma genitalium</i> among men who have sex with men with recurrent sexually transmitted infections. <i>International Journal of STD and AIDS</i> , 2022, 33, 385-390.	0.5	9
4	LAMP4yaws: <i>Treponema pallidum</i> , <i>Haemophilus ducreyi</i> loop mediated isothermal amplification protocol for a cross-sectional, observational, diagnostic accuracy study. <i>BMJ Open</i> , 2022, 12, e058605.	0.8	2
5	An alarming high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in <i>Mycoplasma genitalium</i> in Belgium: results from samples collected between 2015 and 2018. <i>Sexually Transmitted Infections</i> , 2021, 97, 297-303.	0.8	22
6	Markedly Reduced Azithromycin and Ceftriaxone Susceptibility in Commensal <i>Neisseria</i> Species in Clinical Samples From Belgian Men Who Have Sex With Men. <i>Clinical Infectious Diseases</i> , 2021, 72, 363-364.	2.9	17
7	Did Pre-exposure Prophylaxis Roll-Out Influence the Epidemic of Rectal Lymphogranuloma Venereum in Belgium? Results From the National Surveillance System. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, e1-e5.	0.9	3
8	Ulcerative skin lesions among children in Cameroon: It is not always Yaws. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009180.	1.3	5
9	Molecular pathways to high-level azithromycin resistance in <i>Neisseria gonorrhoeae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1752-1758.	1.3	19
10	Recurrent Sexually Transmitted Infections Among a Cohort of Men Who Have Sex With Men Using Preexposure Prophylaxis in Belgium Are Highly Associated With Sexualized Drug Use. <i>Sexually Transmitted Diseases</i> , 2021, 48, 726-732.	0.8	5
11	Global phylogeny of <i>Treponema pallidum</i> lineages reveals recent expansion and spread of contemporary syphilis. <i>Nature Microbiology</i> , 2021, 6, 1549-1560.	5.9	51
12	Take three, test one: a cross-sectional study to evaluate the molecular detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in pooled pharyngeal, anorectal and urine samples versus single-site testing among men who have sex with men in Belgium. <i>Acta Clinica Belgica</i> , 2020, 75, 91-95.	0.5	20
13	HPV prevalence around the time of sexual debut in adolescent girls in Tanzania. <i>Sexually Transmitted Infections</i> , 2020, 96, 211-219.	0.8	14
14	To Pool or Not to Pool Samples for Sexually Transmitted Infections Detection in Men Who Have Sex With Men? An Evaluation of a New Pooling Method Using the GeneXpert Instrument in West Africa. <i>Sexually Transmitted Diseases</i> , 2020, 47, 556-561.	0.8	13
15	Role of IgM testing in the diagnosis and post-treatment follow-up of syphilis: a prospective cohort study. <i>BMJ Open</i> , 2020, 10, e035838.	0.8	5
16	Sharp increase in ciprofloxacin resistance of <i>Neisseria gonorrhoeae</i> in Yaounde, Cameroon: analyses of a laboratory database period 2012-2018. <i>International Journal of STD and AIDS</i> , 2020, 31, 579-586.	0.5	13
17	Challenges to Differentiate Hepatitis C Genotype 1 and 6: Results from A Field-Study in Cambodia. <i>Infectious Diseases and Therapy</i> , 2020, 9, 657-667.	1.8	0
18	The Vaginal Microbiota Among Adolescent Girls in Tanzania Around the Time of Sexual Debut. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 305.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Technologies, strategies and approaches for testing populations at risk of sexually transmitted infections: a systematic review protocol to inform prevention and control in EU/EEA countries. <i>Systematic Reviews</i> , 2020, 9, 64.	2.5	3
20	Prevalence of extended-spectrum beta-lactamase-producing enterobacterial urinary infections and associated risk factors in small children of Garoua, Northern Cameroon. <i>Pan African Medical Journal</i> , 2020, 36, 157.	0.3	4
21	Inflammatory cytokine biomarkers of asymptomatic sexually transmitted infections and vaginal dysbiosis: a multicentre validation study. <i>Sexually Transmitted Infections</i> , 2019, 95, 5-12.	0.8	51
22	Daily and event-driven pre-exposure prophylaxis for men who have sex with men in Belgium: results of a prospective cohort measuring adherence, sexual behaviour and STI incidence. <i>Journal of the International AIDS Society</i> , 2019, 22, e25407.	1.2	82
23	Results from a cross-sectional sexual and reproductive health study among school girls in Tanzania: high prevalence of bacterial vaginosis. <i>Sexually Transmitted Infections</i> , 2019, 95, 219-227.	0.8	17
24	Targeted point-of-care testing compared with syndromic management of urogenital infections in women (WISH): a cross-sectional screening and diagnostic accuracy study. <i>Lancet Infectious Diseases</i> , 2019, 19, 658-669.	4.6	42
25	Ten years of external quality assessment (EQA) of <i>Neisseria gonorrhoeae</i> antimicrobial susceptibility testing in Europe elucidate high reliability of data. <i>BMC Infectious Diseases</i> , 2019, 19, 281.	1.3	14
26	Comparative analysis of the vaginal microbiome of pregnant women with either <i>Trichomonas vaginalis</i> or <i>Chlamydia trachomatis</i> . <i>PLoS ONE</i> , 2019, 14, e0225545.	1.1	12
27	The European gonococcal antimicrobial surveillance programme (Euro-GASP) appropriately reflects the antimicrobial resistance situation for <i>Neisseria gonorrhoeae</i> in the European Union/European Economic Area. <i>BMC Infectious Diseases</i> , 2019, 19, 1040.	1.3	27
28	Dual screen and confirm rapid test does not reduce overtreatment of syphilis in pregnant women living in a non-venereal treponematoses endemic region: a field evaluation among antenatal care attendees in Burkina Faso. <i>Sexually Transmitted Infections</i> , 2019, 95, 402-404.	0.8	8
29	Laboratory evaluation of four HIV/syphilis rapid diagnostic tests. <i>BMC Infectious Diseases</i> , 2019, 19, 1.	1.3	510
30	The Evolving Facets of Bacterial Vaginosis: Implications for HIV Transmission. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 219-228.	0.5	188
31	<i>Trichomonas vaginalis</i> and HIV infection acquisition: a systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2019, 95, 36-42.	0.8	74
32	Construction and optimization of a <i>NG Morbidostat</i> TM - An automated continuous-culture device for studying the pathways towards antibiotic resistance in <i>Neisseria gonorrhoeae</i> . <i>F1000Research</i> , 2019, 8, 560.	0.8	10
33	Implementation and evaluation of the Presto combined qualitative real-time assay for <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in Rwanda. <i>African Journal of Laboratory Medicine</i> , 2019, 8, 739.	0.2	2
34	Construction and optimization of a <i>NG Morbidostat</i> TM - An automated continuous-culture device for studying the pathways towards antibiotic resistance in <i>Neisseria gonorrhoeae</i> . <i>F1000Research</i> , 2019, 8, 560.	0.8	6
35	The development of mouthwashes without anti-gonococcal activity for controlled clinical trials: an in vitro study. <i>F1000Research</i> , 2019, 8, 1620.	0.8	7
36	Evaluation of the 'Colli-Pee', a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. <i>BMJ Open</i> , 2019, 9, e028145.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Evaluation of the "Colli-Pee"™, a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. <i>BMJ Open</i> , 2019, 9, e028145.	0.8	12
38	Repeat syphilis has a different immune response compared with initial syphilis: an analysis of biomarker kinetics in two cohorts. <i>Sexually Transmitted Infections</i> , 2018, 94, 180-186.	0.8	18
39	What Is the Role of Paired Rapid Plasma Reagin Testing (Simultaneous Testing of Acute and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Transmitted Diseases, 2018, 45, 35-38.	0.8	7
40	Lymphogranuloma venereum is on the rise in Belgium among HIV negative men who have sex with men: surveillance data from 2011 until the end of June 2017. <i>BMC Infectious Diseases</i> , 2018, 18, 689.	1.3	14
41	Choosing Between Daily and Event-Driven Pre-exposure Prophylaxis: Results of a Belgian PrEP Demonstration Project. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 186-194.	0.9	72
42	High acceptability of a contraceptive vaginal ring among women in Kigali, Rwanda. <i>PLoS ONE</i> , 2018, 13, e0199096.	1.1	14
43	Stably high azithromycin resistance and decreasing ceftriaxone susceptibility in <i>Neisseria gonorrhoeae</i> in 25 European countries, 2016. <i>BMC Infectious Diseases</i> , 2018, 18, 609.	1.3	69
44	Syphilis reinfection is associated with an attenuated immune profile in the same individual: a prospective observational cohort study. <i>BMC Infectious Diseases</i> , 2018, 18, 479.	1.3	10
45	Public health surveillance of multidrug-resistant clones of <i>Neisseria gonorrhoeae</i> in Europe: a genomic survey. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 758-768.	4.6	164
46	Contraceptive rings promote vaginal lactobacilli in a high bacterial vaginosis prevalence population: A randomised, open-label longitudinal study in Rwandan women. <i>PLoS ONE</i> , 2018, 13, e0201003.	1.1	36
47	Prevalence of <i>Mycoplasma genitalium</i> in men with urethritis in a large public hospital in Brussels, Belgium: An observational, cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0196217.	1.1	14
48	A randomised trial of a contraceptive vaginal ring in women at risk of HIV infection in Rwanda: Safety of intermittent and continuous use. <i>PLoS ONE</i> , 2018, 13, e0197572.	1.1	16
49	Does gonorrhoea screening intensity play a role in the early selection of antimicrobial resistance in men who have sex with men (MSM)? A comparative study of Belgium and the United Kingdom. <i>F1000Research</i> , 2018, 7, 569.	0.8	12
50	Prevalence of sexually transmitted infections among young people in South Africa: A nested survey in a health and demographic surveillance site. <i>PLoS Medicine</i> , 2018, 15, e1002512.	3.9	132
51	Bacterial biofilms in the vagina. <i>Research in Microbiology</i> , 2017, 168, 865-874.	1.0	84
52	Molecular Typing of Syphilis-Causing Strains Among Human Immunodeficiency Virus-Positive Patients in Antwerp, Belgium. <i>Sexually Transmitted Diseases</i> , 2017, 44, 376-379.	0.8	25
53	Detection of new HIV infections in a multicentre HIV antiretroviral pre-exposure prophylaxis trial. <i>Journal of Clinical Virology</i> , 2017, 93, 76-80.	1.6	3
54	Performance of serological and molecular tests within acute HIV infection. <i>Journal of Clinical Virology</i> , 2017, 93, 81-84.	1.6	8

#	ARTICLE	IF	CITATIONS
55	Role of HIV exposure and infection in relation to neonatal GBS disease and rectovaginal GBS carriage: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 13820.	1.6	19
56	P1.24â€¦<i>Mycoplasma genitalium</i>and<i>trichomonas vaginalis</i>detection in a cohort of men who have sex with men in belgium: evaluation of the diagenode s-diamgtv multiplex kit. , 2017, , .		0
57	A longitudinal analysis of the vaginal microbiota and vaginal immune mediators in women from sub-Saharan Africa. <i>Scientific Reports</i> , 2017, 7, 11974.	1.6	112
58	Eve's garden: myths, legends and secrets unmasked. <i>Research in Microbiology</i> , 2017, 168, 773-781.	1.0	10
59	Contraceptive Vaginal Ring and Female Sexual Function in Kigali, Rwanda. <i>Journal of Sexual Medicine</i> , 2017, 14, e329.	0.3	0
60	P1.46â€¦Comparison of two enzyme immunoassays for the detection of igg and igm anti-treponema pallidum antibodies. , 2017, , .		0
61	The immunological response to syphilis differs by HIV status; a prospective observational cohort study. <i>BMC Infectious Diseases</i> , 2017, 17, 111.	1.3	17
62	P1.25â€¦Colli-pee: a new device to collect first-void urine at home for molecular detection of stis. evaluation & acceptability by msm in a prep study in belgium. , 2017, , .		0
63	P5.10â€¦Inhibitory effect of chlorhexidine antiseptic mouthwash againstneisseria gonorrhoeae? an in-vitro study. , 2017, , .		0
64	Association of vaginal dysbiosis and biofilm with contraceptive vaginal ring biomass in African women. <i>PLoS ONE</i> , 2017, 12, e0178324.	1.1	16
65	Molecular typing of <i>Trichomonas vaginalis</i> isolates by actin gene sequence analysis and carriage of <i>T. vaginalis</i> viruses. <i>Parasites and Vectors</i> , 2017, 10, 537.	1.0	18
66	P1.45â€¦Evaluation of sekure rpr reagent on the sk500 clinical chemistry system. , 2017, , .		0
67	Overall Low Extended-Spectrum Cephalosporin Resistance but high Azithromycin Resistance in <i>Neisseria gonorrhoeae</i> in 24 European Countries, 2015. <i>BMC Infectious Diseases</i> , 2017, 17, 617.	1.3	90
68	O11.2â€¦Repeat syphilis is associated with an altered immune profile. , 2017, , .		0
69	Evaluation of an automated quantitative latex immunoturbidimetric non-treponemal assay for diagnosis and follow-up of syphilis: a prospective cohort study. <i>Journal of Medical Microbiology</i> , 2017, 66, 1130-1139.	0.7	10
70	The presence of the putative <i>Gardnerella vaginalis</i> sialidase A gene in vaginal specimens is associated with bacterial vaginosis biofilm. <i>PLoS ONE</i> , 2017, 12, e0172522.	1.1	77
71	High prevalence of curable sexually transmitted infections among pregnant women in a rural county hospital in Kilifi, Kenya. <i>PLoS ONE</i> , 2017, 12, e0175166.	1.1	36
72	Pre-Exposure Prophylaxis (PrEP) as an Additional Tool for HIV Prevention Among Men Who Have Sex With Men in Belgium: The Be-PrEP-ared Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e11.	0.5	27

#	ARTICLE	IF	CITATIONS
73	Lymphogranuloma venereum among patients presenting at the HIV/STI clinic in Antwerp, Belgium : a case series. <i>Acta Gastro-Enterologica Belgica</i> , 2017, 80, 385-387.	0.4	1
74	A fruitful alliance: the synergy between <i>Atopobium vaginae</i> and <i>Gardnerella vaginalis</i> in bacterial vaginosis-associated biofilm. <i>Sexually Transmitted Infections</i> , 2016, 92, 487-491.	0.8	83
75	Evaluation of an enzymatic <i>Chlamydia trachomatis</i> point-of-care rapid assay in Rwanda: the BioChekSwab Rapid Test: Table A1. <i>Sexually Transmitted Infections</i> , 2016, 92, 430-432.	0.8	6
76	Association of Sexual Debut in Adolescents With Microbiota and Inflammatory Markers. <i>Obstetrics and Gynecology</i> , 2016, 128, 22-31.	1.2	20
77	Evaluation of the Bio-Rad Dx CT/NG/MGÂ® assay for simultaneous detection of <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> and <i>Mycoplasma genitalium</i> in urine. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 1159-1163.	1.3	9
78	WGS analysis and molecular resistance mechanisms of azithromycin-resistant (MIC >2) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td</i> Chemotherapy, 2016, 71, 3109-3116.	1.3	81
79	A DNA tool for early detection of vaginal dysbiosis in African women. <i>Research in Microbiology</i> , 2016, 167, 133-141.	1.0	12
80	A Multi-Country Cross-Sectional Study of Vaginal Carriage of Group B Streptococci (GBS) and <i>Escherichia coli</i> in Resource-Poor Settings: Prevalences and Risk Factors. <i>PLoS ONE</i> , 2016, 11, e0148052.	1.1	61
81	Verification of chemistry reference ranges using a simple method in sub-Saharan Africa. <i>African Journal of Laboratory Medicine</i> , 2016, 5, 404.	0.2	2
82	P06.05â€¦Dynamics of vaginal immune correlates and microbiota in women from sub-saharan africa. <i>Sexually Transmitted Infections</i> , 2015, 91, A116.1-A116.	0.8	0
83	Injectable Progestinâ€œOnly Contraception is Associated With Increased Levels of Proâ€œInflammatory Cytokines in the Female Genital Tract. <i>American Journal of Reproductive Immunology</i> , 2015, 74, 357-367.	1.2	63
84	P04.6â€¦High prevalence of bacterial vaginosis among adolescent girls attending secondary school in tanzania. <i>Sexually Transmitted Infections</i> , 2015, 91, A34.2-A35.	0.8	0
85	P07.16â€¦The importance of <i>atopobium vaginae</i> in bacterial vaginosis-associated biofilm. <i>Sexually Transmitted Infections</i> , 2015, 91, A126.2-A126.	0.8	0
86	P04.5â€¦The influence of sexual debut on selected vaginal, rectal and oral microbiota and vaginal inflammatory markers in belgian adolescent girls: a cohort study. <i>Sexually Transmitted Infections</i> , 2015, 91, A34.1-A34.	0.8	0
87	P05.02â€¦ <i>Neisseria gonorrhoeae</i> strain types and antibiotic susceptibility. <i>Sexually Transmitted Infections</i> , 2015, 91, A108.2-A108.	0.8	0
88	P03.14â€¦High prevalence of <i>lactobacillus crispatus</i> among adolescent girls attending secondary school in tanzania. <i>Sexually Transmitted Infections</i> , 2015, 91, A90.3-A91.	0.8	0
89	P06.04â€¦ <i>Gardnerella vaginalis</i> presence in vaginal dysbiosis: a secondary analysis. <i>Sexually Transmitted Infections</i> , 2015, 91, A115.2-A115.	0.8	0
90	P07.19â€¦Added value of a novel dual treponemal/nontreponemal rapid diagnostic test for syphilis among pregnant women. <i>Sexually Transmitted Infections</i> , 2015, 91, A127.2-A127.	0.8	0

#	ARTICLE	IF	CITATIONS
91	P08.15â€¦Increasing number of <i>lymphogranuloma venereum</i> cases in belgium, overview 2011â€“2014. Sexually Transmitted Infections, 2015, 91, A137.2-A137.	0.8	0
92	O13.3â€¦The impact of vaginal bacterial biofilm on intravaginal rings. Sexually Transmitted Infections, 2015, 91, A53.3-A54.	0.8	1
93	P05.03â€¦Performance of two enzyme and one strip immune assay for the detection of igm anti- <i>treponema pallidum</i> antibodies. Sexually Transmitted Infections, 2015, 91, A108.3-A109.	0.8	0
94	P06.13â€¦Inflammatory cytokine biomarkers identify women with asymptomatic genital infections that increase the risk of hiv infection. Sexually Transmitted Infections, 2015, 91, A119.1-A119.	0.8	0
95	Prevalence and Incidence Estimation of HSV-2 by Two IgG ELISA Methods among South African Women at High Risk of HIV. PLoS ONE, 2015, 10, e0120207.	1.1	9
96	Unravelling the Bacterial Vaginosis-Associated Biofilm: A Multiplex Gardnerella vaginalis and Atopobium vaginae Fluorescence In Situ Hybridization Assay Using Peptide Nucleic Acid Probes. PLoS ONE, 2015, 10, e0136658.	1.1	79
97	Cross-Sectional Analysis of Selected Genital Tract Immunological Markers and Molecular Vaginal Microbiota in Sub-Saharan African Women, with Relevance to HIV Risk and Prevention. Vaccine Journal, 2015, 22, 526-538.	3.2	72
98	Sino-implant (II)Â® continuation and effect of concomitant tenofovir disoproxil fumarate-emtricitabine use on plasma levonorgestrel concentrations among women in Bondo, Kenya. Contraception, 2015, 91, 248-252.	0.8	12
99	The significance of Lactobacillus crispatus and L. vaginalis for vaginal health and the negative effect of recent sex: a cross-sectional descriptive study across groups of African women. BMC Infectious Diseases, 2015, 15, 115.	1.3	92
100	Correlates of the molecular vaginal microbiota composition of African women. BMC Infectious Diseases, 2015, 15, 86.	1.3	43
101	The ring plus project: safety and acceptability of vaginal rings that protect women from unintended pregnancy. BMC Public Health, 2015, 15, 348.	1.2	15
102	Drug resistance and plasma viral RNA level after ineffective use of oral pre-exposure prophylaxis in women. Aids, 2015, 29, 331-337.	1.0	37
103	Is the tide turning again for cephalosporin resistance in Neisseria gonorrhoeae in Europe? Results from the 2013 European surveillance. BMC Infectious Diseases, 2015, 15, 321.	1.3	44
104	High <i>In Vitro</i> Susceptibility to the Novel Spiropyrimidinetrione ETX0914 (AZD0914) among 873 Contemporary Clinical Neisseria gonorrhoeae Isolates from 21 European Countries from 2012 to 2014. Antimicrobial Agents and Chemotherapy, 2015, 59, 5220-5225.	1.4	42
105	The Vaginal Microbiota: What Have We Learned after a Decade of Molecular Characterization?. PLoS ONE, 2014, 9, e105998.	1.1	397
106	Genital Tract Immunological Markers in Sub-Saharan African Women with Relevance to HIV Risk and Prevention. AIDS Research and Human Retroviruses, 2014, 30, A233-A233.	0.5	2
107	The vaginal microbiota and susceptibility to HIV. Aids, 2014, 28, 2333-2344.	1.0	88
108	Intermediate vaginal flora and bacterial vaginosis are associated with the same factors: findings from an exploratory analysis among female sex workers in Africa and India. Sexually Transmitted Infections, 2014, 90, 161-164.	0.8	11

#	ARTICLE	IF	CITATIONS
109	FEM-PrEP. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2014, 66, 324-331.	0.9	139
110	Risk Factors for Antimicrobial-Resistant <i>Neisseria gonorrhoeae</i> in Europe. <i>Sexually Transmitted Diseases</i> , 2014, 41, 723-729.	0.8	33
111	Development and characterization of a solid dispersion film for the vaginal application of the anti-HIV microbicide UAMC01398. <i>International Journal of Pharmaceutics</i> , 2014, 475, 238-244.	2.6	24
112	Prevalence and Correlates of Bacterial Vaginosis in Different Sub-Populations of Women in Sub-Saharan Africa: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e109670.	1.1	85
113	The global epidemiology of bacterial vaginosis: a systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 505-523.	0.7	326
114	Behavioural and medical predictors of bacterial vaginosis recurrence among female sex workers: longitudinal analysis from a randomized controlled trial. <i>BMC Infectious Diseases</i> , 2013, 13, 208.	1.3	27
115	Evaluation of the APTIMA Combo 2 Assay using self-administered vaginal swabs for the detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2013, 76, 385-386.	0.8	2
116	P5.072â€¦The Performance of Two IgG ELISA Methods to Detect HSV-2 Infections Among South-African Women Who Are at Higher Risk of Becoming HIV Infected. <i>Sexually Transmitted Infections</i> , 2013, 89, A357.1-A357.	0.8	0
117	Diaryltriazine non-nucleoside reverse transcriptase inhibitors are potent candidates for pre-exposure prophylaxis in the prevention of sexual HIV transmission. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2038-2047.	1.3	16
118	Observation of a cytopathogenic effect on cell lines used for routine viral cultures led to the diagnosis of lymphogranuloma venereum: Table A1. <i>Sexually Transmitted Infections</i> , 2013, 89, 395-397.	0.8	2
119	P1.032â€¦Bacterial Species in the Vaginal Microbiome Correlated by Nugent Score: Cross-Sectional Data from the Microbicide Safety Biomarkers Study in Kenya, Rwanda, and South Africa: Abstract P1.032 Table. <i>Sexually Transmitted Infections</i> , 2013, 89, A83.3-A83.	0.8	0
120	P3.060â€¦There is a Need For Multipurpose Prevention Technologies Targeting HIV and Common Reproductive Tract Infections: Data from the Microbicide Safety Biomarkers Study Team: Abstract P3.060 Table 1. <i>Sexually Transmitted Infections</i> , 2013, 89, A166.4-A167.	0.8	1
121	P5.100â€¦Trends in the Antimicrobial Susceptibility of <i>Neisseria Gonorrhoeae</i> Isolates in Belgium (2006â€“2011): Abstract P5.100 Table 1. <i>Sexually Transmitted Infections</i> , 2013, 89, A366.2-A366.	0.8	0
122	Tenofovir Diphosphate and Emtricitabine Triphosphate Concentrations in Blood Cells Compared With Isolated Peripheral Blood Mononuclear Cells. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2013, 62, 260-266.	0.9	37
123	INCIDENCE OF HCV AND SEXUALLY TRANSMITTED DISEASES AMONG HIV POSITIVE MSM IN ANTWERP, BELGIUM, 2001-2011. <i>Acta Clinica Belgica</i> , 2013, 68, 421-426.	0.5	10
124	Prevalence of HIV and Other Sexually Transmitted Infections among Female Sex Workers in Kisumu, Western Kenya, 1997 and 2008. <i>PLoS ONE</i> , 2013, 8, e54953.	1.1	29
125	High prevalence of HIV and sexually transmitted infections among male sex workers in Abidjan, CÃ´te d'Ivoire: need for services tailored to their needs. <i>Sexually Transmitted Infections</i> , 2012, 88, 288-293.	0.8	77
126	Preexposure Prophylaxis for HIV Infection among African Women. <i>New England Journal of Medicine</i> , 2012, 367, 411-422.	13.9	1,377

#	ARTICLE	IF	CITATIONS
127	Intermediate vaginal flora is associated with HIV prevalence as strongly as bacterial vaginosis in a cross-sectional study of participants screened for a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2012, 88, 545-551.	0.8	24
128	Prevalence and Concordance of HPV, HIV, and HSV-2 in Heterosexual Couples in Kigali, Rwanda. <i>Sexually Transmitted Diseases</i> , 2012, 39, 128-135.	0.8	15
129	Quantification of bacterial species of the vaginal microbiome in different groups of women, using nucleic acid amplification tests. <i>BMC Microbiology</i> , 2012, 12, 83.	1.3	125
130	HIV and STI Prevalence among Female Sex Workers in CÔte d'Ivoire: Why Targeted Prevention Programs Should Be Continued and Strengthened. <i>PLoS ONE</i> , 2012, 7, e32627.	1.1	49
131	Searching for Lower Female Genital Tract Soluble and Cellular Biomarkers: Defining Levels and Predictors in a Cohort of Healthy Caucasian Women. <i>PLoS ONE</i> , 2012, 7, e43951.	1.1	69
132	Sexually transmitted infections: what's new?. <i>Acta Clinica Belgica</i> , 2012, 67, 154-9.	0.5	7
133	Evaluation of a new multiplex polymerase chain reaction assay STDFinder for the simultaneous detection of 7 sexually transmitted disease pathogens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 71, 29-37.	0.8	33
134	Non-Sexual Transmission of <i>Trichomonas vaginalis</i> in Adolescent Girls Attending School in Ndola, Zambia. <i>PLoS ONE</i> , 2011, 6, e16310.	1.1	42
135	P1-S2.56 Sexually transmitted diseases among HIV positive MSM, prior to HCV infection. <i>Sexually Transmitted Infections</i> , 2011, 87, A146-A146.	0.8	1
136	O1-S05.06 Association between prevalent Bacterial vaginosis (BV) and HIV Infection among female sex workers at two African and two Indian sites. <i>Sexually Transmitted Infections</i> , 2011, 87, A34-A35.	0.8	0
137	O3-S6.03 The diagnosis of lymphogranuloma venereum at one's fingertips. <i>Sexually Transmitted Infections</i> , 2011, 87, A82-A82.	0.8	0
138	P3-S3.06 Quantifying lactobacillae species with real time PCR methods for HIV prevention trials. <i>Sexually Transmitted Infections</i> , 2011, 87, A287-A287.	0.8	0
139	Methodological Issues in Sampling the Local Immune System of the Female Genital Tract in the Context of HIV Prevention Trials. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 368-376.	1.2	12
140	The epidemiology of human papillomavirus infection in HIV-positive and HIV-negative high-risk women in Kigali, Rwanda. <i>BMC Infectious Diseases</i> , 2011, 11, 333.	1.3	48
141	Performance of a Rapid and Simple HIV Testing Algorithm in a Multicenter Phase III Microbicide Clinical Trial. <i>Vaccine Journal</i> , 2011, 18, 1480-1485.	3.2	31
142	Obtaining Valid Laboratory Data in Clinical Trials Conducted in Resource Diverse Settings: Lessons Learned from a Microbicide Phase III Clinical Trial. <i>PLoS ONE</i> , 2010, 5, e13592.	1.1	11
143	<i>Trichomonas vaginalis</i> is Highly Prevalent in Adolescent Girls, Pregnant Women, and Commercial Sex Workers in Ndola, Zambia. <i>Sexually Transmitted Diseases</i> , 2010, 37, 223-227.	0.8	32
144	European surveillance of antimicrobial resistance in <i>Neisseria gonorrhoeae</i> . <i>Sexually Transmitted Infections</i> , 2010, 86, 427-432.	0.8	53

#	ARTICLE	IF	CITATIONS
145	Molecular typing of the actin gene of <i>Trichomonas vaginalis</i> isolates by PCR—restriction fragment length polymorphism. <i>Clinical Microbiology and Infection</i> , 2008, 14, 844-852.	2.8	31
146	Lack of Effectiveness of Cellulose Sulfate Gel for the Prevention of Vaginal HIV Transmission. <i>New England Journal of Medicine</i> , 2008, 359, 463-472.	13.9	410
147	Effectiveness of Cellulose Sulfate Vaginal Gel for the Prevention of HIV Infection: Results of a Phase III Trial in Nigeria. <i>PLoS ONE</i> , 2008, 3, e3784.	1.1	136
148	Lack of evidence for the involvement of rectal and oral trichomonads in the aetiology of vaginal trichomoniasis in Ghana. <i>Sexually Transmitted Infections</i> , 2007, 83, 130-132.	0.8	11
149	Vaginal microbicides can interfere with nucleic acid amplification tests used for the diagnosis of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infection. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 57, 97-99.	0.8	7
150	Lymphogranuloma venereum outbreak in men who have sex with men (MSM) in Belgium, January 2004 to July 2005. <i>Emerging Infectious Diseases</i> , 2005, 10, E050929.3.		10
151	Detection of <i>Pentatrichomonas hominis</i> DNA in biological specimens by PCR. <i>Letters in Applied Microbiology</i> , 2004, 38, 510-516.	1.0	19
152	Comparison of culture and different PCR assays for detection of <i>Trichomonas vaginalis</i> in self collected vaginal swab specimens. <i>Sexually Transmitted Infections</i> , 2003, 79, 393-398.	0.8	76
153	National External Quality Assessment Scheme for Lymphocyte Immunophenotyping in Belgium. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 323-30.	1.4	10
154	National External Quality Assessment Schemes for microbiology, parasitology, and virology in Europe. <i>Accreditation and Quality Assurance</i> , 2001, 6, 379-381.	0.4	0
155	High prevalence of sexually transmitted diseases in a rural area in Mozambique.. <i>Sexually Transmitted Infections</i> , 1993, 69, 427-430.	0.8	19
156	The development of mouthwashes without anti-gonococcal activity for controlled clinical trials: an in vitro study. <i>F1000Research</i> , 0, 8, 1620.	0.8	10