

# Gunnar Einvik

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3465930/publications.pdf>

Version: 2024-02-01

37  
papers

1,348  
citations

430442

18  
h-index

377514

34  
g-index

39  
all docs

39  
docs citations

39  
times ranked

2177  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiac Dysfunction and Arrhythmias 3 Months After Hospitalization for COVID-19. <i>Journal of the American Heart Association</i> , 2022, 11, e023473.	1.6	41
2	Inflammatory Markers, Pulmonary Function, and Clinical Symptoms in Acute COVID-19 Among Non-Hospitalized Adolescents and Young Adults. <i>Frontiers in Immunology</i> , 2022, 13, 837288.	2.2	15
3	Treatable Traits in Misdiagnosed Chronic Obstructive Pulmonary Disease: Data from the Akershus Cardiac Examination 1950 Study. <i>Chronic Obstructive Pulmonary Diseases (Miami, Fla )</i> , 2022, , .	0.5	0
4	Novel oxygen desaturation parameters are associated with cardiac troponin I: Data from the Akershus Sleep Apnea Project. <i>Journal of Sleep Research</i> , 2022, 31, e13581.	1.7	7
5	Evaluation of the Norwegian version of the Dyspnoea-12 questionnaire in patients with COPD. <i>BMJ Open Respiratory Research</i> , 2022, 9, e001262.	1.2	1
6	Persistent symptoms 1.5–6 months after COVID-19 in non-hospitalised subjects: a population-based cohort study. <i>Thorax</i> , 2021, 76, 405-407.	2.7	220
7	Prevalence and Determinants of Fatigue after COVID-19 in Non-Hospitalized Subjects: A Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2030.	1.2	96
8	Prevalence and Risk Factors for Post-Traumatic Stress in Hospitalized and Non-Hospitalized COVID-19 Patients. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2079.	1.2	52
9	Quality of life after COVID-19 without hospitalisation: Good overall, but reduced in some dimensions. <i>Journal of Infection</i> , 2021, 82, 186-230.	1.7	17
10	Incidence of thrombotic complications in hospitalised and non-hospitalised patients after COVID-19 diagnosis. <i>British Journal of Haematology</i> , 2021, 194, 542-546.	1.2	10
11	Cardiopulmonary exercise capacity and limitations 3–6 months after COVID-19 hospitalisation. <i>European Respiratory Journal</i> , 2021, 58, 2100996.	3.1	126
12	Systemic inflammation induced by exacerbation of COPD or pneumonia in patients with COPD induces cardiac troponin elevation. <i>BMJ Open Respiratory Research</i> , 2021, 8, e000997.	1.2	4
13	Cardiac pathology 6 months after hospitalization for COVID-19 and association with the acute disease severity. <i>American Heart Journal</i> , 2021, 242, 61-70.	1.2	24
14	Dyspnoea, lung function and CT findings 3–6 months after hospital admission for COVID-19. <i>European Respiratory Journal</i> , 2021, 57, 2003448.	3.1	243
15	Persistent pulmonary pathology after COVID-19 is associated with high viral load, weak antibody response, and high levels of matrix metalloproteinase-9. <i>Scientific Reports</i> , 2021, 11, 23205.	1.6	26
16	Annual decline in forced expiratory volume and airway inflammatory cells and mediators in a general population-based sample. <i>BMC Pulmonary Medicine</i> , 2019, 19, 90.	0.8	5
17	Montreal Cognitive Assessment in a 63- to 65-year-old Norwegian Cohort from the General Population: Data from the Akershus Cardiac Examination 1950 Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 7, 318-327.	0.6	17
18	Diagnostic and prognostic properties of procalcitonin in patients with acute dyspnea: Data from the ACE 2 Study. <i>Clinical Biochemistry</i> , 2018, 59, 62-68.	0.8	4

#	ARTICLE	IF	CITATIONS
19	The association between circulating adiponectin levels, lung function and adiposity in subjects from the general population; data from the Akershus Sleep Apnea Project. BMC Pulmonary Medicine, 2018, 18, 54.	0.8	6
20	Premature Ventricular Complex is More Prevalent During Acute Exacerbated than Stable States of Chronic Obstructive Pulmonary Disease, and Is Related to Cardiac Troponin T. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2017, 14, 318-323.	0.7	5
21	Biomarkers of cardiovascular injury and stress are associated with increased frequency of ventricular ectopy: a population-based study. BMC Cardiovascular Disorders, 2016, 16, 233.	0.7	7
22	Relation of Erectile Dysfunction to Subclinical Myocardial Injury. American Journal of Cardiology, 2016, 118, 1821-1825.	0.7	6
23	Annual decline in forced expiratory volume is steeper in aluminum potroom workers than in workers without exposure to potroom fumes. American Journal of Industrial Medicine, 2016, 59, 322-329.	1.0	3
24	The prognostic value of measurement of high-sensitive cardiac troponin T for mortality in a cohort of stable chronic obstructive pulmonary disease patients. BMC Pulmonary Medicine, 2016, 16, 164.	0.8	22
25	Psychological distress and mortality in patients with acute dyspnea: data from the Akershus Cardiac Examination (ACE) 2 Study. General Hospital Psychiatry, 2015, 37, 548-553.	1.2	3
26	Type D personality is associated with increased prevalence of ventricular arrhythmias in community-residing persons without coronary heart disease. European Journal of Preventive Cardiology, 2014, 21, 592-600.	0.8	16
27	Prognostic Value of High-sensitivity Cardiac Troponin T in Acute Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 241-248.	0.7	47
28	Severity of Obstructive Sleep Apnea is Associated with Cardiac Troponin I Concentrations in a Community-based Sample: Data from the Akershus Sleep Apnea Project. Sleep, 2014, 37, 1111-1116.	0.6	43
29	Novel cardiovascular risk markers in depression: No association between depressive symptoms and osteoprotegerin or adiponectin in persons at high risk for sleep apnea. Journal of Affective Disorders, 2013, 145, 400-404.	2.0	13
30	Sex-Dependent Impact of OSA on Digital Vascular Function. Chest, 2013, 144, 915-922.	0.4	26
31	Obstructive Sleep Apnea Is Associated With Increased High-Sensitivity Cardiac Troponin T Levels. Chest, 2012, 142, 639-646.	0.4	47
32	Circulating cytokine concentrations are not associated with major depressive disorder in a community-based cohort. General Hospital Psychiatry, 2012, 34, 262-267.	1.2	27
33	Major Depressive Disorder, Anxiety Disorders, and Cardiac Biomarkers in Subjects at High Risk of Obstructive Sleep Apnea. Psychosomatic Medicine, 2011, 73, 378-384.	1.3	21
34	Prevalence of cardiovascular risk factors and concentration of C-reactive protein in Type D personality persons without cardiovascular disease. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 504-509.	3.1	34
35	A randomized clinical trial on n-3 polyunsaturated fatty acids supplementation and all-cause mortality in elderly men at high cardiovascular risk. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 588-592.	3.1	79
36	The influence of long-term awareness of hyperlipidemia and of 3 years of dietary counseling on depression, anxiety, and quality of life. Journal of Psychosomatic Research, 2010, 68, 567-572.	1.2	21

#	ARTICLE	IF	CITATIONS
37	Physical distress is associated with cardiovascular events in a high risk population of elderly men. BMC Cardiovascular Disorders, 2009, 9, 14.	0.7	14