

Eugne P Van Puijenbroek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3466157/eugene-p-van-puijenbroek-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

2,353
citations

22
h-index

46
g-index

110
ext. papers

2,823
ext. citations

3.9
avg, IF

4.84
L-index

#	Paper	IF	Citations
107	Post-Marketing Safety Profile of Vortioxetine Using a Cluster Analysis and a Disproportionality Analysis of Global Adverse Event Reports.. <i>Drug Safety</i> , 2022 , 45, 145	5.1	1
106	Electronic Health Record-Triggered Research Infrastructure Combining Real-world Electronic Health Record Data and Patient-Reported Outcomes to Detect Benefits, Risks, and Impact of Medication: Development Study.. <i>JMIR Medical Informatics</i> , 2022 , 10, e33250	3.6	
105	Evaluation of pharmacovigilance systems for reporting medication errors in Africa and the role of patients using a mixed-methods approach.. <i>PLoS ONE</i> , 2022 , 17, e0264699	3.7	0
104	Sex Differences in Reported Adverse Drug Reactions to Angiotensin-Converting Enzyme Inhibitors.. <i>JAMA Network Open</i> , 2022 , 5, e228224	10.4	1
103	Neuropsychiatric adverse drug reactions associated with low dose methotrexate in rheumatoid arthritis patients. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-7	4.1	
102	Male Sexual Health and Reproduction in Cutaneous Immune-Mediated Diseases: A Systematic Review. <i>Sexual Medicine Reviews</i> , 2021 , 9, 423-433	5.6	1
101	Efficacy, Safety, and Economics of Innovative Medicines: The Role of Multi-Criteria Decision Analysis and Managed Entry Agreements in Practice and Policy.. <i>Frontiers in Medical Technology</i> , 2021 , 3, 629750	1.9	1
100	Gastrointestinal Adverse Drug Reaction Profile of Etanercept: Real-world Data From Patients and Healthcare Professionals. <i>Journal of Rheumatology</i> , 2021 , 48, 1388-1394	4.1	0
99	The International Pharmacy Game: A Comparison of Implementation in Seven Universities World-Wide. <i>Pharmacy (Basel, Switzerland)</i> , 2021 , 9,	2	2
98	Retroperitoneal fibrosis and Eblocking agents: Is there an association?. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2891-2901	3.8	0
97	Patient-Reported Adverse Events of Radiopharmaceuticals: A Prospective Study of 1002 Patients. <i>Drug Safety</i> , 2021 , 44, 211-222	5.1	0
96	Economic evaluations of chronic obstructive pulmonary disease pharmacotherapy: how well are the real-world issues of medication adherence, comorbidities and adverse drug-reactions addressed?. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 923-935	4	2
95	Comparative Assessment of the Pharmacovigilance Systems within the Neglected Tropical Diseases Programs in East Africa-Ethiopia, Kenya, Rwanda, and Tanzania. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
94	Inclusion of Safety-Related Issues in Economic Evaluations for Seasonal Influenza Vaccines: A Systematic Review. <i>Vaccines</i> , 2021 , 9,	5.3	1
93	Numbers of spontaneous reports: How to use and interpret?. <i>British Journal of Clinical Pharmacology</i> , 2021 ,	3.8	2
92	Safe use of radiopharmaceuticals in patients with chronic kidney disease: a systematic review. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2021 , 6, 27	5.8	
91	PatientsSperspectives on a drug safety monitoring system for immune-mediated inflammatory diseases based on patient-reported outcomes. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 1565-1572	4.1	

90	Patient-Reported Burden of Adverse Drug Reactions Attributed to Biologics Used for Immune-Mediated Inflammatory Diseases. <i>Drug Safety</i> , 2020 , 43, 917-925	5.1	9
89	Immune-mediated inflammatory disease patients' preferences in adverse drug reaction information regarding biologics. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 1049-1054	4.1	2
88	Impact of a Forced Dose-Equivalent Levothyroxine Brand Switch on Plasma Thyrotropin: A Cohort Study. <i>Thyroid</i> , 2020 , 30, 821-828	6.2	8
87	Sex Differences in Adverse Drug Reactions of Metformin: A Longitudinal Survey Study. <i>Drug Safety</i> , 2020 , 43, 489-495	5.1	12
86	Comparative Assessment of the National Pharmacovigilance Systems in East Africa: Ethiopia, Kenya, Rwanda and Tanzania. <i>Drug Safety</i> , 2020 , 43, 339-350	5.1	13
85	Patient-Reported Adverse Events of Radiopharmaceuticals: Development and Validation of a Questionnaire. <i>Drug Safety</i> , 2020 , 43, 319-328	5.1	1
84	Frequency of real-world reported adverse drug reactions in rheumatoid arthritis patients. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 1617-1624	4.1	3
83	Stakeholders' perspectives on a patient-reported outcome measure-based drug safety monitoring system for immune-mediated inflammatory diseases. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 1521-1528	4.1	2
82	Discontinuation of metformin to prevent metformin-induced high colonic FDG uptake: is 48h sufficient?. <i>Annals of Nuclear Medicine</i> , 2020 , 34, 833-839	2.5	2
81	Adverse Events of Diagnostic Radiopharmaceuticals: A Systematic Review. <i>Seminars in Nuclear Medicine</i> , 2019 , 49, 382-410	5.4	4
80	Patient preferences and expectation for feedback on adverse drug reaction reports submitted in Ghana. <i>Ghana Medical Journal</i> , 2019 , 53, 150-155	0.6	2
79	Adverse drug event patterns experienced by patients with diabetes: A diary study in primary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1175-1179	2.6	5
78	Time to onset in statistical signal detection revisited: A follow-up study in long-term onset adverse drug reactions. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1283-1289	2.6	2
77	Anaphylactic Reaction to Tc-99m MacroSalb. <i>Drug Safety - Case Reports</i> , 2019 , 6, 4	0.7	1
76	Sex differences in adverse drug reactions reported to the National Pharmacovigilance Centre in the Netherlands: An explorative observational study. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1507-1515	3.8	5 ¹
75	Safety profile of non-vitamin K oral anticoagulants (NOACs) from a patient perspective: a web-based cohort event monitoring study. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 869-874	4.1	
74	Assessment of medication use during pregnancy by Web-based questionnaires, pharmacy records and serum screening. <i>Reproductive Toxicology</i> , 2019 , 84, 93-97	3.4	2
73	Workshop on the Italian Pharmacovigilance System in the International Context: Critical Issues and Perspectives. <i>Drug Safety</i> , 2019 , 42, 683-687	5.1	0

72	A prediction model-based algorithm for computer-assisted database screening of adverse drug reactions in the Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 199-205	2.6	12
71	Sex Differences in Reported Adverse Drug Reactions of Selective Serotonin Reuptake Inhibitors. <i>Drug Safety</i> , 2018 , 41, 677-683	5.1	14
70	Does patient reporting lead to earlier detection of drug safety signals? A retrospective comparison of time to reporting between patients and healthcare professionals in a global database. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1514-1524	3.8	10
69	The adverse drug reaction reporting assignment for specialist oncology nurses: a preliminary evaluation of quality, relevance and educational value in a prospective cohort study. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018 , 391, 17-26	3.4	13
68	When More Is Less: An Exploratory Study of the Precautionary Reporting Bias and Its Impact on Safety Signal Detection. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 103, 296-303	6.1	14
67	Vitamin B in Health Supplements and Neuropathy: Case Series Assessment of Spontaneously Reported Cases. <i>Drug Safety</i> , 2018 , 41, 859-869	5.1	17
66	Feasibility and Educational Value of a Student-Run Pharmacovigilance Programme: A Prospective Cohort Study. <i>Drug Safety</i> , 2017 , 40, 409-418	5.1	18
65	The Quality of Clinical Information in Adverse Drug Reaction Reports by Patients and Healthcare Professionals: A Retrospective Comparative Analysis. <i>Drug Safety</i> , 2017 , 40, 607-614	5.1	41
64	Pharmacovigilance Skills, Knowledge and Attitudes in our Future Doctors - A Nationwide Study in the Netherlands. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 475-481	3.1	14
63	A global view of undergraduate education in pharmacovigilance. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 891-899	2.8	17
62	Web-based questionnaires to assess perinatal outcome proved to be valid. <i>Journal of Clinical Epidemiology</i> , 2017 , 90, 136-143	5.7	13
61	Patients' Perspectives on Adverse Drug Reaction Reporting in a Developing Country: A Case Study from Ghana. <i>Drug Safety</i> , 2017 , 40, 911-921	5.1	12
60	Broadening the Scope of Pharmacovigilance 2017 , 131-144		1
59	Contraindicated use of 5-alpha-reductase inhibitors in women. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 429-431	3.8	2
58	Actions in response to drug safety signals arising from a spontaneous reporting system: Retrospective study in the Netherlands. <i>International Journal of Risk and Safety in Medicine</i> , 2016 , 28, 115-23	1.6	3
57	Response to the validity and reliability of a signal impact assessment tool: statistical issue to avoid misinterpretation. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1217	2.6	
56	The validity and reliability of a signal impact assessment tool. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 815-9	2.6	10
55	Time course, outcome and management of adverse drug reactions associated with metformin from patient's perspective: a prospective, observational cohort study in the Netherlands. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 615-22	2.8	12

54	The Impact of Experiencing Adverse Drug Reactions on the Patient's Quality of Life: A Retrospective Cross-Sectional Study in the Netherlands. <i>Drug Safety</i> , 2016 , 39, 769-76	5.1	30
53	The value of time-to-onset in statistical signal detection of adverse drug reactions: a comparison with disproportionality analysis in spontaneous reports from the Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1361-1367	2.6	8
52	Parametric time-to-onset models were developed to improve causality assessment of adverse drug reactions from antidiabetic drugs. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1423-31	5.7	3
51	Relationship between structural alerts in NSAIDs and idiosyncratic hepatotoxicity: an analysis of spontaneous report data from the WHO database. <i>Drug Safety</i> , 2015 , 38, 511-5	5.1	6
50	Feedback for patients reporting adverse drug reactions; satisfaction and expectations. <i>Expert Opinion on Drug Safety</i> , 2015 , 14, 625-32	4.1	7
49	Six cases of (severe) hypoglycaemia associated with gabapentin use in both diabetic and non-diabetic patients. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 870-1	3.8	6
48	Adverse drug reaction reports of patients and healthcare professionals-differences in reported information. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 152-8	2.6	44
47	Experiences with the use of varenicline in daily practice in the Netherlands: a prospective, observational cohort study. <i>Drug Safety</i> , 2014 , 37, 449-57	5.1	8
46	Adjuvanted A/H1N1 (2009) influenza vaccination during pregnancy: description of a prospective cohort and spontaneously reported pregnancy-related adverse reactions in the Netherlands. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014 , 100, 731-8		9
45	Important information regarding reporting of adverse drug reactions: a qualitative study. <i>International Journal of Pharmacy Practice</i> , 2014 , 22, 231-3	1.7	17
44	Intensive monitoring of duloxetine: results of a web-based intensive monitoring study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 209-15	2.8	20
43	Representativeness of diabetes patients participating in a web-based adverse drug reaction monitoring system. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 250-5	2.6	7
42	Hearing Impairment Associated with Oral Terbinafine Use. <i>Drug Safety</i> , 2012 , 35, 685-691	5.1	2
41	Spontaneous ejaculation with the use of noradrenergic reuptake inhibitors. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1461-2	2.8	7
40	Expectations for feedback in adverse drug reporting by healthcare professionals in the Netherlands. <i>Drug Safety</i> , 2012 , 35, 221-32	5.1	13
39	Hearing impairment associated with oral terbinafine use: a case series and case/non-case analysis in the Netherlands Pharmacovigilance Centre Lareb database and VigiBase. <i>Drug Safety</i> , 2012 , 35, 685-91	5.1	0
38	Intensive monitoring of pregabalin: results from an observational, Web-based, prospective cohort study in the Netherlands using patients as a source of information. <i>Drug Safety</i> , 2011 , 34, 221-31	5.1	27
37	Uterine perforation with the levonorgestrel-releasing intrauterine device: analysis of reports from four national pharmacovigilance centres. <i>Drug Safety</i> , 2011 , 34, 83-8	5.1	25

36	Effectiveness of pharmacovigilance training of general practitioners: a retrospective cohort study in the Netherlands comparing two methods. <i>Drug Safety</i> , 2011 , 34, 755-62	5.1	16
35	Monitoring adverse events of vaccines against Mexican flu. <i>International Journal of Risk and Safety in Medicine</i> , 2011 , 23, 81-7	1.6	4
34	The proportion of patient reports of suspected ADRs to signal detection in the Netherlands: case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 286-91	2.6	44
33	Longitudinal monitoring of the safety of drugs by using a web-based system: the case of pregabalin. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 591-7	2.6	26
32	Syndrome of inappropriate antidiuretic hormone secretion (SIADH) or hyponatraemia associated with valproic Acid: four case reports from the Netherlands and a case/non-case analysis of vigibase. <i>Drug Safety</i> , 2010 , 33, 47-55	5.1	21
31	Hyponatraemia as an adverse drug reaction of antipsychotic drugs: a case-control study in VigiBase. <i>Drug Safety</i> , 2010 , 33, 569-78	5.1	44
30	Monitoring adverse events of the vaccination campaign against influenza A (H1N1) in the Netherlands. <i>Drug Safety</i> , 2010 , 33, 1097-108	5.1	22
29	Fever following immunization with influenza A (H1N1) vaccine in children: a survey-based study in the Netherlands. <i>Drug Safety</i> , 2010 , 33, 1109-15	5.1	10
28	Motives for reporting adverse drug reactions by patient-reporters in the Netherlands. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 1143-50	2.8	51
27	Media attention and the influence on the reporting odds ratio in disproportionality analysis: an example of patient reporting of statins. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 26-32	2.6	17
26	Spontaneous ADR reports as a trigger for pharmacogenetic research: a prospective observational study in the Netherlands. <i>Drug Safety</i> , 2009 , 32, 255-64	5.1	11
25	Spontaneous reports and pharmacogenetics: the role of the pharmacovigilance centre. <i>Drug Safety</i> , 2009 , 32, 357-8	5.1	2
24	Reporting of adverse drug reactions by general practitioners: a questionnaire-based study in the Netherlands. <i>Drug Safety</i> , 2009 , 32, 851-8	5.1	21
23	Influence of chemical structure on hypersensitivity reactions induced by antiepileptic drugs: the role of the aromatic ring. <i>Drug Safety</i> , 2008 , 31, 695-702	5.1	32
22	Drug-related nephrotoxic and ototoxic reactions : a link through a predictive mechanistic commonality. <i>Drug Safety</i> , 2008 , 31, 877-84	5.1	11
21	Expectations of general practitioners and specialist doctors regarding the feedback received after reporting an adverse drug reaction. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 76-81	2.6	6
20	Clindamycin and taste disorders. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 542-5	3.8	11
19	Post Launch Monitoring of food products: what can be learned from pharmacovigilance. <i>Regulatory Toxicology and Pharmacology</i> , 2007 , 47, 213-20	3.4	5

18	Data mining in pharmacovigilance: lessons from phantom ships. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 967-70	2.8	17
17	Pharmacogenetics of drug-induced arrhythmias: a feasibility study using spontaneous adverse drug reactions reporting data. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 99-105	2.6	8
16	The role of data mining in pharmacovigilance. <i>Expert Opinion on Drug Safety</i> , 2005 , 4, 929-48	4.1	169
15	Mirtazapine-induced arthralgia. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 570-2	3.8	2
14	Slipped capital femoral epiphyses associated with the withdrawal of a gonadotrophin releasing hormone. <i>BMJ, The</i> , 2004 , 328, 1353	5.9	8
13	Photo-onycholysis associated with the use of doxycycline. <i>BMJ, The</i> , 2004 , 329, 265	5.9	31
12	Do pharmacists reports of adverse drug reactions reflect patients concerns?. <i>International Journal of Clinical Pharmacy</i> , 2004 , 26, 155-9		13
11	The Weber-curve pitfall: effects of a forced introduction on reporting rates and reported adverse reaction profiles. <i>International Journal of Clinical Pharmacy</i> , 2003 , 25, 260-3		11
10	Application of quantitative signal detection in the Dutch spontaneous reporting system for adverse drug reactions. <i>Drug Safety</i> , 2003 , 26, 293-301	5.1	88
9	On the assessment of adverse drug reactions from spontaneous reporting systems: the influence of under-reporting on odds ratios. <i>Statistics in Medicine</i> , 2002 , 21, 2027-44	2.3	98
8	A comparison of measures of disproportionality for signal detection in spontaneous reporting systems for adverse drug reactions. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 3-10	2.6	572
7	Myopathy due to statin/fibrate use in the Netherlands. <i>Annals of Pharmacotherapy</i> , 2002 , 36, 1957-60	2.9	9
6	Use of measures of disproportionality in pharmacovigilance: three Dutch examples. <i>Drug Safety</i> , 2002 , 25, 453-8	5.1	112
5	Different risks for NSAID-induced anaphylaxis. <i>Annals of Pharmacotherapy</i> , 2002 , 36, 24-9	2.9	47
4	Determinants of signal selection in a spontaneous reporting system for adverse drug reactions. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 579-86	3.8	43
3	Association between terbinafine and arthralgia, fever and urticaria: symptoms or syndrome?. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 135-42	2.6	12
2	Detecting drug-drug interactions using a database for spontaneous adverse drug reactions: an example with diuretics and non-steroidal anti-inflammatory drugs. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 733-8	2.8	84
1	Signalling possible drug-drug interactions in a spontaneous reporting system: delay of withdrawal bleeding during concomitant use of oral contraceptives and itraconazole. <i>British Journal of Clinical Pharmacology</i> , 1999 , 47, 689-93	3.8	79

