

InÃ©s O'Farrell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3466225/publications.pdf>

Version: 2024-02-01

24
papers

768
citations

430874

18
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

773
citing authors

#	ARTICLE	IF	CITATIONS
1	Human impacted shallow lakes in the Pampean plain are ideal hosts for cyanobacterial harmful blooms. <i>Environmental Pollution</i> , 2021, 288, 117747.	7.5	6
2	Ecological meta-analysis of bloom-forming planktonic Cyanobacteria in Argentina. <i>Harmful Algae</i> , 2019, 83, 1-13.	4.8	30
3	Multi-scale analysis of functional plankton diversity in floodplain wetlands: Effects of river regulation. <i>Science of the Total Environment</i> , 2019, 667, 338-347.	8.0	41
4	Plankton metacommunities in floodplain wetlands under contrasting hydrological conditions. <i>Freshwater Biology</i> , 2018, 63, 380-391.	2.4	57
5	Influence of light and mixing regime on bloom-forming phytoplankton in a subtropical reservoir. <i>River Research and Applications</i> , 2017, 33, 1315-1326.	1.7	40
6	Effect of Spatial Heterogeneity on Zooplankton Diversity: A Multi-Scale Habitat Approximation in a Floodplain Lake. <i>River Research and Applications</i> , 2015, 31, 85-97.	1.7	20
7	Long-term study of bloom-forming cyanobacteria in a highly fluctuating vegetated floodplain lake: a morpho-functional approach. <i>Hydrobiologia</i> , 2015, 752, 91-102.	2.0	17
8	Microbial planktonic communities of freshwater environments from Tierra del Fuego: dominant trophic strategies in lakes with contrasting features. <i>Journal of Plankton Research</i> , 2013, 35, 1220-1233.	1.8	27
9	Bloom forming cyanobacterial complexes co-occurring in a subtropical large reservoir: validation of dominant eco-strategies. <i>Hydrobiologia</i> , 2012, 698, 175-190.	2.0	37
10	Water level as the main driver of the alternation between a free-floating plant and a phytoplankton dominated state: a long-term study in a floodplain lake. <i>Aquatic Sciences</i> , 2011, 73, 275-287.	1.5	85
11	Macrophyte influence on the structure and productivity of photosynthetic picoplankton in wetlands. <i>Journal of Plankton Research</i> , 2010, 32, 221-238.	1.8	21
12	Thesudestadas: a hydro-meteorological phenomenon that affects river pollution (River Luján, South) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.0	26
13	Phytoplankton morphological response to the underwater light conditions in a vegetated wetland. <i>Hydrobiologia</i> , 2007, 578, 65-77.	2.0	46
14	Influence of free-floating plants on the structure of a natural phytoplankton assemblage: an experimental approach. <i>Journal of Plankton Research</i> , 2006, 29, 47-56.	1.8	57
15	Euglenoid morphospecies replacement along a hydraulic gradient of the Lower Parana Basin (Argentina). <i>Freshwater Biology</i> , 2005, 50, 616-626.	2.4	5
16	Short-Term Ecological Implications of the Diversion of a Highly Polluted Lowland River: A Case Study. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2005, 75, 1176-1184.	2.7	5
17	Algal Assemblages Across a Wetland, from a Shallow Lake to Relictual Oxbow Lakes (Lower Parana) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	2.0	48
18	Do steady state assemblages occur in shallow lentic environments from wetlands?. <i>Hydrobiologia</i> , 2003, 502, 197-209.	2.0	34

#	ARTICLE	IF	CITATIONS
19	The assessment of water quality in the Lower Luján River (Buenos Aires, Argentina): phytoplankton and algal bioassays. <i>Environmental Pollution</i> , 2002, 120, 207-218.	7.5	58
20	Morphological variability of <i>Aulacoseira granulata</i> (Ehr.) Simonsen (Bacillariophyceae) in the Lower Paraná River (Argentina). <i>Limnology</i> , 2001, 2, 65-71.	1.5	46
21	Variation in phytoplankton composition and limnological features in a water-water ecotone of the Lower Parana Basin (Argentina). <i>Freshwater Biology</i> , 2001, 46, 63-74.	2.4	30
22	Comparative analysis of the phytoplankton of fifteen lowland fluvial systems of the River Plate Basin (Argentina). <i>Hydrobiologia</i> , 1994, 289, 109-117.	2.0	25
23	Phytoplankton ecology and limnology of the Salado River (Buenos Aires, Argentina). <i>Hydrobiologia</i> , 1993, 271, 169-178.	2.0	19
24	The sediment akinete bank links past and future blooms of Nostocales in a shallow lake. <i>Journal of Plankton Research</i> , 0, , .	1.8	0