

# Pablo Muriel

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3466406/pablo-muriel-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

4,549  
citations

37  
h-index

63  
g-index

129  
ext. papers

4,970  
ext. citations

4.2  
avg, IF

6.02  
L-index

#	Paper	IF	Citations
126	Role of free radicals in liver diseases. <i>Hepatology International</i> , <b>2009</b> , 3, 526-36	8.8	249
125	Silymarin protects against paracetamol-induced lipid peroxidation and liver damage. <i>Journal of Applied Toxicology</i> , <b>1992</b> , 12, 439-42	4.1	198
124	Curcumin protects against acute liver damage in the rat by inhibiting NF-kappaB, proinflammatory cytokines production and oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2007</b> , 1770, 989-96	4	179
123	Prevention by silymarin of membrane alterations in acute CCL4 liver damage. <i>Journal of Applied Toxicology</i> , <b>1990</b> , 10, 275-9	4.1	163
122	Nitric oxide protection of rat liver from lipid peroxidation, collagen accumulation, and liver damage induced by carbon tetrachloride. <i>Biochemical Pharmacology</i> , <b>1998</b> , 56, 773-9	6	132
121	Beneficial effects of naringenin in liver diseases: Molecular mechanisms. <i>World Journal of Gastroenterology</i> , <b>2018</b> , 24, 1679-1707	5.6	130
120	NF-kappaB in liver diseases: a target for drug therapy. <i>Journal of Applied Toxicology</i> , <b>2009</b> , 29, 91-100	4.1	125
119	Prevention of CCL4-induced liver cirrhosis by silymarin. <i>Fundamental and Clinical Pharmacology</i> , <b>1989</b> , 3, 183-91	3.1	125
118	Pirfenidone effectively reverses experimental liver fibrosis. <i>Journal of Hepatology</i> , <b>2002</b> , 37, 797-805	13.4	121
117	Resveratrol prevents fibrosis, NF-kappaB activation and TGF-beta increases induced by chronic CCL4 treatment in rats. <i>Journal of Applied Toxicology</i> , <b>2008</b> , 28, 35-43	4.1	116
116	Beneficial drugs for liver diseases. <i>Journal of Applied Toxicology</i> , <b>2008</b> , 28, 93-103	4.1	115
115	Pharmacological actions of curcumin in liver diseases or damage. <i>Liver International</i> , <b>2009</b> , 29, 1457-66	7.9	113
114	Tight junction proteins ZO-1, ZO-2, and occludin along isolated renal tubules. <i>Kidney International</i> , <b>2000</b> , 57, 2386-402	9.9	98
113	Evaluation of the effectiveness of Rosmarinus officinalis (Lamiaceae) in the alleviation of carbon tetrachloride-induced acute hepatotoxicity in the rat. <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 81, 145-54	5	88
112	Kupffer cells are responsible for liver cirrhosis induced by carbon tetrachloride. <i>Journal of Applied Toxicology</i> , <b>2003</b> , 23, 103-8	4.1	86
111	Curcumin prevents and reverses cirrhosis induced by bile duct obstruction or CCL4 in rats: role of TGF-beta modulation and oxidative stress. <i>Fundamental and Clinical Pharmacology</i> , <b>2008</b> , 22, 417-27	3.1	78
110	Role of glutathione, lipid peroxidation and antioxidants on acute bile-duct obstruction in the rat. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>1999</b> , 1472, 173-80	4	76

109	Resveratrol and trimethylated resveratrol protect from acute liver damage induced by CCl4 in the rat. <i>Journal of Applied Toxicology</i> , <b>2008</b> , 28, 147-55	4.1	75
108	Nitric oxide and peroxynitrite anion modulate liver plasma membrane fluidity and Na(+)/K(+)-ATPase activity. <i>Nitric Oxide - Biology and Chemistry</i> , <b>2000</b> , 4, 333-42	5	75
107	Coffee and liver diseases. <i>Fitoterapia</i> , <b>2010</b> , 81, 297-305	3.2	73
106	Striatal manganese accumulation induces changes in dopamine metabolism in the cirrhotic rat. <i>Brain Research</i> , <b>2001</b> , 891, 123-9	3.7	72
105	Antioxidants in liver health. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , <b>2015</b> , 6, 59-72	3	65
104	Coffee attenuates fibrosis by decreasing the expression of TGF- $\beta$ and CTGF in a murine model of liver damage. <i>Journal of Applied Toxicology</i> , <b>2013</b> , 33, 970-9	4.1	64
103	Redox state and methods to evaluate oxidative stress in liver damage: From bench to bedside. <i>Annals of Hepatology</i> , <b>2016</b> , 15, 160-73	3.1	61
102	Resolution of liver fibrosis in chronic CCl4 administration in the rat after discontinuation of treatment: effect of silymarin, silibinin, colchicine and trimethylcolchicinic acid. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2005</b> , 96, 375-80	3.1	55
101	Protective effect of S-adenosyl-l-methionine on liver damage induced by biliary obstruction in rats: a histological, ultrastructural and biochemical approach. <i>Journal of Hepatology</i> , <b>1994</b> , 21, 95-102	13.4	53
100	Naringenin prevents experimental liver fibrosis by blocking TGF- $\beta$ /Smad3 and JNK-Smad3 pathways. <i>World Journal of Gastroenterology</i> , <b>2017</b> , 23, 4354-4368	5.6	50
99	The role of membrane composition in ATPase activities of cirrhotic rat liver: effect of silymarin. <i>Journal of Applied Toxicology</i> , <b>1990</b> , 10, 281-4	4.1	50
98	Regulation of nitric oxide synthesis in the liver. <i>Journal of Applied Toxicology</i> , <b>2000</b> , 20, 189-95	4.1	47
97	Molecular Mechanisms That Link Oxidative Stress, Inflammation, and Fibrosis in the Liver. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	45
96	Caffeine prevents experimental liver fibrosis by blocking the expression of TGF- $\beta$ <i>European Journal of Gastroenterology and Hepatology</i> , <b>2014</b> , 26, 164-73	2.2	44
95	Chronic bile duct obstruction induces changes in plasma and hepatic levels of cytokines and nitric oxide in the rat. <i>Experimental and Toxicologic Pathology</i> , <b>2006</b> , 58, 49-58		43
94	Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2001</b> , 130, 219-26	3.2	41
93	Role of lipid peroxidation in biliary obstruction in the rat. <i>Journal of Applied Toxicology</i> , <b>1994</b> , 14, 423-6	4.1	41
92	Protective effects of allopurinol against acute liver damage and cirrhosis induced by carbon tetrachloride: modulation of NF- $\kappa$ B, cytokine production and oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2012</b> , 1820, 65-75	4	38

91	Characterization of membrane fraction lipid composition and function of cirrhotic rat liver. Role of S-adenosyl-L-methionine. <i>Journal of Hepatology</i> , <b>1992</b> , 14, 16-21	13.4	37
90	Stevia Prevents Acute and Chronic Liver Injury Induced by Carbon Tetrachloride by Blocking Oxidative Stress through Nrf2 Upregulation. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2018</b> , 2018, 3823426	6.7	36
89	Fibrosis and glycogen stores depletion induced by prolonged biliary obstruction in the rat are ameliorated by metadoxine. <i>Liver International</i> , <b>2003</b> , 23, 262-8	7.9	35
88	Remission of liver fibrosis by interferon-alpha 2b. <i>Biochemical Pharmacology</i> , <b>1995</b> , 50, 515-20	6	35
87	N-acetylcysteine prevents carbon tetrachloride-induced liver cirrhosis: role of liver transforming growth factor-beta and oxidative stress. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2009</b> , 21, 908-14	2.2	34
86	Trans-3-phenyl-2-propenoic acid (cinnamic acid) derivatives: structure-activity relationship as hepatoprotective agents. <i>Medicinal Chemistry</i> , <b>2007</b> , 3, 475-9	1.8	34
85	Alpha-interferon prevents liver collagen deposition and damage induced by prolonged bile duct obstruction in the rat. <i>Journal of Hepatology</i> , <b>1996</b> , 24, 614-21	13.4	33
84	Free radicals, antioxidants, nuclear factor-E2-related factor-2 and liver damage. <i>Journal of Applied Toxicology</i> , <b>2020</b> , 40, 151-168	4.1	33
83	Coffee prevents CCl(4)-induced liver cirrhosis in the rat. <i>Hepatology International</i> , <b>2011</b> , 5, 857-63	8.8	32
82	Antifibrotic and fibrolytic properties of celecoxib in liver damage induced by carbon tetrachloride in the rat. <i>Liver International</i> , <b>2010</b> , 30, 969-78	7.9	31
81	Thalidomide ameliorates carbon tetrachloride induced cirrhosis in the rat. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2003</b> , 15, 951-7	2.2	30
80	Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat. <i>Biochemical Pharmacology</i> , <b>2004</b> , 68, 1321-9	6	29
79	Effect of silymarin and silybinin on oxygen radicals. <i>Drug Development Research</i> , <b>1993</b> , 29, 73-77	5.1	29
78	L-Theanine prevents carbon tetrachloride-induced liver fibrosis via inhibition of nuclear factor B and down-regulation of transforming growth factor β and connective tissue growth factor. <i>Human and Experimental Toxicology</i> , <b>2016</b> , 35, 135-46	3.4	28
77	Effects of silymarin and vitamins E and C on liver damage induced by prolonged biliary obstruction in the rat. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2004</b> , 94, 99-104	3.1	28
76	Insights into the mechanism of erythrocyte Na <sup>+</sup> /K <sup>+</sup> -ATPase inhibition by nitric oxide and peroxynitrite anion. <i>Journal of Applied Toxicology</i> , <b>2003</b> , 23, 275-8	4.1	27
75	Nicotinic acid prevents experimental liver fibrosis by attenuating the prooxidant process. <i>International Immunopharmacology</i> , <b>2015</b> , 28, 244-51	5.8	24
74	Antioxidant and immunomodulatory activity induced by stevioside in liver damage: In vivo, in vitro and in silico assays. <i>Life Sciences</i> , <b>2019</b> , 224, 187-196	6.8	22

73	Hesperidin prevents liver fibrosis in rats by decreasing the expression of nuclear factor- $\kappa$ B, transforming growth factor- $\beta$ and connective tissue growth factor. <i>Pharmacology</i> , <b>2014</b> , 94, 80-9	2.3	22
72	Role of manganese accumulation in increased brain glutamine of the cirrhotic rat. <i>Neurochemical Research</i> , <b>2003</b> , 28, 911-7	4.6	22
71	Quercetin reverses experimental cirrhosis by immunomodulation of the proinflammatory and profibrotic processes. <i>Fundamental and Clinical Pharmacology</i> , <b>2017</b> , 31, 610-624	3.1	21
70	Antifibrotic and antioxidant effects of N-acetylcysteine in an experimental cholestatic model. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2012</b> , 24, 179-85	2.2	21
69	Effects of leukotriene synthesis inhibition on acute liver damage induced by carbon tetrachloride. <i>Pharmacology</i> , <b>1993</b> , 47, 330-6	2.3	21
68	Naringenin attenuates the progression of liver fibrosis via inactivation of hepatic stellate cells and profibrogenic pathways. <i>European Journal of Pharmacology</i> , <b>2019</b> , 865, 172730	5.3	19
67	Effects of acetyl salicylic acid and ibuprofen in chronic liver damage induced by CCl <sub>4</sub> . <i>Journal of Applied Toxicology</i> , <b>2012</b> , 32, 51-9	4.1	19
66	Sulfasalazine prevents the increase in TGF- $\beta$ 1/COX-2, nuclear NF $\kappa$ B translocation and fibrosis in CCl <sub>4</sub> -induced liver cirrhosis in the rat. <i>Human and Experimental Toxicology</i> , <b>2012</b> , 31, 913-20	3.4	19
65	Protective effect of colchicine on acute liver damage induced by CCl <sub>4</sub> . Role of cytochrome P-450. <i>Journal of Applied Toxicology</i> , <b>1995</b> , 15, 49-52	4.1	19
64	Fructose and the Liver. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	19
63	Effects of thalidomide and 3-phthalimido-3-(3,4-dimethoxyphenyl)-propanamide on bile duct obstruction-induced cirrhosis in the rat. <i>Drug Development Research</i> , <b>2001</b> , 54, 209-218	5.1	18
62	S-adenosyl-L-methionine prevents and reverses erythrocyte membrane alterations in cirrhosis. <i>Journal of Applied Toxicology</i> , <b>1993</b> , 13, 179-82	4.1	18
61	Methyl palmitate prevents CCl <sub>4</sub> -induced liver fibrosis. <i>Journal of Applied Toxicology</i> , <b>2008</b> , 28, 1021-6	4.1	17
60	Coffee consumption prevents fibrosis in a rat model that mimics secondary biliary cirrhosis in humans. <i>Nutrition Research</i> , <b>2017</b> , 40, 65-74	4	16
59	Dose-response studies of interferon-alpha 2b on liver fibrosis and cholestasis induced by biliary obstruction in rats. <i>Pharmacology</i> , <b>1997</b> , 54, 179-85	2.3	16
58	Inducible nitric oxide synthase is not essential for the development of fibrosis and liver damage induced by CCl <sub>4</sub> in mice. <i>Journal of Applied Toxicology</i> , <b>2006</b> , 26, 326-32	4.1	16
57	Effect of alpha-interferon on erythrocyte and hepatocyte plasma membranes derived from cirrhotic rats. <i>Pharmacology</i> , <b>1994</b> , 48, 63-8	2.3	16
56	Stevia rebaudiana tea prevents experimental cirrhosis via regulation of NF- $\kappa$ B, Nrf2, transforming growth factor beta, Smad7, and hepatic stellate cell activation. <i>Phytotherapy Research</i> , <b>2018</b> , 32, 2568-2576	6.7	16

55	Trolox mitigates fibrosis in a bile duct ligation model. <i>Fundamental and Clinical Pharmacology</i> , <b>2013</b> , 27, 308-18	3.1	15
54	Cytokines in Liver Diseases 371-389		15
53	Interferon-alpha 2b increases fibrolysis in fibrotic livers from bile duct ligated rats: possible participation of the plasminogen activator. <i>Pharmacology</i> , <b>1995</b> , 51, 341-6	2.3	15
52	Rebaudioside A administration prevents experimental liver fibrosis: an in vivo and in vitro study of the mechanisms of action involved. <i>Journal of Applied Toxicology</i> , <b>2019</b> , 39, 1118-1131	4.1	14
51	Liver damage induced by acute cholestasis in the rat is ameliorated partially by L-arginine. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , <b>1998</b> , 120, 421-4		14
50	Effect of colchicine on acetaminophen-induced liver damage. <i>Liver</i> , <b>1993</b> , 13, 217-21		13
49	Allopurinol reverses liver damage induced by chronic carbon tetrachloride treatment by decreasing oxidative stress, TGF- $\beta$ production and NF- $\kappa$ B nuclear translocation. <i>Pharmacology</i> , <b>2013</b> , 92, 138-49	2.3	12
48	Some Experimental Models of Liver Damage 119-137		12
47	Nitric oxide inhibits mitochondrial monoamine oxidase activity and decreases outer mitochondria membrane fluidity. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , <b>2003</b> , 136, 191-7	3.2	12
46	Stevioside inhibits experimental fibrosis by down-regulating profibrotic Smad pathways and blocking hepatic stellate cell activation. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2019</b> , 124, 670-680	3.1	12
45	An aqueous extract of Stevia rebaudiana variety Morita II prevents liver damage in a rat model of cirrhosis that mimics the human disease. <i>Annals of Hepatology</i> , <b>2019</b> , 18, 472-479	3.1	11
44	Participation of the anti-inflammatory and antioxidative activity of docosahexaenoic acid on indomethacin-induced gastric injury model. <i>European Journal of Pharmacology</i> , <b>2018</b> , 818, 585-592	5.3	11
43	Pharmacokinetics of diclofenac in rats intoxicated with CCL4, and in the regenerating liver. <i>Biopharmaceutics and Drug Disposition</i> , <b>2007</b> , 28, 415-22	1.7	11
42	Nitric oxide production in striatum and pallidum of cirrhotic rats. <i>Neurochemical Research</i> , <b>2006</b> , 31, 11-20	4.6	11
41	Erythrocyte alterations correlate with CCL4 and biliary obstruction-induced liver damage in the rat. <i>Life Sciences</i> , <b>1993</b> , 52, 647-55	6.8	11
40	A method to induce manganese accumulation in the brain of the cirrhotic rat and its evaluation. <i>Brain Research Protocols</i> , <b>2002</b> , 9, 9-15		10
39	Stevia prevents experimental cirrhosis by reducing hepatic myofibroblasts and modulating molecular profibrotic pathways. <i>Hepatology Research</i> , <b>2019</b> , 49, 212-223	5.1	10
38	Cirrhosis induced by thioacetamide is prevented by stevia. Molecular mechanisms. <i>Journal of Functional Foods</i> , <b>2019</b> , 52, 552-564	5.1	10

37	Morphological changes of rat astrocytes induced by liver damage but not by manganese chloride exposure. <i>Metabolic Brain Disease</i> , <b>2009</b> , 24, 243-55	3.9	9
36	Trolox down-regulates transforming growth factor-beta and prevents experimental cirrhosis. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2008</b> , 103, 476-81	3.1	9
35	Ketorolac pharmacokinetics in experimental cirrhosis by bile duct ligation in the rat. <i>Annals of Hepatology</i> , <b>2003</b> , 2, 175-181	3.1	9
34	Hepatic basolateral plasma high-affinity Ca <sup>2+</sup> -ATPase is inhibited by nitric oxide and peroxynitrite anion. <i>Journal of Applied Toxicology</i> , <b>2000</b> , 20, 435-9	4.1	9
33	Cimetidine prevents and partially reverses CCl <sub>4</sub> -induced liver cirrhosis. <i>Journal of Applied Toxicology</i> , <b>1994</b> , 14, 87-90	4.1	9
32	Phytotherapy for the Liver <b>2019</b> , 101-121		9
31	Effects of S-adenosyl-L-methionine and interferon-alpha2b on liver damage induced by bile duct ligation in rats. <i>Journal of Applied Toxicology</i> , <b>1998</b> , 18, 143-7	4.1	8
30	Caffeic acid prevents liver damage and ameliorates liver fibrosis induced by CCl <sub>4</sub> in the rat. <i>Drug Development Research</i> , <b>1995</b> , 36, 125-128	5.1	8
29	Immunomodulatory effects by oral contraceptives in normal and cholestatic female rats: role of cytokines. <i>International Immunopharmacology</i> , <b>2014</b> , 21, 10-9	5.8	7
28	Effect of alpha-asarone and a derivative on lipids, bile flow and Na <sup>+</sup> /K <sup>+</sup> -ATPase in ethinyl estradiol-induced cholestasis in the rat. <i>Fundamental and Clinical Pharmacology</i> , <b>2007</b> , 21, 81-8	3.1	7
27	Role of nitric oxide in the antifibrotic and anticholestatic actions of interferon- $\alpha$ 2b. <i>Drug Development Research</i> , <b>1999</b> , 48, 45-52	5.1	7
26	Effect of colchicine and trimethylcolchicinic acid on CCl <sub>4</sub> -induced cirrhosis in the rat. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>1996</b> , 79, 241-6		7
25	Comparative study of colchicine and trimethylcolchicinic acid on prolonged bile duct obstruction in the rat. <i>Journal of Applied Toxicology</i> , <b>1996</b> , 16, 269-75	4.1	7
24	Secondary biliary cirrhosis in the rat is prevented by decreasing NF- $\kappa$ B nuclear translocation and TGF- $\beta$ expression using allopurinol, an inhibitor of xanthine oxidase. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2012</b> , 90, 1469-78	2.4	6
23	Trimethylcolchicinic acid decreases liver fibrosis and cholestasis induced by prolonged biliary obstruction in the rat. <i>Journal of Applied Toxicology</i> , <b>1997</b> , 17, 145-51	4.1	6
22	Nitric oxide and inducible nitric oxide synthase expression are downregulated in acute cholestasis in the rat accompanied by liver ischemia. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , <b>2000</b> , 127, 243-9		6
21	High fat diet and liver damage induced by biliary obstruction in the rat. <i>Journal of Applied Toxicology</i> , <b>1995</b> , 15, 125-8	4.1	6
20	Interferon-alpha preserves erythrocyte and hepatocyte ATPase activities from liver damage induced by prolonged bile duct ligation in the rat. <i>Journal of Applied Toxicology</i> , <b>1995</b> , 15, 449-53	4.1	6

19	Herbal medicines for the liver: from bench to bedside. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 148-158	2.2	6
18	Curcumin downregulates Smad pathways and reduces hepatic stellate cells activation in experimental fibrosis. <i>Annals of Hepatology</i> , <b>2020</b> , 19, 497-506	3.1	6
17	Models of nonalcoholic steatohepatitis potentiated by chemical inducers leading to hepatocellular carcinoma. <i>Biochemical Pharmacology</i> , <b>2021</b> , 195, 114845	6	5
16	The thalidomide analog 3-phthalimido-3-(3,4-dimethoxyphenyl)-propanoic acid improves the biliary cirrhosis in the rat. <i>Experimental and Toxicologic Pathology</i> , <b>2009</b> , 61, 471-9		4
15	Gadolinium Chloride Inhibits the Spontaneous Resolution of Fibrosis in CCL(4)-Induced Cirrhosis. <i>Toxicology Mechanisms and Methods</i> , <b>2006</b> , 16, 507-13	3.6	4
14	Inhibition of mitochondrial respiration by nitric oxide is independent of membrane fluidity modulation or oxidation of sulfhydryl groups. <i>Journal of Applied Toxicology</i> , <b>2005</b> , 25, 522-6	4.1	4
13	Peroxidation of Lipids and Liver Damage <b>2017</b> , 237-257		4
12	Fighting liver fibrosis to reduce mortality associated with chronic liver diseases: The importance of new molecular targets and biomarkers. <i>EBioMedicine</i> , <b>2019</b> , 40, 35-36	8.8	4
11	Coffee and Liver Health <b>2012</b> , 123-139		3
10	A novel fluorinated stilbene exerts hepatoprotective properties in CCL(4)-induced acute liver damage. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2011</b> , 89, 759-66	2.4	3
9	Caffeine mitigates experimental nonalcoholic steatohepatitis and the progression of thioacetamide-induced liver fibrosis by blocking the MAPK and TGF- $\beta$ /Smad3 signaling pathways.. <i>Annals of Hepatology</i> , <b>2022</b> , 27, 100671	3.1	1
8	Is Nucleoredoxin a Master Regulator of Cellular Redox Homeostasis? Its Implication in Different Pathologies.. <i>Antioxidants</i> , <b>2022</b> , 11,	7.1	1
7	From fatty liver to nonalcoholic steatohepatitis with fibrosis <b>2022</b> , 147-173		0
6	Role of gut dysbiosis in chronic liver disease leading to fibrosis <b>2022</b> , 103-125		
5	Cells, cytokines, and factors involved in profibrogenic pathways <b>2022</b> , 55-83		
4	Role of free radicals in hepatic fibrogenesis <b>2022</b> , 85-101		
3	From inflammation to fibrosis <b>2022</b> , 25-53		
2	Experimental models of hepatic fibrosis <b>2022</b> , 209-230		



- 1 Chronic viral hepatitis induced liver fibrosis **2022**, 175-192