

Richard C Hulbert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3469166/publications.pdf>

Version: 2024-02-01

27
papers

816
citations

567281

15
h-index

552781

26
g-index

27
all docs

27
docs citations

27
times ranked

734
citing authors

#	ARTICLE	IF	CITATIONS
1	Global long-term stability of individual dietary specialization in herbivorous mammals. Proceedings of the Royal Society B: Biological Sciences, 2022, 289, 20211839.	2.6	8
2	Sabertooth carcass consumption behavior and the dynamics of Pleistocene large carnivoran guilds. Scientific Reports, 2022, 12, 6045.	3.3	7
3	Coexistence of Indarctos and Amphimachairodus (Carnivora) in the Late Early Hemphillian of Florida, North America. Journal of Mammalian Evolution, 2021, 28, 707-728.	1.8	7
4	A morphometric analysis of the forelimb in the genus Tapirus (Perissodactyla: Tapiridae) reveals influences of habitat, phylogeny and size through time and across geographical space. Zoological Journal of the Linnean Society, 2018, 184, 499-515.	2.3	13
5	Paleodietary reconstruction of fossil horses from the Eocene through Pleistocene of North America. Palaeogeography, Palaeoclimatology, Palaeoecology, 2016, 442, 110-127.	2.3	71
6	A New Machairodont from the Palmetto Fauna (Early Pliocene) of Florida, with Comments on the Origin of the Smilodontini (Mammalia, Carnivora, Felidae). PLoS ONE, 2013, 8, e56173.	2.5	22
7	Earliest art in the Americas: incised image of a proboscidean on a mineralized extinct animal bone from Vero Beach, Florida. Journal of Archaeological Science, 2011, 38, 2908-2913.	2.4	39
8	<i>Anchitheriomys</i> Roger, 1898 or <i>Amblycastor</i> Matthew, 1918 (Rodentia, Castoridae)? Taxonomic implications of a mandible from the Miocene of Florida. Journal of Vertebrate Paleontology, 2010, 30, 1899-1902.	1.0	5
9	Body temperatures of modern and extinct vertebrates from ¹³ C- ¹⁸ O bond abundances in bioapatite. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 10377-10382.	7.1	138
10	Giant short-faced bears (<i>Arctodus simus</i>) in Pleistocene Florida USA, a substantial range extension. Journal of Paleontology, 2010, 84, 79-87.	0.8	8
11	Calibration of mammoth (<i>Mammuthus</i>) dispersal into North America using rare earth elements of Plio-Pleistocene mammals from Florida. Quaternary Research, 2009, 71, 41-48.	1.7	17
12	Cranial morphology and systematics of an extraordinary sample of the Late Neogene dwarf tapir, <i>Tapirus polkensis</i> (Olsen). Journal of Paleontology, 2009, 83, 238-262.	0.8	31
13	Revised age of the late Neogene terror bird (<i>Titanis</i>) in North America during the Great American Interchange. Geology, 2007, 35, 123.	4.4	52
14	The deciduous premolars of <i>Mammut americanum</i> (Mammalia, Proboscidea). Journal of Vertebrate Paleontology, 2005, 25, 702-715.	1.0	18
15	New records of <i>Pseudhipparion simpsoni</i> (Mammalia, Equidae) from the late Hemphillian of Oklahoma and Florida. Journal of Vertebrate Paleontology, 2005, 25, 737-740.	1.0	8
16	An Early Pliocene Hipparionine Horse from the Canadian Arctic. Palaeontology, 1999, 42, 1017-1025.	2.2	13
17	New pleistocene (Rancholabrean) vertebrate faunas from coastal Georgia. Journal of Vertebrate Paleontology, 1998, 18, 412-429.	1.0	30
18	A new late Pliocene porcupine (Rodentia: Erethizontidae) from Florida. Journal of Vertebrate Paleontology, 1997, 17, 623-626.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Late Miocene <i>Nannippus</i> (Mammalia: Perissodactyla) from Florida, with a description of the smallest hipparionine horse. <i>Journal of Vertebrate Paleontology</i> , 1993, 13, 350-366.	1.0	14
20	Taxonomic evolution in North American Neogene horses (subfamily Equinae): the rise and fall of an adaptive radiation. <i>Paleobiology</i> , 1993, 19, 216-234.	2.0	100
21	Quantitative and qualitative evolution in the giant armadillo <i>Holmesina</i> (Edentata: Pamphathiidae) in Florida. , 1993, , 134-177.		8
22	The taxonomic status of <i>Hipparion minus</i> Sellards, 1916 (Mammalia, Equidae). <i>Journal of Paleontology</i> , 1990, 64, 855-856.	0.8	12
23	Geochronology of a Rich Early Pleistocene Vertebrate Fauna, Leisey Shell Pit, Tampa Bay, Florida. <i>Quaternary Research</i> , 1989, 32, 96-110.	1.7	20
24	Explosive speciation at the base of the adaptive radiation of Miocene grazing horses. <i>Nature</i> , 1988, 336, 466-468.	27.8	87
25	A new <i>Cormohipparion</i> (Mammalia, Equidae) from the Pliocene (latest Hemphillian and Blancan) of Florida. <i>Journal of Vertebrate Paleontology</i> , 1988, 7, 451-468.	1.0	20
26	Late Neogene Neohipparion (Mammalia, Equidae) from the Gulf Coastal Plain of Florida and Texas. <i>Journal of Paleontology</i> , 1987, 61, 809-830.	0.8	18
27	Population Dynamics of the Three-Toed Horse <i>Neohipparion</i> from the Late Miocene of Florida. <i>Paleobiology</i> , 1982, 8, 159-167.	2.0	41