

Rasmus RÃ¸rth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3469402/publications.pdf>

Version: 2024-02-01

48
papers

2,135
citations

516710

16
h-index

233421

45
g-index

51
all docs

51
docs citations

51
times ranked

3550
citing authors

#	ARTICLE	IF	CITATIONS
1	Severity of congenital long QT syndrome disease manifestation and risk of depression, anxiety, and mortality: a nationwide study. <i>Europace</i> , 2022, 24, 620-629.	1.7	7
2	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e022638.	3.7	16
3	Long-term Risk of Death and Hospitalization in Patients With Heart Failure and Takotsubo Syndrome: Insights From a Nationwide Cohort. <i>Journal of Cardiac Failure</i> , 2022, 28, 1534-1544.	1.7	14
4	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 397-406.	1.0	2
5	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2022, 11, e024402.	3.7	1
6	Direct and indirect costs of heart failure in relation to diabetes status - A nationwide study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1880-1885.	2.6	2
7	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levelsâ€”a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 181-188.	4.0	3
8	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 20-30.	3.0	4
9	Troponin: an important prognostic biomarker in patients with heart failure and reduced ejection fraction?. <i>European Journal of Heart Failure</i> , 2021, 23, 1539-1540.	7.1	0
10	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021, 16, e0255364.	2.5	3
11	Workforce Attachment after Ischemic Stroke â€” The Importance of Time to Thrombolytic Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106031.	1.6	2
12	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 622.	1.7	1
13	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2020, 14, 41.	2.3	9
14	Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020, 6, 14-21.	3.0	4
15	Prevalence and incidence of intraâ€”ventricular conduction delays and outcomes in patients with heart failure and reduced ejection fraction: insights from PARADIGMâ€”HF and ATMOSPHERE. <i>European Journal of Heart Failure</i> , 2020, 22, 2370-2379.	7.1	14
16	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarctionâ€”related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020, 229, 127-137.	2.7	24
17	Self-reported health status and the associated risk of mortality in heart failure: The DANISH trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110220.	2.6	6
18	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020, 19, 107.	6.8	18

#	ARTICLE	IF	CITATIONS
19	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure: Author's reply. <i>Europace</i> , 2020, 22, 331-332.	1.7	1
20	Comparison of BNP and NT-proBNP in Patients With Heart Failure and Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2020, 13, e006541.	3.9	96
21	Risk of heart failure in type 2 diabetes complicated by incident ischaemic heart disease and end-stage renal disease. <i>European Journal of Heart Failure</i> , 2020, 22, 813-820.	7.1	6
22	Cardiovascular prognostic value of echocardiography and N terminal pro B-type natriuretic peptide in type 1 diabetes: the Thousand & 1 Study. <i>European Journal of Endocrinology</i> , 2020, 182, 481-488.	3.7	10
23	Cardiovascular, mortality, and kidney outcomes with GLP-1 receptor agonists in patients with type 2 diabetes: a systematic review and meta-analysis of cardiovascular outcome trials. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 776-785.	11.4	961
24	The economic burden of heart failure in Denmark from 1998 to 2016. <i>European Journal of Heart Failure</i> , 2019, 21, 1526-1531.	7.1	17
25	Insulin treatment and clinical outcomes in patients with diabetes and heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2019, 21, 974-984.	7.1	52
26	Association of Carpal Tunnel Syndrome With Amyloidosis, Heart Failure, and Adverse Cardiovascular Outcomes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 15-23.	2.8	77
27	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. <i>Europace</i> , 2019, 21, 1203-1210.	1.7	9
28	N-Terminal Pro-B-Type Natriuretic Peptide Levels for Risk Prediction in Patients With Heart Failure and Preserved Ejection Fraction According to Atrial Fibrillation Status. <i>Circulation: Heart Failure</i> , 2019, 12, e005766.	3.9	21
29	Income Inequality and Outcomes in Heart Failure. <i>JACC: Heart Failure</i> , 2019, 7, 336-346.	4.1	63
30	Sex-Related Differences in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2019, 12, e006539.	3.9	78
31	Differential Impact of Heart Failure With Reduced Ejection Fraction on Men and Women. <i>Journal of the American College of Cardiology</i> , 2019, 73, 29-40.	2.8	168
32	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019, 21, 572-580.	1.7	9
33	The prognostic value of troponin T and N-terminal pro B-type natriuretic peptide, alone and in combination, in heart failure patients with and without diabetes. <i>European Journal of Heart Failure</i> , 2019, 21, 40-49.	7.1	54
34	Risk of Incident Heart Failure in Patients With Diabetes and Asymptomatic Left Ventricular Systolic Dysfunction. <i>Diabetes Care</i> , 2018, 41, 1285-1291.	8.6	38
35	Microvascular complications in diabetes patients with heart failure and reduced ejection fraction—insights from the Beta-blocker Evaluation of Survival Trial. <i>European Journal of Heart Failure</i> , 2018, 20, 1549-1556.	7.1	17
36	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018, 3, 417.	6.1	73

#	ARTICLE	IF	CITATIONS
37	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018, 251, 15-21.	1.7	20
38	Return to the workforce following infective endocarditis – A nationwide cohort study. <i>American Heart Journal</i> , 2018, 195, 130-138.	2.7	15
39	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 41-48.	4.1	3
40	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018, 20, 240-247.	7.1	16
41	MR-proADM as a Prognostic Marker in Patients With ST-Segment Elevation Myocardial Infarction – DANAMI-3 (a Danish Study of Optimal Acute Treatment of Patients With STEMI) Substudy. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	15
42	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 917-930.	3.0	10
43	Reduced risk of heart failure with intensified multifactorial intervention in individuals with type 2 diabetes and microalbuminuria: 21 years of follow-up in the randomised Steno-2 study. <i>Diabetologia</i> , 2018, 61, 1724-1733.	6.3	66
44	RETURN TO WORK FOLLOWING CORONARY ARTERY BYPASS GRAFTING: A NATIONWIDE STUDY. <i>Journal of the American College of Cardiology</i> , 2017, 69, 115.	2.8	0
45	VITAMIN K ANTAGONIST OR DABIGATRAN IN PATIENTS WITH ATRIAL FIBRILLATION: THE IMPORTANCE OF TIME IN THERAPEUTIC RANGE. <i>Journal of the American College of Cardiology</i> , 2017, 69, 460.	2.8	0
46	Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Levels in Heart Failure Patients With and Without Atrial Fibrillation. <i>Circulation: Heart Failure</i> , 2017, 10, .	3.9	53
47	Return to the Workforce After First Hospitalization for Heart Failure. <i>Circulation</i> , 2016, 134, 999-1009.	1.6	50
48	The importance of β_2 -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 551-559.	1.0	2