
Lawrence C M Lau

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3470829/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of Redox Modulation on Cell Proliferation, Viability, and Migration in Cultured Rat and Human Tendon Progenitor Cells. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-8.	4.0	25
2	Satisfactory long-term survival, functional and radiological outcomes of open-wedge high tibial osteotomy for managing knee osteoarthritis: Minimum 10-year follow-up study. Journal of Orthopaedic Translation, 2021, 26, 60-66.	3.9	21
3	Multi-energy spectral photon-counting computed tomography (MARS) for detection of arthroplasty implant failure. Scientific Reports, 2021, 11, 1554.	3.3	14
4	Association of Common Variants in TCF4 and PTPRG with Fuchs' Corneal Dystrophy: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e109142.	2.5	13
5	Can accuracy of component alignment be improved with Oxford UKA Microplasty® instrumentation?. Journal of Orthopaedic Surgery and Research, 2020, 15, 354.	2.3	10
6	Global sagittal alignment of the spine, pelvis, lower limb after vertebral compression fracture and its effect on quality of life. BMC Musculoskeletal Disorders, 2021, 22, 476.	1.9	7
7	lliotibial Band Impingement by Overhanging Tibial Tray: A Pain Generator after Total Knee Replacement Treatable without Revision. Journal of Orthopaedics, Trauma and Rehabilitation, 2018, 25, 54-57.	0.1	5
8	Sequential spine-hand radiography for assessing skeletal maturity with low radiation EOS imaging system for bracing treatment recommendation in adolescent idiopathic scoliosis: A feasibility and validity study. Journal of Children's Orthopaedics, 2019, 13, 385-392.	1.1	5
9	Tibial cutting guide (resector) holding pins position and subsequent risks of periprosthetic fracture in unicompartmental knee arthroplasty: a finite element analysis study. Journal of Orthopaedic Surgery and Research, 2021, 16, 205.	2.3	5
10	Patient-specific instrumentation (PSI) Referencing High Tibial Osteotomy Technological Transfer and Education: protocol for a double-blind, randomised controlled trial (PROTECTED HTO Trial). BMJ Open, 2021, 11, e041129.	1.9	3
11	Avulsion Fracture of Bicruciate Ligament and Patellar Tendon in Bicruciate-Retaining Total Knee Arthroplasty. Arthroplasty Today, 2022, 16, 57-62.	1.6	3
12	Traditional Chinese-Hong Kong version of Forgotten Joint Score-12 (FJS-12) for patients with osteoarthritis of the knee underwent joint replacement surgery: cross-cultural and sub-cultural adaptation, and validation. BMC Musculoskeletal Disorders, 2022, 23, 222.	1.9	2
13	Enhanced patella tracking in rotating platform total knee replacements, friend or foe? A case of iliotibial band impingement by rotating polyethylene insert. Journal of Orthopaedics, Trauma and Rehabilitation, 2019, 26, 99-104.	0.1	Ο
14	A simple method of identification of 1U and 1R portals in trapeziometacarpal joint arthroscopy. Journal of Hand Surgery: European Volume, 2021, 46, 315-316.	1.0	0