## Francisco Ruz-Cabello

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3471483/francisco-ruiz-cabello-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 7,486 170 49 h-index g-index citations papers 8,206 191 5.43 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
170	CRC: A Darwinian model of cellular immunoselection <b>2022</b> , 529-541		
169	Founding mutations explains hotspots of polycystic kidney disease in Southern Spain. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 1845-1847	4.5	
168	HLA class I loss in colorectal cancer: implications for immune escape and immunotherapy. <i>Cellular and Molecular Immunology</i> , <b>2021</b> , 18, 556-565	15.4	16
167	Tumor Escape Phenotype in Bladder Cancer Is Associated with Loss of HLA Class I Expression, T-Cell Exclusion and Stromal Changes. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	2
166	Study of HLA-A, -B, -C, -DRB1 and -DQB1 polymorphisms in COVID-19 patients. <i>Journal of Microbiology, Immunology and Infection</i> , <b>2021</b> ,	8.5	4
165	Lymphocyte Profile and Immune Checkpoint Expression in Drug-Induced Liver Injury: An Immunophenotyping Study. <i>Clinical Pharmacology and Therapeutics</i> , <b>2021</b> , 110, 1604-1612	6.1	1
164	Negative Clinical Evolution in COVID-19 Patients Is Frequently Accompanied With an Increased Proportion of Undifferentiated Th Cells and a Strong Underrepresentation of the Th1 Subset. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 596553	8.4	23
163	LncRNA-mRNA Co-Expression Analysis Identifies AL133346.1/CCN2 as Biomarkers in Pediatric B-Cell Acute Lymphoblastic Leukemia. <i>Cancers</i> , <b>2020</b> , 12,	6.6	1
162	A Combination of Positive Tumor HLA-I and Negative PD-L1 Expression Provides an Immune Rejection Mechanism in Bladder Cancer. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 2631-2639	3.1	6
161	Association between Genetic Polymorphisms of Inflammatory Response Genes and Acute Pancreatitis. <i>Immunological Investigations</i> , <b>2019</b> , 48, 585-596	2.9	3
160	Tumor genetic alterations and features of the immune microenvironment drive myelodysplastic syndrome escape and progression. <i>Cancer Immunology, Immunotherapy</i> , <b>2019</b> , 68, 2015-2027	7.4	17
159	TH1 and TH2 Cytokine Profiles as Predictors of Severity in Acute Pancreatitis. <i>Pancreas</i> , <b>2018</b> , 47, 400-4	1 <b>05</b> .6	12
158	The transition from HLA-I positive to HLA-I negative primary tumors: the road to escape from T-cell responses. <i>Current Opinion in Immunology</i> , <b>2018</b> , 51, 123-132	7.8	63
157	Genomic loss of HLA alleles may affect the clinical outcome in low-risk myelodysplastic syndrome patients. <i>Oncotarget</i> , <b>2018</b> , 9, 36929-36944	3.3	10
156	HLA class I loss and PD-L1 expression in lung cancer: impact on T-cell infiltration and immune escape. <i>Oncotarget</i> , <b>2018</b> , 9, 4120-4133	3.3	49
155	HLA class I alterations in breast carcinoma are associated with a high frequency of the loss of heterozygosity at chromosomes 6 and 15. <i>Immunogenetics</i> , <b>2018</b> , 70, 647-659	3.2	20
154	Co-mutated CALR and MPL driver genes in a patient with myeloproliferative neoplasm. <i>Annals of Hematology</i> , <b>2017</b> , 96, 1399-1401	3	5

153	Rejection versus escape: the tumor MHC dilemma. Cancer Immunology, Immunotherapy, 2017, 66, 259-2	7 <del>/</del> 1.4	80
152	Adipose tissue-derived mesenchymal stromal cells as part of therapy for chronic graft-versus-host disease: A phase I/II study. <i>Cytotherapy</i> , <b>2017</b> , 19, 927-936	4.8	37
151	The absence of HLA class I expression in non-small cell lung cancer correlates with the tumor tissue structure and the pattern of T cell infiltration. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 888-899	7.5	48
150	The Escape of Cancer from T Cell-Mediated Immune Surveillance: HLA Class I Loss and Tumor Tissue Architecture. <i>Vaccines</i> , <b>2017</b> , 5,	5.3	47
149	Frequent HLA class I alterations in human prostate cancer: molecular mechanisms and clinical relevance. <i>Cancer Immunology, Immunotherapy</i> , <b>2016</b> , 65, 47-59	7.4	26
148	Progressive changes in composition of lymphocytes in lung tissues from patients with non-small-cell lung cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 71608-71619	3.3	22
147	Killer Immunoglobulin-Like Receptor Profiles Are not Associated with Risk of Amoxicillin-Clavulanate-Induced Liver Injury in Spanish Patients. <i>Frontiers in Pharmacology</i> , <b>2016</b> , 7, 280	5.6	
146	Autoantibody presentation in drug-induced liver injury and idiopathic autoimmune hepatitis: the influence of human leucocyte antigen alleles. <i>Pharmacogenetics and Genomics</i> , <b>2016</b> , 26, 414-22	1.9	15
145	The role of Toll-like receptor polymorphisms in acute pancreatitis occurrence and severity. <i>Pancreas</i> , <b>2015</b> , 44, 429-33	2.6	20
144	Classification and clinical behavior of blastic plasmacytoid dendritic cell neoplasms according to their maturation-associated immunophenotypic profile. <i>Oncotarget</i> , <b>2015</b> , 6, 19204-16	3.3	63
143	Adenovirus expressing <b>2</b> -microglobulin recovers HLA class I expression and antitumor immunity by increasing T-cell recognition. <i>Cancer Gene Therapy</i> , <b>2014</b> , 21, 317-32	5.4	21
142	Immune escape of cancer cells with beta2-microglobulin loss over the course of metastatic melanoma. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 102-13	7.5	100
141	Selected ABCB1, ABCB4 and ABCC2 polymorphisms do not enhance the risk of drug-induced hepatotoxicity in a Spanish cohort. <i>PLoS ONE</i> , <b>2014</b> , 9, e94675	3.7	15
140	Role of chemical structures and the 1331T>C bile salt export pump polymorphism in idiosyncratic drug-induced liver injury. <i>Liver International</i> , <b>2013</b> , 33, 1378-85	7.9	32
139	VEGF polymorphisms are not associated with an increased risk of developing renal cell carcinoma in Spanish population. <i>Human Immunology</i> , <b>2013</b> , 74, 98-103	2.3	27
138	HLA alleles influence the clinical signature of amoxicillin-clavulanate hepatotoxicity. <i>PLoS ONE</i> , <b>2013</b> , 8, e68111	3.7	66
137	MHC Class I Antigens and the Tumor Microenvironment <b>2013</b> , 253-286		
136	Implication of the <b>2</b> -microglobulin gene in the generation of tumor escape phenotypes. <i>Cancer Immunology, Immunotherapy</i> , <b>2012</b> , 61, 1359-71	7.4	84

135	Association between C13ORF31, NOD2, RIPK2 and TLR10 polymorphisms and urothelial bladder cancer. <i>Human Immunology</i> , <b>2012</b> , 73, 668-72	2.3	36
134	Clinical significance of langerhans cells in squamous cell carcinoma of the larynx. <i>Journal of Oncology</i> , <b>2012</b> , 2012, 753296	4.5	12
133	Genome-wide differential genetic profiling characterizes colorectal cancers with genetic instability and specific routes to HLA class I loss and immune escape. <i>Cancer Immunology, Immunotherapy</i> , <b>2012</b> , 61, 803-16	7.4	23
132	Acute myeloid leukaemia of donor cell origin developing 17 years after allogenic hematopoietic cell transplantation for acute promyelocytic leukaemia. <i>International Journal of Biomedical Science</i> , <b>2012</b> , 8, 244-8		2
131	Susceptibility to amoxicillin-clavulanate-induced liver injury is influenced by multiple HLA class I and II alleles. <i>Gastroenterology</i> , <b>2011</b> , 141, 338-47	13.3	359
130	Natural killer cell receptor expression reflects the role of human cytomegalovirus in the pathogenesis of a subset of CD4+ T-cell large granular lymphocytosis. <i>Human Immunology</i> , <b>2011</b> , 72, 226-8	2.3	4
129	Leukocyte infiltrate in gastrointestinal adenocarcinomas is strongly associated with tumor microsatellite instability but not with tumor immunogenicity. <i>Cancer Immunology, Immunotherapy</i> , <b>2011</b> , 60, 869-82	7.4	19
128	Molecular and flow cytometry characterization during the follow-up of three simultaneous lymphoproliferative disorders: hairy cell leukemia, monoclonal B-cell lymphocytosis, and CD4(++) /CD8(+/- dim) T-large granular lymphocytosisa case report. Cytometry Part B - Clinical Cytometry,	3.4	4
127	Higher HLA class I expression in renal cell carcinoma than in autologous normal tissue. <i>Tissue Antigens</i> , <b>2010</b> , 75, 110-8		16
126	Impact of interleukin-18 polymorphisms-607 and -137 on clinical characteristics of renal cell carcinoma patients. <i>Human Immunology</i> , <b>2010</b> , 71, 309-13	2.3	26
125	1137 THE HLA CLASS I B*1801 ALLELE INFLUENCES HEPATOCELLULAR EXPRESSION OF AMOXICILLIN-CLAVULANATE LIVER DAMAGE AND OUTCOME IN SPANISH PATIENTS. <i>Journal of Hepatology</i> , <b>2010</b> , 52, S439	13.4	3
124	Analysis of HLA-ABC locus-specific transcription in normal tissues. <i>Immunogenetics</i> , <b>2010</b> , 62, 711-9	3.2	18
123	HLA and melanoma: multiple alterations in HLA class I and II expression in human melanoma cell lines from ESTDAB cell bank. <i>Cancer Immunology, Immunotherapy</i> , <b>2009</b> , 58, 1507-15	7.4	42
122	Efficient recovery of HLA class I expression in human tumor cells after beta2-microglobulin gene transfer using adenoviral vector: implications for cancer immunotherapy. <i>Scandinavian Journal of Immunology</i> , <b>2009</b> , 70, 125-35	3.4	31
121	A polymorphism in the interleukin-10 promoter affects the course of disease in patients with clear-cell renal carcinoma. <i>Human Immunology</i> , <b>2009</b> , 70, 60-4	2.3	10
120	Changes in activatory and inhibitory natural killer (NK) receptors may induce progression to multiple myeloma: implications for tumor evasion of T and NK cells. <i>Human Immunology</i> , <b>2009</b> , 70, 854-	7 <sup>2.3</sup>	38
119	Diffuse large B-cell lymphoma in a renal allograft associated with Epstein-Barr virus in the recipient: a case report and a review of lymphomas presenting in a transplanted kidney. <i>Clinical Transplantation</i> , <b>2008</b> , 22, 512-9	3.8	4
118	Genetic polymorphisms of RANTES, IL1-A, MCP-1 and TNF-A genes in patients with prostate cancer. <i>BMC Cancer</i> , <b>2008</b> , 8, 382	4.8	53

### (2007-2008)

117	Late pulmonary metastases of renal cell carcinoma immediately after post-transplantation immunosuppressive treatment: a case report. <i>Journal of Medical Case Reports</i> , <b>2008</b> , 2, 111	1.2	12
116	Evaluation of functional single nucleotide polymorphisms of different genes coding for the immunoregulatory molecules in patients with monoclonal large granular lymphocyte lymphocytosis. <i>Human Immunology</i> , <b>2008</b> , 69, 101-7	2.3	
115	Analysis of IL-10, IL-4 and TNF-alpha polymorphisms in drug-induced liver injury (DILI) and its outcome. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 107-14	13.4	63
114	IFN inducibility of major histocompatibility antigens in tumors. <i>Advances in Cancer Research</i> , <b>2008</b> , 101, 249-76	5.9	66
113	Expanded cells in monoclonal TCR-alphabeta+/CD4+/NKa+/CD8-/+dim T-LGL lymphocytosis recognize hCMV antigens. <i>Blood</i> , <b>2008</b> , 112, 4609-16	2.2	48
112	HLA Class I Expression, Tumor Escape and Cancer Progression. <i>Current Cancer Therapy Reviews</i> , <b>2008</b> , 4, 105-110	0.4	3
111	Analysis of HLA class I expression in progressing and regressing metastatic melanoma lesions after immunotherapy. <i>Immunogenetics</i> , <b>2008</b> , 60, 439-47	3.2	109
110	Characterization of HLA class I altered phenotypes in a panel of human melanoma cell lines. <i>Cancer Immunology, Immunotherapy</i> , <b>2008</b> , 57, 719-29	7.4	36
109	MHC class I antigens and immune surveillance in transformed cells. <i>International Review of Cytology</i> , <b>2007</b> , 256, 139-89		105
108	Genetic polymorphisms of CYP2C9 and CYP2C19 are not related to drug-induced idiosyncratic liver injury (DILI). <i>British Journal of Pharmacology</i> , <b>2007</b> , 150, 808-15	8.6	38
107	Different mechanisms can lead to the same altered HLA class I phenotype in tumors. <i>Tissue Antigens</i> , <b>2007</b> , 69 Suppl 1, 259-63		9
106	Analysis of KIR gene frequencies in HLA class I characterised bladder, colorectal and laryngeal tumours. <i>Tissue Antigens</i> , <b>2007</b> , 69, 220-6		29
105	Distinct mechanisms of loss of IFN-gamma mediated HLA class I inducibility in two melanoma cell lines. <i>BMC Cancer</i> , <b>2007</b> , 7, 34	4.8	58
104	Patterns of constitutive and IFN-gamma inducible expression of HLA class II molecules in human melanoma cell lines. <i>Immunogenetics</i> , <b>2007</b> , 59, 123-33	3.2	28
103	Identification of different tumor escape mechanisms in several metastases from a melanoma patient undergoing immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , <b>2007</b> , 56, 88-94	7.4	44
102	HLA class I expression in metastatic melanoma correlates with tumor development during autologous vaccination. <i>Cancer Immunology, Immunotherapy</i> , <b>2007</b> , 56, 709-17	7.4	69
101	Role of altered expression of HLA class I molecules in cancer progression. <i>Advances in Experimental Medicine and Biology</i> , <b>2007</b> , 601, 123-31	3.6	100
100	Monoclonal TCR-Vbeta13.1+/CD4+/NKa+/CD8-/+dim T-LGL lymphocytosis: evidence for an antigen-driven chronic T-cell stimulation origin. <i>Blood</i> , <b>2007</b> , 109, 4890-8	2.2	59

99	High incidence of CTLA-4 AA (CT60) polymorphism in renal cell cancer. <i>Human Immunology</i> , <b>2007</b> , 68, 698-704	2.3	72
98	Comparison of the SYBR Green and the hybridization probe format for real-time PCR detection of HHV-6. <i>Microbiological Research</i> , <b>2006</b> , 161, 158-63	5.3	11
97	Analysis of six tetranucleotide polymorphisms of the X-chromosome in different Spanish regions. <i>International Congress Series</i> , <b>2006</b> , 1288, 304-306		2
96	Analysis of the expression of HLA class I, proinflammatory cytokines and chemokines in primary tumors from patients with localized and metastatic renal cell carcinoma. <i>Tissue Antigens</i> , <b>2006</b> , 68, 303-	10	33
95	Study of six X-linked tetranucleotide microsatellites: population data from five Spanish regions. <i>International Journal of Legal Medicine</i> , <b>2006</b> , 120, 147-50	3.1	18
94	Coordinated downregulation of the antigen presentation machinery and HLA class I/beta2-microglobulin complex is responsible for HLA-ABC loss in bladder cancer. <i>International Journal of Cancer</i> , <b>2005</b> , 113, 605-10	7.5	96
93	High frequency of homozygosity of the HLA region in melanoma cell lines reveals a pattern compatible with extensive loss of heterozygosity. <i>Cancer Immunology, Immunotherapy</i> , <b>2005</b> , 54, 141-8	7.4	30
92	Analysis of NK cells and chemokine receptors in tumor infiltrating CD4 T lymphocytes in human renal carcinomas. <i>Cancer Immunology, Immunotherapy</i> , <b>2005</b> , 54, 858-66	7.4	51
91	Phenotypic analysis and growth response to different growth hormone treatment schedules in two siblings with an inactivating mutation in the growth hormone-releasing hormone receptor gene.  Journal of Pediatric Endocrinology and Metabolism, 2004, 17, 793-800	1.6	2
90	Promyelocytic leukemia (PML) nuclear bodies are disorganized in colorectal tumors with total loss of major histocompatibility complex class I expression and LMP7 downregulation. <i>Tissue Antigens</i> , <b>2004</b> , 63, 446-52		10
89	The selection of tumor variants with altered expression of classical and nonclassical MHC class I molecules: implications for tumor immune escape. <i>Cancer Immunology, Immunotherapy</i> , <b>2004</b> , 53, 904-1	07·4	212
88	Incidence and characteristics of CD4(+)/HLA DRhi dendritic cell malignancies. <i>Haematologica</i> , <b>2004</b> , 89, 58-69	6.6	77
87	Analysis of HLA expression in human tumor tissues. <i>Cancer Immunology, Immunotherapy</i> , <b>2003</b> , 52, 1-9	7.4	85
86	Analysis of HLA-E expression in human tumors. <i>Immunogenetics</i> , <b>2003</b> , 54, 767-75	3.2	127
85	Complete loss of HLA class I antigen expression on melanoma cells: a result of successive mutational events. <i>International Journal of Cancer</i> , <b>2003</b> , 103, 759-67	7.5	71
84	Multiple mechanisms are responsible for the alteration in the expression of HLA class I antigens in melanoma. <i>International Journal of Cancer</i> , <b>2003</b> , 105, 432-433	7.5	8
83	Total loss of MHC class I in colorectal tumors can be explained by two molecular pathways: beta2-microglobulin inactivation in MSI-positive tumors and LMP7/TAP2 downregulation in MSI-negative tumors. <i>Tissue Antigens</i> , <b>2003</b> , 61, 211-9		120
82	Impaired surface antigen presentation in tumors: implications for T cell-based immunotherapy.  Seminars in Cancer Biology, 2002, 12, 15-24	12.7	26

### (1998-2002)

81	Expansion of cells with trisomy 12 associated with progressive lymphocytosis and a dramatic change in chimera status in a patient with chronic lymphocytic leukemia. <i>Haematologica</i> , <b>2002</b> , 87, ECR2	£.6	1
80	A nucleotide insertion in exon 4 is responsible for the absence of expression of an HLA-A*0301 allele in a prostate carcinoma cell line. <i>Immunogenetics</i> , <b>2001</b> , 53, 606-10	3.2	26
79	Multiple mechanisms of immune evasion can coexist in melanoma tumor cell lines derived from the same patient. <i>Cancer Immunology, Immunotherapy</i> , <b>2001</b> , 49, 621-8	7.4	43
78	Analysis of HLA class I expression in different metastases from two melanoma patients undergoing peptide immunotherapy. <i>Tissue Antigens</i> , <b>2001</b> , 57, 508-19		30
77	Immunoselection by T lymphocytes generates repeated MHC class I-deficient metastatic tumor variants. <i>International Journal of Cancer</i> , <b>2001</b> , 91, 109-19	7.5	71
76	Rexpression of HLA class I antigens and restoration of antigen-specific CTL response in melanoma cells following 5-aza-2Qdeoxycytidine treatment. <i>International Journal of Cancer</i> , <b>2001</b> , 94, 243-51	7.5	202
75	Multiple mechanisms underlie HLA dysregulation in cervical cancer. <i>Tissue Antigens</i> , <b>2000</b> , 55, 401-11		92
74	A mutation determining the loss of HLA-A2 antigen expression in a cervical carcinoma reveals novel splicing of human MHC class I classical transcripts in both tumoral and normal cells. <i>Immunogenetics</i> , 2000, 51, 1047-52	3.2	27
73	Microsatellite instability analysis in tumors with different mechanisms for total loss of HLA expression. <i>Cancer Immunology, Immunotherapy</i> , <b>2000</b> , 48, 684-90	7.4	19
72	Beta2-microglobulin gene mutation is not a common mechanism of HLA class I total loss in human tumors. <i>International Journal of Clinical and Laboratory Research</i> , <b>2000</b> , 30, 87-92		3
71	? 2 -microglobulin gene mutation is not a common mechanism of HLA class I total loss in human tumors. <i>International Journal of Clinical and Laboratory Research</i> , <b>2000</b> , 30, 87-92		13
70	Looking for HLA-G expression in human tumours. <i>Journal of Reproductive Immunology</i> , <b>1999</b> , 43, 263-73	4.2	13
69	Differential effect on U937 cell differentiation by targeting transcriptional factors implicated in tissue- or stage-specific induced integrin expression. <i>Experimental Hematology</i> , <b>1999</b> , 27, 353-64	3.1	32
68	Expression of HLA G in human tumors is not a frequent event. <i>International Journal of Cancer</i> , <b>1999</b> , 81, 512-8	7.5	62
67	Chromosome loss is the most frequent mechanism contributing to HLA haplotype loss in human tumors. <i>International Journal of Cancer</i> , <b>1999</b> , 83, 91-7	7.5	82
66	Chromosome loss is the most frequent mechanism contributing to HLA haplotype loss in human tumors <b>1999</b> , 83, 91		3
65	High frequency of altered HLA class I phenotypes in invasive colorectal carcinomas. <i>Tissue Antigens</i> , <b>1998</b> , 52, 114-23		70
64	Mutations of the beta2-microglobulin gene result in a lack of HLA class I molecules on melanoma cells of two patients immunized with MAGE peptides. <i>Tissue Antigens</i> , <b>1998</b> , 52, 520-9		113

63	Differential expression of MHC class II genes in lung tumour cell lines. <i>International Journal of Immunogenetics</i> , <b>1998</b> , 25, 385-91		17
62	In vivo and in vitro generation of a new altered HLA phenotype in melanoma-tumour-cell variants expressing a single HLA-class-I allele. <i>International Journal of Cancer</i> , <b>1998</b> , 75, 317-23	7.5	27
61	Dexamethasone induces altered binding of regulatory factors to HLA class I enhancer sequence in MCF-7 breast tumour cell line. <i>Cancer Immunology, Immunotherapy</i> , <b>1998</b> , 46, 194-200	7.4	4
60	Unresponsiveness to interferon associated with STAT1 protein deficiency in a gastric adenocarcinoma cell line. <i>Cancer Immunology, Immunotherapy</i> , <b>1998</b> , 47, 113-20	7.4	62
59	In vivo and in vitro generation of a new altered HLA phenotype in melanoma-tumour-cell variants expressing a single HLA-class-I allele <b>1998</b> , 75, 317		1
58	Microsatellite instability in cervical intraepithelial neoplasia. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>1998</b> , 17, 361-6		
57	Differential effects of IL-1 beta and ibuprofen after endotoxic challenge in mice. <i>Journal of Surgical Research</i> , <b>1997</b> , 67, 199-204	2.5	28
56	Implications for immunosurveillance of altered HLA class I phenotypes in human tumours. <i>Trends in Immunology</i> , <b>1997</b> , 18, 89-95		638
55	Integration of high-risk human papillomavirus DNA is linked to the down-regulation of class I human leukocyte antigens by steroid hormones in cervical tumor cells. <i>Cancer Research</i> , <b>1997</b> , 57, 937-	42 <sup>10.1</sup>	31
54	Downmodulation of HLA class I expression by dexamethasone in MCF-7 cell line. <i>Revista Espatola De Fisiologt</i> , <b>1997</b> , 53, 355-60		1
53	Interleukin-1beta and ibuprofen effects on CD4/CD8 cells after endotoxic challenge. <i>Journal of Surgical Research</i> , <b>1996</b> , 65, 82-6	2.5	5
52	MHC class I antigens and tumour-infiltrating leucocytes in laryngeal cancer: long-term follow-up. <i>British Journal of Cancer</i> , <b>1996</b> , 74, 1801-4	8.7	21
51	Loss of an HLA haplotype in pancreas cancer tissue and its corresponding tumor derived cell line. <i>Tissue Antigens</i> , <b>1996</b> , 47, 372-81		76
50	Characterization of a gastric tumor cell line defective in MHC class I inducibility by both alpha- and gamma-interferon. <i>Tissue Antigens</i> , <b>1996</b> , 47, 391-8		40
49	Methylated CpG points identified within MAGE-1 promoter are involved in gene repression. <i>International Journal of Cancer</i> , <b>1996</b> , 68, 464-70	7.5	43
48	Biological implications of HLA-DR expression in tumours. <i>Scandinavian Journal of Immunology</i> , <b>1995</b> , 41, 398-406	3.4	46
47	Secretion by Trypanosoma cruzi of a peptidyl-prolyl cis-trans isomerase involved in cell infection <i>EMBO Journal</i> , <b>1995</b> , 14, 2483-2490	13	76
46	HLA class I antigens in human tumors. <i>Advances in Cancer Research</i> , <b>1995</b> , 67, 155-95	5.9	101

#### (1991-1995)

45	Differential MAGE-1 gene expression in two variants of an erythroleukemic cell line (K562). <i>Immunobiology</i> , <b>1995</b> , 194, 449-56	3.4	5
44	Different patterns of HLA-DR antigen expression in normal epithelium, hyperplastic and neoplastic malignant lesions of the breast. <i>International Journal of Immunogenetics</i> , <b>1995</b> , 22, 299-310		21
43	Secretion by Trypanosoma cruzi of a peptidyl-prolyl cis-trans isomerase involved in cell infection. <i>EMBO Journal</i> , <b>1995</b> , 14, 2483-90	13	29
42	Upmodulation by estrogen of HLA class I expression in breast tumor cell lines. <i>Immunogenetics</i> , <b>1994</b> , 39, 161-7	3.2	13
41	Natural history of HLA expression during tumour development. <i>Trends in Immunology</i> , <b>1993</b> , 14, 491-9		392
40	HLA class I expression and HPV-16 sequences in premalignant and malignant lesions of the cervix. <i>Tissue Antigens</i> , <b>1993</b> , 41, 65-71		40
39	Tracking genetically engineered bacteria: monoclonal antibodies against surface determinants of the soil bacterium Pseudomonas putida 2440. <i>Journal of Bacteriology</i> , <b>1992</b> , 174, 2978-85	3.5	30
38	HLA molecules in basal cell carcinoma of the skin. <i>Immunobiology</i> , <b>1992</b> , 185, 440-52	3.4	21
37	MHC antigens on human tumors. <i>Immunology Letters</i> , <b>1991</b> , 29, 181-9	4.1	49
36	Loss of HLA heavy chain and beta 2-microglobulin in HLA negative tumours. <i>Scandinavian Journal of Immunology</i> , <b>1991</b> , 34, 147-52	3.4	17
35	Molecular analysis of MHC-class-I alterations in human tumor cell lines. <i>International Journal of Cancer</i> , <b>1991</b> , 6, 123-30	7.5	22
34	Can the HLA phenotype be used as a prognostic factor in breast carcinomas?. <i>International Journal of Cancer</i> , <b>1991</b> , 6, 146-54	7.5	46
33	Characterization of CD44 antigen during lymphoid ontogeny. <i>Immunobiology</i> , <b>1991</b> , 183, 1-11	3.4	12
32	HLA class I and II expression in rhabdomyosarcomas. <i>Immunobiology</i> , <b>1991</b> , 182, 440-8	3.4	18
31	Expression of HLA class I and II antigens in bronchogenic carcinomas: its relationship to cellular DNA content and clinical-pathological parameters. <i>Cancer Research</i> , <b>1991</b> , 51, 4948-54	10.1	59
30	Altered HLA class I expression in non-small cell lung cancer is independent of c-myc activation. <i>Cancer Research</i> , <b>1991</b> , 51, 2463-8	10.1	26
29	MHC expression on human tumorsits relevance for local tumor growth and metastasis. <i>Seminars in Cancer Biology</i> , <b>1991</b> , 2, 3-10	12.7	31
28	Tumor aggressiveness and MHC class I and II antigens in laryngeal and breast cancer. <i>Seminars in Cancer Biology</i> , <b>1991</b> , 2, 47-54	12.7	46

27	Lack of MHC class I antigens and tumour aggressiveness of the squamous cell carcinoma of the larynx. <i>British Journal of Cancer</i> , <b>1990</b> , 62, 1047-51	8.7	52
26	HLA-DR expression is associated with excellent prognosis in squamous cell carcinoma of the larynx. <i>Clinical and Experimental Metastasis</i> , <b>1990</b> , 8, 319-28	4.7	58
25	Protein kinase C-mediated regulation of the expression of CD14 and CD11/CD18 in U937 cells. <i>International Journal of Cancer</i> , <b>1990</b> , 45, 294-8	7.5	28
24	Presence of HPV 16 sequences in laryngeal carcinomas. <i>International Journal of Cancer</i> , <b>1990</b> , 46, 8-11	7.5	86
23	K-ras mutations (codon 12) are not involved in down-regulation of MHC class-I genes in colon carcinomas. <i>International Journal of Cancer</i> , <b>1990</b> , 46, 426-31	7.5	15
22	Relationship of 4F2 antigen with local growth and metastatic potential of squamous cell carcinoma of the larynx. <i>Cancer</i> , <b>1990</b> , 66, 1493-8	6.4	29
21	Class II HLA antigen expression in familial polyposis coli is related to the degree of dysplasia. <i>Immunobiology</i> , <b>1990</b> , 180, 138-48	3.4	9
20	The monoclonal antibody GRC1 produced against human cornea recognizes a common determinant of collagen. <i>Investigative Ophthalmology and Visual Science</i> , <b>1990</b> , 31, 290-3		
19	Studies on CD11a and CD18 molecules with two new monoclonal antibodies: differential myelomonocytic antigen expression of PMA treated HL60 and U937 cell lines. <i>Hybridoma</i> , <b>1989</b> , 8, 13-2	:3	9
18	Phenotypic expression of histocompatibility antigens in human primary tumours and metastases. <i>Clinical and Experimental Metastasis</i> , <b>1989</b> , 7, 213-26	4.7	34
17	MHC class I and II antigens on gastric carcinomas and autologous mucosa. <i>International Journal of Immunogenetics</i> , <b>1989</b> , 16, 413-23		22
16	Histocompatibility antigens in primary and metastatic squamous cell carcinoma of the larynx. <i>International Journal of Cancer</i> , <b>1989</b> , 43, 436-42	7.5	79
15	HLA class I gene expression on human primary tumours and autologous metastases: demonstration of selective losses of HLA antigens on colorectal, gastric and laryngeal carcinomas. <i>British Journal of Cancer</i> , <b>1989</b> , 59, 221-6	8.7	110
14	Different CD45 and CD45R epitopes involved in T cell proliferation and NK cytotoxicity. <i>Hybridoma</i> , <b>1989</b> , 8, 1-11		4
13	Distribution of the CD45R antigen in the maturation of lymphoid and myeloid series: the CD45R negative phenotype is a constant finding in T CD4 positive lymphoproliferative disorders. <i>British Journal of Haematology</i> , <b>1988</b> , 69, 173-9	4.5	24
12	MHC class I and II gene expression on human tumors. <i>Advances in Experimental Medicine and Biology</i> , <b>1988</b> , 233, 119-28	3.6	16
11	A monoclonal antibody, GR7A4, reacting with the T10 antigen. <i>Hybridoma</i> , <b>1987</b> , 6, 275-84		4
10	Study of the monoclonal antibodies against blood group B and A + B (group 2) of the First International Workshop. Pattern of reaction with colon carcinomas. <i>Revue Frandise De Transfusion Et Immuno-hanatologie</i> , <b>1987</b> , 30, 609-11		1

#### LIST OF PUBLICATIONS

9	Study of the monoclonal antibodies against blood group A (group N. 1) of the First International Workshop. Pattern of reaction with normal colon mucosa and colon carcinomas. <i>Revue Frantaise De Transfusion Et Immuno-h</i> atologie, <b>1987</b> , 30, 485-8		1
8	A study of GRM1 monoclonal antibody that reacts with natural killer cells and granulocytes. <i>Natural Immunity and Cell Growth Regulation</i> , <b>1987</b> , 6, 99-108		3
7	Class I and II HLA antigen distribution in normal mucosa, adenoma and colon carcinoma: relation with malignancy and invasiveness. <i>Experimental and Clinical Immunogenetics</i> , <b>1987</b> , 4, 144-52		29
6	Differential expression of HLA class I and II antigens in primary and metastatic melanomas. <i>International Journal of Immunogenetics</i> , <b>1986</b> , 13, 219-27		35
5	Heterogeneity of the expression of class I and II HLA antigens in human breast carcinoma. <i>International Journal of Immunogenetics</i> , <b>1986</b> , 13, 247-53		39
4	Production of monoclonal antibodies to metacyclic trypomastigotes of Trypanosoma cruzi. <i>Hybridoma</i> , <b>1986</b> , 5, 147-54		5
3	Characterization of monoclonal antibodies directed against HLA class II molecules. <i>Hybridoma</i> , <b>1986</b> , 5, 191-7		18
2	A monoclonal antibody GR2110 reactive with a P24 antigen present in a subgroup of acute lymphoid leukemias. <i>Hybridoma</i> , <b>1985</b> , 4, 369-78		8
1	Abnormal serum protein binding of acidic drugs in diabetes mellitus. <i>Clinical Pharmacology and Therapeutics</i> , <b>1984</b> , 36, 691-5	6.1	58