

# Akihiro T Sasaki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3472545/publications.pdf>

Version: 2024-02-01

31  
papers

943  
citations

471509

17  
h-index

501196

28  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1350  
citing authors

#	ARTICLE	IF	CITATIONS
1	The extrastriate body area is involved in reciprocal imitation of hand gestures, vocalizations, and facial expressions: A univariate and multivariate fMRI study. <i>Social Neuroscience</i> , 2021, 16, 448-465.	1.3	1
2	Ubiquinol-10 Intake Is Effective in Relieving Mild Fatigue in Healthy Individuals. <i>Nutrients</i> , 2020, 12, 1640.	4.1	7
3	Integrated Imaging on Fatigue and Chronic Fatigue. , 2020, , 227-233.		0
4	Mental fatigue is linked with attentional bias for sad stimuli. <i>Scientific Reports</i> , 2019, 9, 8797.	3.3	5
5	Role of the right anterior insular cortex in joint attention-related identification with a partner. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 1131-1145.	3.0	17
6	Distinct sensitivities of the lateral prefrontal cortex and extrastriate body area to contingency between executed and observed actions. <i>Cortex</i> , 2018, 108, 234-251.	2.4	12
7	Neural evidence for the intrinsic value of action as motivation for behavior. <i>Neuroscience</i> , 2017, 352, 190-203.	2.3	12
8	Hydrogen-rich water for improvements of mood, anxiety, and autonomic nerve function in daily life. <i>Medical Gas Research</i> , 2017, 7, 247.	2.3	48
9	Low putamen activity associated with poor reward sensitivity in childhood chronic fatigue syndrome. <i>NeuroImage: Clinical</i> , 2016, 12, 600-606.	2.7	25
10	The role of prosody and context in sarcasm comprehension: Behavioral and fMRI evidence. <i>Neuropsychologia</i> , 2016, 87, 74-84.	1.6	52
11	Neural substrates of shared attention as social memory: A hyperscanning functional magnetic resonance imaging study. <i>NeuroImage</i> , 2016, 125, 401-412.	4.2	139
12	Perceiving active listening activates the reward system and improves the impression of relevant experiences. <i>Social Neuroscience</i> , 2015, 10, 16-26.	1.3	21
13	Imaging the passionate stage of romantic love by dopamine dynamics. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 191.	2.0	40
14	Brain networks of affective mentalizing revealed by the tear effect: The integrative role of the medial prefrontal cortex and precuneus. <i>Neuroscience Research</i> , 2015, 101, 32-43.	1.9	33
15	The Brain Mechanisms Underlying the Perception of Pungent Taste of Capsaicin and the Subsequent Autonomic Responses. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 720.	2.0	11
16	Frequency-specific network topologies in the resting human brain. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 1022.	2.0	36
17	Role of the precuneus in the detection of incongruity between tactile and visual texture information: A functional MRI study. <i>Neuropsychologia</i> , 2014, 64, 252-262.	1.6	33
18	Attenuation of the contingency detection effect in the extrastriate body area in autism spectrum disorder. <i>Neuroscience Research</i> , 2014, 87, 66-76.	1.9	19

#	ARTICLE	IF	CITATIONS
19	The anterior insular and anterior cingulate cortices in emotional processing for self-face recognition. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 570-579.	3.0	42
20	The Brain Network Underlying the Recognition of Hand Gestures in the Blind: The Supramodal Role of the Extrastriate Body Area. <i>Journal of Neuroscience</i> , 2014, 34, 10096-10108.	3.6	44
21	Sense of Acceptance: Key Factor of Social Learning. , 2014, , 217-220.		1
22	From gestures to words: Spontaneous verbal labeling of complex sequential hand movements reduces fMRI activation of the imitation-related regions. <i>Neuroscience Research</i> , 2013, 75, 228-238.	1.9	7
23	Medial Prefrontal Cortex Activation Is Commonly Invoked by Reputation of Self and Romantic Partners. <i>PLoS ONE</i> , 2013, 8, e74958.	2.5	13
24	Early visual experience and the recognition of basic facial expressions: involvement of the middle temporal and inferior frontal gyri during haptic identification by the early blind. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 7.	2.0	57
25	A NIRS fMRI study of resting state network. <i>NeuroImage</i> , 2012, 63, 179-193.	4.2	122
26	Neural networks for action representation: a functional magnetic-resonance imaging and dynamic causal modeling study. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 236.	2.0	41
27	From Gestures to Words: Verbal labelling of hand movements reduces activation of the inferior frontal gyrus Erratum. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, e2-e2.	1.8	1
28	Beyond the Memory Mechanism: Person-selective and Nonselective Processes in Recognition of Personally Familiar Faces. <i>Journal of Cognitive Neuroscience</i> , 2011, 23, 699-715.	2.3	31
29	Time Course of Activity in Itch-Related Brain Regions: A Combined MEG fMRI Study. <i>Journal of Neurophysiology</i> , 2009, 102, 2657-2666.	1.8	71
30	Visuo-motor integration in anterior intra-parietal sulcus regarding imitation. <i>Neuroscience Research</i> , 2009, 65, S202.	1.9	0
31	Magneto-resistance Effect of Magnetic Tunnel Junction with Co <sub>2</sub> Ti <sub>0.5</sub> Mn <sub>0.5</sub> Al Full-Heusler Alloy Thin Film. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2009, 73, 670-673.	0.4	0