

Shugo Mizuno

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3474476/shugo-mizuno-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

1,469
citations

20
h-index

36
g-index

95
ext. papers

1,807
ext. citations

3.4
avg, IF

4.07
L-index

#	Paper	IF	Citations
89	International consensus on definition and criteria of borderline resectable pancreatic ductal adenocarcinoma 2017. <i>Pancreatology</i> , 2018 , 18, 2-11	3.8	245
88	Early-stage hepatocellular carcinoma: radiofrequency ablation combined with chemoembolization versus hepatectomy. <i>Radiology</i> , 2008 , 247, 260-6	20.5	148
87	Impact of portal venous pressure on regeneration and graft damage after living-donor liver transplantation. <i>Liver Transplantation</i> , 2005 , 11, 68-75	4.5	123
86	Development of nonalcoholic fatty liver disease (NAFLD) and nonalcoholic steatohepatitis (NASH) after pancreaticoduodenectomy: proposal of a postoperative NAFLD scoring system. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010 , 17, 296-304	2.8	62
85	Diabetes Induces Aberrant DNA Methylation in the Proximal Tubules of the Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2388-97	12.7	61
84	Donor age affects liver regeneration during early period in the graft liver and late period in the remnant liver after living donor liver transplantation. <i>World Journal of Surgery</i> , 2012 , 36, 1102-11	3.3	48
83	Human equilibrative nucleoside transporter 1 expression is a strong independent prognostic factor in UICC T3-T4 pancreatic cancer patients treated with preoperative gemcitabine-based chemoradiotherapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012 , 19, 413-25	2.8	46
82	Donor outcome and liver regeneration after right-lobe graft donation. <i>Transplant International</i> , 2005 , 18, 915-22	3	44
81	Gemcitabine-based chemoradiotherapy followed by surgery for borderline resectable and locally unresectable pancreatic ductal adenocarcinoma: significance of the CA19-9 reduction rate and intratumoral human equilibrative nucleoside transporter 1 expression. <i>Pancreas</i> , 2014 , 43, 350-60	2.6	35
80	Impact of histological response after neoadjuvant chemoradiotherapy on recurrence-free survival in UICC-T3 pancreatic adenocarcinoma but not in UICC-T4. <i>Pancreas</i> , 2012 , 41, 130-6	2.6	35
79	Anterior approach to the superior mesenteric artery by using nerve plexus hanging maneuver for borderline resectable pancreatic head carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2014 , 18, 1209-15	3.3	30
78	Paradoxical impact of the remnant pancreatic volume and infectious complications on the development of nonalcoholic fatty liver disease after pancreaticoduodenectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014 , 21, 562-72	2.8	27
77	Listeria monocytogenes following orthotopic liver transplantation: central nervous system involvement and review of the literature. <i>World Journal of Gastroenterology</i> , 2007 , 13, 4391-3	5.6	26
76	Decreased ADAMTS13 levels in patients after living donor liver transplantation. <i>Thrombosis Research</i> , 2009 , 124, 541-5	8.2	25
75	Monitoring peripheral blood CD4+ adenosine triphosphate activity after living donor liver transplantation: impact of combination assays of immune function and CYP3A5 genotype. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011 , 18, 226-32; discussion 232-4	2.8	23
74	Total vascular hepatic exclusion for tumor resection: a new approach to the intrathoracic inferior vena cava through the abdominal cavity by cutting the diaphragm vertically without cutting the pericardium. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010 , 17, 197-202	2.8	23
73	Intrahepatic hepatic vein stenosis after living-related liver transplantation treated by insertion of an expandable metallic stent. <i>American Journal of Transplantation</i> , 2004 , 4, 1006-9	8.7	23

72	A new surgical technique of pancreaticoduodenectomy with splenic artery resection for ductal adenocarcinoma of the pancreatic head and/or body invading splenic artery: impact of the balance between surgical radicality and QOL to avoid total pancreatectomy. <i>BioMed Research International</i> , 2014, 2014, 219038	3	22
71	Human Equilibrative Nucleoside Transporter 1 Expression in Endoscopic Ultrasonography-Guided Fine-Needle Aspiration Biopsy Samples Is a Strong Predictor of Clinical Response and Survival in the Patients With Pancreatic Ductal Adenocarcinoma Undergoing Gemcitabine-Based Chemoradiotherapy. <i>Pancreas</i> , 2016, 45, 761-71	2.6	21
70	Outflow block secondary to stenosis of the inferior vena cava following living-donor liver transplantation?. <i>Clinical Transplantation</i> , 2005, 19, 215-9	3.8	20
69	Significance of Simultaneous Splenic Artery Resection in Left-Sided Portal Hypertension After Pancreaticoduodenectomy with Combined Portal Vein Resection. <i>World Journal of Surgery</i> , 2017, 41, 2111-2120	3.3	19
68	Vascularized versus nonvascularized island median nerve grafts in the facial nerve regeneration and functional recovery of rats for facial nerve reconstruction study. <i>Journal of Reconstructive Microsurgery</i> , 2014, 30, 127-36	2.5	19
67	The role of living-donor liver transplantation in surgical treatment for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2006, 13, 123-30		19
66	Survival Analysis in Patients with Pancreatic Ductal Adenocarcinoma Undergoing Chemoradiotherapy Followed by Surgery According to the International Consensus on the 2017 Definition of Borderline Resectable Cancer. <i>Cancers</i> , 2018, 10,	6.6	17
65	Pancreaticoduodenectomy with resection of the splenic artery and splenectomy for pancreatic double cancers after total gastrectomy. Preservation of the pancreatic function via the blood supply from the posterior epiploic artery: report of a case. <i>Surgery Today</i> , 2012, 42, 482-8	3	16
64	Left-sided Portal Hypertension After Pancreaticoduodenectomy With Resection of the Portal Vein/Superior Mesenteric Vein Confluence in Patients With Pancreatic Cancer: A Project Study by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Annals of Surgery</i> , 2021, 274, e36-e44	7.8	15
63	Benefit of technetium-99m galactosyl human serum albumin scintigraphy instead of indocyanine green test in patients scheduled for hepatectomy. <i>Hepatology Research</i> , 2014, 44, E118-28	5.1	14
62	Activated protein C prevents hepatic ischaemia-reperfusion injury in rats. <i>Liver International</i> , 2009, 29, 299-307	7.9	13
61	Impact of calcineurin inhibitors on hepatitis C recurrence after liver transplantation. <i>Digestive Diseases and Sciences</i> , 2012, 57, 568-72	4	12
60	Prognostic Nutritional Index After Chemoradiotherapy Was the Strongest Prognostic Predictor Among Biological and Conditional Factors in Localized Pancreatic Ductal Adenocarcinoma Patients. <i>Cancers</i> , 2019, 11,	6.6	11
59	Sinusoidal protection by sphingosine-1-phosphate receptor 1 agonist in liver ischemia-reperfusion injury. <i>Journal of Surgical Research</i> , 2018, 222, 139-152	2.5	11
58	Long-term outcomes after pancreaticoduodenectomy using pair-watch suturing technique: Different roles of pancreatic duct dilatation and remnant pancreatic volume for the development of pancreatic endocrine and exocrine dysfunction. <i>Pancreatology</i> , 2017, 17, 814-821	3.8	11
57	Adult-onset adrenal ganglioneuroblastoma - Bone metastasis two years after surgery: report of a case. <i>Surgery Today</i> , 2010, 40, 482-6	3	11
56	Immunological aspects in late phase of living donor liver transplant patients: usefulness of monitoring peripheral blood CD4+ adenosine triphosphate activity. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 982163		10
55	Xenogeneic transplantation of human adipose-derived stem cell sheets accelerate angiogenesis and the healing of skin wounds in a Zucker Diabetic Fatty rat model of obese diabetes. <i>Regenerative Therapy</i> , 2017, 6, 65-73	3.7	9

54	Prospective study on the outcome of patients with hepatocellular carcinoma registered for living donor liver transplantation: how long can they wait?. <i>Transplantation</i> , 2010 , 89, 650-4	1.8	9
53	Transhepatic Hilar Approach for Perihilar Cholangiocarcinoma: Significance of Early Judgment of Resectability and Safe Vascular Reconstruction. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 590-599	3.3	8
52	High tumor budding is a strong predictor of poor prognosis in the resected perihilar cholangiocarcinoma patients regardless of neoadjuvant therapy, showing survival similar to those without resection. <i>BMC Cancer</i> , 2020 , 20, 209	4.8	8
51	Incarcerated left diaphragmatic hernia following left hepatectomy for living donor liver transplantation. <i>Transplant International</i> , 2014 , 27, e65-7	3	8
50	Nonalcoholic steatohepatitis (NASH) after pancreaticoduodenectomy: association of pancreatic exocrine deficiency and infection. <i>Clinical Journal of Gastroenterology</i> , 2011 , 4, 242-248	1.1	8
49	Superiority of stapled side-to-side gastrojejunostomy over conventional hand-sewn end-to-side gastrojejunostomy for reducing the risk of primary delayed gastric emptying after subtotal stomach-preserving pancreaticoduodenectomy. <i>Surgery Today</i> , 2017 , 47, 1007-1017	3	7
48	Comparative Study Between Gemcitabine-Based and Gemcitabine Plus S1-Based Preoperative Chemoradiotherapy for Localized Pancreatic Ductal Adenocarcinoma, With Special Attention to Initially Locally Advanced Unresectable Tumor. <i>Pancreas</i> , 2019 , 48, 281-291	2.6	7
47	Comparative Study on the Cytoprotective Effects of Activated Protein C Treatment in Nonsteatotic and Steatotic Livers under Ischemia-Reperfusion Injury. <i>BioMed Research International</i> , 2015 , 2015, 635041	3.1	7
46	Unilateral Multiple Facial Nerve Branch Reconstruction Using "End-to-side Loop Graft" Supercharged by Hypoglossal Nerve. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2014 , 2, e240	1.2	7
45	Clinicopathological factors affecting survival and recurrence after initial hepatectomy in non-B non-C hepatocellular carcinoma patients with comparison to hepatitis B or C virus. <i>BioMed Research International</i> , 2014 , 2014, 975380	3	7
44	Clinical Significance of Histological Effect and Intratumor Stromal Expression of Tenascin-C in Resected Specimens After Chemoradiotherapy for Initially Locally Advanced Unresectable Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , 2018 , 47, 390-399	2.6	7
43	Long-Term Results of Stent Placement in Patients with Outflow Block After Living-Donor-Liver Transplantation. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 566-74	2.7	6
42	Onodera's prognostic nutritional index is a strong prognostic indicator for patients with hepatocellular carcinoma after initial hepatectomy, especially patients with preserved liver function. <i>BMC Surgery</i> , 2020 , 20, 261	2.3	6
41	Negative Impact of Biliary Candidiasis on Early and Late Postoperative Complications After Pancreatoduodenectomy Usefulness of the CHROMagar Candida Plate for Identification. <i>Pancreas</i> , 2016 , 45, e45-7	2.6	5
40	The Critical Role of Biliary Candidiasis in Development of Surgical Site Infections after Pancreatoduodenectomy: Results of Prospective Study Using a Selective Culture Medium for Candida Species. <i>BioMed Research International</i> , 2018 , 2018, 5939724	3	5
39	Clinical Significance of Plasma Apolipoprotein-AII Isoforms as a Marker of Pancreatic Exocrine Disorder for Patients with Pancreatic Adenocarcinoma Undergoing Chemoradiotherapy, Paying Attention to Pancreatic Morphological Changes. <i>BioMed Research International</i> , 2019 , 2019, 5738614	3	4
38	Neoadjuvant chemotherapy followed by curative-intent surgery for perihilar cholangiocarcinoma based on its anatomical resectability classification and lymph node status. <i>BMC Cancer</i> , 2020 , 20, 405	4.8	4
37	Monitoring of peripheral blood cluster of differentiation 4 adenosine triphosphate activity and CYP3A5 genotype to determine the pharmacokinetics, clinical effects and complications of tacrolimus in patients with autoimmune diseases. <i>Experimental and Therapeutic Medicine</i> , 2018 , 15, 532-538	2.1	4

36	De Novo Malignancy Following Adult-to-Adult Living Donor Liver Transplantation Focusing on Posttransplantation Lymphoproliferative Disorder. <i>Transplantation Proceedings</i> , 2018 , 50, 2699-2704	1.1	4
35	Comparative study of perioperative management of hepatic resection. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 1988-95	4	4
34	Role of Serum Carcinoma Embryonic Antigen (CEA) Level in Localized Pancreatic Adenocarcinoma: CEA Level Before Operation is a Significant Prognostic Indicator in Patients With Locally Advanced Pancreatic Cancer Treated With Neoadjuvant Therapy Followed by Surgical Resection: A Retrospective Analysis. <i>Annals of Surgery</i> , 2020	7.8	4
33	Prolonged operating time is a significant perioperative risk factor for arterial pseudoaneurysm formation and patient death following hemorrhage after pancreaticoduodenectomy. <i>Pancreatology</i> , 2020 , 20, 1540-1549	3.8	4
32	One-stage reconstruction by dual-innervated double muscle flap transplantation with the neural interconnection between the ipsilateral masseter and contralateral facial nerve for reanimating established facial paralysis: A report of 2 cases. <i>Microsurgery</i> , 2019 , 39, 457-462	2.1	4
31	The clinical impact of portal venous patency ratio on prognosis of patients with pancreatic ductal adenocarcinoma undergoing pancreatectomy with combined resection of portal vein following preoperative chemoradiotherapy. <i>Pancreatology</i> , 2019 , 19, 307-315	3.8	3
30	Spontaneous Rupture of an Intrasplenic Aneurysm After Pancreaticoduodenectomy for Pancreatic Ductal Adenocarcinoma. <i>Journal of Emergency Medicine</i> , 2015 , 48, 729-30	1.5	3
29	Incidence and Risk Factors of Postoperative Delirium following Pancreatic Surgery: Does the Administration of TJ-54 Reduce the Incidence of Delirium. <i>Digestive Surgery</i> , 2018 , 35, 1-10	2.5	3
28	A case of pulmonary metastases from alpha-fetoprotein-producing gastric cancer. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2004 , 18, 128-131	0	3
27	Antiapoptotic Effect by PAR-1 Antagonist Protects Mouse Liver Against Ischemia-Reperfusion Injury. <i>Journal of Surgical Research</i> , 2020 , 246, 568-583	2.5	3
26	Improvement of the salvage-rate of flap after venous thrombosis with intraparenchymatous venous pressure monitoring. <i>Microsurgery</i> , 2018 , 38, 498-503	2.1	2
25	Deltopectoral and Pectoralis Musculocutaneous Flap Technique for Cervical Esophageal Reconstruction after Free-Jejunal-Flap Necrosis. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017 , 5, e1444	1.2	2
24	Immune response following liver transplantation compared to kidney transplantation: usefulness of monitoring peripheral blood CD4+ adenosine triphosphate activity and cytochrome P450 3A5 genotype assay. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 936063		2
23	A SOLID CYSTIC TUMOR OF THE PANCREAS IN A 12-YEAR-OLD MALE-MORE THAN TEN YEARS OF RECURRENCE-FREE FOLLOW-UP-. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 1999 , 60, 1097-1102	0	2
22	HER2-positive adenocarcinoma arising from heterotopic pancreas tissue in the duodenum: A case report. <i>World Journal of Gastroenterology</i> , 2021 , 27, 4738-4745	5.6	2
21	The prognostic impact of lymphocyte-to-C-reactive protein score in patients undergoing surgical resection for intrahepatic cholangiocarcinoma: A comparative study of major representative inflammatory / immunonutritional markers. <i>PLoS ONE</i> , 2021 , 16, e0245946	3.7	2
20	The usefulness of modified splenic hilum hanging maneuver in laparoscopic splenectomy, especially for patients with huge spleen: a case-control study with propensity score matching. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	2
19	Intramasseteric Schwannoma Derived from the Masseteric Nerve. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019 , 7, e2175	1.2	1

18	Long-term functional outcomes after pylorus preserving pancreaticoduodenectomy from childhood through middle age: 30-year follow-up of nutritional status, pancreatic function, and morphological changes of the pancreatic remnant. <i>Journal of Pediatric Surgery</i> , 2018 , 53, 1263-1264	2.6	1
17	A Pentagon Suture Technique for Closing Tumor Resection Sites in the Face. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2015 , 3, e499	1.2	1
16	Protruded duodenal tumor arising from Santorini's duct of the pancreas: a rare case of intraductal papillary mucinous neoplasm mimicking a duodenal polypoid tumor. <i>BMC Gastroenterology</i> , 2020 , 20, 303	3	1
15	Impacts of Interaction of Mental Condition and Quality of Life between Donors and Recipients at Decision-Making of Preemptive and Post-Dialysis Living-Donor Kidney Transplantation. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
14	The Impact of Dabigatran Treatment on Sinusoidal Protection Against Hepatic Ischemia/Reperfusion Injury in Mice. <i>Liver Transplantation</i> , 2021 , 27, 363-384	4.5	1
13	Association between gastric <i>Candida</i> colonization and surgical site infections after high-level hepatobiliary pancreatic surgeries: the results of prospective observational study. <i>Langenbeck's Archives of Surgery</i> , 2021 , 406, 109-119	3.4	1
12	Clinical significance and predictors of complete or near-complete histological response to preoperative chemoradiotherapy in patients with localized pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2021 , 21, 1482-1490	3.8	1
11	Proximal subtotal pancreatectomy as an alternative to total pancreatectomy for malnourished patients. <i>Surgery Today</i> , 2021 , 51, 1619-1629	3	0
10	Improving the Prognosis of Pancreatic Cancer Through Early Detection: Protocol for a Prospective Observational Study. <i>JMIR Research Protocols</i> , 2021 , 10, e26898	2	0
9	Predictive risk factors for early recurrence in patients with localized pancreatic ductal adenocarcinoma who underwent curative-intent resection after preoperative chemoradiotherapy.. <i>PLoS ONE</i> , 2022 , 17, e0264573	3.7	0
8	Transdiaphragmatic extrapericardial approach of the inferior vena cava. <i>Journal of the American College of Surgeons</i> , 2014 , 219, 1096	4.4	
7	Spontaneous disappearance of focal ground-glass opacity in the lung detected on the high-resolution computed tomography. <i>General Thoracic and Cardiovascular Surgery</i> , 2005 , 53, 397-9		
6	A CASE OF TODANI'S TYPE IV-A CONGENITAL BILIARY DILATATION TREATED BY SURGICAL THERAPY ACCOMPANIED WITH LATERAL SEGMENTECTOMY. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2004 , 65, 3004-3009	0	
5	Total Caudate Lobectomy for Single Hepatocellular Carcinoma in the Caudate Lobe with Absence of Portal Bifurcation. Case Report. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2019 , 80, 122-127	0	
4	Malabsorption, nutrition disorders and hepatic steatosis after pancreatectomy. <i>Suizo</i> , 2019 , 34, 157-165	0.1	
3	Phase I Study of Preoperative Chemoradiotherapy Using Gemcitabine Plus Nab-Paclitaxel for Patients Who Have Localized Pancreatic Ductal Adenocarcinoma With Contact or Invasion to Major Arteries. <i>Pancreas</i> , 2021 , 50, 1230-1235	2.6	
2	Discontinuation of NTBC after liver transplantation in tyrosinemia type 1. <i>Pediatrics International</i> , 2018 , 60, 1039-1041	1.2	
1	Pancreaticoduodenectomy with Splenic Artery Resection for Tumors of the Pancreatic Head and/or Body Invading the Splenic Artery 2022 , 319-325		

