

Ole Paulsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3476804/ole-paulsen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

10,097
citations

53
h-index

100
g-index

134
ext. papers

11,814
ext. citations

9.4
avg, IF

6.25
L-index

#	Paper	IF	Citations
121	Different encoding of reward location in dorsal and intermediate hippocampus.. <i>Current Biology</i> , 2022 ,	6.3	1
120	Differential vulnerability of hippocampal CA3-CA1 synapses to A β <i>Acta Neuropathologica Communications</i> , 2022 , 10, 45	7.3	
119	Modulation of hippocampal plasticity in learning and memory. <i>Current Opinion in Neurobiology</i> , 2022 , 75, 102558	7.6	2
118	Human ALS/FTD brain organoid slice cultures display distinct early astrocyte and targetable neuronal pathology. <i>Nature Neuroscience</i> , 2021 , 24, 1542-1554	25.5	10
117	An emergent neural coactivity code for dynamic memory. <i>Nature Neuroscience</i> , 2021 , 24, 694-704	25.5	11
116	Impaired spatial learning and suppression of sharp wave ripples by cholinergic activation at the goal location. <i>ELife</i> , 2021 , 10,	8.9	3
115	The functional role of sequentially neuromodulated synaptic plasticity in behavioural learning. <i>PLoS Computational Biology</i> , 2021 , 17, e1009017	5	0
114	Cholinergic modulation of Up-Down states in the mouse medial entorhinal cortex in vitro. <i>European Journal of Neuroscience</i> , 2021 , 53, 1378-1393	3.5	1
113	Thalamus mediates neocortical Down state transition via GABA-receptor-targeting interneurons. <i>Neuron</i> , 2021 , 109, 2682-2690.e5	13.9	6
112	Cerebral organoids at the air-liquid interface generate diverse nerve tracts with functional output. <i>Nature Neuroscience</i> , 2019 , 22, 669-679	25.5	212
111	Neuromodulation of Spike-Timing-Dependent Plasticity: Past, Present, and Future. <i>Neuron</i> , 2019 , 103, 563-581	13.9	61
110	Partial restoration of physiological UP-state activity by GABA pathway modulation in an acute brain slice model of epilepsy. <i>Neuropharmacology</i> , 2019 , 148, 394-405	5.5	3
109	Activity-Dependent Downscaling of Subthreshold Synaptic Inputs during Slow-Wave-Sleep-like Activity InVivo. <i>Neuron</i> , 2018 , 97, 1244-1252.e5	13.9	59
108	Towards resolving the presynaptic NMDA receptor debate. <i>Current Opinion in Neurobiology</i> , 2018 , 51, 1-7	7.6	41
107	Comparison of three gamma oscillations in the mouse entorhinal-hippocampal system. <i>European Journal of Neuroscience</i> , 2018 , 48, 2795-2806	3.5	12
106	Acetylcholine-modulated plasticity in reward-driven navigation: a computational study. <i>Scientific Reports</i> , 2018 , 8, 9486	4.9	12
105	Basal Forebrain and Brainstem Cholinergic Neurons Differentially Impact Amygdala Circuits and Learning-Related Behavior. <i>Current Biology</i> , 2018 , 28, 2557-2569.e4	6.3	21

104	Neuregulin 1 Type I Overexpression Is Associated with Reduced NMDA Receptor-Mediated Synaptic Signaling in Hippocampal Interneurons Expressing PV or CCK. <i>ENeuro</i> , 2018 , 5,	3.9	17
103	Micro-connectomics: probing the organization of neuronal networks at the cellular scale. <i>Nature Reviews Neuroscience</i> , 2017 , 18, 131-146	13.5	60
102	Distinct mechanisms of Up state maintenance in the medial entorhinal cortex and neocortex. <i>Neuropharmacology</i> , 2017 , 113, 543-555	5.5	9
101	Cortical Up states induce the selective weakening of subthreshold synaptic inputs. <i>Nature Communications</i> , 2017 , 8, 665	17.4	21
100	Wild-Type, but Not Mutant N296H, Human Tau Restores A β -Mediated Inhibition of LTP in mice. <i>Frontiers in Neuroscience</i> , 2017 , 11, 201	5.1	11
99	Sequential neuromodulation of Hebbian plasticity offers mechanism for effective reward-based navigation. <i>ELife</i> , 2017 , 6,	8.9	45
98	Optogenetic Methods to Study Lateralized Synaptic Function. <i>Neuromethods</i> , 2017 , 331-365	0.4	
97	Archaeorhodopsin Selectively and Reversibly Silences Synaptic Transmission through Altered pH. <i>Cell Reports</i> , 2016 , 16, 2259-2268	10.6	42
96	Presynaptic Spike Timing-Dependent Long-Term Depression in the Mouse Hippocampus. <i>Cerebral Cortex</i> , 2016 , 26, 3637-3654	5.1	71
95	A comparison of computational methods for detecting bursts in neuronal spike trains and their application to human stem cell-derived neuronal networks. <i>Journal of Neurophysiology</i> , 2016 , 116, 306-21 ²	3.2	51
94	Roles of Presynaptic NMDA Receptors in Neurotransmission and Plasticity. <i>Trends in Neurosciences</i> , 2016 , 39, 26-39	13.3	63
93	Stochastic and deterministic dynamics of intrinsically irregular firing in cortical inhibitory interneurons. <i>ELife</i> , 2016 , 5,	8.9	15
92	Intrinsic Cornu Ammonis Area 1 Theta-Nested Gamma Oscillations Induced by Optogenetic Theta Frequency Stimulation. <i>Journal of Neuroscience</i> , 2016 , 36, 4155-69	6.6	35
91	Dopamine Neuron-Specific Optogenetic Stimulation in Rhesus Macaques. <i>Cell</i> , 2016 , 166, 1564-1571.e6	56.2	152
90	Early maturation and distinct tau pathology in induced pluripotent stem cell-derived neurons from patients with MAPT mutations. <i>Brain</i> , 2015 , 138, 3345-59	11.2	87
89	Ramping single unit activity in the medial prefrontal cortex and ventral striatum reflects the onset of waiting but not imminent impulsive actions. <i>European Journal of Neuroscience</i> , 2015 , 41, 1524-37	3.5	29
88	Synaptic Plasticity and Memory: New Insights from Hippocampal Left-Right Asymmetries. <i>Neuroscientist</i> , 2015 , 21, 490-502	7.6	32
87	Hippocampal network oscillations - recent insights from in vitro experiments. <i>Current Opinion in Neurobiology</i> , 2015 , 31, 40-4	7.6	23

86	Emergence of rich-club topology and coordinated dynamics in development of hippocampal functional networks in vitro. <i>Journal of Neuroscience</i> , 2015 , 35, 5459-70	6.6	82
85	Neuronal Cx3cr1 Deficiency Protects against Amyloid Induced Neurotoxicity. <i>PLoS ONE</i> , 2015 , 10, e0127730	3.7	16
84	Retroactive modulation of spike timing-dependent plasticity by dopamine. <i>ELife</i> , 2015 , 4,	8.9	59
83	Author response: Retroactive modulation of spike timing-dependent plasticity by dopamine 2015 ,		2
82	NMDA spikes enhance action potential generation during sensory input. <i>Nature Neuroscience</i> , 2014 , 17, 383-90	25.5	194
81	Left-right dissociation of hippocampal memory processes in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 15238-43	11.5	124
80	The hippocampal cacophony: multiple layers of communication. <i>Neuron</i> , 2014 , 84, 251-3	13.9	2
79	Development of dendritic tonic GABAergic inhibition regulates excitability and plasticity in CA1 pyramidal neurons. <i>Journal of Neurophysiology</i> , 2014 , 112, 287-99	3.2	31
78	Oscillatory activity in the medial prefrontal cortex and nucleus accumbens correlates with impulsivity and reward outcome. <i>PLoS ONE</i> , 2014 , 9, e111300	3.7	47
77	Distinct mechanisms of spike timing-dependent LTD at vertical and horizontal inputs onto L2/3 pyramidal neurons in mouse barrel cortex. <i>Physiological Reports</i> , 2014 , 2, e00271	2.6	33
76	GluN2A and GluN2B subunit-containing NMDA receptors in hippocampal plasticity. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369, 20130163	5.8	174
75	Dopamine suppresses persistent network activity via D(1) -like dopamine receptors in rat medial entorhinal cortex. <i>European Journal of Neuroscience</i> , 2013 , 37, 1242-7	3.5	16
74	Distinct roles of GABAB1a- and GABAB1b-containing GABAB receptors in spontaneous and evoked termination of persistent cortical activity. <i>Journal of Physiology</i> , 2013 , 591, 835-43	3.9	39
73	Presynaptic self-depression at developing neocortical synapses. <i>Neuron</i> , 2013 , 77, 35-42	13.9	39
72	Stem cells expanded from the human embryonic hindbrain stably retain regional specification and high neurogenic potency. <i>Journal of Neuroscience</i> , 2013 , 33, 12407-22	6.6	53
71	Frequency dependence of CA3 spike phase response arising from h-current properties. <i>Frontiers in Cellular Neuroscience</i> , 2013 , 7, 263	6.1	10
70	Aberration-free three-dimensional multiphoton imaging of neuronal activity at kHz rates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2919-24	11.5	131
69	Gating of NMDA receptor-mediated hippocampal spike timing-dependent potentiation by mGluR5. <i>Neuropharmacology</i> , 2012 , 63, 701-9	5.5	17

68	The Hodgkin-Huxley heritage: from channels to circuits. <i>Journal of Neuroscience</i> , 2012 , 32, 14064-73	6.6	55
67	Transgenic overexpression of the type I isoform of neuregulin 1 affects working memory and hippocampal oscillations but not long-term potentiation. <i>Cerebral Cortex</i> , 2012 , 22, 1520-9	5.1	59
66	Caged intracellular NMDA receptor blockers for the study of subcellular ion channel function. <i>Communicative and Integrative Biology</i> , 2012 , 5, 240-2	1.7	12
65	Hemisphere-specific optogenetic stimulation reveals left-right asymmetry of hippocampal plasticity. <i>Nature Neuroscience</i> , 2011 , 14, 1413-5	25.5	90
64	Phase of firing as a local window for efficient neuronal computation: tonic and phasic mechanisms in the control of theta spike phase. <i>Frontiers in Human Neuroscience</i> , 2011 , 5, 3	3.3	9
63	Hippocampal mossy fiber long-term depression in Grm2/3 double knockout mice. <i>Synapse</i> , 2011 , 65, 945-54	2.4	22
62	Presynaptic induction and expression of timing-dependent long-term depression demonstrated by compartment-specific photorelease of a use-dependent NMDA receptor antagonist. <i>Journal of Neuroscience</i> , 2011 , 31, 8564-8569	6.6	53
61	Tau protein is required for amyloid {beta}-induced impairment of hippocampal long-term potentiation. <i>Journal of Neuroscience</i> , 2011 , 31, 1688-92	6.6	228
60	Identification of the current generator underlying cholinergically induced gamma frequency field potential oscillations in the hippocampal CA3 region. <i>Journal of Physiology</i> , 2010 , 588, 785-97	3.9	65
59	Differences in subthreshold resonance of hippocampal pyramidal cells and interneurons: the role of h-current and passive membrane characteristics. <i>Journal of Physiology</i> , 2010 , 588, 2109-32	3.9	148
58	Currents in space: understanding inhibitory field potentials. <i>Journal of Physiology</i> , 2010 , 588, 2015-6	3.9	1
57	The many tunes of perisomatic targeting interneurons in the hippocampal network. <i>Frontiers in Cellular Neuroscience</i> , 2010 , 4,	6.1	14
56	Presynaptic NMDA Receptors and Spike Timing-Dependent Depression at Cortical Synapses. <i>Frontiers in Synaptic Neuroscience</i> , 2010 , 2, 18	3.5	38
55	Priming of hippocampal population bursts by individual perisomatic-targeting interneurons. <i>Journal of Neuroscience</i> , 2010 , 30, 5979-91	6.6	101
54	The roles of GABAB receptors in cortical network activity. <i>Advances in Pharmacology</i> , 2010 , 58, 205-29	5.7	77
53	Local field potential oscillations as a cortical soliloquy. <i>Neuron</i> , 2010 , 67, 3-5	13.9	12
52	alpha5 Subunit-containing GABA(A) receptors mediate a slowly decaying inhibitory synaptic current in CA1 pyramidal neurons following Schaffer collateral activation. <i>Neuropharmacology</i> , 2010 , 58, 668-75	5.5	35
51	Distinct roles of GABA(A) and GABA(B) receptors in balancing and terminating persistent cortical activity. <i>Journal of Neuroscience</i> , 2009 , 29, 7513-7518	6.6	139

50	Double dissociation of spike timing-dependent potentiation and depression by subunit-preferring NMDA receptor antagonists in mouse barrel cortex. <i>Cerebral Cortex</i> , 2009 , 19, 2959-69	5.1	100
49	Novel markers reveal subpopulations of subplate neurons in the murine cerebral cortex. <i>Cerebral Cortex</i> , 2009 , 19, 1738-50	5.1	104
48	Neuronal oscillations and the rate-to-phase transform: mechanism, model and mutual information. <i>Journal of Physiology</i> , 2009 , 587, 769-85	3.9	28
47	Flexible spike timing of layer 5 neurons during dynamic beta oscillation shifts in rat prefrontal cortex. <i>Journal of Physiology</i> , 2009 , 587, 5177-96	3.9	36
46	The timing of external input controls the sign of plasticity at local synapses. <i>Nature Neuroscience</i> , 2009 , 12, 1219-21	25.5	46
45	Maintaining network activity in submerged hippocampal slices: importance of oxygen supply. <i>European Journal of Neuroscience</i> , 2009 , 29, 319-27	3.5	183
44	Induction and expression of GluA1 (GluR-A)-independent LTP in the hippocampus. <i>European Journal of Neuroscience</i> , 2009 , 29, 1141-52	3.5	58
43	Network mechanisms of gamma oscillations in the CA3 region of the hippocampus. <i>Neural Networks</i> , 2009 , 22, 1113-9	9.1	114
42	Amphiphilic porphyrins for second harmonic generation imaging. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2758-9	16.4	111
41	Bidirectional control of spike timing by GABA(A) receptor-mediated inhibition during theta oscillation in CA1 pyramidal neurons. <i>NeuroReport</i> , 2009 , 20, 1209-13	1.7	11
40	Spike timing-dependent long-term depression requires presynaptic NMDA receptors. <i>Nature Neuroscience</i> , 2008 , 11, 744-5	25.5	113
39	Thalamocortical maturation in mice is influenced by body weight. <i>Journal of Comparative Neurology</i> , 2008 , 511, 415-20	3.4	14
38	Role of GABAergic inhibition in hippocampal network oscillations. <i>Trends in Neurosciences</i> , 2007 , 30, 343-9	15.3	281
37	Cortical songs revisited: a lesson in statistics. <i>Neuron</i> , 2007 , 53, 319-21	13.9	9
36	From invertebrate olfaction to human cognition: emerging computational functions of synchronized oscillatory activity. <i>Journal of Neuroscience</i> , 2006 , 26, 1661-2	6.6	14
35	Synaptic currents in anatomically identified CA3 neurons during hippocampal gamma oscillations in vitro. <i>Journal of Neuroscience</i> , 2006 , 26, 9923-34	6.6	98
34	Network oscillations: emerging computational principles. <i>Journal of Neuroscience</i> , 2006 , 26, 1673-6	6.6	212
33	Exploring Fast Hippocampal Network Oscillations: Combining Multi-Electrode Recordings with Optical Imaging and Patch-Clamp Techniques 2006 , 454-469		2

32	Keeping inhibition timely. <i>Neuron</i> , 2006 , 49, 8-9	13.9	9
31	Perisomatic feedback inhibition underlies cholinergically induced fast network oscillations in the rat hippocampus in vitro. <i>Neuron</i> , 2005 , 45, 105-17	13.9	243
30	Matching storage and recall: hippocampal spike timing-dependent plasticity and phase response curves. <i>Nature Neuroscience</i> , 2005 , 8, 1677-83	25.5	98
29	Hippocampal gamma-frequency oscillations: from interneurons to pyramidal cells, and back. <i>Journal of Physiology</i> , 2005 , 562, 55-63	3.9	106
28	Mechanisms underlying gamma (40 Hz) network oscillations in the hippocampus—a mini-review. <i>Progress in Biophysics and Molecular Biology</i> , 2005 , 87, 67-76	4.7	55
27	Dissociation of experience-dependent and -independent changes in excitatory synaptic transmission during development of barrel cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 15518-23	11.5	56
26	Preferential origin and layer destination of GAD65-GFP cortical interneurons. <i>Cerebral Cortex</i> , 2004 , 14, 1122-33	5.1	244
25	Spike timing of distinct types of GABAergic interneuron during hippocampal gamma oscillations in vitro. <i>Journal of Neuroscience</i> , 2004 , 24, 9127-37	6.6	234
24	Properties of horizontal axo-axonic cells in stratum oriens of the hippocampal CA1 area of rats in vitro. <i>Hippocampus</i> , 2004 , 14, 232-43	3.5	33
23	Distinct properties of carbachol- and DHPG-induced network oscillations in hippocampal slices. <i>Neuropharmacology</i> , 2004 , 47, 381-9	5.5	80
22	Blockade of GABA(B) receptors alters the tangential migration of cortical neurons. <i>Cerebral Cortex</i> , 2003 , 13, 932-42	5.1	110
21	Maturation of long-term potentiation induction rules in rodent hippocampus: role of GABAergic inhibition. <i>Journal of Neuroscience</i> , 2003 , 23, 11142-6	6.6	127
20	Expression and distribution of metabotropic GABA receptor subtypes GABABR1 and GABABR2 during rat neocortical development. <i>European Journal of Neuroscience</i> , 2002 , 15, 1766-78	3.5	91
19	New excitement in cognitive space: between place cells and spatial memory. <i>Current Opinion in Neurobiology</i> , 2001 , 11, 745-51	7.6	39
18	Distinct frequency preferences of different types of rat hippocampal neurons in response to oscillatory input currents. <i>Journal of Physiology</i> , 2000 , 529 Pt 1, 205-13	3.9	274
17	Natural patterns of activity and long-term synaptic plasticity. <i>Current Opinion in Neurobiology</i> , 2000 , 10, 172-9	7.6	215
16	Rapid report: postsynaptic bursting is essential for induction of associative long-term potentiation at excitatory synapses in rat hippocampus. <i>Journal of Physiology</i> , 1999 , 518 (Pt 2), 571-6	3.9	181
15	Cholinergic induction of network oscillations at 40 Hz in the hippocampus in vitro. <i>Nature</i> , 1998 , 394, 186-9	50.4	685

14	Association between the low threshold calcium spike and activation of NMDA receptors in guinea-pig substantia nigra pars compacta neurons. <i>European Journal of Neuroscience</i> , 1998 , 10, 2009-15 ^{3.5}	5
13	A model of hippocampal memory encoding and retrieval: GABAergic control of synaptic plasticity. <i>Trends in Neurosciences</i> , 1998 , 21, 273-8	13.3 270
12	Importance of the intracellular domain of NR2 subunits for NMDA receptor function in vivo. <i>Cell</i> , 1998 , 92, 279-89	56.2 398
11	Effect, number and location of synapses made by single pyramidal cells onto aspiny interneurons of cat visual cortex. <i>Journal of Physiology</i> , 1997 , 500 (Pt 3), 689-713	3.9 121
10	Quantal properties of spontaneous EPSCs in neurones of the guinea-pig dorsal lateral geniculate nucleus. <i>Journal of Physiology</i> , 1996 , 496 (Pt 3), 759-72	3.9 29
9	Synchronization of neuronal activity in hippocampus by individual GABAergic interneurons. <i>Nature</i> , 1995 , 378, 75-8	50.4 1202
8	The quantal size at retinogeniculate synapses determined from spontaneous and evoked EPSCs in guinea-pig thalamic slices. <i>Journal of Physiology</i> , 1994 , 480 (Pt 3), 505-11	3.9 43
7	Specificity of protein kinase inhibitor peptides and induction of long-term potentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 4761-5	11.5 88
6	Failure to induce long-term depression by an anti-correlation procedure in area CA1 of the rat hippocampal slice. <i>European Journal of Neuroscience</i> , 1993 , 5, 1241-6	3.5 26
5	Short-term exposure to bilirubin reduces synaptic activation in rat transverse hippocampal slices. <i>Pediatric Research</i> , 1988 , 23, 453-6	3.2 36
4	An endoscopic drainage procedure for afferent loop occlusion. <i>Gastrointestinal Endoscopy</i> , 1987 , 33, 125-6	5.2 5
3	Cellular mechanisms underlying network synchrony in the medial temporal lobe ²¹⁻⁴⁸	
2	Cerebral organoids at the air-liquid interface generate diverse nerve tracts with functional output	1
1	Genes Involved in the Formation of the Earliest Cortical Circuits. <i>Novartis Foundation Symposium</i> , ²¹²⁻²²⁹	4