

Vincent Toal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3477119/vincent-toal-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

1,105
citations

19
h-index

29
g-index

115
ext. papers

1,285
ext. citations

2.5
avg, IF

3.99
L-index

#	Paper	IF	Citations
89	Holographic Security 2020 , 191-206		1
88	Holographic beam-shaping diffractive diffusers fabricated by using controlled laser speckle. <i>Optics Express</i> , 2018 , 26, 8916-8922	3.3	5
87	Serialized holography for brand protection and authentication. <i>Applied Optics</i> , 2018 , 57, E131-E137	1.7	13
86	Development of a photopolymer holographic lens for collimation of light from a green light-emitting diode. <i>Applied Optics</i> , 2018 , 57, E163-E172	1.7	7
85	Compact holographic optical element-based electronic speckle pattern interferometer for rotation and vibration measurements 2017 ,		1
84	Application of phase shifting electronic speckle pattern interferometry in studies of photoinduced shrinkage of photopolymer layers. <i>Optics Express</i> , 2017 , 25, 9647-9653	3.3	6
83	Fabrication and analysis of volume phase holographic cylindrical lens 2016 ,		2
82	Compositional Changes for Reduction of Polymerisation-Induced Shrinkage in Holographic Photopolymers. <i>Advances in Materials Science and Engineering</i> , 2016 , 2016, 1-11	1.5	1
81	Recording of high efficiency volume Bragg gratings in a photopolymer using diffraction from very weak pre-recorded gratings. <i>Optical Data Processing and Storage</i> , 2016 , 2,		1
80	Hybrid Sensors Fabricated by Inkjet Printing and Holographic Patterning. <i>Chemistry of Materials</i> , 2015 , 27, 6097-6101	9.6	28
79	Research on Holographic Sensors and Novel Photopolymers at the Centre for Industrial and Engineering Optics 2013 ,		1
78	Shrinkage during holographic recording in photopolymer films determined by holographic interferometry. <i>Applied Optics</i> , 2013 , 52, 8519-27	1.7	13
77	Vibration phase mapping using holographic optical element-based electronic speckle pattern interferometry. <i>Optics and Lasers in Engineering</i> , 2012 , 50, 1161-1167	4.6	7
76	Monomer diffusion rates in photopolymer material Part I Low spatial frequency holographic gratings: comment. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2012 , 29, 458	1.7	
75	Real-time shrinkage studies in photopolymer films using holographic interferometry 2012 ,		2
74	Modelling Two-Dimensional Photopolymer Patterns Produced with Multiple-Beam Holography. <i>Mathematics in Industry</i> , 2012 , 365-371	0.2	
73	Optical properties of photopolymerizable nanocomposites containing nanosized molecular sieves. <i>Journal of Optics (United Kingdom)</i> , 2011 , 13, 044019	1.7	20

72	In-plane sensitive electronic speckle pattern interferometer using a diffractive holographic optical element. <i>American Journal of Physics</i> , 2011 , 79, 389-391	0.7	5
71	Monolithically integrated all-optical gate switch using intersubband transition in InGaAs/AlAsSb coupled double quantum wells. <i>Optics Express</i> , 2011 , 19, 13386-94	3.3	11
70	Study of the shrinkage caused by holographic grating formation in acrylamide based photopolymer film. <i>Optics Express</i> , 2011 , 19, 13395-404	3.3	26
69	Nanozeolites doped photopolymer layers with reduced shrinkage. <i>Optics Express</i> , 2011 , 19, 25786-91	3.3	19
68	Studies of shrinkage as a result of holographic recording in acrylamide-based photopolymer film. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 104, 899-902	2.6	11
67	HOLOGRAPHIC RECORDING IN CORONA CHARGED ACRYLAMIDE-BASED MFI-ZEOLITE PHOTOPOLYMER. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2011 , 20, 271-279	0.8	1
66	Optical patterning of photopolymerisable materials 2010 ,		1
65	Study of the photoinduced surface relief modulation in photopolymers caused by illumination with a Gaussian beam of light. <i>Journal of Optics (United Kingdom)</i> , 2010 , 12, 124011	1.7	7
64	Optimization of an acrylamide-based photopolymer system for holographic inscription of surface patterns with sub-micron resolution. <i>Journal of Optics (United Kingdom)</i> , 2010 , 12, 124012	1.7	8
63	Development of a panchromatic acrylamide-based photopolymer for multicolor reflection holography. <i>Applied Optics</i> , 2010 , 49, 1400-5	0.2	16
62	Photopolymerizable nanocomposites for holographic recording and sensor application. <i>Applied Optics</i> , 2010 , 49, 3652-60	0.2	63
61	Determination of threshold exposure and intensity for recording holograms in thick green-sensitive acrylamide-based photopolymer. <i>Applied Optics</i> , 2010 , 49, 5276-83	0.2	3
60	Electronic speckle-pattern interferometer using holographic optical elements for vibration measurements. <i>Optics Letters</i> , 2010 , 35, 3273-5	3	31
59	Two-way diffusion model for short-exposure holographic grating formation in acrylamide-based photopolymer. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2010 , 27, 197	1.7	51
58	Optical Properties of Photopolymer Layers Doped with Aluminophosphate Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 16767-16775	3.8	31
57	Nanoparticle Doped Photopolymers for Holographic Applications 2009 , 559-589		5
56	Investigation of the light induced redistribution of zeolite Beta nanoparticles in an acrylamide-based photopolymer. <i>Journal of Optics</i> , 2009 , 11, 024016		16
55	Light-induced redistribution of Si-MFI zeolite nanoparticles in acrylamide-based photopolymer holographic gratings. <i>Journal of Optics</i> , 2009 , 11, 034004		12

54	Out-of-plane vibration analysis with a transmission holographic-optical-element-based electronic speckle pattern interferometer 2009 ,		1
53	Double-Glazing Interferometry. <i>Physics Teacher</i> , 2009 , 47, 295-296	0.4	
52	Optical properties of silica MFI doped acrylamide-based photopolymer. <i>Journal of Optics</i> , 2009 , 11, 024015		11
51	Electro-optical switching of the holographic polymer-dispersed liquid crystal diffraction gratings. <i>Journal of Optics</i> , 2009 , 11, 024023		5
50	Fabrication of switchable liquid crystal devices using surface relief gratings in photopolymer. <i>Journal of Materials Science: Materials in Electronics</i> , 2009 , 20, 198-201	2.1	1
49	Simple versatile shearing interferometer suitable for measurements on a microscopic scale. <i>Optics and Lasers in Engineering</i> , 2009 , 47, 271-273	4.6	8
48	Characterisation of the humidity and temperature responses of a reflection hologram recorded in acrylamide-based photopolymer. <i>Sensors and Actuators B: Chemical</i> , 2009 , 139, 35-38	8.5	55
47	Holographic recording in acrylamide photopolymers: thickness limitations. <i>Applied Optics</i> , 2009 , 48, 2642-8	2.8	6
46	Ocular microtremor laser speckle metrology 2009 ,		2
45	Multipoint laser Doppler vibrometry using holographic optical elements and a CMOS digital camera. <i>Optics Letters</i> , 2008 , 33, 330-2	3	16
44	Technique for characterization of dimensional changes in slanted holographic gratings by monitoring the angular selectivity profile. <i>Optics Letters</i> , 2008 , 33, 1981-3	3	11
43	Raman spectroscopy for the characterization of the polymerization rate in an acrylamide-based photopolymer. <i>Applied Optics</i> , 2008 , 47, 206-12	1.7	23
42	Method for characterization of diffusion properties of photopolymerisable systems. <i>Optics Express</i> , 2008 , 16, 8487-97	3.3	23
41	Implementation of phase-only modulation utilizing a twisted nematic liquid crystal spatial light modulator. <i>Journal of Optics</i> , 2008 , 10, 085007		10
40	A visual indication of environmental humidity using a color changing hologram recorded in a self-developing photopolymer. <i>Applied Physics Letters</i> , 2008 , 92, 031109	3.4	80
39	Laser Doppler Vibrometry system using the synthetic-heterodyne interferometric demodulation scheme implemented on a CMOS DSP camera 2008 ,		2
38	Whole field out-of-plane vibration analysis with a HOE-based ESPI system 2008 ,		1
37	Electro-optical switching of liquid crystal diffraction gratings by using surface relief effect in the photopolymer. <i>Optics Communications</i> , 2007 , 273, 367-369	2	14

36	Photoinduced surface relief studies in an acrylamide-based photopolymer. <i>Journal of Optics</i> , 2007 , 9, 43-48		12
35	Hologram-based humidity indicator for domestic and packaging applications 2007 ,		9
34	Population study of the variation in monochromatic aberrations of the normal human eye over the central visual field. <i>Optics Express</i> , 2007 , 15, 7367-80	3.3	19
33	Acrylamide-based photopolymer for microholographic data storage. <i>Optical Materials</i> , 2006 , 28, 1329-1333	3.3	35
32	Replay at optical communications wavelengths of holographic gratings recorded in the visible 2006 , 6252, 31		0
31	Compact electronic speckle pattern interferometer using a near infrared diode laser and a reflection holographic optical element. <i>Journal of Optics</i> , 2006 , 8, 182-188		5
30	Phase-stepped gauge block interferometry using a frequency-tunable visible laser diode. <i>Applied Optics</i> , 2006 , 45, 5607-13	1.7	4
29	Holographic recording in nanoparticle-doped photopolymer 2006 ,		12
28	Two way diffusion model for the recording mechanism in a self developing dry acrylamide photopolymer 2006 ,		3
27	Photopolymer diffractive optical elements in electronic speckle pattern shearing interferometry. <i>Optics and Lasers in Engineering</i> , 2006 , 44, 965-974	4.6	9
26	Holographic patterning of acrylamide-based photopolymer surface. <i>Optics Express</i> , 2005 , 13, 4878-89	3.3	37
25	Investigation of polymerization rate in an acrylamide-based photopolymer using Raman spectroscopy 2005 , 5826, 75		2
24	Simple electronic speckle pattern shearing interferometer with a holographic grating as a shearing element 2005 , 5962, 669		1
23	Holographic recording of patterns in thin film acrylamide-based photopolymer 2005 ,		4
22	Study of an acrylamide-based photopolymer for use as a holographic data storage medium 2005 ,		1
21	Modernization of the Hilger & Watts gauge-block interferometer. <i>Optical Engineering</i> , 2005 , 44, 035601	1.1	3
20	Least squares algorithm for rapid analysis of FabryPerot fringe patterns. <i>Journal of Optics</i> , 2005 , 7, S364-S367		6
19	Characterization of an acrylamide-based photopolymer for data storage utilizing holographic angular multiplexing. <i>Journal of Optics</i> , 2005 , 7, 255-260		34

18	Holographic and Electronic Speckle-Pattern Interferometry using a Photopolymer Recording Material. <i>Strain</i> , 2004 , 40, 79-81	1.7	4
17	Mechanical characterization of unplasticised polyvinylchloride thick pipes by optical methods. <i>Optics and Lasers in Engineering</i> , 2004 , 41, 889-900	4.6	2
16	Electronic speckle pattern shearing interferometer with a photopolymer holographic grating. <i>Applied Optics</i> , 2004 , 43, 2439-42	1.7	17
15	Investigation of the diffusion processes in a self-processing acrylamide-based photopolymer system. <i>Applied Optics</i> , 2004 , 43, 2900-5	1.7	59
14	Simple phase-shifting lateral shearing interferometer. <i>Optics Letters</i> , 2004 , 29, 1264-6	3	24
13	Holographic optical elements for combined holographic and digital speckle pattern interferometry 2003 , 4933, 239		
12	Evaluation of high-frequency vibrations using electronic speckle pattern interferometry 2003 , 4876, 1054		
11	A simple approach to phase holography. <i>American Journal of Physics</i> , 2003 , 71, 948-949	0.7	3
10	Holographically recorded photopolymer diffractive optical element for holographic and electronic speckle-pattern interferometry. <i>Applied Optics</i> , 2002 , 41, 7475-9	1.7	18
9	Dual in-plane electronic speckle pattern interferometry system with electro-optical switching and phase shifting. <i>Applied Optics</i> , 1999 , 38, 666-73	1.7	13
8	Roughness measurement of metallic surfaces based on the laser speckle contrast method. <i>Optics and Lasers in Engineering</i> , 1998 , 30, 433-440	4.6	53
7	Applications of a self-developing photopolymer material: holographic interferometry and high-efficiency diffractive optical elements 1998 ,		3
6	An interferometric linear in-plane position transducer. <i>Optics and Laser Technology</i> , 1992 , 24, 59-65	4.2	5
5	A simple interferometric linear position transducer. <i>Optics and Laser Technology</i> , 1991 , 23, 50-53	4.2	2
4	Transient gratings in dichromated sugar solutions. <i>Applied Optics</i> , 1990 , 29, 5315-7	1.7	1
3	A multiple laser beam probe system for turbulence diagnostics. <i>Optics and Laser Technology</i> , 1976 , 8, 227-231	4.2	1
2	Determination of optical distortions caused by thermal turbulence. <i>Journal of Physics E: Scientific Instruments</i> , 1976 , 9, 576-579		2
1	Measurements of optical distortion arising from thermal turbulence with application to bubble chambers. <i>Journal Physics D: Applied Physics</i> , 1976 , 9, 2413-2422	3	4

