

# Antonio Pifferi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3478070/publications.pdf>

Version: 2024-02-01

443  
papers

9,225  
citations

34016

52  
h-index

58464

82  
g-index

446  
all docs

446  
docs citations

446  
times ranked

4286  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reproducibility of identical solid phantoms. Journal of Biomedical Optics, 2022, 27, .	1.4	5
2	Evaluation of a pipeline for simulation, reconstruction, and classification in ultrasound-aided diffuse optical tomography of breast tumors. Journal of Biomedical Optics, 2022, 27, .	1.4	6
3	Performance and reproducibility assessment across multiple time-domain near-infrared spectroscopy device replicas. , 2022, , .		0
4	Criteria for the design of tissue-mimicking phantoms for the standardization of biophotonic instrumentation. Nature Biomedical Engineering, 2022, 6, 541-558.	11.6	20
5	Multi-laboratory performance assessment of diffuse optics instruments: the BitMap exercise. Journal of Biomedical Optics, 2022, 27, .	1.4	9
6	First In-Vivo Diffuse Optics Application of a Time-Domain Multiwavelength Wearable Optode. , 2022, , .		0
7	Preliminary Evidence of the Efficacy of Time-Resolved Broad-Spectrum Optical Mammography in Monitoring Neoadjuvant Chemotherapy. , 2022, , .		0
8	Superconducting nanowire detectors for in vivo time-domain diffuse correlation spectroscopy: system and validations. , 2022, , .		0
9	Time resolved speckle contrast optical spectroscopy at quasi-null source-detector separation for non-invasive measurement of microvascular blood flow. Biomedical Optics Express, 2021, 12, 1499.	1.5	8
10	Monitoring the motor cortex hemodynamic response function in freely moving walking subjects: a time-domain fNIRS pilot study. Neurophotonics, 2021, 8, 015006.	1.7	8
11	Optical signatures of radiofrequency ablation in biological tissues. Scientific Reports, 2021, 11, 6579.	1.6	15
12	A multi-laboratory comparison of photon migration instruments and their performances: the BitMap exercise. , 2021, , .		2
13	Enhanced diffuse optical tomographic reconstruction using concurrent ultrasound information. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2021, 379, 20200195.	1.6	5
14	Performance assessment of laser sources for time-domain diffuse correlation spectroscopy. Biomedical Optics Express, 2021, 12, 5351.	1.5	6
15	Time-domain NIRS system based on supercontinuum light source and multi-wavelength detection: validation for tissue oxygenation studies. Biomedical Optics Express, 2021, 12, 6629.	1.5	12
16	In vivo test-driven upgrade of a time domain multi-wavelength optical mammograph. Biomedical Optics Express, 2021, 12, 1105.	1.5	6
17	Time-domain diffuse optics with $8.6 \times 10^{-2}$ fast-gated SiPM for extreme light harvesting. Optics Letters, 2021, 46, 424.	1.7	11
18	Compact Time-Domain NIRS oximeter for non-invasive brain and muscle monitoring. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
19	Fast-gated digital silicon photomultiplier maximizes light harvesting and depth sensitivity in time-domain diffuse optics. , 2021, , .		0
20	Optical mammography in the time domain up to 1060 nm: from tests on healthy women to initial data for monitoring neoadjuvant chemotherapy. , 2021, , .		0
21	SOLUS: a novel multimodal approach to ultrasound and diffuse optics imaging of breast cancer. , 2021, , .		0
22	Phantoms for performance verification and quality control in developing a photonics-based medical device (VASCOVID): a regulatory driven approach. , 2021, , .		0
23	In-vivo time-domain diffuse correlation spectroscopy with a superconducting nanowire single-photon detector. , 2021, , .		1
24	Motor cortex hemodynamic response function in freely moving subjects recorded via time domain fNIRS. , 2021, , .		0
25	The SiPM revolution in time-domain diffuse optics. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 978, 164411.	0.7	16
26	Large-Area, Fast-Gated Digital SiPM With Integrated TDC for Portable and Wearable Time-Domain NIRS. IEEE Journal of Solid-State Circuits, 2020, 55, 3097-3111.	3.5	21
27	Coherent fluctuations in time-domain diffuse optics. APL Photonics, 2020, 5, 071301.	3.0	2
28	Real-Time Dual-Wavelength Time-Resolved Diffuse Optical Tomography System for Functional Brain Imaging Based on Probe-Hosted Silicon Photomultipliers. Sensors, 2020, 20, 2815.	2.1	6
29	Optical characterization of porcine tissues from various organs in the 650â€“1100â€“nm range using time-domain diffuse spectroscopy. Biomedical Optics Express, 2020, 11, 1697.	1.5	33
30	Non-invasive investigation of adipose tissue by time domain diffuse optical spectroscopy. Biomedical Optics Express, 2020, 11, 2779.	1.5	20
31	Probe-hosted large area silicon photomultiplier and high-throughput timing electronics for enhanced performance time-domain functional near-infrared spectroscopy. Biomedical Optics Express, 2020, 11, 6389.	1.5	15
32	Wearable and wireless time-domain near-infrared spectroscopy system for brain and muscle hemodynamic monitoring. Biomedical Optics Express, 2020, 11, 5934.	1.5	31
33	In vivo time-domain diffuse correlation spectroscopy above the water absorption peak. Optics Letters, 2020, 45, 3377.	1.7	15
34	SOLUS Project: Bringing Innovation into Breast Cancer Diagnosis and in the Time-Domain Diffuse Optical Field. , 2020, , .		1
35	Broadband extraction of tissue optical properties using a portable hybrid time-resolved continuous wave instrumentation: characterization of ex vivo organs. , 2020, , .		9
36	Time-Gated Single-Photon Detection in Time-Domain Diffuse Optics: A Review. Applied Sciences (Switzerland), 2020, 10, 1101.	1.3	17

#	ARTICLE	IF	CITATIONS
37	A solid phantom recipe and exploration for biophotonics applications: a step to produce standardized tissue phantoms. , 2020, , .		0
38	High Signal-to-Noise Ratio and Depth Penetration in Time-Domain Functional Near-Infrared Spectroscopy Combining Large Area Detector and High Throughput Electronics. , 2020, , .		0
39	Time domain diffuse optical spectroscopy for the monitoring of thermal treatment in biological tissue.. , 2020, , .		1
40	In vivo time-domain diffuse correlation spectroscopy beyond the water absorption peak. , 2020, , .		0
41	Multi-laboratory efforts for the standardization of performance assessment of diffuse optics instruments â€” the BitMap Exercise. , 2020, , .		1
42	Multi Simulation Platform for Time Domain Diffuse Optical Tomography: An Application to a Compact Hand-Held Reflectance Probe. Applied Sciences (Switzerland), 2019, 9, 2849.	1.3	5
43	A Versatile Setup for Time-Resolved Functional Near Infrared Spectroscopy Based on Fast-Gated Single-Photon Avalanche Diode and on Four-Wave Mixing Laser. Applied Sciences (Switzerland), 2019, 9, 2366.	1.3	8
44	Broadband Time Domain Diffuse Optical Reflectance Spectroscopy: A Review of Systems, Methods, and Applications. Applied Sciences (Switzerland), 2019, 9, 5465.	1.3	15
45	BabyLux device: a diffuse optical system integrating diffuse correlation spectroscopy and time-resolved near-infrared spectroscopy for the neuromonitoring of the premature newborn brain. Neurophotonics, 2019, 6, 1.	1.7	43
46	Effects of the instrument response function and the gate width in time-domain diffuse correlation spectroscopy: model and validations. Neurophotonics, 2019, 6, 1.	1.7	13
47	Bioresorbable fibers for time-domain diffuse optical measurements: a step toward next generation optical implantable devices. , 2019, , .		1
48	Solid heterogeneous phantoms for multimodal ultrasound and diffuse optical imaging: an outcome of the SOLUS project for standardization. , 2019, , .		3
49	Monitoring radiofrequency ablation of biological tissue using broadband time-resolved diffuse optical spectroscopy. , 2019, , .		2
50	Solid phantom recipe for diffuse optics in biophotonics applications: a step towards anatomically correct 3D tissue phantoms. Biomedical Optics Express, 2019, 10, 2090.	1.5	31
51	Systematic study of the effect of ultrasound gel on the performances of time-domain diffuse optics and diffuse correlation spectroscopy. Biomedical Optics Express, 2019, 10, 3899.	1.5	10
52	Multi-wavelength time domain diffuse optical tomography for breast cancer: initial results on silicone phantoms. , 2019, , .		1
53	The LUCA device: laser and ultrasound co-analyzer for thyroid nodules. , 2019, , .		1
54	Compressive sensing time-domain Raman spectrometer for depth sensing of diffusive media. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
55	The BITMAP exercise: a multi-laboratory performance assessment campaign of diffuse optical instrumentation. , 2019, , .		2
56	In vivo time-domain diffuse correlation spectroscopy of the human muscle above 1000 nm. , 2019, , .		0
57	The BitMap dataset: an open dataset on performance assessment of diffuse optics instruments. , 2019, , .		0
58	Large area SiPM and high throughput timing electronics: toward new generation time-domain instruments. , 2019, , .		0
59	Effects of ultrasound impedance matching fluids on diffuse optical measurements. , 2019, , .		0
60	Spectral approach to time domain diffuse optical tomography for breast cancer: validation on meat phantoms. , 2019, , .		0
61	Spatially-enhanced time-domain NIRS for determination of optical properties in layered structures. , 2019, , .		0
62	A wearable time domain near-infrared spectroscopy system. , 2019, , .		3
63	In vivo time domain speckle contrast optical spectroscopy. , 2019, , .		0
64	A solid phantom recipe for biophotonics applications: a step towards anatomically correct 3D tissue phantoms. , 2019, , .		3
65	Blood-lipid liquid phantom for assessing time and frequency domain tissue oximeter performances. , 2019, , .		0
66	Towards the use of bioresorbable fibers in time-domain diffuse optics. Journal of Biophotonics, 2018, 11, e201600275.	1.1	19
67	High throughput detection chain for time domain optical mammography. Biomedical Optics Express, 2018, 9, 755.	1.5	20
68	Liquid phantoms for near-infrared and diffuse correlation spectroscopies with tunable optical and dynamic properties. Biomedical Optics Express, 2018, 9, 2068.	1.5	30
69	In vivo time-gated diffuse correlation spectroscopy at quasi-null source-detector separation. Optics Letters, 2018, 43, 2450.	1.7	16
70	Time domain diffuse Raman spectrometer based on a TCSPC camera for the depth analysis of diffusive media. Optics Letters, 2018, 43, 2134.	1.7	11
71	How Should the New Generation of Detectors for Diffuse Optics Be? A Systematic Simulation Study. , 2018, , .		1
72	Broadband (550-1350nm) diffuse optical characterization of thyroid chromophores. Scientific Reports, 2018, 8, 10015.	1.6	23

#	ARTICLE	IF	CITATIONS
73	Noninvasive optical estimation of CSF thickness for brain-atrophy monitoring. Biomedical Optics Express, 2018, 9, 4094.	1.5	14
74	Instrumental, optical and geometrical parameters affecting time-gated diffuse optical measurements: a systematic study. Biomedical Optics Express, 2018, 9, 5524.	1.5	19
75	Multidistance time domain diffuse optical spectroscopy in the assessment of abdominal fat heterogeneity. , 2018, , .		0
76	Study of optimal measurement conditions for time-domain diffuse optics systems. , 2018, , .		0
77	Statistics of photon penetration depth in diffusive media. , 2017, , .		0
78	Time-resolved laser spectroscopy for the in situ characterization of methacrylate monomer flow within spruce. Wood Science and Technology, 2017, 51, 227-242.	1.4	5
79	Diffuse optical tomography based on time-resolved compressive sensing. , 2017, , .		0
80	Diffuse optical characterization of collagen absorption from 500 to 1700Ånm. Journal of Biomedical Optics, 2017, 22, 015006.	1.4	95
81	A Compact Two-Wavelength Time-Domain NIRS System Based on SiPM and Pulsed Diode Lasers. IEEE Photonics Journal, 2017, 9, 1-14.	1.0	42
82	Broadband diffuse optical characterization of elastin for biomedical applications. Biophysical Chemistry, 2017, 229, 130-134.	1.5	11
83	Time-resolved analytical model for Raman scattering in a diffusive medium. Proceedings of SPIE, 2017, , .	0.8	0
84	Multiple-view time-resolved diffuse optical tomography based on structured illumination and compressive detection. , 2017, , .		0
85	Compact dual-wavelength system for time-resolved diffuse optical spectroscopy. , 2017, , .		3
86	Performance evaluation of time-domain multispectral diffuse optical tomography in the reflection geometry. , 2017, , .		0
87	Attractive new technologies for 7-wavelength time domain optical mammography. Proceedings of SPIE, 2017, , .	0.8	0
88	Non-contact time-domain imaging of functional brain activation and heterogeneity of superficial signals. Proceedings of SPIE, 2017, , .	0.8	1
89	Thyroid tissue constituents characterization and application to in vivo studies by broadband (600-1200) Tj ETQq1 1 0.784314 rgBT /Ove		1
90	Time-domain diffuse optics using bioresorbable fibers: a proof-of-principle study. , 2017, , .		1

#	ARTICLE	IF	CITATIONS
91	Non-invasive optical estimate of tissue composition to differentiate malignant from benign breast lesions: A pilot study. <i>Scientific Reports</i> , 2017, 7, 40683.	1.6	50
92	Depth sensitivity of frequency domain optical measurements in diffusive media. <i>Biomedical Optics Express</i> , 2017, 8, 2990.	1.5	12
93	Time domain diffuse correlation spectroscopy with a high coherence pulsed source: in vivo and phantom results. <i>Biomedical Optics Express</i> , 2017, 8, 5311.	1.5	50
94	Frequency offset Raman spectroscopy (FORS) for depth probing of diffusive media. <i>Optics Express</i> , 2017, 25, 4585.	1.7	30
95	Chromophore decomposition in multispectral time-resolved diffuse optical tomography. <i>Biomedical Optics Express</i> , 2017, 8, 4772.	1.5	11
96	Multiple-view diffuse optical tomography system based on time-domain compressive measurements. <i>Optics Letters</i> , 2017, 42, 2822.	1.7	19
97	Time-Domain Functional Diffuse Optical Tomography System Based on Fiber-Free Silicon Photomultipliers. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 1235.	1.3	16
98	Novel Approaches to Photon Detection and Timing for 7-Wavelength Time Domain Optical Mammography. , 2017, , .		0
99	Frequency Offset Raman Spectroscopy (FORS) for In-Depth Analysis of Scattering Media. , 2017, , .		0
100	Miniaturized pulsed laser source for time-domain diffuse optics routes to wearable devices. <i>Journal of Biomedical Optics</i> , 2017, 22, 1.	1.4	29
101	In vivo depth heterogeneity of the abdomen assessed by broadband time-domain diffuse optical spectroscopy. , 2017, , .		1
102	Quantification in time-domain diffuse optical tomography using Mellin-Laplace transforms. <i>Biomedical Optics Express</i> , 2016, 7, 4346.	1.5	17
103	Time-domain Raman analytical forward solvers. <i>Optics Express</i> , 2016, 24, 20382.	1.7	11
104	An innovative 8 channels system for time-resolved diffuse optical tomography based on SiPMs. , 2016, , .		0
105	Probe-hosted silicon photomultipliers for time-domain functional near-infrared spectroscopy: phantom and <i>in vivo</i> tests. <i>Neurophotonics</i> , 2016, 3, 045004.	1.7	45
106	Time-resolved single-photon detection module based on silicon photomultiplier: A novel building block for time-correlated measurement systems. <i>Review of Scientific Instruments</i> , 2016, 87, 073101.	0.6	56
107	Characterization of a time-resolved non-contact scanning diffuse optical imaging system exploiting fast-gated single-photon avalanche diode detection. <i>Review of Scientific Instruments</i> , 2016, 87, 035118.	0.6	20
108	Characterization of homogeneous tissue phantoms for performance tests in diffuse optics. <i>Proceedings of SPIE</i> , 2016, , .	0.8	1

#	ARTICLE	IF	CITATIONS
109	Time resolved diffuse optical spectroscopy with geometrically accurate models for bulk parameter recovery. Biomedical Optics Express, 2016, 7, 3784.	1.5	11
110	Large area silicon photomultipliers allow extreme depth penetration in time-domain diffuse optics. , 2016, , .		0
111	Time-domain diffuse optical tomography using silicon photomultipliers: feasibility study. Journal of Biomedical Optics, 2016, 21, 116002.	1.4	25
112	Thereâ€™s plenty of light at the bottom: statistics of photon penetration depth in random media. Scientific Reports, 2016, 6, 27057.	1.6	82
113	New frontiers in time-domain diffuse optics, a review. Journal of Biomedical Optics, 2016, 21, 091310.	1.4	181
114	Toward noninvasive assessment of flap viability with time-resolved diffuse optical tomography: a preclinical test on rats. Journal of Biomedical Optics, 2016, 21, 1.	1.4	15
115	Broadband (600â€“1350 nm) Time-Resolved Diffuse Optical Spectrometer for Clinical Use. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 406-414.	1.9	66
116	In Vivo, Non-Invasive Characterization of Human Bone by Hybrid Broadband (600-1200 nm) Diffuse Optical and Correlation Spectroscopies. PLoS ONE, 2016, 11, e0168426.	1.1	23
117	Time-Resolved Reflectance Diffuse Optical Tomography with Silicon PhotoMultipliers. , 2016, , .		0
118	Quantification of effective absorption perturbations for Time-Resolved Diffuse Optical Tomography with totally absorbing objects. , 2016, , .		0
119	Statistics of the light penetration depth in a diffusive medium. , 2016, , .		0
120	In vivo Time domain Broadband (600 -1200 nm) Diffuse Optical Characterization of Human Bone. , 2016, , .		0
121	Is Collagen an Independent Risk Factor for Breast Cancer?. , 2016, , .		0
122	New Compact and Flexible Picosecond Laser System for Multi-wavelength Time-Resolved Tissue Spectroscopy. , 2016, , .		1
123	Long-lasting, liquid phantom for diffuse optical and correlation spectroscopies. , 2016, , .		1
124	Design and construction of a solid switchable phantom for diffuse optical imaging. , 2015, , .		0
125	Breast Tissue Composition and Its Dependence on Demographic Risk Factors for Breast Cancer: Non-Invasive Assessment by Time Domain Diffuse Optical Spectroscopy. PLoS ONE, 2015, 10, e0128941.	1.1	39
126	Memory effect in silicon time-gated single-photon avalanche diodes. Journal of Applied Physics, 2015, 117, .	1.1	15



#	ARTICLE	IF	CITATIONS
127	Solid switchable phantom for diffuse optical imaging. , 2015, , .		0
128	Design and construction of a solid switchable phantom for diffuse optical imaging. , 2015, , .		0
129	Optical study on the dependence of breast tissue composition and structure on subject anamnesis. , 2015, , .		0
130	Collagen content as a risk factor in breast cancer? A pilot clinical study. , 2015, , .		2
131	Time-resolved diffused optical characterization of key tissue constituents of human bony prominence locations. Proceedings of SPIE, 2015, , .	0.8	7
132	Spectrally Resolved Single-Photon Timing of Silicon Photomultipliers for Time-Domain Diffuse Spectroscopy. IEEE Photonics Journal, 2015, 7, 1-12.	1.0	28
133	Mechanically switchable solid inhomogeneous phantom for performance tests in diffuse imaging and spectroscopy. Journal of Biomedical Optics, 2015, 20, 121304.	1.4	45
134	Optical discrimination between malignant and benign breast lesions. Proceedings of SPIE, 2015, , .	0.8	1
135	Time-resolved diffuse optical tomography for non-invasive flap viability assessment: pre-clinical tests on rats. , 2015, , .		0
136	Broadband time-resolved diffuse optical spectrometer for clinical diagnostics: characterization and in-vivo measurements in the 600-1350 nm spectral range. , 2015, , .		4
137	Time domain diffuse optical spectroscopy:In vivoquantification of collagen in breast tissue. , 2015, , .		1
138	Fiber-based hybrid probe for non-invasive cerebral monitoring in neonatology. Proceedings of SPIE, 2015, , .	0.8	1
139	Effects of time-gated detection in diffuse optical imaging at short source-detector separation. Journal Physics D: Applied Physics, 2015, 48, 045401.	1.3	35
140	Towards next generation time-domain diffuse optics devices. , 2015, , .		2
141	Non-contact scanning time-domain functional optical imaging of the adult human brain. Proceedings of SPIE, 2015, , .	0.8	2
142	Diffuse optical tomography by using time-resolved single pixel camera. , 2015, , .		0
143	Spatial resolution in depth for time-resolved diffuse optical tomography using short source-detector separations. Biomedical Optics Express, 2015, 6, 1.	1.5	47
144	Towards next-generation time-domain diffuse optics for extreme depth penetration and sensitivity. Biomedical Optics Express, 2015, 6, 1749.	1.5	100

#	ARTICLE	IF	CITATIONS
145	In-vivo multilaboratory investigation of the optical properties of the human head. Biomedical Optics Express, 2015, 6, 2609.	1.5	48
146	Fast silicon photomultiplier improves signal harvesting and reduces complexity in time-domain diffuse optics. Optics Express, 2015, 23, 13937.	1.7	68
147	Time-domain diffuse optics: towards next generation devices. , 2015, , .		1
148	In-depth quantification by using multispectral time-resolved diffuse optical tomography. , 2015, , .		0
149	Time-Domain Diffuse Optical Imaging of Tissue by Non-contact Scanning. Springer Series in Chemical Physics, 2015, , 561-585.	0.2	2
150	Breast Monitoring by Time-Resolved Diffuse Optical Imaging. Springer Series in Chemical Physics, 2015, , 587-611.	0.2	1
151	Broadband Time-Resolved Diffuse Optical Spectrometer for Clinical Diagnostics: Characterization and in-vivo Measurements in the 600-1350 nm spectral range. , 2015, , .		1
152	Non-contact scanning time-domain functional optical imaging of the adult human brain. , 2015, , .		0
153	Time-resolved diffused optical characterization of key tissue constituents of human bony prominence locations. , 2015, , .		1
154	Time-domain diffuse optics: towards next generation devices. , 2015, , .		0
155	Time-resolved diffuse optical tomography for non-invasive flap viability assessment: pre-clinical tests on rats. , 2015, , .		0
156	In-depth quantification by using Multispectral Time-Resolved Diffuse Optical Tomography. , 2015, , .		0
157	Collagen content as a risk factor in breast cancer? A pilot clinical study.. , 2015, , .		0
158	Optical study on the dependence of breast tissue composition and structure on subject anamnesis. , 2015, , .		0
159	Optimal arrangements of fiber optic probes to enhance the spatial resolution in depth for 3D reflectance diffuse optical tomography with time-resolved measurements performed with fast-gated single-photon avalanche diodes. Proceedings of SPIE, 2014, , .	0.8	0
160	Phantoms for diffuse optical imaging based on totally absorbing objects, part 2: experimental implementation. Journal of Biomedical Optics, 2014, 19, 076011.	1.4	40
161	Performance assessment of time-domain optical brain imagers, part 2: nEUROPt protocol. Journal of Biomedical Optics, 2014, 19, 086012.	1.4	85
162	Performance assessment of time-domain optical brain imagers, part 1: basic instrumental performance protocol. Journal of Biomedical Optics, 2014, 19, 086010.	1.4	101

#	ARTICLE	IF	CITATIONS
163	Multi-center study of the optical properties of the human head. , 2014, , .		0
164	Nondestructive optical detection of monomer uptake in wood polymer composites. Optics Letters, 2014, 39, 228.	1.7	15
165	Determination of reference values for optical properties of liquid phantoms based on Intralipid and India ink. Biomedical Optics Express, 2014, 5, 2037.	1.5	133
166	Estimate of tissue composition in malignant and benign breast lesions by time-domain optical mammography. Biomedical Optics Express, 2014, 5, 3684.	1.5	50
167	Diffuse optics using a dual window fast-gated counter. Applied Optics, 2014, 53, 7394.	2.1	20
168	Light diffusion in quenched disorder: Role of step correlations. Physical Review E, 2014, 89, 022141.	0.8	16
169	Optical mammography: Characterization of malignant and benign breast lesions by a perturbative model. , 2014, , .		0
170	Forward solvers for photon migration in the presence of highly and totally absorbing objects embedded inside diffusive media. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2014, 31, 460.	0.8	12
171	Time domain functional NIRS imaging for human brain mapping. NeuroImage, 2014, 85, 28-50.	2.1	372
172	Optical Characterization of Benign and Malignant Breast Lesions by Perturbative Model. , 2014, , .		0
173	Correlation between Optically-derived Tissue Parameters and Percentage Mammographic Density. , 2014, , .		0
174	Realization and Characterization of an Automatized Setup for Non-Invasive Assessment of Flap Viability by means of Fast-Gated SPAD. , 2014, , .		0
175	Neurophotonics: non-invasive optical techniques for monitoring brain functions. Functional Neurology, 2014, 29, 223-30.	1.3	13
176	A non-contact time-domain scanning brain imaging system: first in-vivo results. , 2013, , .		2
177	Recipes to make organic phantoms for diffusive optical spectroscopy. Applied Optics, 2013, 52, 2494.	0.9	11
178	Memory effect in gated single-photon avalanche diodes: a limiting noise contribution similar to afterpulsing. , 2013, , .		0
179	Non-contact in vivo diffuse optical imaging using a time-gated scanning system. Biomedical Optics Express, 2013, 4, 2257.	1.5	41
180	Time-resolved diffuse optical tomography using fast-gated single-photon avalanche diodes. Biomedical Optics Express, 2013, 4, 1351.	1.5	52

#	ARTICLE	IF	CITATIONS
181	Optical identification of subjects at high risk for developing breast cancer. Journal of Biomedical Optics, 2013, 18, 060507.	1.4	31
182	Phantoms for diffuse optical imaging based on totally absorbing objects, part 1: basic concepts. Journal of Biomedical Optics, 2013, 18, 066014.	1.4	41
183	Monolithic time-to-digital converter chips for time-correlated single-photon counting and fluorescence lifetime measurements. Proceedings of SPIE, 2013, , .	0.8	3
184	Note: Comparison between a prism-based and an acousto-optic tunable filter-based spectrometer for diffusive media. Review of Scientific Instruments, 2013, 84, 016109.	0.6	4
185	Optical spectroscopy in the time-domain beyond 1.1 $\mu\text{m}$ : A tool for the characterization of diffusive media. , 2013, , .		0
186	Diffuse Optical Techniques Applied to Wood Characterisation. Journal of Near Infrared Spectroscopy, 2013, 21, 259-268.	0.8	32
187	Optical identification of subjects at high risk for developing breast cancer. Proceedings of SPIE, 2013, , .	0.8	1
188	Time-resolved optical spectroscopy of the chest: is it possible to probe the lung?. , 2013, , .		2
189	Realistic phantoms for diffuse optical imaging using totally absorbing objects. , 2013, , .		0
190	Multi-laboratory investigation of the optical properties of the human head. , 2013, , .		0
191	Functional near-infrared spectroscopy at small source-detector distance by means of high dynamic-range fast-gated SPAD acquisitions: first in-vivo measurements. , 2013, , .		7
192	Realistic inhomogeneous phantoms using an equivalent black volume. Proceedings of SPIE, 2013, , .	0.8	0
193	Comparison of organic phantom recipes and characterization by time-resolved diffuse optical spectroscopy. Proceedings of SPIE, 2013, , .	0.8	1
194	In-vivo optical spectroscopy in the time-domain beyond 1100 nm. , 2013, , .		1
195	Performance assessment of time-domain optical brain imagers: a multi-laboratory study. , 2013, , .		7
196	Experimental results on time-resolved reflectance diffuse optical tomography with fast-gated SPADs. Proceedings of SPIE, 2013, , .	0.8	0
197	Effects of tissue heterogeneity on the optical estimate of breast density. Biomedical Optics Express, 2012, 3, 2411.	1.5	10
198	Single-fiber diffuse optical time-of-flight spectroscopy. Optics Letters, 2012, 37, 2877.	1.7	36

#	ARTICLE	IF	CITATIONS
199	Absorption spectroscopy of powdered materials using time-resolved diffuse optical methods. Applied Optics, 2012, 51, 7858.	0.9	9
200	Non-contact time-resolved diffuse reflectance imaging at null source-detector separation. Optics Express, 2012, 20, 283.	1.7	46
201	Inter-Laboratory Comparison of Optical Properties Performed on Intralipid and India Ink. , 2012, , .		2
202	Time-Resolved Diffuse Optical Spectroscopy up to 1700 nm by Means of a Time-Gated InGaAs/InP Single-Photon Avalanche Diode. Applied Spectroscopy, 2012, 66, 944-950.	1.2	48
203	Brain and Muscle near Infrared Spectroscopy/Imaging Techniques. Journal of Near Infrared Spectroscopy, 2012, 20, 15-27.	0.8	43
204	Time-Domain Broadband near Infrared Spectroscopy of the Female Breast: A Focused Review from Basic Principles to Future Perspectives. Journal of Near Infrared Spectroscopy, 2012, 20, 223-235.	0.8	37
205	Afterpulse-like noise limits dynamic range in time-gated applications of thin-junction silicon single-photon avalanche diode. Applied Physics Letters, 2012, 100, 241111.	1.5	27
206	Performance Assessment of Time-Domain Optical Brain Imagers: The nEUROPt Protocol. , 2012, , .		2
207	Spectral Distortions in Time-Resolved Diffuse Optical Spectroscopy Due to AOTFs. , 2012, , .		0
208	Development of an optical non-contact time-resolved diffuse reflectance scanning imaging system. , 2012, , .		2
209	Recipes for Organic Phantoms and Characterization by Time-Resolved Diffuse Optical Spectroscopy. , 2012, , .		0
210	Optical Spectroscopy up to 1700 nm: a Time-Resolved Approach Combined with an InGaAs/InP Single-Photon Avalanche Diode. , 2012, , .		0
211	Optical Assessment of Breast Density and its Dependence on Tissue Heterogeneity. , 2012, , .		2
212	Fast-gated single-photon detector module for wide dynamic range optical measurements. , 2011, , .		1
213	Time-resolved reflectance spectroscopy nondestructively reveals structural changes in "Pink Lady"™ apples during storage. Procedia Food Science, 2011, 1, 81-89.	0.6	35
214	Non destructive detection of brown heart in "Braeburn"™ apples by time-resolved reflectance spectroscopy. Procedia Food Science, 2011, 1, 413-420.	0.6	10
215	Photonics for Life. IEEE Pulse, 2011, 2, 16-23.	0.1	3
216	Functional tomography using a time-gated ICCD camera. Biomedical Optics Express, 2011, 2, 705.	1.5	34

#	ARTICLE	IF	CITATIONS
217	Fast-gated single-photon counting technique widens dynamic range and speeds up acquisition time in time-resolved measurements. <i>Optics Express</i> , 2011, 19, 10735.	1.7	89
218	Non-contact time-domain scanning brain imager: results of proof of principle tests. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
219	Time-domain diffuse optical spectroscopy up to 1700 nm using an InGaAs/InP single-photon avalanche diode. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
220	Time-resolved diffuse optical spectroscopy up to 1700 nm using a time-gated InGaAs/InP single-photon avalanche diode. <i>Proceedings of SPIE</i> , 2011, , .	0.8	2
221	Time-domain diffuse optical spectroscopy beyond 1100 nm: initial feasibility study. <i>Proceedings of SPIE</i> , 2011, , .	0.8	1
222	Breast density assessment by means of time domain optical mammography at 635-1060 nm. <i>Proceedings of SPIE</i> , 2011, , .	0.8	2
223	Assessment of basic instrumental performance of time-domain optical brain imagers. <i>Proceedings of SPIE</i> , 2011, , .	0.8	6
224	In vivo swine myocardial tissue characterization and monitoring during open chest surgery by time-resolved diffuse near-infrared spectroscopy. , 2011, , .		2
225	First in vivo spectral characterization of breast up to 1300 nm. , 2011, , .		1
226	Time domain diffuse optical imaging and spectroscopy of breast. , 2011, , .		0
227	Fast-gated single-photon detectors boost dynamic range in NIR spectroscopy. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
228	Functional diffuse reflectance spectroscopy at small source-detector distances based on fast-gated single-photon avalanche diodes. , 2010, , .		1
229	Fast-Gated Single-Photon Avalanche Diode for Wide Dynamic Range Near Infrared Spectroscopy. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2010, 16, 1023-1030.	1.9	81
230	Intra-subject spatial changes in the optical properties of the female breast: A preliminary two-subject study. <i>Medical Laser Application: International Journal for Laser Treatment and Research</i> , 2010, 25, 138-146.	0.4	0
231	Noninvasive assessment of breast cancer risk using time-resolved diffuse optical spectroscopy. <i>Journal of Biomedical Optics</i> , 2010, 15, 060501.	1.4	76
232	The impact of morphology on light transport in cancellous bone. <i>Physics in Medicine and Biology</i> , 2010, 55, 4917-4931.	1.6	6
233	Fast-gated SPAD for ultra-wide dynamic range optical investigations. , 2010, , .		3
234	Time-Resolved Diffuse Optical Spectroscopy: A Differential Absorption Approach. <i>Applied Spectroscopy</i> , 2010, 64, 1220-1226.	1.2	3

#	ARTICLE	IF	CITATIONS
235	Role of collagen scattering for in vivo tissue characterization. , 2010, , .		3
236	Fast Gating of Single-Photon Avalanche Diodes for Photon Migration Measurements. Lecture Notes in Electrical Engineering, 2010, , 151-154.	0.3	0
237	A method to assess the scattering-free absorption properties of nanostructured materials. , 2010, , .		0
238	Spectral distortions due to a finite spectral bandwidth light source in time-resolved diffuse spectroscopy. , 2010, , .		0
239	Ultra-Fast Time-Gated SPAD for Multi-Wavelength Wide Dynamic Range Spectroscopy. , 2010, , .		0
240	The Spread Matrix: a method to predict the effect of a non time-invariant measurement system. , 2010, , .		0
241	Time-resolved broadband diffuse spectroscopy using a differential absorption approach. , 2010, , .		0
242	Towards the Definition of Accurately Calibrated Liquid Phantoms for Photon Migration at NIR Wavelengths: a Multi-Laboratory Study. , 2010, , .		0
243	In-vivo characterization of myocardial tissue by time-resolved diffuse optical spectroscopy in open chest pig. , 2010, , .		0
244	Optical mammography at 635â€“1060 nm for breast density assessment and lesion characterization. , 2010, , .		1
245	Diffuse optical spectroscopy of breast tissue extended to 1100â€“nm. Journal of Biomedical Optics, 2009, 14, 054030.	1.4	65
246	Nonlinear fitting procedure for accurate time-resolved measurements in diffusive media. , 2009, , .		1
247	Functional brain tomography using a time-gated ICCD camera. Proceedings of SPIE, 2009, , .	0.8	0
248	Seven-wavelength time-resolved optical mammography extending beyond 1000 nm for breast collagen quantification. Optics Express, 2009, 17, 15932.	1.7	91
249	Bandpass Effects in Time-Resolved Diffuse Spectroscopy. Applied Spectroscopy, 2009, 63, 48-56.	1.2	23
250	Brain functional imaging at small source-detector distances based on fast-gated single-photon avalanche diodes. Proceedings of SPIE, 2009, , .	0.8	1
251	Fast-gated single-photon avalanche diode for extremely wide dynamic-range applications. Proceedings of SPIE, 2009, , .	0.8	11
252	Time-resolved transmittance spectroscopy of breast in vivo up to 1100 nm: test on 10 volunteers. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
253	Accuracy of the nonlinear fitting procedure for time-resolved measurements on diffusive phantoms at NIR wavelengths. , 2009, , .		5
254	Hybrid heuristic time dependent solution of the radiative transfer equation for the slab. , 2009, , .		2
255	Time-resolved optical stratigraphy in turbid media. Proceedings of SPIE, 2009, , .	0.8	3
256	Time-resolved diffuse optical spectroscopy: a differential absorption approach. , 2009, , .		0
257	Effects of a finite spectral bandwidth light source in time-resolved diffuse spectroscopy. Proceedings of SPIE, 2009, , .	0.8	0
258	Functional brain imaging by multi-wavelength time-resolved near infrared spectroscopy. Opto-electronics Review, 2008, 16, .	2.4	12
259	<i>In Vivo</i> Measurement of Vascular Modulation in Experimental Tumors Using a Fluorescent Contrast Agent. Photochemistry and Photobiology, 2008, 84, 1249-1256.	1.3	10
260	Time-resolved and continuous wave NIR reflectance spectroscopy to predict soluble solids content and firmness of pear. Postharvest Biology and Technology, 2008, 47, 68-74.	2.9	145
261	Time-Resolved Optical Spectroscopy of Wood. Applied Spectroscopy, 2008, 62, 569-574.	1.2	34
262	Light propagation in dry and wet softwood. Optics Express, 2008, 16, 9895.	1.7	62
263	Depth dependence of estimated optical properties of a scattering inclusion by time-resolved contrast functions. Optics Express, 2008, 16, 17667.	1.7	3
264	Time-Resolved Diffuse Reflectance Using Small Source-Detector Separation and Fast Single-Photon Gating. Physical Review Letters, 2008, 100, 138101.	2.9	119
265	Time-resolved scanning system for double reflectance and transmittance fluorescence imaging of diffusive media. Review of Scientific Instruments, 2008, 79, 013103.	0.6	15
266	Clinically compatible time-resolved diffuse spectroscopy in the 600-1100 nm bandwidth. , 2008, , .		1
267	Wood characterization by diffuse time-resolved optical spectroscopy. , 2008, , .		1
268	Simultaneous acquisition of time-domain fNIRS and fMRI during brain cortex activity. , 2008, , .		0
269	Spectral extension of time-resolved transmittance spectroscopy up to 1100 nm for the in vivo quantification of collagen in breast tissue. , 2008, , .		0
270	Time-resolved optical mammography from 635 to 1060 nm for collagen quantification. , 2008, , .		0



#	ARTICLE	IF	CITATIONS
271	Time domain diffuse optical imaging and spectroscopy: from lab to clinic. , 2008, , .		0
272	Time-Resolved Functional Near-Infrared Spectroscopy at Null Source-Detector Separation. , 2008, , .		1
273	CW and Time Domain Methods to Prepare Accurately Calibrated Liquid Diffusive Phantoms at NIR Wavelengths. , 2008, , .		0
274	Heuristic Analytical Solution of the Time Dependent Radiative Transfer Equation for a Semi-infinite Medium. , 2008, , .		0
275	Self-Adaptive Method to Uncouple Cortex-Related Brain Activation from Superficial Effects. , 2008, , .		0
276	Time-resolved transmittance of small samples: Investigation of bone tissue for diagnostic purposes. , 2008, , .		0
277	Novel method for depth-resolved brain functional imaging by time-domain NIRS. Proceedings of SPIE, 2007, 6629, 59.	0.8	34
278	Determination of the optical properties of anisotropic biological media using isotropic and anisotropic diffusion models. Proceedings of SPIE, 2007, 6629, 166.	0.8	0
279	Simultaneous acquisition of time-domain fNIRS and fMRI during motor activity. , 2007, , .		3
280	Fully automated time domain spectrometer for the absorption and scattering characterization of diffusive media. Review of Scientific Instruments, 2007, 78, 053103.	0.6	73
281	Time-resolved diffuse optical spectroscopy of wood. , 2007, 6633, 346.		2
282	Assessment of collagen absorption and related potential diagnostic applications. Proceedings of SPIE, 2007, 6629, 86.	0.8	0
283	Time-gated single-photon avalanche diode for time-resolved diffuse reflectance at small source-detector separation. Proceedings of SPIE, 2007, , .	0.8	0
284	Study of anti-angiogenic drugs by fluorescence imaging and spectroscopy of a contrast agent in mice. Proceedings of SPIE, 2007, , .	0.8	0
285	Time-resolved scanning system for double reflectance and transmittance fluorescence imaging of small animals. Proceedings of SPIE, 2007, , .	0.8	0
286	CW and time domain procedures for accurate calibration of optical properties of liquid diffusive media at NIR wavelengths. Proceedings of SPIE, 2007, , .	0.8	0
287	Time-resolved diffuse reflectance at small source-detector separation using a time-gated single-photon avalanche diode. , 2007, , .		0
288	Time-resolved diffuse optical spectroscopy of small tissue samples. Proceedings of SPIE, 2007, , .	0.8	0

#	ARTICLE	IF	CITATIONS
289	Time-resolved diffuse optical spectroscopy of small tissue samples. Optics Express, 2007, 15, 3301.	1.7	22
290	Calibration of scattering and absorption properties of a liquid diffusive medium at NIR wavelengths. Time-resolved method. Optics Express, 2007, 15, 6589.	1.7	64
291	Portable, large-bandwidth time-resolved system for diffuse optical spectroscopy. Optics Express, 2007, 15, 14482.	1.7	52
292	Heuristic Green's function of the time dependent radiative transfer equation for a semi-infinite medium. Optics Express, 2007, 15, 18168.	1.7	22
293	In vivo time-resolved reflectance spectroscopy of the human forehead. Applied Optics, 2007, 46, 1717.	2.1	43
294	Determination of the optical properties of anisotropic biological media using an isotropic diffusion model. Journal of Biomedical Optics, 2007, 12, 014026.	1.4	34
295	Optical Characterisation of Bone Tissue for Diffusion Optical Tomography Applied to Skeletal Implants. , 2007, , .		1
296	Absorption of collagen: effects on the estimate of breast composition and related diagnostic implications. Journal of Biomedical Optics, 2007, 12, 014021.	1.4	70
297	Assessment of collagen absorption and related potential diagnostic applications. , 2007, , .		0
298	Novel method for depth-resolved brain functional imaging by time-domain NIRS. , 2007, , .		4
299	Multi-channel time-resolved system for functional near infrared spectroscopy. Optics Express, 2006, 14, 5418.	1.7	110
300	Multichannel Time-Resolved Tissue Oximeter for Functional Imaging of the Brain. IEEE Transactions on Instrumentation and Measurement, 2006, 55, 85-90.	2.4	14
301	A model for the softening of nectarines based on sorting fruit at harvest by time-resolved reflectance spectroscopy. Postharvest Biology and Technology, 2006, 39, 223-232.	2.9	69
302	Feasibility of white-light time-resolved optical mammography. Journal of Biomedical Optics, 2006, 11, 054035.	1.4	13
303	Absorption and scattering perturbations in homogeneous and layered diffusive media probed by time-resolved reflectance at null source-detector separation. Physical Review E, 2006, 74, 021919.	0.8	16
304	Design and characterization of a two-wavelength multichannel time-resolved system for optical topography. , 2006, , .		4
305	Mapping cerebral hemodynamics in brain cortex by multi-channel time-resolved near-infrared spectroscopy. , 2006, , .		1
306	Time-resolved diffuse reflectance at null source-detector separation: a novel approach to photon migration. , 2006, , .		0

#	ARTICLE	IF	CITATIONS
307	Spectral- and time-resolved optical mammography by means of a pulsed supercontinuum light source. , 2006, , .		0
308	In vivo time-resolved multi-distance spectroscopy of human forehead: a step towards optical characterization of brain tissue. , 2006, , .		0
309	Absorption properties of breast: the contribution of collagen. , 2006, , .		0
310	Dynamic time-resolved diffuse spectroscopy based on white light generation in a photonic crystal fiber. , 2005, 5859, 124.		0
311	THE QUALITY AND STORABILITY OF APPLES CV. 'JONAGORED' SELECTED AT-HARVEST BY TIME-RESOLVED REFLECTANCE SPECTROSCOPY. Acta Horticulturae, 2005, , 1481-1488.	0.1	14
312	Design and characterization of a fast 16-source 64-detector time-resolved system for functional NIR studies. , 2005, 5859, 116.		1
313	MEALINESS DETECTION IN APPLES USING TIME RESOLVED REFLECTANCE SPECTROSCOPY. Journal of Texture Studies, 2005, 36, 439-458.	1.1	26
314	Determination of visible near-IR absorption coefficients of mammalian fat using time- and spatially resolved diffuse reflectance and transmission spectroscopy. Journal of Biomedical Optics, 2005, 10, 054004.	1.4	193
315	Bilateral prefrontal cortex oxygenation responses to a verbal fluency task: a multichannel time-resolved near-infrared topography study. Journal of Biomedical Optics, 2005, 10, 011012.	1.4	70
316	Characterization of female breast lesions from multi-wavelength time-resolved optical mammography. Physics in Medicine and Biology, 2005, 50, 2489-2502.	1.6	88
317	Time-Resolved Reflectance at Null Source-Detector Separation: Improving Contrast and Resolution in Diffuse Optical Imaging. Physical Review Letters, 2005, 95, 078101.	2.9	122
318	Multi-wavelength Time Domain Optical Mammography. Technology in Cancer Research and Treatment, 2005, 4, 527-537.	0.8	11
319	Time-resolved spectroscopy based on white-light generation of short pulses in a photonic crystal fiber. , 2005, 5693, 435.		0
320	Time-resolved optical mammography between 637 and 985 nm: clinical study on the detection and identification of breast lesions. Physics in Medicine and Biology, 2005, 50, 2469-2488.	1.6	113
321	Performance assessment of photon migration instruments: the MEDPHOT protocol. Applied Optics, 2005, 44, 2104.	2.1	185
322	In vivo absorption spectroscopy of tumor sensitizers with femtosecond white light. Applied Optics, 2005, 44, 2213.	2.1	22
323	Dynamic time-resolved diffuse spectroscopy based on supercontinuum light pulses. Applied Optics, 2005, 44, 4684.	2.1	22
324	TIME-RESOLVED REFLECTANCE SPECTROSCOPY AS A NON-DESTRUCTIVE TOOL TO ASSESS THE MATURITY AT HARVEST AND TO MODEL THE SOFTENING OF NECTARINES. Acta Horticulturae, 2005, , 1459-1464.	0.1	7

#	ARTICLE	IF	CITATIONS
325	DETECTION OF INTERNAL QUALITY IN KIWI WITH TIME-DOMAIN DIFFUSE REFLECTANCE SPECTROSCOPY. Applied Engineering in Agriculture, 2004, 20, 223-230.	0.3	31
326	Determination of VIS- NIR absorption coefficients of mammalian fat, with time- and spatially resolved diffuse reflectance and transmission spectroscopy. , 2004, , SF4.		90
327	Optical biopsy of bone tissue: a step toward the diagnosis of bone pathologies. Journal of Biomedical Optics, 2004, 9, 474.	1.4	120
328	Spectroscopic time-resolved diffuse reflectance and transmittance measurements of the female breast at different interfiber distances. Journal of Biomedical Optics, 2004, 9, 1143.	1.4	106
329	Clinical trial of time-resolved scanning optical mammography at 4 wavelengths between 683 and 975 nm. Journal of Biomedical Optics, 2004, 9, 464.	1.4	115
330	Do shorter wavelengths improve contrast in optical mammography?. Physics in Medicine and Biology, 2004, 49, 1203-1215.	1.6	27
331	Mapping of calf muscle oxygenation and haemoglobin content during dynamic plantar flexion exercise by multi-channel time-resolved near-infrared spectroscopy. Physics in Medicine and Biology, 2004, 49, 685-699.	1.6	63
332	Bulk optical properties and tissue components in the female breast from multiwavelength time-resolved optical mammography. Journal of Biomedical Optics, 2004, 9, 1137.	1.4	133
333	Selection Models for the Internal Quality of Fruit, based on Time Domain Laser Reflectance Spectroscopy. Biosystems Engineering, 2004, 88, 313-323.	1.9	39
334	Selection Models for the Internal Quality of Fruit, based on Time Domain Laser Reflectance Spectroscopy. Biosystems Engineering, 2004, 88, 313-313.	1.9	0
335	Liquid phantom for investigating light propagation through layered diffusive media. Optics Express, 2004, 12, 2102.	1.7	29
336	Phantom validation and in vivo application of an inversion procedure for retrieving the optical properties of diffusive layered media from time-resolved reflectance measurements. Optics Letters, 2004, 29, 2037.	1.7	46
337	Time-resolved spectrophotometer for turbid media based on supercontinuum generation in a photonic crystal fiber. Optics Letters, 2004, 29, 2405.	1.7	41
338	Multi-wavelength time-resolved optical mammography. , 2004, , .		1
339	Functional cortical brain mapping by near infrared time-resolved spectroscopy. , 2004, , .		0
340	Diffuse time-resolved reflectance and transmittance measurements of the female breast using different interfiber distances in the region 610- 1040 nm. , 2004, , .		0
341	Experimental validation of a fitting procedure for retrieving the optical properties of layered media from time-resolved reflectance measurements. , 2004, , .		0
342	A phantom for investigating light propagation through layered diffusive media. , 2004, , .		0

#	ARTICLE	IF	CITATIONS
343	Bulk hemoglobin, lipid and water content in the female breast from multi-wavelength time-resolved optical mammography. , 2004, , .		0
344	Experimental test of a perturbation model for time-resolved imaging in diffusive media. Applied Optics, 2003, 42, 3145.	2.1	23
345	In vivo absorption and scattering spectroscopy of biological tissues. Photochemical and Photobiological Sciences, 2003, 2, 124.	1.6	188
346	Four-wavelength time-resolved optical mammography in the 680-980-nm range. Optics Letters, 2003, 28, 1138.	1.7	77
347	Accelerated Monte Carlo models to simulate fluorescence spectra from layered tissues. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2003, 20, 714.	0.8	94
348	Use of a nonlinear perturbation approach for in vivo breast lesion characterization by multiwavelength time-resolved optical mammography. Optics Express, 2003, 11, 853.	1.7	79
349	Time-resolved optical imaging through turbid media using a fast data acquisition system based on a gated CCD camera. Journal Physics D: Applied Physics, 2003, 36, 1675-1681.	1.3	33
350	Rigorous characterization of time-resolved diffuse spectroscopy systems for measurements of absorption and scattering properties using solid phantoms. , 2003, , .		2
351	Eight-channel time-resolved tissue oximeter for functional muscle studies. , 2003, , .		0
352	Performance assessment of two time-domain-scanning optical mammographs. , 2003, , .		1
353	Functional muscle studies by dual-wavelength eight-channel time-resolved oximetry. , 2003, , .		1
354	Breast lesion characterization by a novel nonlinear perturbation approach. , 2003, 5138, 23.		0
355	Multidistance optical characterization of the female breast by time-resolved diffuse spectroscopy. , 2003, , .		1
356	Clinical trial on time-resolved optical mammography at four wavelengths (680-975 nm). , 2003, , .		0
357	Four-wavelength time-resolved optical mammograph. , 2003, 4955, 203.		1
358	SELECTION OF 'SPRINGBRIGHT' NECTARINES BY TIME-RESOLVED REFLECTANCE SPECTROSCOPY (TRS) TO PREDICT FRUIT QUALITY IN THE MARKETING CHAIN. Acta Horticulturae, 2003, , 171-177.	0.1	11
359	Spectroscopic techniques for analysing raw material quality. , 2003, , 270-290.		0
360	Measuring fresh fruit and vegetable quality: advanced optical methods. , 2002, , 150-169.		8

#	ARTICLE	IF	CITATIONS
361	Nondestructive detection of brown heart in pears by time-resolved reflectance spectroscopy. <i>Postharvest Biology and Technology</i> , 2002, 25, 87-97.	2.9	66
362	Time-resolved spectroscopy and imaging in diffusive media applied to medical diagnostics. <i>Rivista Del Nuovo Cimento</i> , 2002, 25, 1-19.	2.0	3
363	Accelerated reverse-path Monte Carlo model to simulate fluorescence in layered tissue. , 2002, , .		0
364	In vivo spectroscopy of the calcaneus: a first step towards optical diagnosis of osteoporosis?. , 2002, , .		0
365	Time-resolved optical mammograph for clinical studies beyond 900 nm. , 2002, , .		1
366	In vivo optical characterization of human tissues from 610 to 1010 nm by time-resolved reflectance spectroscopy. <i>Physics in Medicine and Biology</i> , 2001, 46, 2227-2237.	1.6	169
367	Reconstruction of absorber concentrations in a two-layer structure by use of multidistance time-resolved reflectance spectroscopy. <i>Optics Letters</i> , 2001, 26, 1963.	1.7	28
368	Nondestructive quantification of chemical and physical properties of fruits by time-resolved reflectance spectroscopy in the wavelength range 650â€“1000 nm. <i>Applied Optics</i> , 2001, 40, 538.	2.1	146
369	Time-Resolved Reflectance Spectroscopy Applied to the Nondestructive Monitoring of the Internal Optical Properties in Apples. <i>Applied Spectroscopy</i> , 2001, 55, 1368-1374.	1.2	104
370	<title>In-vivo multidistance multiwavelength time-resolved reflectance spectroscopy of layered tissues</title>. , 2001, 4250, 290.		2
371	<title>Portable 8-channel time-resolved optical imager for functional studies of biological tissues</title>. , 2001, , .		3
372	<title>Dual-wavelength time-resolved optical mammograph for clinical studies</title>. , 2001, , .		2
373	Effects of photodynamic therapy on the absorption properties of disulphonated aluminum phthalocyanine in tumor-bearing mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2001, 60, 73-78.	1.7	23
374	OPTICAL DETECTION OF MEALINESS IN APPLES BY LASER TDRS. <i>Acta Horticulturae</i> , 2001, , 513-518.	0.1	8
375	<title>Accelerated Monte Carlo models to simulate fluorescence of layered tissue</title>. , 2000, 4160, 14.		2
376	Generation, characterization, and medical utilization of laser-produced emission continua. <i>Laser and Particle Beams</i> , 2000, 18, 563-570.	0.4	4
377	Preliminary evaluation of two fluorescence imaging methods for the detection and the delineation of basal cell carcinomas of the skin. , 2000, 26, 76-82.		67
378	Effects of the Menstrual Cycle on the Red and Near-infrared Optical Properties of the Human Breast Â¶. <i>Photochemistry and Photobiology</i> , 2000, 72, 383-391.	1.3	22

#	ARTICLE	IF	CITATIONS
379	Effects of the Menstrual Cycle on the Red and Near-infrared Optical Properties of the Human Breast. Photochemistry and Photobiology, 2000, 72, 383.	1.3	26
380	Quantification by random walk of the optical parameters of nonlocalized abnormalities embedded within tissuelike phantoms. Optics Letters, 2000, 25, 951.	1.7	37
381	Time-resolved DNA-microarray reading by an intensified CCD for ultimate sensitivity. Optics Letters, 2000, 25, 1648.	1.7	29
382	Fluorescence Imaging During Photodynamic Therapy of Experimental Tumors in Mice Sensitized with Disulfonated Aluminum Phthalocyanine. Photochemistry and Photobiology, 2000, 72, 690.	1.3	19
383	Reconstruction of the absorption spectra of layered diffusive media by time-and space-resolved reflectance spectroscopy. , 2000, , .		0
384	Fully automated facility for absorption and scattering spectroscopy in diffusive media. , 2000, , .		0
385	Spatial changes in the absorption spectrum of the female breast. , 2000, , .		1
386	DNA microarray reading by an intensified CCD camera with picosecond time resolution. , 2000, , .		0
387	Effects of the menstrual cycle on the optical properties of the human breast. , 2000, , .		0
388	In vivo quantification of biological tissues components and structure by time-resolved reflectance spectroscopy in the wavelength range 610-1010 nm. , 2000, , .		0
389	Effects of PDT on the in vivo absorption properties of ALS2Pc in tumor-bearing mice. , 2000, , .		0
390	Fluorescence monitoring during Photodynamic Therapy of experimental tumors with ALS2Pc. , 2000, , .		0
391	Effects of the menstrual cycle on the red and near-infrared optical properties of the human breast. Photochemistry and Photobiology, 2000, 72, 383-91.	1.3	59
392	Time-resolved reflectance spectroscopy in tissues. , 1999, , .		1
393	<title>Compact time-resolved reflectance system for dual-wavelength multichannel assessment of tissue absorption and scattering</title>. , 1999, , .		0
394	Noninvasive absorption and scattering spectroscopy of bulk diffusive media: An application to the optical characterization of human breast. Applied Physics Letters, 1999, 74, 874-876.	1.5	108
395	Spatial resolution of imaging with diffusing light: Edge spread function measurements on a realistic tissue phantom. Medical Physics, 1999, 26, 462-471.	1.6	2
396	Steady-state and time-resolved spectroscopic studies on low-density lipoprotein-bound Zn(II)-phthalocyanine. Journal of Photochemistry and Photobiology B: Biology, 1999, 49, 198-203.	1.7	10

#	ARTICLE	IF	CITATIONS
397	Time-Resolved Studies of Light Propagation in Crassula and Phaseolus Leaves. Photochemistry and Photobiology, 1999, 69, 242-247.	1.3	13
398	Fluorescence lifetime imaging: an application to the detection of skin tumors. IEEE Journal of Selected Topics in Quantum Electronics, 1999, 5, 923-929.	1.9	55
399	Compact tissue oximeter based on dual-wavelength multichannel time-resolved reflectance. Applied Optics, 1999, 38, 3670.	2.1	56
400	<title>Nondestructive measurements of the optical properties of fruits by means of time-resolved reflectance</title>. , 1999, 3597, 445.		3
401	<title>Quantitative imaging in time-resolved transillumination experiments using time-dependent contrast functions</title>. , 1999, 3597, 398.		0
402	<title>Time-gated and lifetime imaging techniques for the detection of skin tumors</title>. , 1999, , .		1
403	The antitumour activity of alkylating agents is not correlated with the levels of glutathione, glutathione transferase and O6-alkylguanine-DNA-alkyltransferase of human tumour xenografts. European Journal of Cancer, 1998, 34, 1749-1755.	1.3	23
404	Real-time method for fitting time-resolved reflectance and transmittance measurements with a Monte Carlo model. Applied Optics, 1998, 37, 2774.	2.1	59
405	Imaging with diffusing light: an experimental study of the effect of background optical properties. Applied Optics, 1998, 37, 3564.	2.1	29
406	<title>Dual-wavelength multichannel system for time-resolved oximetry</title>. , 1998, 3566, 97.		1
407	<title>In-vivo absorption and scattering spectra of human tissues by time-resolved reflectance</title>. , 1998, , .		2
408	<title>Effects of the background optical properties on time-resolved transmittance imaging</title>. , 1998, 3194, 191.		0
409	In vivo Absorption and Scattering Spectra of Human Tissues in the Red and Near Infrared. , 1998, , .		4
410	Multispectral and lifetime imaging for the detection of skin tumors. , 1998, , .		1
411	Nanosecond time-resolved emission spectroscopy from silicon implanted and annealed SiO <sub>2</sub> layers. Applied Physics Letters, 1997, 70, 348-350.	1.5	46
412	Study on the absorption properties of sulphonated aluminum phthalocyanine in vivo and ex vivo in murine tumor models. Journal of Biomedical Optics, 1997, 2, 131.	1.4	8
413	<title>Real-time system for fluorescence lifetime imaging</title>. , 1997, , .		3
414	<title>Measurements of the edge spread function on a realistic tissue phantom</title>. , 1997, , .		0



#	ARTICLE	IF	CITATIONS
415	<title>Discrimination between scattering and absorption inhomogeneities using time-resolved transmittance imaging</title>. , 1997, , .		0
416	<title>Tumor detection in HpD-sensitized mice with fluorescence lifetime imaging</title>. , 1997, , .		0
417	A solid tissue phantom for photon migration studies. Physics in Medicine and Biology, 1997, 42, 1971-1979.	1.6	249
418	Fluorescence Lifetime Imaging of Experimental Tumors in Hematoporphyrin Derivativeâ€”Sensitized Mice. Photochemistry and Photobiology, 1997, 66, 229-236.	1.3	84
419	Artificial models of biological photoreceptors: effect of quenchers on the fluorescence properties of hypericin embedded in liposomes. Journal of Photochemistry and Photobiology B: Biology, 1997, 38, 245-252.	1.7	15
420	Time-resolved imaging on a realistic tissue phantom: $\hat{1}/4\hat{s}\hat{a}\hat{e}^2$ and $\hat{1}/4\hat{a}$ images versus time-integrated images. Applied Optics, 1996, 35, 4533.	2.1	49
421	Time-gated imaging in radiology: theoretical and experimental studies. IEEE Journal of Selected Topics in Quantum Electronics, 1996, 2, 1041-1048.	1.9	18
422	Time Resolved Detection of Hard X-Rays from a Laser-Produced Plasma and Experimental Scatter-Reduced Imaging at 70 KeV. , 1996, , .		0
423	Experimental test of theoretical models for time-resolved reflectance. Medical Physics, 1996, 23, 1625-1633.	1.6	111
424	Annealing Studies of Visible Light Emission from Silicon Nanocrystals Produced by Implantation. Materials Research Society Symposia Proceedings, 1996, 452, 105.	0.1	2
425	Photoluminescence studies of light emission from silicon implanted and annealed SiO <sub>2</sub> layers. Thin Solid Films, 1996, 276, 88-91.	0.8	5
426	In vivo absorption spectrum of disulphonated aluminium phthalocyanine in a murine tumour model. Journal of Photochemistry and Photobiology B: Biology, 1996, 34, 229-235.	1.7	19
427	Reconstruction of diffuse photonâ€”density wave interference in turbid media from timeâ€”resolved transmittance measurements. Applied Physics Letters, 1996, 69, 1674-1676.	1.5	10
428	Imaging of optical inhomogeneities in highly diffusive media: Discrimination between scattering and absorption contributions. Applied Physics Letters, 1996, 69, 4162-4164.	1.5	28
429	Time-Resolved Reflectance for the Assessment of the Optical Properties of Tissues. , 1996, , 95-107.		0
430	Imaging Through Diffusing Media with Time-Resolved Transmittance. , 1996, , 475-478.		0
431	<title>Time-resolved transmittance imaging with a diffusion model</title>. , 1995, , .		1
432	SPECTROSCOPIC AND PHOTOACOUSTIC STUDIES OF HYPERICIN EMBEDDED IN LIPOSOMES AS A PHOTORECEPTOR MODEL*. Photochemistry and Photobiology, 1995, 62, 199-204.	1.3	38

#	ARTICLE	IF	CITATIONS
433	Comparison of cell-cycle phase perturbations induced by the DNA-minor-groove alkylator tallimustine and by melphalan in the SW626 cell line. <i>International Journal of Cancer</i> , 1995, 62, 170-175.	2.3	21
434	Flow cytometric detection of glutathione S-transferase isoenzymes by quantitative immunofluorescence under nonsaturating conditions. <i>Cytometry</i> , 1995, 20, 134-145.	1.8	2
435	An integrated instrumentation for light scattering and time-resolved fluorescence measurements. <i>Review of Scientific Instruments</i> , 1995, 66, 2405-2410.	0.6	2
436	Tumor detection in mice by measurement of fluorescence decay time matrices. <i>Optics Letters</i> , 1995, 20, 2553.	1.7	33
437	<title>Time-gated fluorescence imaging of different organs in tumor-bearing mice after porphyrin administration</title>. , 1994, , .		0
438	ABSORPTION SPECTRUM OF HEMATOPORPHYRIN DERIVATIVE <i>in vivo</i> IN A MURINE TUMOR MODEL. <i>Photochemistry and Photobiology</i> , 1994, 60, 582-585.	1.3	20
439	Time-resolved reflectance: a systematic study for application to the optical characterization of tissues. <i>IEEE Journal of Quantum Electronics</i> , 1994, 30, 2421-2430.	1.0	63
440	Intracellular glutathione heterogeneity in L1210 murine leukemia sublines made resistant to dna-interacting anti-neoplastic agents. <i>International Journal of Cancer</i> , 1993, 54, 435-442.	2.3	15
441	In vivo optical biopsy of the calcaneous: a novel diagnostic tool for osteoporosis?. , 0, , .		0
442	Time-resolved optical mammography at four wavelengths between 680 and 975 nm. , 0, , .		0
443	Multi-channel time-resolved tissue oximeter for functional imaging of the brain. , 0, , .		2