

Walter Keller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3478456/walter-keller-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

4,947
citations

38
h-index

65
g-index

165
ext. papers

5,553
ext. citations

5.2
avg, IF

4.95
L-index

#	Paper	IF	Citations
137	Vaccine based on folded RBD-PreS fusion protein with potential to induce sterilizing immunity to SARS-CoV-2 variants.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022 ,	9.3	4
136	Small Things Matter: The 11.6-kDa TraB Protein is Crucial for Antibiotic Resistance Transfer Among Enterococci.. <i>Frontiers in Molecular Biosciences</i> , 2022 , 9, 867136	5.6	1
135	Structural and allergenic properties of the Fatty Acid Binding Protein from shrimp <i>Litopenaeus vannamei</i> . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	3
134	IgE Epitopes of the House Dust Mite Allergen Der p 7 Are Mainly Discontinuous and Conformational. <i>Frontiers in Immunology</i> , 2021 , 12, 687294	8.4	3
133	Metal Ion Promiscuity and Structure of 2,3-Dihydroxybenzoic Acid Decarboxylase of <i>Aspergillus oryzae</i> . <i>ChemBioChem</i> , 2021 , 22, 652-656	3.8	7
132	Dissociation of the respiratory syncytial virus F protein-specific human IgG, IgA and IgM response. <i>Scientific Reports</i> , 2021 , 11, 3551	4.9	1
131	Neutralization of SARS-CoV-2 requires antibodies against conformational receptor-binding domain epitopes. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	14
130	Expression in and Purification of Folded rDer p 20, the Arginine Kinase From : A Possible Biomarker for Allergic Asthma. <i>Allergy, Asthma and Immunology Research</i> , 2021 , 13, 154-163	5.3	4
129	Allergen-specific IgE levels and the ability of IgE-allergen complexes to cross-link determine the extent of CD23-mediated T-cell activation. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 958-967. ^{11.5}	11.5	5
128	Filling the Antibody Pipeline in Allergy: PIPE Cloning of IgE, IgG and IgG against the Major Birch Pollen Allergen Bet v 1. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
127	Rational design of a hypoallergenic Phl p 7 variant for immunotherapy of polcalcin-sensitized patients. <i>Scientific Reports</i> , 2019 , 9, 7802	4.9	9
126	Regulation of Gram-Positive Conjugation. <i>Frontiers in Microbiology</i> , 2019 , 10, 1134	5.7	16
125	An Engineered Hybrid Protein from Allergens Shows Hypoallergenicity. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
124	SPADE web service for prediction of allergen IgE epitopes. <i>Nucleic Acids Research</i> , 2019 , 47, W496-W501. ^{20.1}	20.1	2
123	Fusion proteins consisting of Bet v 1 and Phl p 5 form IgE-reactive aggregates with reduced allergenic activity. <i>Scientific Reports</i> , 2019 , 9, 4006	4.9	9
122	Recombinant glycoproteins resembling carbohydrate-specific IgE epitopes from plants, venoms and mites. <i>EBioMedicine</i> , 2019 , 39, 33-43	8.8	10
121	Three-dimensional structure of the wheat α -amylase Tri a 17, a clinically relevant food allergen. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1009-1013	9.3	9

120	Pressurized CO as a carboxylating agent for the biocatalytic -carboxylation of resorcinol. <i>Green Chemistry</i> , 2018 , 20, 1754-1759	10	10
119	Characterization of a hybrid protein designed with segments of allergens from <i>Blomia tropicalis</i> and <i>Dermatophagoides pteronyssinus</i> . <i>Immunology Letters</i> , 2018 , 196, 103-112	4.1	6
118	Similar localization of conformational IgE epitopes on the house dust mite allergens Der p 5 and Der p 21 despite limited IgE cross-reactivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1653-1661	9.3	15
117	Isolation of a high-affinity Bet v 1-specific IgG-derived ScFv from a subject vaccinated with hypoallergenic Bet v 1 fragments. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1425-1435	9.3	11
116	Enterococcus adhesin PrgB facilitates type IV secretion by condensation of extracellular DNA. <i>Molecular Microbiology</i> , 2018 , 109, 263-267	4.1	6
115	TraN: A novel repressor of an Enterococcus conjugative type IV secretion system. <i>Nucleic Acids Research</i> , 2018 , 46, 9201-9219	20.1	5
114	The Enzymatic Core of the Parkinson's Disease-Associated Protein LRRK2 Impairs Mitochondrial Biogenesis in Aging Yeast. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 205	6.1	11
113	Tropomyosins in mosquito and house dust mite cross-react at the humoral and cellular level. <i>Clinical and Experimental Allergy</i> , 2018 , 48, 1354-1363	4.1	6
112	Reaction Mechanism and Substrate Specificity of -orotate Decarboxylase: A Combined Theoretical and Experimental Study. <i>Frontiers in Chemistry</i> , 2018 , 6, 608	5	7
111	Critical and direct involvement of the CD23 stalk region in IgE binding. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 281-289.e5	11.5	20
110	Conjugative type IV secretion in Gram-positive pathogens: TraG, a lytic transglycosylase and endopeptidase, interacts with translocation channel protein TraM. <i>Plasmid</i> , 2017 , 91, 9-18	3.3	8
109	Clustering of conformational IgE epitopes on the major dog allergen Can f 1. <i>Scientific Reports</i> , 2017 , 7, 12135	4.9	8
108	Targeting Type IV Secretion System Proteins to Combat Multidrug-Resistant Gram-positive Pathogens. <i>Journal of Infectious Diseases</i> , 2017 , 215, 1836-1845	7	7
107	Mitochondrial lipids in neurodegeneration. <i>Cell and Tissue Research</i> , 2017 , 367, 125-140	4.2	50
106	Mechanisms of Conjugative Transfer and Type IV Secretion-Mediated Effector Transport in Gram-Positive Bacteria. <i>Current Topics in Microbiology and Immunology</i> , 2017 , 413, 115-141	3.3	8
105	The Coordinated Action of Calcineurin and Cathepsin D Protects Against β Synuclein Toxicity. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 207	6.1	17
104	VirB8-like protein TraH is crucial for DNA transfer in <i>Enterococcus faecalis</i> . <i>Scientific Reports</i> , 2016 , 6, 24643	4.9	21
103	¹ H, ¹⁵ N and ¹³ C chemical shift assignment of the Gram-positive conjugative transfer protein TraHpIP501. <i>Biomolecular NMR Assignments</i> , 2016 , 10, 163-6	0.7	2

102	Molecular, Structural and Immunological Characterization of Der p 18, a Chitinase-Like House Dust Mite Allergen. <i>PLoS ONE</i> , 2016 , 11, e0160641	3.7	19
101	IgE epitope proximity determines immune complex shape and effector cell activation capacity. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 1557-65	11.5	33
100	Epitope specificity determines cross-protection of a SIT-induced IgG4 antibody. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 36-46	9.3	10
99	Tracking morphologies at the nanoscale: self-assembly of an amphiphilic designer peptide into a double helix superstructure. <i>Nano Research</i> , 2015 , 8, 1822-1833	10	19
98	Cor a 14, the allergenic 2S albumin from hazelnut, is highly thermostable and resistant to gastrointestinal digestion. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 2077-86	5.9	32
97	Characterisation of recombinant CD23 in the trimeric complex with IgE and allergen. <i>World Allergy Organization Journal</i> , 2015 , 8, A192	5.2	78
96	Comparison of the specificities of IgG, IgG-subclass, IgA and IgM reactivities in African and European HIV-infected individuals with an HIV-1 clade C proteome-based array. <i>PLoS ONE</i> , 2015 , 10, e0117204	3.7	204 ⁹
95	Trimolecular complex between major birch pollen allergen, Bet v 1, monoclonal allergen-specific human IgE and recombinant CD23. <i>Clinical and Translational Allergy</i> , 2014 , 4,	5.2	78
94	Structure of the double-stranded DNA-binding type IV secretion protein TraN from Enterococcus. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014 , 70, 2376-89		10
93	Dissection of the IgE and T-cell recognition of the major group 5 grass pollen allergen Phl p 5. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 836-45.e11	11.5	32
92	Structure of allergens and structure based epitope predictions. <i>Methods</i> , 2014 , 66, 3-21	4.6	66
91	Backbone resonance assignment of Alt a 1, a unique β barrel protein and the major allergen of <i>Alternaria alternata</i> . <i>Biomolecular NMR Assignments</i> , 2014 , 8, 229-31	0.7	7
90	Conjugation in Gram-Positive Bacteria. <i>Microbiology Spectrum</i> , 2014 , 2, PLAS-0004-2013	8.9	51
89	High-resolution crystal structure and IgE recognition of the major grass pollen allergen Phl p 3. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1617-28	9.3	18
88	The type IV secretion protein TraK from the Enterococcus conjugative plasmid pIP501 exhibits a novel fold. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014 , 70, 1124-35		8
87	Biochemical, biophysical and IgE-epitope characterization of the wheat food allergen, Tri a 37. <i>PLoS ONE</i> , 2014 , 9, e111483	3.7	20
86	Characterization of mutants of a highly cross-reactive calcium-binding protein from Brassica pollen for allergen-specific immunotherapy. <i>Immunobiology</i> , 2013 , 218, 1155-1165	3.4	4
85	Conjugative type IV secretion systems in Gram-positive bacteria. <i>Plasmid</i> , 2013 , 70, 289-302	3.3	74

84	Crystal structure and immunologic characterization of the major grass pollen allergen Phl p 4. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 696-703.e10	11.5	32
83	S-adenosyl-L-homocysteine hydrolase and methylation disorders: yeast as a model system. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 204-15	6.9	87
82	Different modes of IgE binding to CD23 revealed with major birch allergen, Bet v 1-specific monoclonal IgE. <i>Immunology and Cell Biology</i> , 2013 , 91, 167-72	5	12
81	A nonallergenic birch pollen allergy vaccine consisting of hepatitis PreS-fused Bet v 1 peptides focuses blocking IgG toward IgE epitopes and shifts immune responses to a tolerogenic and Th1 phenotype. <i>Journal of Immunology</i> , 2013 , 190, 3068-78	5.3	49
80	Crystallization and preliminary structure determination of the transfer protein TraM from the Gram-positive conjugative plasmid pIP501. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013 , 69, 178-83		6
79	Identification of Der p 23, a peritrophin-like protein, as a new major Dermatophagoides pteronyssinus allergen associated with the peritrophic matrix of mite fecal pellets. <i>Journal of Immunology</i> , 2013 , 190, 3059-67	5.3	130
78	TraG encoded by the pIP501 type IV secretion system is a two-domain peptidoglycan-degrading enzyme essential for conjugative transfer. <i>Journal of Bacteriology</i> , 2013 , 195, 4436-44	3.5	45
77	The 2.5 Å structure of the enterococcus conjugation protein TraM resembles VirB8 type IV secretion proteins. <i>Journal of Biological Chemistry</i> , 2013 , 288, 2018-28	5.4	47
76	Effect of protamine on the solubility and deamidation of human growth hormone. <i>International Journal of Pharmaceutics</i> , 2012 , 427, 209-16	6.5	8
75	Misdirected antibody responses against an N-terminal epitope on human rhinovirus VP1 as explanation for recurrent RV infections. <i>FASEB Journal</i> , 2012 , 26, 1001-8	0.9	37
74	Crystallization and first data collection of the putative transfer protein TraN from the Gram-positive conjugative plasmid pIP501. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012 , 68, 1402-5		5
73	Crystallization of domains involved in self-assembly of the S-layer protein SbsC. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012 , 68, 1511-4		7
72	Hypoallergenic mutants of the Timothy grass pollen allergen Phl p 5 generated by proline mutations. <i>International Archives of Allergy and Immunology</i> , 2012 , 159, 130-42	3.7	9
71	Carrier-bound nonallergenic Der p 2 peptides induce IgG antibodies blocking allergen-induced basophil activation in allergic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 609-21	9.3	32
70	Prediction of IgE-binding epitopes by means of allergen surface comparison and correlation to cross-reactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 872-879.e8	11.5	38
69	The structure of bacterial S-layer proteins. <i>Progress in Molecular Biology and Translational Science</i> , 2011 , 103, 73-130	4	49
68	Antiparasitic compounds from <i>Cupania cinerea</i> with activities against <i>Plasmodium falciparum</i> and <i>Trypanosoma brucei rhodesiense</i> . <i>Journal of Natural Products</i> , 2011 , 74, 559-66	4.9	36
67	Recombinant monoclonal human immunoglobulin E to investigate the allergenic activity of major grass pollen allergen Phl p 5. <i>Clinical and Experimental Allergy</i> , 2011 , 41, 270-80	4.1	17

66	Altered IgE epitope presentation: A model for hypoallergenic activity revealed for Bet v 1 trimer. <i>Molecular Immunology</i> , 2011 , 48, 431-41	4.3	30
65	Biophysical characterization of recombinant HIV-1 subtype C virus infectivity factor. <i>Amino Acids</i> , 2011 , 40, 981-9	3.5	10
64	Visualization of clustered IgE epitopes on alpha-lactalbumin. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 1279-1285.e9	11.5	37
63	Hypoallergenic derivatives of the major birch pollen allergen Bet v 1 obtained by rational sequence reassembly. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 126, 1024-31, 1031.e1-8	11.5	36
62	Biochemical characterization of three putative ATPases from a new type IV secretion system of <i>Aeromonas veronii</i> plasmid pAC3249A. <i>BMC Biochemistry</i> , 2010 , 11, 10	4.8	10
61	Cloning, expression, and mapping of allergenic determinants of alphaS1-casein, a major cow's milk allergen. <i>Journal of Immunology</i> , 2009 , 182, 7019-29	5.3	50
60	Towards the structure of the C-terminal part of the S-layer protein SbsC. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009 , 65, 1042-7		5
59	The high-molecular-mass amylase (HMMA) of <i>Geobacillus stearothermophilus</i> ATCC 12980 interacts with the cell wall components by virtue of three specific binding regions. <i>Molecular Microbiology</i> , 2009 , 72, 1448-61	4.1	11
58	Characterization of Der p 21, a new important allergen derived from the gut of house dust mites. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008 , 63, 758-67	9.3	66
57	The structure and binding behavior of the bacterial cell surface layer protein SbsC. <i>Structure</i> , 2008 , 16, 1226-37	5.2	63
56	Mimotopes identify conformational B-cell epitopes on the two major house dust mite allergens Der p 1 and Der p 2. <i>Molecular Immunology</i> , 2008 , 45, 1308-17	4.3	27
55	Reduction of the in vivo allergenicity of Der p 2, the major house-dust mite allergen, by genetic engineering. <i>Molecular Immunology</i> , 2008 , 45, 2486-98	4.3	46
54	Characterization of folded recombinant Der p 5, a potential diagnostic marker allergen for house dust mite allergy. <i>International Archives of Allergy and Immunology</i> , 2008 , 147, 101-9	3.7	37
53	Three-dimensional structure of the cross-reactive pollen allergen Che a 3: visualizing cross-reactivity on the molecular surfaces of weed, grass, and tree pollen allergens. <i>Journal of Immunology</i> , 2008 , 180, 2313-21	5.3	29
52	Disruption of allergenic activity of the major grass pollen allergen Phl p 2 by reassembly as a mosaic protein. <i>Journal of Immunology</i> , 2008 , 181, 4864-73	5.3	22
51	Characterization of a hypoallergenic recombinant Bet v 1 variant as a candidate for allergen-specific immunotherapy. <i>International Archives of Allergy and Immunology</i> , 2008 , 145, 193-206	3.7	63
50	Generation of a low immunoglobulin E-binding mutant of the timothy grass pollen major allergen Phl p 5a. <i>Clinical and Experimental Allergy</i> , 2007 , 37, 441-50	4.1	11
49	The solution structure of ParD, the antidote of the ParDE toxin antitoxin module, provides the structural basis for DNA and toxin binding. <i>Protein Science</i> , 2007 , 16, 1676-88	6.3	57

48	A recombinant hypoallergenic parvalbumin mutant for immunotherapy of IgE-mediated fish allergy. <i>Journal of Immunology</i> , 2007 , 178, 6290-6	5.3	139
47	Genetic engineering of the major timothy grass pollen allergen, Phl p 6, to reduce allergenic activity and preserve immunogenicity. <i>Journal of Immunology</i> , 2007 , 179, 1730-9	5.3	25
46	A hypoallergenic vaccine obtained by tail-to-head restructuring of timothy grass pollen profilin, Phl p 12, for the treatment of cross-sensitization to profilin. <i>Journal of Immunology</i> , 2007 , 179, 7624-34	5.3	23
45	The TraA relaxase autoregulates the putative type IV secretion-like system encoded by the broad-host-range <i>Streptococcus agalactiae</i> plasmid pIP501. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 637-645	2.9	40
44	Cooking birch pollen-related food: divergent consequences for IgE- and T cell-mediated reactivity in vitro and in vivo. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 242-9	11.5	125
43	Structural basis for nucleic acid and toxin recognition of the bacterial antitoxin CcdA. <i>Journal of Molecular Biology</i> , 2006 , 364, 170-85	6.5	102
42	Bacterial fermentation of recombinant major wasp allergen Antigen 5 using oxygen limiting growth conditions improves yield and quality of inclusion bodies. <i>Protein Expression and Purification</i> , 2006 , 47, 621-8	2	13
41	Natural and recombinant molecules of the cherry allergen Pru av 2 show diverse structural and B cell characteristics but similar T cell reactivity. <i>Clinical and Experimental Allergy</i> , 2006 , 36, 359-68	4.1	24
40	Bacterially expressed and optimized recombinant Phl p 1 is immunobiochemically equivalent to natural Phl p 1. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006 , 1764, 1701-9	4	11
39	A hybrid molecule resembling the epitope spectrum of grass pollen for allergy vaccination. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 115, 1010-6	11.5	72
38	TraA and its N-terminal relaxase domain of the Gram-positive plasmid pIP501 show specific oriT binding and behave as dimers in solution. <i>Biochemical Journal</i> , 2005 , 387, 401-9	3.8	33
37	Crystallization and preliminary structure determination of the plant food allergen Pru av 2. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005 , 61, 186-8		13
36	Dimerization of the major birch pollen allergen Bet v 1 is important for its in vivo IgE-cross-linking potential in mice. <i>Journal of Immunology</i> , 2005 , 175, 6645-50	5.3	80
35	Molecular characterization of polygalacturonases as grass pollen-specific marker allergens: expulsion from pollen via submicronic respirable particles. <i>Journal of Immunology</i> , 2004 , 172, 6490-500	5.3	45
34	Generation of an allergy vaccine by disruption of the three-dimensional structure of the cross-reactive calcium-binding allergen, Phl p 7. <i>Journal of Immunology</i> , 2004 , 172, 5684-92	5.3	53
33	Circular dichroism analysis of allergens. <i>Methods</i> , 2004 , 32, 241-8	4.6	27
32	The structure of 2 EF-hand calcium binding allergen Che a 3. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2004 , 60, s128-s128		
31	Formation of disulfide bonds and homodimers of the major cat allergen Fel d 1 equivalent to the natural allergen by expression in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2003 , 278, 40144-51	5.4	61

30	Molecular characterization of recombinant T1, a non-allergenic periwinkle (<i>Catharanthus roseus</i>) protein, with sequence similarity to the Bet v 1 plant allergen family. <i>Biochemical Journal</i> , 2003 , 373, 261-9	3.8	17
29	Crystallization and preliminary structure determination of the C-terminal truncated domain of the S-layer protein SbsC. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003 , 59, 1466-8		21
28	X-filtering for a range of coupling constants: application to the detection of intermolecular NOEs. <i>Journal of Magnetic Resonance</i> , 2003 , 160, 97-106	3	8
27	Three-dimensional structure of the panallergen Phl p 7. <i>International Archives of Allergy and Immunology</i> , 2003 , 130, 10-1	3.7	6
26	Mutants of the major ryegrass pollen allergen, Lol p 5, with reduced IgE-binding capacity: candidates for grass pollen-specific immunotherapy. <i>European Journal of Immunology</i> , 2002 , 32, 270-80	6.1	69
25	Characterization of a novel isoform of alpha-nascent polypeptide-associated complex as IgE-defined autoantigen. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 820-9	4.3	32
24	The cross-reactive calcium-binding pollen allergen, Phl p 7, reveals a novel dimer assembly. <i>EMBO Journal</i> , 2002 , 21, 5007-16	13	70
23	Combination vaccines for the treatment of grass pollen allergy consisting of genetically engineered hybrid molecules with increased immunogenicity. <i>FASEB Journal</i> , 2002 , 16, 1301-3	0.9	61
22	The anti-toxin ParD of plasmid RK2 consists of two structurally distinct moieties and belongs to the ribbon-helix-helix family of DNA-binding proteins. <i>Biochemical Journal</i> , 2002 , 361, 41-47	3.8	35
21	The anti-toxin ParD of plasmid RK2 consists of two structurally distinct moieties and belongs to the ribbon-helix-helix family of DNA-binding proteins. <i>Biochemical Journal</i> , 2002 , 361, 41-7	3.8	26
20	Recombinant carp parvalbumin, the major cross-reactive fish allergen: a tool for diagnosis and therapy of fish allergy. <i>Journal of Immunology</i> , 2002 , 168, 4576-84	5.3	197
19	Reagent or myeloperoxidase-generated hypochlorite affects discrete regions in lipid-free and lipid-associated human apolipoprotein A-I. <i>Biochemical Journal</i> , 2000 , 346, 345	3.8	13
18	The essential transfer protein TraM binds to DNA as a tetramer. <i>Journal of Biological Chemistry</i> , 1999 , 274, 37421-8	5.4	26
17	Thermodynamic properties and DNA binding of the ParD protein from the broad host-range plasmid RK2/RP4 killing system. <i>Biological Chemistry</i> , 1999 , 380, 1413-20	4.5	28
16	Crystal structure of dimeric HIV-1 capsid protein. <i>Nature Structural and Molecular Biology</i> , 1996 , 3, 763-70	7.6	272
15	Crystal structure of a bZIP/DNA complex at 2.2 Å: determinants of DNA specific recognition. <i>Journal of Molecular Biology</i> , 1995 , 254, 657-67	6.5	163
14	Determination and refinement of the canine parvovirus empty-capsid structure. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 1993 , 49, 572-9		7
13	Two different crystal and molecular structures for dicarbonyl(β -cis-cyclooctene)[β -1,3,5-triethyl-2,4,6-tris-(trimethylsilylmethyl)-benzene]molybdenum(0): a highly crowded but surprisingly stable molecule. <i>Monatshefte Für Chemie</i> , 1992 , 123, 443-454	1.4	2

12	Synthesis and reactions of biginelli compounds B . Facile preparation and resolution of a stable 5-dihydropyrimidinecarboxylic acid.. <i>Tetrahedron</i> , 1992 , 48, 5473-5480	2.4	56
11	Structure determination of monoclinic canine parvovirus. <i>Acta Crystallographica Section B: Structural Science</i> , 1992 , 48 (Pt 1), 75-88		28
10	Coenzyme F430 from Methanogenic Bacteria: Complete Assignment of Configuration Based on an X-Ray Analysis of 12,13-Diepi-F430 Pentamethyl Ester and on NMR Spectroscopy. <i>Helvetica Chimica Acta</i> , 1991 , 74, 697-716	2	94
9	Structure and reactivity of xanthocorrinoids. Part V. Formation of trans-diol derivatives of 5,6-dihydrocobyric acid from xanthocorrinoids under acidic conditions. <i>Helvetica Chimica Acta</i> , 1991 , 74, 1287-1295	2	3
8	The three-dimensional structure of canine parvovirus and its functional implications. <i>Science</i> , 1991 , 251, 1456-64	33.3	402
7	Tartaric Acid Chloralides: Isolation and X-ray Analysis of the Third Existing Stereoisomer. Force-Field and AM1 Calculation of all Six Possible Structures. <i>Chemische Berichte</i> , 1989 , 122, 1203-1205		1
6	Stereochemistry of planarchiral compounds, part XII: Absolute chiralities and X-ray crystal structures of 2,2?-Bi(1,6-methano[10]annulenyl)s. <i>Monatshefte Für Chemie</i> , 1989 , 120, 453-462	1.4	10
5	Coenzyme B12 chemistry: the crystal and molecular structure of cob(II)alamin. <i>Journal of the American Chemical Society</i> , 1989 , 111, 8936-8938	16.4	126
4	Semicorrin Metal Complexes as Enantioselective Catalysts. Part 1. Synthesis of chiral semicorrin ligands and general concepts. <i>Helvetica Chimica Acta</i> , 1988 , 71, 1541-1552	2	101
3	A crystalline cobalt(II)corrinat derived from vitamin B12: preparation and X-ray crystal structure. <i>Journal of the Chemical Society Chemical Communications</i> , 1987 , 1678-1680		27
2	Syntheses of bile pigments. Part 15. First unequivocal assignment of the absolute configuration of an urobilinoid bile pigment by X-ray diffraction analysis of its synthetic precursor. <i>Helvetica Chimica Acta</i> , 1987 , 70, 2098-2109	2	10
1	Conjugation in Gram-Positive Bacteria 237-256		