

# Jo L M R Leroy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3478921/publications.pdf>

Version: 2024-02-01

25  
papers

910  
citations

567281

15  
h-index

552781

26  
g-index

26  
all docs

26  
docs citations

26  
times ranked

989  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Maladaptation to the transition period and consequences on fertility of dairy cows. <i>Reproduction in Domestic Animals</i> , 2022, 57, 21-32.  | 1.4 | 15        |
| 2  | Metabolic and antioxidant status during transition is associated with changes in the granulosa cell transcriptome in the preovulatory follicle in high-producing dairy cows at the time of breeding. <i>Journal of Dairy Science</i> , 2022, 105, 6956-6972.              | 3.4 | 6         |
| 3  | Preservation of connexin 43 and transzonal projections in isolated bovine pre-antral follicles before and following vitrification. <i>Journal of Assisted Reproduction and Genetics</i> , 2021, 38, 479-492.  | 2.5 | 7         |
| 4  | Follicular fluid during individual oocyte maturation enhances cumulus expansion and improves embryo development and quality in a dose-specific manner. <i>Theriogenology</i> , 2021, 166, 38-45.  | 2.1 | 15        |
| 5  | Diet normalization or caloric restriction as a preconception care strategy to improve metabolic health and oocyte quality in obese outbred mice. <i>Reproductive Biology and Endocrinology</i> , 2021, 19, 166.   | 3.3 | 11        |
| 6  | Cellular Stress Responses in Oocytes: Molecular Changes and Clinical Implications. <i>Advances in Experimental Medicine and Biology</i> , 2021, , 171-189.  | 1.6 | 7         |
| 7  | Metabolic Stress in the Transition Period of Dairy Cows: Focusing on the Prepartum Period. <i>Animals</i> , 2020, 10, 1419.   | 2.3 | 40        |
| 8  | Rescue Potential of Supportive Embryo Culture Conditions on Bovine Embryos Derived from Metabolically Compromised Oocytes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8206.   | 4.1 | 4         |
| 9  | Oocyte maturation under lipotoxic conditions induces carryover transcriptomic and functional alterations during post-hatching development of good-quality blastocysts: novel insights from a bovine embryo-transfer model. <i>Human Reproduction</i> , 2020, 35, 293-307. | 0.9 | 17        |
| 10 | Action mechanisms of n-3 polyunsaturated fatty acids on the oocyte maturation and developmental competence: Potential advantages and disadvantages. <i>Journal of Cellular Physiology</i> , 2019, 234, 1016-1029.   | 4.1 | 18        |
| 11 | Mitochondria-targeted therapy rescues development and quality of embryos derived from oocytes matured under oxidative stress conditions: a bovine in vitro model. <i>Human Reproduction</i> , 2019, 34, 1984-1998.  | 0.9 | 44        |
| 12 | Proteomic changes in oocytes after in vitro maturation in lipotoxic conditions are different from those in cumulus cells. <i>Scientific Reports</i> , 2019, 9, 3673.  | 3.3 | 39        |
| 13 | Oleic acid in the modulation of oocyte and preimplantation embryo development. <i>Zygote</i> , 2018, 26, 1-13.  | 1.1 | 37        |
| 14 | Effects of vitrification on the viability of alginate encapsulated isolated bovine pre-antral follicles. <i>Journal of Assisted Reproduction and Genetics</i> , 2018, 35, 1187-1199.  | 2.5 | 9         |
| 15 | Alpha-linolenic acid protects the developmental capacity of bovine cumulus-oocyte complexes matured under lipotoxic conditions in vitro. <i>Biology of Reproduction</i> , 2017, 96, 1181-1196.  | 2.7 | 45        |
| 16 | Effect of nutritionally induced hyperlipidaemia on in vitro bovine embryo quality depends on the type of major fatty acid in the diet. <i>Reproduction, Fertility and Development</i> , 2017, 29, 1856.   | 0.4 | 14        |
| 17 | Targeted deletion of the Kv6.4 subunit causes male sterility due to disturbed spermiogenesis. <i>Reproduction, Fertility and Development</i> , 2017, 29, 1567.  | 0.4 | 11        |
| 18 | Suboptimal culture conditions induce more deviations in gene expression in male than female bovine blastocysts. <i>BMC Genomics</i> , 2016, 17, 72.   | 2.8 | 58        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Optimisation of the Bovine Whole In Vitro Embryo System as a Sentinel for Toxicity Screening: A Cadmium Challenge. ATLA Alternatives To Laboratory Animals, 2015, 43, 89-100.  | 1.0 | 4         |
| 20 | Nutrition and maternal metabolic health in relation to oocyte and embryo quality: critical views on what we learned from the dairy cow model. Reproduction, Fertility and Development, 2015, 27, 693.                              | 0.4 | 55        |
| 21 | A diet enriched in linoleic acid compromises the cryotolerance of embryos from superovulated beef heifers. Reproduction, Fertility and Development, 2014, 26, 511.   | 0.4 | 15        |
| 22 | Fatty acid composition of the follicular fluid of normal weight, overweight and obese women undergoing assisted reproductive treatment: a descriptive cross-sectional study. Reproductive Biology and Endocrinology, 2014, 12, 13. | 3.3 | 92        |
| 23 | Reduced oocyte and embryo quality in response to elevated non-esterified fatty acid concentrations: A possible pathway to subfertility?. Animal Reproduction Science, 2014, 149, 19-29.  | 1.5 | 34        |
| 24 | Endocrine-disrupting chemicals in human follicular fluid impair in vitro oocyte developmental competence. Human Reproduction, 2012, 27, 1025-1033.   | 0.9 | 97        |
| 25 | Elevated Non-Esterified Fatty Acid Concentrations during Bovine Oocyte Maturation Compromise Early Embryo Physiology. PLoS ONE, 2011, 6, e23183.   | 2.5 | 211       |