

Mikael Hartman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/347909/mikael-hartman-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

8,248
citations

43
h-index

88
g-index

206
ext. papers

10,343
ext. citations

8
avg, IF

5.64
L-index

#	Paper	IF	Citations
179	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013 , 45, 353-61, 361e1-2	36.3	813
178	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
177	Menarche, menopause, and breast cancer risk: individual participant meta-analysis, including 118 964 women with breast cancer from 117 epidemiological studies. <i>Lancet Oncology</i> , 2012 , 13, 1141-51	21.7	529
176	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
175	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
174	Familial Risk and Heritability of Cancer Among Twins in Nordic Countries. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 68-76	27.4	391
173	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013 , 45, 392-8, 398e1-2	36.3	327
172	Mammographic density phenotypes and risk of breast cancer: a meta-analysis. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	190
171	Functional variants at the 11q13 risk locus for breast cancer regulate cyclin D1 expression through long-range enhancers. <i>American Journal of Human Genetics</i> , 2013 , 92, 489-503	11	167
170	Incidence and prognosis of synchronous and metachronous bilateral breast cancer. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4210-6	2.2	155
169	Breast Cancer Risk Genes - Association Analysis in More than 113,000 Women. <i>New England Journal of Medicine</i> , 2021 , 384, 428-439	59.2	143
168	Exome sequencing identifies highly recurrent MED12 somatic mutations in breast fibroadenoma. <i>Nature Genetics</i> , 2014 , 46, 877-80	36.3	138
167	Genomic landscapes of breast fibroepithelial tumors. <i>Nature Genetics</i> , 2015 , 47, 1341-5	36.3	129
166	Incidence and outcome of male breast cancer: an international population-based study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4381-6	2.2	122
165	The heritability of prostate cancer in the Nordic Twin Study of Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2303-10	4	119
164	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014 , 46, 886-90	36.3	110
163	Triple negative breast cancer in Asia: An insider's view. <i>Cancer Treatment Reviews</i> , 2018 , 62, 29-38	14.4	108

162	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016 , 48, 374-86	36.3	93
161	Female breast cancer incidence among Asian and Western populations: more similar than expected. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	93
160	Longer examination time improves detection of gastric cancer during diagnostic upper gastrointestinal endoscopy. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 480-487.e2	6.9	92
159	Risk of death from cardiovascular disease following breast cancer: a systematic review. <i>Breast Cancer Research and Treatment</i> , 2017 , 164, 537-555	4.4	91
158	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87
157	Breast cancer in a multi-ethnic Asian setting: results from the Singapore-Malaysia hospital-based breast cancer registry. <i>Breast</i> , 2011 , 20 Suppl 2, S75-80	3.6	86
156	Breast cancer research in Asia: adopt or adapt Western knowledge?. <i>European Journal of Cancer</i> , 2013 , 49, 703-9	7.5	84
155	No evidence that protein truncating variants in BRIP1 are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016 , 53, 298-309	5.8	83
154	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
153	Simvastatin-induced breast cancer cell death and deactivation of PI3K/Akt and MAPK/ERK signalling are reversed by metabolic products of the mevalonate pathway. <i>Oncotarget</i> , 2016 , 7, 2532-44	3.3	76
152	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013 , 22, 2539-50	5.6	75
151	Familial concordance in cancer survival: a Swedish population-based study. <i>Lancet Oncology, The</i> , 2007 , 8, 1001-6	21.7	64
150	Genetic implications of bilateral breast cancer: a population based cohort study. <i>Lancet Oncology, The</i> , 2005 , 6, 377-82	21.7	64
149	Mammographic density and ageing: A collaborative pooled analysis of cross-sectional data from 22 countries worldwide. <i>PLoS Medicine</i> , 2017 , 14, e1002335	11.6	63
148	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
147	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020 , 52, 56-73	36.3	56
146	HDAC1 and HDAC2 independently predict mortality in hepatocellular carcinoma by a competing risk regression model in a Southeast Asian population. <i>Oncology Reports</i> , 2015 , 34, 2238-50	3.5	55
145	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53

144	Ethnic differences in survival after breast cancer in South East Asia. <i>PLoS ONE</i> , 2012 , 7, e30995	3.7	53
143	Impact of breast surgery on survival in women presenting with metastatic breast cancer. <i>British Journal of Surgery</i> , 2011 , 98, 1566-72	5.3	50
142	Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017 , 77, 2789-2799	10.1	49
141	Splenectomy and the risk of sepsis: a population-based cohort study. <i>Annals of Surgery</i> , 2014 , 260, 1081-7.8	7.8	49
140	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48
139	The incidence of breast cancer and changes in the use of hormone replacement therapy: a review of the evidence. <i>Maturitas</i> , 2009 , 64, 80-5	5	48
138	Is breast cancer prognosis inherited?. <i>Breast Cancer Research</i> , 2007 , 9, R39	8.3	47
137	Adjuvant! Online is overoptimistic in predicting survival of Asian breast cancer patients. <i>European Journal of Cancer</i> , 2012 , 48, 982-9	7.5	44
136	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
135	Health-related quality of life in Asian patients with breast cancer: a systematic review. <i>BMJ Open</i> , 2018 , 8, e020512	3	41
134	Prospective associations of appetitive traits at 3 and 12 months of age with body mass index and weight gain in the first 2 years of life. <i>BMC Pediatrics</i> , 2015 , 15, 153	2.6	40
133	Change of mammographic density predicts the risk of contralateral breast cancer--a case-control study. <i>Breast Cancer Research</i> , 2013 , 15, R57	8.3	39
132	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
131	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 285-98	5.6	35
130	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , 2016 , 18, 124	8.3	34
129	Is arterial base deficit still a useful prognostic marker in trauma? A systematic review. <i>American Journal of Emergency Medicine</i> , 2016 , 34, 626-35	2.9	32
128	Birth rates among female cancer survivors: a population-based cohort study in Sweden. <i>Cancer</i> , 2013 , 119, 1892-9	6.4	32
127	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020 , 11, 3833	17.4	31

126	Molecular epidemiology and its current clinical use in cancer management. <i>Lancet Oncology, The</i> , 2010 , 11, 383-90	21.7	30
125	The predictive accuracy of PREDICT: a personalized decision-making tool for Southeast Asian women with breast cancer. <i>Medicine (United States)</i> , 2015 , 94, e593	1.8	29
124	Improving outcomes in breast cancer for low and middle income countries. <i>World Journal of Surgery</i> , 2015 , 39, 686-92	3.3	28
123	Development and validation of a serum microRNA biomarker panel for detecting gastric cancer in a high-risk population. <i>Gut</i> , 2021 , 70, 829-837	19.2	27
122	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015 , 97, 22-34	11	26
121	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
120	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016 , 18, 64	8.3	25
119	An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. <i>Human Molecular Genetics</i> , 2016 , 25, 3863-3876	5.6	24
118	Barriers to early presentation of self-discovered breast cancer in Singapore and Malaysia: a qualitative multicentre study. <i>BMJ Open</i> , 2015 , 5, e009863	3	24
117	Prognostic role of adjuvant radiotherapy in triple-negative breast cancer: A historical cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 2504-12	7.5	24
116	Breast cancer in South East Asia: comparison of presentation and outcome between a middle income and a high income country. <i>World Journal of Surgery</i> , 2012 , 36, 2838-46	3.3	23
115	Prevalence of PALB2 mutations in breast cancer patients in multi-ethnic Asian population in Malaysia and Singapore. <i>PLoS ONE</i> , 2013 , 8, e73638	3.7	23
114	Breast cancer risk assessment using genetic variants and risk factors in a Singapore Chinese population. <i>Breast Cancer Research</i> , 2014 , 16, R64	8.3	22
113	Positive impact of oral hydroxychloroquine and povidone-iodine throat spray for COVID-19 prophylaxis: An open-label randomized trial. <i>International Journal of Infectious Diseases</i> , 2021 , 106, 314-322	10.5	22
112	Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. <i>Carcinogenesis</i> , 2017 , 38, 511-518	4.6	20
111	Significant Effect of Polymorphisms in on Response to Tamoxifen Therapy for Breast Cancer: A Prospective Multicenter Study. <i>Clinical Cancer Research</i> , 2017 , 23, 2019-2026	12.9	20
110	FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. <i>British Journal of Cancer</i> , 2014 , 110, 1088-100	8.7	20
109	Parental perceptions of childhood seasonal influenza vaccination in Singapore: A cross-sectional survey. <i>Vaccine</i> , 2017 , 35, 6096-6102	4.1	19

108	SILC for SILC: Single Institution Learning Curve for Single-Incision Laparoscopic Cholecystectomy. <i>Minimally Invasive Surgery</i> , 2013 , 2013, 381628	1.3	19
107	Predicting survival of de novo metastatic breast cancer in Asian women: systematic review and validation study. <i>PLoS ONE</i> , 2014 , 9, e93755	3.7	19
106	Associations between workability and patient-reported physical, psychological and social outcomes in breast cancer survivors: a cross-sectional study. <i>Supportive Care in Cancer</i> , 2018 , 26, 2815-2824	3.9	18
105	Fine-scale mapping of the 4q24 locus identifies two independent loci associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1680-91	4	17
104	Impact of delayed treatment in women diagnosed with breast cancer: A population-based study. <i>Cancer Medicine</i> , 2020 , 9, 2435-2444	4.8	17
103	Mammographic Breast Density and Common Genetic Variants in Breast Cancer Risk Prediction. <i>PLoS ONE</i> , 2015 , 10, e0136650	3.7	17
102	Differences in late cardiovascular mortality following acute myocardial infarction in three major Asian ethnic groups. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 354-62	4.3	17
101	High expression of intratumoral stromal proteins is associated with chemotherapy resistance in breast cancer. <i>Oncotarget</i> , 2016 , 7, 55155-55168	3.3	17
100	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , 2020 , 11, 1217	17.4	16
99	The BRCA2 c.68-7T>A variant is not pathogenic: A model for clinical calibration of spliceogenicity. <i>Human Mutation</i> , 2018 , 39, 729-741	4.7	16
98	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016 , 6, 32512	4.9	16
97	The genetic interplay between body mass index, breast size and breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 781-794	7.8	16
96	Use of Activated Recombinant Factor VII in Severe Bleeding - Evidence for Efficacy and Safety in Trauma, Postpartum Hemorrhage, Cardiac Surgery, and Gastrointestinal Bleeding. <i>Transfusion Medicine and Hemotherapy</i> , 2012 , 39, 139-150	4.2	16
95	High-Throughput Mutation Profiling Changes before and 3 Weeks after Chemotherapy in Newly Diagnosed Breast Cancer Patients. <i>PLoS ONE</i> , 2015 , 10, e0142466	3.7	16
94	Breast-conserving surgery mastectomy in young women with breast cancer in Asian settings. <i>BJS Open</i> , 2019 , 3, 48-55	3.9	15
93	Laparoscopic drainage of cryptogenic liver abscess. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 3308-14	5.2	15
92	Trends in presentation, management and survival of patients with de novo metastatic breast cancer in a Southeast Asian setting. <i>Scientific Reports</i> , 2015 , 5, 16252	4.9	15
91	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016 , 27, 679-93	2.8	15

90	Demographic and spatial predictors of anemia in women of reproductive age in Timor-Leste: implications for health program prioritization. <i>PLoS ONE</i> , 2014 , 9, e91252	3.7	14
89	Does the axillary lymph node ratio have any added prognostic value over pN staging for South East Asian breast cancer patients?. <i>PLoS ONE</i> , 2012 , 7, e45809	3.7	14
88	Effect of childbirth after treatment on long-term survival from breast cancer. <i>British Journal of Surgery</i> , 2010 , 97, 1253-9	5.3	14
87	International Consortium on Mammographic Density: Methodology and population diversity captured across 22 countries. <i>Cancer Epidemiology</i> , 2016 , 40, 141-51	2.8	13
86	Breast cancer prognosis is inherited independently of patient, tumor and treatment characteristics. <i>International Journal of Cancer</i> , 2012 , 130, 2103-10	7.5	13
85	Prognostic implications of estrogen receptor pattern of both tumors in contralateral breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 793-800	4.4	13
84	Quantifying the natural history of breast cancer. <i>British Journal of Cancer</i> , 2013 , 109, 2035-43	8.7	13
83	Validation of the CancerMath prognostic tool for breast cancer in Southeast Asia. <i>BMC Cancer</i> , 2016 , 16, 820	4.8	13
82	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
81	Estrogen receptor status in relation to risk of contralateral breast cancer-a population-based cohort study. <i>PLoS ONE</i> , 2012 , 7, e46535	3.7	12
80	Prognostic value of axillary lymph node status after neoadjuvant chemotherapy. Results from a multicentre study. <i>European Journal of Cancer</i> , 2011 , 47, 1186-92	7.5	12
79	Phase Ib/II randomized, open-label study of doxorubicin and cyclophosphamide with or without low-dose, short-course sunitinib in the pre-operative treatment of breast cancer. <i>Oncotarget</i> , 2016 , 7, 64089-64099	3.3	12
78	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 837-848	11	12
77	The association between weight at birth and breast cancer risk revisited using Mendelian randomisation. <i>European Journal of Epidemiology</i> , 2019 , 34, 591-600	12.1	11
76	Mammographic density assessed on paired raw and processed digital images and on paired screen-film and digital images across three mammography systems. <i>Breast Cancer Research</i> , 2016 , 18, 130	8.3	11
75	Inter-Ethnic Differences in Quantified Coronary Artery Disease Severity and All-Cause Mortality among Dutch and Singaporean Percutaneous Coronary Intervention Patients. <i>PLoS ONE</i> , 2015 , 10, e0131977	3.7	11
74	Large-scale genotyping identifies a new locus at 22q13.2 associated with female breast size. <i>Journal of Medical Genetics</i> , 2013 , 50, 666-73	5.8	11
73	Reliability of ultrasound duplex for detection of hemodynamically significant stenosis in hemodialysis access. <i>Annals of Vascular Diseases</i> , 2013 , 6, 57-61	0.9	11

72	Ability to predict breast cancer in Asian women using a polygenic susceptibility model. <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 805-12	4.4	11
71	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
70	Outcome after neoadjuvant chemotherapy in Asian breast cancer patients. <i>Cancer Medicine</i> , 2017 , 6, 173-185	4.8	10
69	Impact of deviation from guideline recommended treatment on breast cancer survival in Asia. <i>Scientific Reports</i> , 2020 , 10, 1330	4.9	10
68	Determinants of breast size in Asian women. <i>Scientific Reports</i> , 2018 , 8, 1201	4.9	10
67	Birth rates among male cancer survivors and mortality rates among their offspring: a population-based study from Sweden. <i>BMC Cancer</i> , 2016 , 16, 196	4.8	10
66	Recurrent mutation testing of BRCA1 and BRCA2 in Asian breast cancer patients identify carriers in those with presumed low risk by family history. <i>Breast Cancer Research and Treatment</i> , 2014 , 144, 635-42	4.4	10
65	Assessment of a fully automated, high-throughput mammographic density measurement tool for use with processed digital mammograms. <i>Cancer Causes and Control</i> , 2014 , 25, 1037-43	2.8	10
64	Breast cancer onset in twins and women with bilateral disease. <i>Journal of Clinical Oncology</i> , 2008 , 26, 4086-91	2.2	10
63	Performance of Single-Nucleotide Polymorphisms in Breast Cancer Risk Prediction Models: A Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 506-524	4	10
62	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019 , 48, 203-211	8.8	9
61	Spectrum of very early breast cancer in a setting without organised screening. <i>British Journal of Cancer</i> , 2014 , 110, 2187-94	8.7	9
60	Interest and attitudes of patients, cancer physicians, medical students and cancer researchers towards a spectrum of genetic tests relevant to breast cancer patients. <i>Breast</i> , 2013 , 22, 47-52	3.6	9
59	The impact of in situ breast cancer and family history on risk of subsequent breast cancer events and mortality - a population-based study from Sweden. <i>Breast Cancer Research</i> , 2016 , 18, 105	8.3	8
58	Singapore's anatomical future: quo vadis?. <i>Anatomical Sciences Education</i> , 2012 , 5, 234-40	6.8	8
57	Comparison of self-reported and register-based hospital medical data on comorbidities in women. <i>Scientific Reports</i> , 2019 , 9, 3527	4.9	7
56	Factors associated with false-positive mammography at first screen in an Asian population. <i>PLoS ONE</i> , 2019 , 14, e0213615	3.7	6
55	Incidence of breast cancer attributable to breast density, modifiable and non-modifiable breast cancer risk factors in Singapore. <i>Scientific Reports</i> , 2020 , 10, 503	4.9	6

54	Is genetic background important in lung cancer survival?. <i>PLoS ONE</i> , 2009 , 4, e5588	3.7	6
53	Determinants of satisfaction with cosmetic outcome in breast cancer survivors: A cross-sectional study. <i>PLoS ONE</i> , 2018 , 13, e0193099	3.7	6
52	Women's preferences, willingness-to-pay, and predicted uptake for single-nucleotide polymorphism gene testing to guide personalized breast cancer screening strategies: a discrete choice experiment. <i>Patient Preference and Adherence</i> , 2018 , 12, 1837-1852	2.4	6
51	Mortality among offspring of women diagnosed with cancer: a population-based cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2432-8	7.5	5
50	A comparative population-based study of prostate cancer incidence and mortality rates in Singapore, Sweden and Geneva, Switzerland from 1973 to 2006. <i>BMC Cancer</i> , 2012 , 12, 222	4.8	4
49	Pathology of Tumors Associated With Pathogenic Germline Variants in 9 Breast Cancer Susceptibility Genes.. <i>JAMA Oncology</i> , 2022 ,	13.4	4
48	Presentation of breast cancer, help seeking behaviour and experience of patients in their cancer journey in Singapore: a qualitative study. <i>BMC Cancer</i> , 2020 , 20, 1080	4.8	4
47	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 623-642	4	4
46	The functional ALDH2 polymorphism is associated with breast cancer risk: A pooled analysis from the Breast Cancer Association Consortium. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e707	2.3	3
45	Using peer review to distribute group work marks equitably between medical students. <i>BMC Medical Education</i> , 2017 , 17, 172	3.3	3
44	Prediction of lymph node involvement in patients with breast tumors measuring 3-5 cm in a middle-income setting: the role of CancerMath. <i>World Journal of Surgery</i> , 2014 , 38, 3133-7	3.3	3
43	Prognostic information of a previously diagnosed sister is an independent prognosticator for a newly diagnosed sister with breast cancer. <i>Annals of Oncology</i> , 2014 , 25, 1966-1972	10.3	3
42	Impact of older age on presentation, management and outcome of breast cancer in the multi-ethnic Asian population of Singapore. <i>Journal of Geriatric Oncology</i> , 2011 , 2, 50-57	3.6	3
41	Ultrasound Guided Optoacoustic Tomography in Assessment of Tumor Margins for Lumpectomies. <i>Translational Oncology</i> , 2020 , 13, 254-261	4.9	3
40	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019 , 9, 12524	4.9	2
39	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020 , 10, 9688	4.9	2
38	rs2735383, located at a microRNA binding site in the 3'UTR of NBS1, is not associated with breast cancer risk. <i>Scientific Reports</i> , 2016 , 6, 36874	4.9	2
37	The impact of breast cancer-specific birth cohort effects among younger and older Chinese populations. <i>International Journal of Cancer</i> , 2016 , 139, 527-34	7.5	2

36	A constant risk for familial breast cancer? A population-based family study. <i>Breast Cancer Research</i> , 2009 , 11, R30	8.3	2
35	Phase II study of neoadjuvant weekly paclitaxel and carboplatin with lapatinib in HER2+ breast cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 619-619	2.2	2
34	Fine-mapping of 150 breast cancer risk regions identifies 178 high confidence target genes		2
33	DNA methylation and breast cancer-associated variants. <i>Breast Cancer Research and Treatment</i> , 2021 , 188, 713-727	4.4	2
32	Cohort profile: The Singapore Breast Cancer Cohort (SGBCC), a multi-center breast cancer cohort for evaluation of phenotypic risk factors and genetic markers. <i>PLoS ONE</i> , 2021 , 16, e0250102	3.7	2
31	Pleiotropy-guided transcriptome imputation from normal and tumor tissues identifies candidate susceptibility genes for breast and ovarian cancer. <i>Human Genetics and Genomics Advances</i> , 2021 , 2, 100042-100042	0.8	2
30	Epidemiological and ES cell-based functional evaluation of BRCA2 variants identified in families with breast cancer. <i>Human Mutation</i> , 2021 , 42, 200-212	4.7	2
29	Cost-effectiveness Analysis of Breast Cancer Screening Using Mammography in Singapore: A Modeling Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 653-660	4	2
28	Polygenic risk scores for prediction of breast cancer risk in Asian populations.. <i>Genetics in Medicine</i> , 2021 ,	8.1	2
27	Do thrombotic events during endovascular interventions lead to poorer outcomes in patients with severe limb ischemia?. <i>Vascular</i> , 2015 , 23, 245-52	1.3	1
26	Influence of radiotherapy for the first tumor on aggressiveness of contralateral breast cancer. <i>International Journal of Cancer</i> , 2013 , 132, 2388-94	7.5	1
25	Diagnostic work-up of contralateral breast cancers has not improved over calendar period. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 889-95	4.4	1
24	Predicting the Likelihood of Carrying a or Mutation in Asian Patients With Breast Cancer.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2101647	2.2	1
23	Aortic Wall Extracellular Matrix Proteins Correlate with Syntax Score in Patients Undergoing Coronary Artery Bypass Surgery. <i>Open Cardiovascular Medicine Journal</i> , 2016 , 10, 48-56	0.7	1
22	Breast cancer risk stratification for mammographic screening: A nation-wide screening cohort of 24,431 women in Singapore. <i>Cancer Medicine</i> , 2021 , 10, 8182-8191	4.8	1
21	Polygenic Risk Modelling for Prediction of Epithelial Ovarian Cancer Risk		1
20	Genomic predictors of neoadjuvant chemotherapy (NACT) response in breast cancer (BC).. <i>Journal of Clinical Oncology</i> , 2017 , 35, e12122-e12122	2.2	1
19	Characterisation of protein-truncating and missense variants in in 15 768 women from Malaysia and Singapore. <i>Journal of Medical Genetics</i> , 2021 ,	5.8	1

18	Cost effectiveness analysis of a polygenic risk tailored breast cancer screening programme in Singapore. <i>BMC Health Services Research</i> , 2021 , 21, 379	2.9	1
17	Development of a microRNA Panel for Classification of Abnormal Mammograms for Breast Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
16	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021 , 108, 1190-1203	11	1
15	A genome-wide association study identifies three novel genetic markers for response to tamoxifen: A prospective multicenter study. <i>PLoS ONE</i> , 2018 , 13, e0201606	3.7	1
14	Zinc and vitamin C intake increases spike and neutralising antibody production following SARS-CoV-2 infection.. <i>Clinical and Translational Medicine</i> , 2022 , 12, e731	5.7	1
13	BREast screening Tailored for HER (BREATHE)-A study protocol on personalised risk-based breast cancer screening programme.. <i>PLoS ONE</i> , 2022 , 17, e0265965	3.7	1
12	Germline breast cancer susceptibility genes, tumor characteristics, and survival. <i>Genome Medicine</i> , 2021 , 13, 185	14.4	0
11	Immunohistochemistry study of tumor vascular normalization and anti-angiogenic effects of sunitinib versus bevacizumab prior to dose-dense doxorubicin/cyclophosphamide chemotherapy in HER2-negative breast cancer.. <i>Breast Cancer Research and Treatment</i> , 2021 , 192, 131	4.4	0
10	Overlap of high-risk individuals predicted by family history, and genetic and non-genetic breast cancer risk prediction models: implications for risk stratification.. <i>BMC Medicine</i> , 2022 , 20, 150	11.4	0
9	Breast cancer risks associated with missense variants in breast cancer susceptibility genes.. <i>Genome Medicine</i> , 2022 , 14, 51	14.4	0
8	Association between Breast Cancer Polygenic Risk Score and Chemotherapy-Induced Febrile Neutropenia: Null Results. <i>Cancers</i> , 2022 , 14, 2714	6.6	0
7	Pregnancy during breast cancer: does a mother's parity status modify an offspring's mortality risk?. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 393-9	4.4	
6	Anatomical Sciences Education Vol. 5, Issue 4, 2012 Cover Image. <i>Anatomical Sciences Education</i> , 2012 , 5, C1-C1	6.8	
5	Impact of Subsidy on the Use of Personalized Medicine in Breast Cancer.. <i>Value in Health Regional Issues</i> , 2022 , 29, 108-115	1.6	
4	Effect of low-dose, short-course sunitinib (Su) on tumor vasculature and tumor blood flow for enhancement of chemotherapy efficacy in breast cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1060-1060	2.2	
3	Management of Severe Blunt Abdominal Injury 2014 , 181-191		
2	Admission discipline and timing of admission may influence outcomes for gastrointestinal bleeding patients. <i>ANZ Journal of Surgery</i> , 2021 , 91, 1832-1840	1	
1	Relevance of the MHC region for breast cancer susceptibility in Asians.. <i>Breast Cancer</i> , 2022 , 1	3.4	

