

Hamdi Levent Doganay

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3479268/hamdi-levent-doganay-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,173
citations

16
h-index

33
g-index

88
ext. papers

1,796
ext. citations

3.6
avg, IF

4.3
L-index

#	Paper	IF	Citations
72	Efficacy and safety of an inactivated whole-virion SARS-CoV-2 vaccine (CoronaVac): interim results of a double-blind, randomised, placebo-controlled, phase 3 trial in Turkey. <i>Lancet, The</i> , 2021 , 398, 213-222	40	220
71	Geographical and temporal distribution of SARS-CoV-2 clades in the WHO European Region, January to June 2020. <i>Eurosurveillance</i> , 2020 , 25,	19.8	127
70	SIRT1 as a potential therapeutic target for treatment of nonalcoholic fatty liver disease. <i>Medical Science Monitor</i> , 2011 , 17, HY5-9	3.2	104
69	Hepatitis b reactivation rate in patients using anti tnf therapy: Evaluation of patients not received anti viral prophylaxis. <i>Turkish Journal of Gastroenterology</i> , 2019 , 30, 38-38	1	78
68	Evaluation of diagnostic performance simple non-invasive fibrosis markers in patients with chronic hepatitis B. <i>Turkish Journal of Gastroenterology</i> , 2019 , 30, 100-100	1	78
67	Assessment of endothelial function in patients with nonalcoholic fatty liver disease. <i>Endocrine</i> , 2013 , 43, 100-7	4	56
66	Investigation of SARS-CoV-2 in semen samples and the effects of COVID-19 on male sexual health by using semen analysis and serum male hormone profile: A cross-sectional, pilot study. <i>Andrologia</i> , 2021 , 53, e13912	2.4	46
65	Relation of epicardial adipose tissue and carotid intima-media thickness in patients with nonalcoholic fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 613-8	2.2	36
64	Instant control of fundal variceal bleeding with a folkloric medicinal plant extract: Ankaferd Blood Stopper. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 873-5	5.2	31
63	Host genetic factors affecting hepatitis B infection outcomes: Insights from genome-wide association studies. <i>World Journal of Gastroenterology</i> , 2018 , 24, 3347-3360	5.6	23
62	Nonalcoholic fatty liver disease: a nutritional approach. <i>Metabolic Syndrome and Related Disorders</i> , 2012 , 10, 161-6	2.6	18
61	Serum osteopontin levels as a predictor of portal inflammation in patients with nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2013 , 45, 58-62	3.3	18
60	Mesalazine-induced myopericarditis in a patient with ulcerative colitis. <i>International Journal of Colorectal Disease</i> , 2006 , 21, 199-200	3	18
59	Effect of Helicobacter pylori eradication on serum ghrelin and obestatin levels. <i>World Journal of Gastroenterology</i> , 2013 , 19, 2388-94	5.6	18
58	Proteomic profiling of HBV infected liver biopsies with different fibrotic stages. <i>Proteome Science</i> , 2016 , 15, 7	2.6	16
57	Association of human leukocyte antigen DQB1 and DRB1 alleles with chronic hepatitis B. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8179-86	5.6	14
56	Efficacy of two levofloxacin-containing second-line therapies for Helicobacter pylori: a pilot study. <i>Helicobacter</i> , 2013 , 18, 378-83	4.9	12

55	Combined Metabolic Activators Accelerates Recovery in Mild-to-Moderate COVID-19. <i>Advanced Science</i> , 2021 , 8, e2101222	13.6	11
54	Therapeutic success with bismuth-containing sequential and quadruple regimens in Helicobacter pylori eradication. <i>Arab Journal of Gastroenterology</i> , 2017 , 18, 62-67	1.7	10
53	Seroprevalence of coronavirus disease 2019 (COVID-19) among health care workers from three pandemic hospitals of Turkey. <i>PLoS ONE</i> , 2021 , 16, e0247865	3.7	10
52	Does sampling saliva increase detection of SARS-CoV-2 by RT-PCR? Comparing saliva with oro-nasopharyngeal swabs. <i>Journal of Virological Methods</i> , 2021 , 290, 114049	2.6	10
51	Association of serum lipoprotein-associated phospholipase A2 level with nonalcoholic fatty liver disease. <i>Metabolic Syndrome and Related Disorders</i> , 2012 , 10, 103-9	2.6	9
50	Concentrations of Connective Tissue Growth Factor in Patients with Nonalcoholic Fatty Liver Disease: Association with Liver Fibrosis. <i>Disease Markers</i> , 2012 , 33, 77-83	3.2	9
49	Anthrax: a disease in waiting?. <i>Postgraduate Medical Journal</i> , 2006 , 82, 754-6	2	9
48	The origin of SARS-CoV-2 in Istanbul: Sequencing findings from the epicenter of the pandemic in Turkey. <i>İstanbul Kuzey Klinikleri</i> , 2020 , 7, 203-209	0.8	8
47	HLA DQB1 alleles are related with nonalcoholic fatty liver disease. <i>Molecular Biology Reports</i> , 2014 , 41, 7937-43	2.8	7
46	Combined Metabolic Activators accelerates recovery in mild-to-moderate COVID-19		7
45	Continuous infusion of subcutaneous compared to intravenous insulin for tight glycaemic control in medical intensive care unit patients. <i>Anaesthesia and Intensive Care</i> , 2008 , 36, 520-7	1.1	6
44	Concentrations of connective tissue growth factor in patients with nonalcoholic fatty liver disease: association with liver fibrosis. <i>Disease Markers</i> , 2012 , 33, 77-83	3.2	6
43	The association of variations in TLR genes and spontaneous immune control of hepatitis B virus. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2018 , 42, 139-144	2.4	5
42	The effect of HLA-DQB1 alleles on virologic breakthroughs during chronic hepatitis B treatment with genetically low barrier drugs. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013 , 37, 359-64	2.4	5
41	A practical marker to determining acute severe ulcerative colitis: CRP/albumin ratio. <i>İstanbul Kuzey Klinikleri</i> , 2020 , 7, 49-55	0.8	5
40	Lipid profile, atherogenic indices, and their relationship with epicardial fat thickness and carotid intima-media thickness in celiac disease. <i>İstanbul Kuzey Klinikleri</i> , 2019 , 6, 242-247	0.8	5
39	Increased serum soluble lectin-like oxidized low-density lipoprotein receptor-1 levels in patients with biopsy-proven nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8096-102	5.6	5
38	Responding to COVID-19 in Istanbul: Perspective from genomic laboratory. <i>İstanbul Kuzey Klinikleri</i> , 2020 , 7, 311-312	0.8	4

37	Does sampling saliva increase detection of SARS-CoV-2 by RT-PCR? Comparing saliva with oro-nasopharyngeal swabs		4
36	Germline pathogenic variant spectrum in 25 cancer susceptibility genes in Turkish breast and colorectal cancer patients and elderly controls. <i>International Journal of Cancer</i> , 2021 , 148, 285-295	7.5	4
35	The same mutation in a family with adenosine deaminase 2 deficiency. <i>Rheumatology International</i> , 2021 , 41, 227-233	3.6	4
34	Genetic panel screening in patients with clinically unclassified systemic autoinflammatory diseases. <i>Clinical Rheumatology</i> , 2020 , 39, 3733-3745	3.9	3
33	Next generation plasma proteome profiling of COVID-19 patients with mild to moderate symptoms. <i>EBioMedicine</i> , 2021 , 74, 103723	8.8	3
32	Seroprevalence of Coronavirus Disease 2019 (COVID-19) Among Health Care Workers from Three Pandemic Hospitals of Turkey		3
31	The musculoskeletal system manifestations in children with familial Mediterranean fever. <i>İstanbul Kuzey Klinikleri</i> , 2020 , 7, 438-442	0.8	2
30	Risk of hepatitis B reactivation during anti-TNF therapy; evaluation of patients with past hepatitis B infection. <i>Turkish Journal of Gastroenterology</i> , 2020 , 31, 522-528	1	2
29	Comparison of the clinical diagnostic criteria and the results of the next-generation sequence gene panel in patients with monogenic systemic autoinflammatory diseases. <i>Clinical Rheumatology</i> , 2021 , 40, 2327-2337	3.9	2
28	Validation of the HCC-RESCUE score to predict hepatocellular carcinoma risk in Caucasian chronic hepatitis B patients under entecavir or tenofovir therapy. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 826-836	3.4	2
27	HLA DPB1 15:01 Allele Predicts Spontaneous Hepatitis B Surface Antigen Seroconversion. <i>Acta Gastro-Enterologica Belgica</i> , 2017 , 80, 351-355	0.6	2
26	Identification of a BRCA2 mutation in a Turkish family with early-onset breast cancer. <i>Clinical Case Reports (discontinued)</i> , 2018 , 6, 1751-1755	0.7	1
25	Hepatocellular Cancer: Is Recurrence Inevitable?. <i>Journal of Gastrointestinal Cancer</i> , 2017 , 48, 274-275	1.6	1
24	High treatment modification rates with lamivudine therapy in HBV-infected patients with low baseline viremia and early virological response: A multicenter study. <i>Journal of Digestive Diseases</i> , 2015 , 16, 286-92	3.3	1
23	Response (with video). <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 186-187	5.2	1
22	CoronaVac efficacy data from Turkey - AuthorsReply. <i>Lancet, The</i> , 2021 , 398, 1874	40	1
21	COVID-19 PCR test performance on samples stored at ambient temperature.. <i>Journal of Virological Methods</i> , 2021 , 301, 114404	2.6	1
20	Concurrent pathogenic variations in patients with hereditary cancer syndromes. <i>European Journal of Medical Genetics</i> , 2021 , 64, 104366	2.6	1

19	Effect of HLA-DPA1 alleles on chronic hepatitis B prognosis and treatment response. <i>İstanbul Kültür Enstitüsü Tıp Fakültesi, İstanbul Kültür Enstitüsü Tıp Fakültesi, 2016, 3, 168-174</i>	0.8	1
18	Echocardiographic epicardial fat thickness measurement: A new screening test for subclinical atherosclerosis in patients with inflammatory bowel diseases. <i>İstanbul Kültür Enstitüsü Tıp Fakültesi, 2017, 4, 4-12</i>	0.8	1
17	Comparison of the Efficacy of Entecavir and Tenofovir in Reducing Hepatocellular Carcinoma Risk in Chronic Hepatitis B Patients: A Real-Life Study in Turkey. <i>Turkish Journal of Gastroenterology, 2021, 32, 412-421</i>	1	1
16	Bone Mineral Density Screening and the Frequency of Osteopenia/Osteoporosis in Turkish Adult Patients With Celiac Disease. <i>Turkish Journal of Gastroenterology, 2021, 32, 600-607</i>	1	1
15	Interactome analysis of Bag-1 isoforms reveals novel interaction partners in endoplasmic reticulum-associated degradation. <i>PLoS ONE, 2021, 16, e0256640</i>	3.7	1
14	CRISPR/Cas9-mediated Bag-1 knockout increased mesenchymal characteristics of MCF-7 cells via Akt hyperactivation-mediated actin cytoskeleton remodeling.. <i>PLoS ONE, 2022, 17, e0261062</i>	3.7	0
13	Validation of the PAGE-B score to predict hepatocellular carcinoma risk in caucasian chronic hepatitis B patients on treatment.. <i>World Journal of Gastroenterology, 2022, 28, 665-674</i>	5.6	0
12	Effects of Long-Term Tenofovir and Entecavir Treatment on Bone Mineral Density in Patients with Chronic Hepatitis B.. <i>Turkish Journal of Gastroenterology, 2022, 33, 35-43</i>	1	0
11	Real-world efficacy and safety of Ledipasvir + Sofosbuvir and Ombitasvir/Paritaprevir/Ritonavir + Dasabuvir combination therapies for chronic hepatitis C: A Turkish experience. <i>Turkish Journal of Gastroenterology, 2020, 31, 883-893</i>	1	0
10	A novel therapeutic approach to NASH: Both polyethylene glycol 3350 and lactulose reduce hepatic inflammation in C57BL/6J mice. <i>Advances in Clinical and Experimental Medicine, 2021, 30, 1167-1174</i>	1.8	0
9	Altered kidney function induced by SARS-CoV-2 infection and acute kidney damage markers predict survival outcomes of COVID-19 patients: a prospective pilot study.. <i>Renal Failure, 2022, 44, 233-240</i>	2.9	0
8	Last blood check before passing: does alcohol prevent fibrosis?. <i>American Journal of Gastroenterology, 2013, 108, 1010</i>	0.7	
7	Is the lymphoma risk reduced in viral hepatitis? A cirrhotic patient with triple malignancies. <i>American Journal of Gastroenterology, 2011, 106, 1719-20; author reply 1720</i>	0.7	
6	Chest computed tomography findings of 1271 patients with COVID-19 pneumonia and classifications with different age groups: a descriptive study from Istanbul, Turkey.. <i>Revista Da Associação Médica Brasileira, 2021, 67, 1531-1537</i>	1.4	
5	Polypoid lesions detected in the upper gastrointestinal endoscopy: A retrospective analysis in 19560 patients, a single-center study of a 5-year experience in Turkey. <i>İstanbul Kültür Enstitüsü Tıp Fakültesi, 2021, 8, 178-185</i>	0.8	
4	Endoscopic retrograde cholangiopancreatography in elderly patients: A reliable alternative in sepsis. <i>İstanbul Kültür Enstitüsü Tıp Fakültesi, 2018, 5, 169-170</i>	0.8	
3	Relationship between size of varices and platelet count/spleen size ratio in cirrhotic patients. <i>İstanbul Kültür Enstitüsü Tıp Fakültesi, 2016, 3, 46-52</i>	0.8	
2	High frequency of gastric cancer precursor lesions in patients with gastric xanthelasma: a prospective case-control study. <i>European Journal of Gastroenterology and Hepatology, 2020, 32, 1130-1134</i>	2.2	

1

Can simple Non-Invasive Fibrosis Models Determine Prognostic Indicators (Fibrosis and Treatment Response) of Primary Biliary Cholangitis?. *Sisli Etfal Hastanesi Tip Bulteni*, **2021**, 55, 412-418

0.8