

Christopher G Pretty

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3480198/christopher-g-pretty-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

1,716
citations

21
h-index

38
g-index

132
ext. papers

1,947
ext. citations

4
avg, IF

4.46
L-index

#	Paper	IF	Citations
120	Mixed-Reality-Enhanced HumanRobot Interaction with an Imitation-Based Mapping Approach for Intuitive Teleoperation of a Robotic Arm-Hand System. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 4740	2.6	5
119	Mixed Reality-Enhanced Intuitive Teleoperation with Hybrid Virtual Fixtures for Intelligent Robotic Welding. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 11280	2.6	3
118	Predicting fluid-response, the heart of hemodynamic management: A model-based solution. <i>Computers in Biology and Medicine</i> , 2021 , 139, 104950	7	1
117	Low-cost stimulation resistant electromyography.. <i>HardwareX</i> , 2021 , 9, e00178	2.7	1
116	Tube-load model: A clinically applicable pulse contour analysis method for estimation of cardiac stroke volume. <i>Computer Methods and Programs in Biomedicine</i> , 2021 , 204, 106062	6.9	3
115	Accurate end systole detection in dirotic notch-less arterial pressure waveforms. <i>Journal of Clinical Monitoring and Computing</i> , 2021 , 35, 79-88	2	4
114	Preload & Frank-Starling curves, from textbook to bedside: Clinically applicable non-additionally invasive model-based estimation in pigs. <i>Computers in Biology and Medicine</i> , 2021 , 135, 104627	7	1
113	Incorporating pulse wave velocity into model-based pulse contour analysis method for estimation of cardiac stroke volume. <i>Computer Methods and Programs in Biomedicine</i> , 2020 , 195, 105553	6.9	4
112	Measuring lung mechanics of expiratory tidal breathing with non-invasive breath occlusion. <i>BioMedical Engineering OnLine</i> , 2020 , 19, 32	4.1	3
111	Virtual patient trials of a multi-input stochastic model for tight glycaemic control using insulin sensitivity and blood glucose data. <i>Biomedical Signal Processing and Control</i> , 2020 , 59, 101896	4.9	2
110	Data captured using low-cost active electromyography. <i>Data in Brief</i> , 2020 , 29, 105239	1.2	
109	Model-based PEEP titration versus standard practice in mechanical ventilation: a randomised controlled trial. <i>Trials</i> , 2020 , 21, 130	2.8	11
108	Non-invasive measurement of tidal breathing lung mechanics using expiratory occlusion. <i>IFAC-PapersOnLine</i> , 2020 , 53, 16167-16172	0.7	
107	Clinically applicable model-based method, for physiologically accurate flow waveform and stroke volume estimation. <i>Computer Methods and Programs in Biomedicine</i> , 2020 , 185, 105125	6.9	9
106	Assessment of Glycemic Control Protocol (STAR) Through Compliance Analysis Amongst Malaysian ICU Patients. <i>Medical Devices: Evidence and Research</i> , 2020 , 13, 139-149	1.5	
105	Experimental Validation of a Radar-Based Structural Health Monitoring System. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019 , 24, 2064-2072	5.5	5
104	Endogenous glucose production parameter estimation for intensive care patients 2019 ,		2

103	Multi-input stochastic prediction of insulin sensitivity for tight glycaemic control using insulin sensitivity and blood glucose data. <i>Computer Methods and Programs in Biomedicine</i> , 2019 , 182, 105043	6.9	6
102	Parameter estimation in a minimal model of cardio-pulmonary interactions. <i>Mathematical Biosciences</i> , 2019 , 313, 81-94	3.9	3
101	Design and Development of a Wheel-less Snake Robot with Active Stiffness Control for Adaptive Pedal Wave Locomotion. <i>Journal of Bionic Engineering</i> , 2019 , 16, 593-607	2.7	8
100	Loss of Significance and Its Effect on Point Normal Orientation and Cloud Registration. <i>Remote Sensing</i> , 2019 , 11, 1329	5	3
99	A portable assist-as-need upper-extremity hybrid exoskeleton for FES-induced muscle fatigue reduction in stroke rehabilitation. <i>BMC Biomedical Engineering</i> , 2019 , 1, 30	4.3	1
98	Laser doppler vibrometer validation of an optical flow motion tracking algorithm. <i>Biomedical Signal Processing and Control</i> , 2019 , 49, 322-327	4.9	3
97	Performance of Stochastic Targeted Blood Glucose Control Protocol by virtual trials in the Malaysian intensive care unit. <i>Computer Methods and Programs in Biomedicine</i> , 2018 , 162, 149-155	6.9	3
96	Generalisability of a Virtual Trials Method for Glycaemic Control in Intensive Care. <i>IEEE Transactions on Biomedical Engineering</i> , 2018 , 65, 1543-1553	5	38
95	Silicone phantom validation of breast cancer tumor detection using nominal stiffness identification in digital imaging elasto-tomography (DIET). <i>Biomedical Signal Processing and Control</i> , 2018 , 39, 435-447	4.9	11
94	Interpretation of Retrospective BG Measurements. <i>Journal of Diabetes Science and Technology</i> , 2018 , 12, 967-975	4.1	6
93	Nutrition delivery of a model-based ICU glycaemic control system. <i>Annals of Intensive Care</i> , 2018 , 8, 4	8.9	20
92	Next-generation, personalised, model-based critical care medicine: a state-of-the art review of in silico virtual patient models, methods, and cohorts, and how to validation them. <i>BioMedical Engineering OnLine</i> , 2018 , 17, 24	4.1	90
91	Model Iterative Airway Pressure Reconstruction During Mechanical Ventilation Asynchrony: Shapes and Sizes of Reconstruction. <i>IFMBE Proceedings</i> , 2018 , 27-33	0.2	
90	Blood Glucose and Sepsis Score on Sepsis Patients Requiring Insulin Therapy. <i>IFMBE Proceedings</i> , 2018 , 265-269	0.2	1
89	Beat-by-Beat Estimation of the Left Ventricular Pressure-Volume Loop Under Clinical Conditions. <i>Annals of Biomedical Engineering</i> , 2018 , 46, 171-185	4.7	2
88	Unsupervised Classification based Analysis of the Temporal Pattern of Insulin Sensitivity and Modelling Noise of Patient Groups under Tight Glycemic Control. <i>IFAC-PapersOnLine</i> , 2018 , 51, 62-67	0.7	1
87	Estimation of Inspiratory Respiratory Elastance Using Expiratory Data. <i>IFAC-PapersOnLine</i> , 2018 , 51, 204-208	2.98	1
86	Blood pressure waveform contour analysis for assessing peripheral resistance changes in sepsis. <i>BioMedical Engineering OnLine</i> , 2018 , 17, 171	4.1	

85	Nutrition delivery, workload and performance in a model-based ICU glycaemic control system. <i>Computer Methods and Programs in Biomedicine</i> , 2018 , 166, 9-18	6.9	7
84	A Robust Method of Peak Detection in Noisy PPG Signals Using a Structure of IIR Filters 2018 ,		1
83	Creating smooth SI. B-spline basis function representations of insulin sensitivity. <i>Biomedical Signal Processing and Control</i> , 2018 , 44, 270-278	4.9	4
82	Modelling and simulation of a non-holonomic omnidirectional mobile robot for offline programming and system performance analysis. <i>Simulation Modelling Practice and Theory</i> , 2018 , 87, 155-169	3.8	6
81	Parameters tuning of snake robots sidewinding gait using Bayesian optimization 2018 ,		1
80	A Surface Vibration-based Method for Tumor Detection of Women Breast in a DIET System. <i>Procedia Engineering</i> , 2017 , 199, 310-315		2
79	Minimally invasive estimation of ventricular dead space volume through use of Frank-Starling curves. <i>PLoS ONE</i> , 2017 , 12, e0176302	3.7	7
78	Electrocardiogram R-wave is an Unreliable Indicator of Pulse Wave Initialization. <i>IFAC-PapersOnLine</i> , 2017 , 50, 856-861	0.7	5
77	Mechanical behaviour of tissue mimicking breast phantom materials. <i>Biomedical Physics and Engineering Express</i> , 2017 , 3, 045010	1.5	11
76	Minimally invasive, patient specific, beat-by-beat estimation of left ventricular time varying elastance. <i>BioMedical Engineering OnLine</i> , 2017 , 16, 42	4.1	12
75	Improved pressure contour analysis for estimating cardiac stroke volume using pulse wave velocity measurement. <i>BioMedical Engineering OnLine</i> , 2017 , 16, 51	4.1	17
74	Insulin sensitivity and sepsis score: A correlation between model-based metric and sepsis scoring system in critically ill patients. <i>Biomedical Signal Processing and Control</i> , 2017 , 32, 112-123	4.9	4
73	Accuracy and performance of continuous glucose monitors in athletes. <i>Biomedical Signal Processing and Control</i> , 2017 , 32, 124-129	4.9	6
72	Real-Time, Minimally Invasive, Beat-to-Beat Estimation of End-Systolic Volume Using a Modified End-Systolic Pressure-Volume Relation. <i>IFAC-PapersOnLine</i> , 2017 , 50, 5456-5461	0.7	3
71	A Simple Method to Model a Continuous Glucose Monitoring Signal. <i>IFAC-PapersOnLine</i> , 2017 , 50, 8775-8780	0.7	1
70	Nominal Stiffness Identification for Tumor Detection of Women Breast in a Digital Image Elastography (DIET) System. <i>IFAC-PapersOnLine</i> , 2017 , 50, 2031-2036	0.7	3
69	Sensitivity Analysis for Stiffness Identification Using a DIET Breast Cancer Screening System. <i>IFAC-PapersOnLine</i> , 2017 , 50, 2037-2042	0.7	
68	Analysis of Stochastic Noise of Blood-Glucose Dynamics. <i>IFAC-PapersOnLine</i> , 2017 , 50, 15157-15162	0.7	2

67	How should we interpret retrospective blood glucose measurements? Sampling and Interpolation. <i>IFAC-PapersOnLine</i> , 2017 , 50, 874-879	0.7	
66	The Effect of Variable vs Fixed Feeding on Glycaemic Control in the Adult ICU: Virtual Trial Evaluation. <i>IFAC-PapersOnLine</i> , 2017 , 50, 880-885	0.7	
65	Development of an autonomous robotic system for terrain mapping 2017 ,		2
64	Respiratory mechanics assessment for reverse-triggered breathing cycles using pressure reconstruction. <i>Biomedical Signal Processing and Control</i> , 2016 , 23, 1-9	4.9	18
63	Incorporating bolus and infusion pharmacokinetics into the ICING insulin model. <i>Mathematical Biosciences</i> , 2016 , 281, 1-8	3.9	2
62	Monitoring peripheral blood flow change using transmission photoplethysmography sensor 2016 ,		1
61	Estimation of the insulin sensitivity profile for the stochastic variant of the ICING model 2016 ,		4
60	Mechatronic design and development of a non-holonomic omnidirectional mobile robot for automation of primary production. <i>Cogent Engineering</i> , 2016 , 3, 1250431	1.5	10
59	Analysing the effects of cold, normal, and warm digits on transmittance pulse oximetry. <i>Biomedical Signal Processing and Control</i> , 2016 , 26, 34-41	4.9	13
58	2016 ,		4
57	Performance of STAR virtual trials for diabetic and non-diabetic in HTAA intensive care unit 2016 ,		4
56	2016 ,		3
55	Safety, efficacy and clinical generalization of the STAR protocol: a retrospective analysis. <i>Annals of Intensive Care</i> , 2016 , 6, 24	8.9	79
54	Assessing respiratory mechanics using pressure reconstruction method in mechanically ventilated spontaneous breathing patient. <i>Computer Methods and Programs in Biomedicine</i> , 2016 , 130, 175-85	6.9	23
53	Generalizability of a Nonlinear Model-based Glycemic Controller. <i>IFAC-PapersOnLine</i> , 2016 , 49, 212-217	0.7	1
52	Stochastic Simulation and Parameter Estimation of the ICING Model**Research is supported by EU FP7 IRSES, Engineering Technology based Innovation in Medicine, Grant No. 318943 and Hungarian National Scientific Research Foundation, Grant No. K116574.. <i>IFAC-PapersOnLine</i> , 2016 , 49, 218-223	0.7	2
51	Glucose control positively influences patient outcome: A retrospective study. <i>Journal of Critical Care</i> , 2015 , 30, 455-9	4	38
50	Feasibility of titrating PEEP to minimum elastance for mechanically ventilated patients. <i>Pilot and Feasibility Studies</i> , 2015 , 1, 9	1.9	41

49	Stochastic Model Predictive (STOMP) glycaemic control for the intensive care unit: Development and virtual trial validation. <i>Biomedical Signal Processing and Control</i> , 2015 , 16, 61-67	4.9	17
48	A C-Peptide-Based Model of Pancreatic Insulin Secretion in Extremely Preterm Neonates in Intensive Care. <i>Journal of Diabetes Science and Technology</i> , 2015 , 10, 111-8	4.1	5
47	Time-varying respiratory system elastance: a physiological model for patients who are spontaneously breathing. <i>PLoS ONE</i> , 2015 , 10, e0114847	3.7	46
46	Assessing Respiratory Mechanics of Reverse-Triggered Breathing Cycles - Case Study of Two Mechanically Ventilated Patients. <i>IFAC-PapersOnLine</i> , 2015 , 48, 505-510	0.7	4
45	Accuracy and optimization of a subcutaneous insulin model for less acute critical care patients. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 4435-8	0.9	
44	Accuracy and Performance of Continuous Glucose Monitors in Athletes. <i>IFAC-PapersOnLine</i> , 2015 , 48, 1-6	0.7	3
43	Comment on Kalfon et al.: Tight computerized versus conventional glucose control in the ICU: a randomized controlled trial. <i>Intensive Care Medicine</i> , 2014 , 40, 922	14.5	1
42	Reducing the impact of insulin sensitivity variability on glycaemic outcomes using separate stochastic models within the STAR glycaemic protocol. <i>BioMedical Engineering OnLine</i> , 2014 , 13, 43	4.1	15
41	Brain mass estimation by head circumference and body mass methods in neonatal glycaemic modelling and control. <i>Computer Methods and Programs in Biomedicine</i> , 2014 , 115, 47-54	6.9	4
40	Interstitial insulin kinetic parameters for a 2-compartment insulin model with saturable clearance. <i>Computer Methods and Programs in Biomedicine</i> , 2014 , 114, e39-45	6.9	5
39	Insulin Sensitivity Variability during Hypothermia. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2014 , 47, 10162-10167		1
38	Gender and glycaemia: Insulin sensitivity and secretion in premature neonates. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2014 , 47, 10168-10173		1
37	Virtual Trials with b-spline Basis Functions and Stochastic Differential Equations. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2014 , 47, 10976-10981		
36	mAGiC DRAGONS: A Protocol for Accurate Glycaemic Control in General Wards. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2014 , 47, 10138-10143		
35	Evolution of insulin sensitivity and its variability in out-of-hospital cardiac arrest (OHCA) patients treated with hypothermia. <i>Critical Care</i> , 2014 , 18, 586	10.8	8
34	Visualisation of time-varying respiratory system elastance in experimental ARDS animal models. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 33	3.5	27
33	The Clinical Utilisation of Respiratory Elastance Software (CURE Soft): a bedside software for real-time respiratory mechanics monitoring and mechanical ventilation management. <i>BioMedical Engineering OnLine</i> , 2014 , 13, 140	4.1	51
32	Does the achievement of an intermediate glycemic target reduce organ failure and mortality? A post hoc analysis of the Glucontrol trial. <i>Journal of Critical Care</i> , 2014 , 29, 374-9	4	33

31	Impact of sensor and measurement timing errors on model-based insulin sensitivity. <i>Computer Methods and Programs in Biomedicine</i> , 2014 , 114, e79-86	6.9	16
30	Continuous stroke volume estimation from aortic pressure using zero dimensional cardiovascular model: proof of concept study from porcine experiments. <i>PLoS ONE</i> , 2014 , 9, e102476	3.7	18
29	Effects of Neurally Adjusted Ventilatory Assist (NAVA) levels in non-invasive ventilated patients: titrating NAVA levels with electric diaphragmatic activity and tidal volume matching. <i>BioMedical Engineering OnLine</i> , 2013 , 12, 61	4.1	9
28	A multi-scale cardiovascular system model can account for the load-dependence of the end-systolic pressure-volume relationship. <i>BioMedical Engineering OnLine</i> , 2013 , 12, 8	4.1	18
27	Impact of variation in patient response on model-based control of glycaemia in critically ill patients. <i>Computer Methods and Programs in Biomedicine</i> , 2013 , 109, 211-9	6.9	16
26	Evaluation of a model-based hemodynamic monitoring method in a porcine study of septic shock. <i>Computational and Mathematical Methods in Medicine</i> , 2013 , 2013, 505417	2.8	12
25	Pilot study of a model-based approach to blood glucose control in very-low-birthweight neonates. <i>BMC Pediatrics</i> , 2012 , 12, 117	2.6	29
24	Second pilot trials of the STAR-Liege protocol for tight glycemic control in critically ill patients. <i>BioMedical Engineering OnLine</i> , 2012 , 11, 58	4.1	15
23	Variability of insulin sensitivity during the first 4 days of critical illness: implications for tight glycemic control. <i>Annals of Intensive Care</i> , 2012 , 2, 17	8.9	66
22	Stochastic targeted (STAR) glycemic control: design, safety, and performance. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 102-15	4.1	84
21	Impact of sensor and measurement timing errors on model-based insulin sensitivity. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012 , 45, 224-229		2
20	Interstitial insulin kinetic parameters for a 2-compartment insulin model with saturable clearance. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012 , 45, 230-235		
19	Assessment of SOFA Score as a Diagnostic Indicator in Intensive Care Medicine. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2012 , 45, 467-472		3
18	Impact of metoprolol on insulin sensitivity in the ICU. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2011 , 44, 1763-1767		1
17	Insulin Sensitivity, Its Variability and Glycemic Outcome: A model-based analysis of the difficulty in achieving tight glycemic control in critical care. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2011 , 44, 1745-1750		2
16	Development of a model-based clinical sepsis biomarker for critically ill patients. <i>Computer Methods and Programs in Biomedicine</i> , 2011 , 102, 149-55	6.9	15
15	Impact of glucocorticoids on insulin resistance in the critically ill. <i>Computer Methods and Programs in Biomedicine</i> , 2011 , 102, 172-80	6.9	22
14	Tight glycemic control in critical care--the leading role of insulin sensitivity and patient variability: a review and model-based analysis. <i>Computer Methods and Programs in Biomedicine</i> , 2011 , 102, 156-71	6.9	98

13	A physiological Intensive Control Insulin-Nutrition-Glucose (ICING) model validated in critically ill patients. <i>Computer Methods and Programs in Biomedicine</i> , 2011 , 102, 192-205	6.9	141
12	Pilot proof of concept clinical trials of Stochastic Targeted (STAR) glycemic control. <i>Annals of Intensive Care</i> , 2011 , 1, 38	8.9	67
11	Continuous glucose monitors and the burden of tight glycemic control in critical care: can they cure the time cost?. <i>Journal of Diabetes Science and Technology</i> , 2010 , 4, 625-35	4.1	34
10	What makes tight glycemic control tight? The impact of variability and nutrition in two clinical studies. <i>Journal of Diabetes Science and Technology</i> , 2010 , 4, 284-98	4.1	46
9	Impact of variation in patient response on model-based control of glycaemia in critically ill patients 2010 ,		1
8	Hypoglycemia detection in critical care using continuous glucose monitors: an in silico proof of concept analysis. <i>Journal of Diabetes Science and Technology</i> , 2010 , 4, 15-24	4.1	17
7	Validation of a model-based virtual trials method for tight glycemic control in intensive care. <i>BioMedical Engineering OnLine</i> , 2010 , 9, 84	4.1	80
6	Organ failure and tight glycemic control in the SPRINT study. <i>Critical Care</i> , 2010 , 14, R154	10.8	92
5	Corticosteroids and Insulin Resistance in the ICU. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2009 , 42, 25-30		2
4	Tight Glycemic Control - The leading role of insulin sensitivity in determining efficacy and thus outcome. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2009 , 42, 1-6		
3	The Effect of Glargine as Basal Insulin Support for Recovering Critically Ill and High Dependency Unit Patients: An In Silico Study. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2009 , 42, 49-54		
2	Development of a Model-Based Clinical Sepsis Biomarker for Critically Ill Patients. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2009 , 42, 13-18		
1	Software defined QCIF simple profile MPEG-4 for portable devices using dynamically reconfigurable DSP. <i>Computer Standards and Interfaces</i> , 2002 , 24, 453-472	3.5	