

# Daniel J Smith

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3480943/publications.pdf>

Version: 2024-02-01

189  
papers

15,090  
citations

30047

54  
h-index

26591

107  
g-index

228  
all docs

228  
docs citations

228  
times ranked

18459  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224
2	Genome-wide meta-analysis of depression identifies 102 independent variants and highlights the importance of the prefrontal brain regions. <i>Nature Neuroscience</i> , 2019, 22, 343-352.	7.1	1,589
3	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
4	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	2.2	481
5	Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018, 9, 1470.	5.8	415
6	Depression and anxiety among people living with and beyond cancer: a growing clinical and research priority. <i>BMC Cancer</i> , 2019, 19, 943.	1.1	350
7	Shared genetic aetiology between cognitive functions and physical and mental health in UK Biobank (N=112,151) and 24 GWAS consortia. <i>Molecular Psychiatry</i> , 2016, 21, 1624-1632.	4.1	340
8	Genome-wide association study of cognitive functions and educational attainment in UK Biobank (N=112,151). <i>Molecular Psychiatry</i> , 2016, 21, 758-767.	4.1	317
9	Prevalence and Characteristics of Probable Major Depression and Bipolar Disorder within UK Biobank: Cross-Sectional Study of 172,751 Participants. <i>PLoS ONE</i> , 2013, 8, e75362.	1.1	288
10	Association of disrupted circadian rhythmicity with mood disorders, subjective wellbeing, and cognitive function: a cross-sectional study of 91,105 participants from the UK Biobank. <i>Lancet Psychiatry</i> , 2018, 5, 507-514.	3.7	238
11	Genome-wide analysis of over 106,000 individuals identifies 9 neuroticism-associated loci. <i>Molecular Psychiatry</i> , 2016, 21, 749-757.	4.1	220
12	Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157,366 participants: a reanalysis. <i>BJPsych Open</i> , 2020, 6, e18.	0.3	210
13	Schizophrenia is associated with excess multiple physical-health comorbidities but low levels of recorded cardiovascular disease in primary care: cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002808.	0.8	184
14	Wake-up call for British psychiatry. <i>British Journal of Psychiatry</i> , 2008, 193, 6-9.	1.7	183
15	Association of Body Mass Index With Cardiometabolic Disease in the UK Biobank. <i>JAMA Cardiology</i> , 2017, 2, 882.	3.0	181
16	Cognitive Test Scores in UK Biobank: Data Reduction in 480,416 Participants and Longitudinal Stability in 20,346 Participants. <i>PLoS ONE</i> , 2016, 11, e0154222.	1.1	175
17	Prevalence and correlates of cognitive impairment in euthymic adults with bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2016, 205, 165-181.	2.0	165
18	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. <i>BMC Medicine</i> , 2014, 12, 181.	2.3	153

#	ARTICLE	IF	CITATIONS
19	Genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2019, 15, e1008164.	1.5	144
20	Neurocognitive impairment in euthymic young adults with bipolar spectrum disorder and recurrent major depressive disorder. <i>Bipolar Disorders</i> , 2006, 8, 40-46.	1.1	143
21	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	0.7	137
22	Pleiotropy between neuroticism and physical and mental health: findings from 108,038 men and women in UK Biobank. <i>Translational Psychiatry</i> , 2016, 6, e791-e791.	2.4	135
23	Psychosis Susceptibility Gene ZNF804A and Cognitive Performance in Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 692.	13.8	129
24	Unrecognised bipolar disorder in primary care patients with depression. <i>British Journal of Psychiatry</i> , 2011, 199, 49-56.	1.7	127
25	Clinical differences between bipolar and unipolar depression. <i>British Journal of Psychiatry</i> , 2008, 192, 388-389.	1.7	118
26	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	4.1	116
27	High harm avoidance and low self-directedness in euthymic young adults with recurrent, early-onset depression. <i>Journal of Affective Disorders</i> , 2005, 87, 83-89.	2.0	111
28	The use of polygenic risk scores to identify phenotypes associated with genetic risk of schizophrenia: Systematic review. <i>Schizophrenia Research</i> , 2018, 197, 2-8.	1.1	109
29	Multimorbidity in bipolar disorder and undertreatment of cardiovascular disease: a cross sectional study. <i>BMC Medicine</i> , 2013, 11, 263.	2.3	104
30	Depression and Multimorbidity. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 1202-1208.	1.1	103
31	Polymorphisms in the SLC6A4 and HTR2A genes influence treatment outcome following antidepressant therapy. <i>Pharmacogenomics Journal</i> , 2009, 9, 61-70.	0.9	102
32	Sex-specific association between bipolar affective disorder in women and GPR50, an X-linked orphan G protein-coupled receptor. <i>Molecular Psychiatry</i> , 2005, 10, 470-478.	4.1	98
33	Monotherapy With Major Antihypertensive Drug Classes and Risk of Hospital Admissions for Mood Disorders. <i>Hypertension</i> , 2016, 68, 1132-1138.	1.3	97
34	The use of polygenic risk scores to identify phenotypes associated with genetic risk of bipolar disorder and depression: A systematic review. <i>Journal of Affective Disorders</i> , 2018, 234, 148-155.	2.0	97
35	SGCE mutations cause psychiatric disorders: clinical and genetic characterization. <i>Brain</i> , 2013, 136, 294-303.	3.7	91
36	Subcortical volume and white matter integrity abnormalities in major depressive disorder: findings from UK Biobank imaging data. <i>Scientific Reports</i> , 2017, 7, 5547.	1.6	91

#	ARTICLE	IF	CITATIONS
37	Hepatitis C virus (HCV) disease progression in people who inject drugs (PWID): A systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2015, 26, 911-921.	1.6	88
38	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	6.0	88
39	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	0.7	87
40	Identification of novel genome-wide associations for suicidality in UK Biobank, genetic correlation with psychiatric disorders and polygenic association with completed suicide. <i>EBioMedicine</i> , 2019, 41, 517-525.	2.7	87
41	Chronic multisite pain in major depression and bipolar disorder: cross-sectional study of 149,611 participants in UK Biobank. <i>BMC Psychiatry</i> , 2014, 14, 350.	1.1	82
42	Beating Bipolar: exploratory trial of a novel internet-based psychoeducational treatment for bipolar disorder. <i>Bipolar Disorders</i> , 2011, 13, 571-577.	1.1	81
43	Exercise therapy in adults with serious mental illness: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2014, 14, 117.	1.1	80
44	Offspring of parents with recurrent depression: Which features of parent depression index risk for offspring psychopathology?. <i>Journal of Affective Disorders</i> , 2012, 136, 44-53.	2.0	79
45	Adverse metabolic and mental health outcomes associated with shiftwork in a population-based study of 277,168 workers in UK biobank. <i>Annals of Medicine</i> , 2017, 49, 411-420.	1.5	76
46	Age-at-onset in bipolar-I disorder: Mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009, 116, 23-29.	2.0	75
47	The high prevalence of bipolar spectrum disorders in young adults with recurrent depression: toward an innovative diagnostic framework. <i>Journal of Affective Disorders</i> , 2005, 84, 167-178.	2.0	74
48	Differences in depressive symptom profile between males and females. <i>Journal of Affective Disorders</i> , 2008, 108, 279-284.	2.0	74
49	Elevated metal concentrations in the CF airway correlate with cellular injury and disease severity. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 289-295.	0.3	71
50	Genome-wide analysis in UK Biobank identifies four loci associated with mood instability and genetic correlation with major depressive disorder, anxiety disorder and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, 1264.	2.4	69
51	Is Borderline Personality Disorder Part of the Bipolar Spectrum?. <i>Harvard Review of Psychiatry</i> , 2004, 12, 133-139.	0.9	68
52	Association between APOE e4 and white matter hyperintensity volume, but not total brain volume or white matter integrity. <i>Brain Imaging and Behavior</i> , 2020, 14, 1468-1476.	1.1	62
53	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002090.	3.9	60
54	Living alone, loneliness and lack of emotional support as predictors of suicide and self-harm: A nine-year follow up of the UK Biobank cohort. <i>Journal of Affective Disorders</i> , 2021, 279, 316-323.	2.0	58

#	ARTICLE	IF	CITATIONS
55	Reduced Mucosal Associated Invariant T-Cells Are Associated with Increased Disease Severity and Pseudomonas aeruginosa Infection in Cystic Fibrosis. PLoS ONE, 2014, 9, e109891.	1.1	58
56	Genome-wide analysis of self-reported risk-taking behaviour and cross-disorder genetic correlations in the UK Biobank cohort. Translational Psychiatry, 2018, 8, 39.	2.4	57
57	Polarity at illness onset in bipolar I disorder and clinical course of illness. Bipolar Disorders, 2009, 11, 82-88.	1.1	56
58	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure. Translational Psychiatry, 2019, 9, 327.	2.4	56
59	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. British Journal of Psychiatry, 2019, 214, 27-35.	1.7	54
60	Genome-Wide Association Study of Circadian Rhythmicity in 71,500 UK Biobank Participants and Polygenic Association with Mood Instability. EBioMedicine, 2018, 35, 279-287.	2.7	53
61	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). Journal of Affective Disorders, 2009, 114, 68-73.	2.0	52
62	Multimorbidity and mental health: can psychiatry rise to the challenge?. British Journal of Psychiatry, 2013, 202, 391-393.	1.7	51
63	Changes in prescribing for bipolar disorder between 2009 and 2016: national-level data linkage study in Scotland. British Journal of Psychiatry, 2019, 215, 415-421.	1.7	50
64	The genomic basis of mood instability: identification of 46 loci in 363,705 UK Biobank participants, genetic correlation with psychiatric disorders, and association with gene expression and function. Molecular Psychiatry, 2020, 25, 3091-3099.	4.1	48
65	Borderline personality disorder characteristics in young adults with recurrent mood disorders: A comparison of bipolar and unipolar depression. Journal of Affective Disorders, 2005, 87, 17-23.	2.0	47
66	Associations between single and multiple cardiometabolic diseases and cognitive abilities in 474 129 UK Biobank participants. European Heart Journal, 2017, 38, ehw528.	1.0	47
67	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry, the, 2016, 3, 993-998.	3.7	47
68	The Genetic Links to Anxiety and Depression (GLAD) Study: Online recruitment into the largest recontactable study of depression and anxiety. Behaviour Research and Therapy, 2019, 123, 103503.	1.6	47
69	Seasonal and daytime variation in multiple immune parameters in humans: Evidence from 329,261 participants of the UK Biobank cohort. IScience, 2021, 24, 102255.	1.9	47
70	Sub-threshold manic symptoms in recurrent major depressive disorder are a marker for poor outcome. Acta Psychiatrica Scandinavica, 2009, 119, 325-329.	2.2	46
71	Cognitive function and lifetime features of depression and bipolar disorder in a large population sample: Cross-sectional study of 143,828 UK Biobank participants. European Psychiatry, 2015, 30, 950-958.	0.1	46
72	Impact of socioeconomic deprivation on rate and cause of death in severe mental illness. BMC Psychiatry, 2014, 14, 261.	1.1	45

#	ARTICLE	IF	CITATIONS
73	Alzheimer disease genetic risk factor <i>APOE</i> $\epsilon$ 4 and cognitive abilities in 111,739 UK Biobank participants. <i>Age and Ageing</i> , 2016, 45, 511-517.	0.7	45
74	High Prevalence of Untreated Depression in Patients Accessing Low-Vision Services. <i>Ophthalmology</i> , 2016, 123, 440-441.	2.5	45
75	Genetic variation in <i>CADM2</i> as a link between psychological traits and obesity. <i>Scientific Reports</i> , 2019, 9, 7339.	1.6	45
76	Risk of psychopathology in adolescent offspring of mothers with psychopathology and recurrent depression. <i>British Journal of Psychiatry</i> , 2013, 202, 108-114.	1.7	44
77	Sex differences in plasma clozapine and norclozapine concentrations in clinical practice and in relation to body mass index and plasma glucose concentrations: a retrospective survey. <i>Annals of General Psychiatry</i> , 2015, 14, 39.	1.2	43
78	Quantifying bias in psychological and physical health in the UK Biobank imaging sub-sample. <i>Brain Communications</i> , 2022, 4, .	1.5	42
79	Antipsychotic dose escalation as a trigger for Neuroleptic Malignant Syndrome (NMS): literature review and case series report. <i>BMC Psychiatry</i> , 2012, 12, 214.	1.1	41
80	Internet-based psychoeducation for bipolar disorder: a qualitative analysis of feasibility, acceptability and impact. <i>BMC Psychiatry</i> , 2012, 12, 139.	1.1	41
81	Affective temperaments across the bipolar–unipolar spectrum: Examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010, 123, 42-51.	2.0	39
82	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010, 124, 351-356.	2.0	39
83	Polygenic risk scores for major depressive disorder and neuroticism as predictors of antidepressant response: Meta-analysis of three treatment cohorts. <i>PLoS ONE</i> , 2018, 13, e0203896.	1.1	37
84	Sex-stratified genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2021, 17, e1009428.	1.5	37
85	A Web-Based Psychoeducational Intervention for Adolescent Depression: Design and Development of MoodHwb. <i>JMIR Mental Health</i> , 2018, 5, e13.	1.7	37
86	Depression in Visual Impairment Trial (DEPVIT): A Randomized Clinical Trial of Depression Treatments in People With Low Vision. , 2016, 57, 4247.		36
87	Is underdiagnosis the main pitfall when diagnosing bipolar disorder? Yes. <i>BMJ: British Medical Journal</i> , 2010, 340, c854-c854.	2.4	36
88	The Depression in Visual Impairment Trial (DEPVIT): trial design and protocol. <i>BMC Psychiatry</i> , 2012, 12, 57.	1.1	35
89	The use of single photon emission computed tomography in depressive disorders. <i>Nuclear Medicine Communications</i> , 2005, 26, 197-203.	0.5	33
90	Unipolar and bipolar depression: different or the same?. <i>British Journal of Psychiatry</i> , 2011, 199, 272-274.	1.7	32

#	ARTICLE	IF	CITATIONS
91	Admission to psychiatric hospital in the early and late postpartum periods: Scottish national linkage study. <i>BMJ Open</i> , 2016, 6, e008758.	0.8	32
92	Childhood IQ and risk of bipolar disorder in adulthood: prospective birth cohort study. <i>BJPsych Open</i> , 2015, 1, 74-80.	0.3	31
93	Seasonality of depressive symptoms in women but not in men: A cross-sectional study in the UK Biobank cohort. <i>Journal of Affective Disorders</i> , 2018, 229, 296-305.	2.0	31
94	Cardiometabolic disease and features of depression and bipolar disorder: Population-based, cross-sectional study. <i>British Journal of Psychiatry</i> , 2016, 208, 343-351.	1.7	30
95	Gender differences in the association between adiposity and probable major depression: a cross-sectional study of 140,564 UK Biobank participants. <i>BMC Psychiatry</i> , 2014, 14, 153.	1.1	29
96	Genetics of self-reported risk-taking behaviour, trans-ethnic consistency and relevance to brain gene expression. <i>Translational Psychiatry</i> , 2018, 8, 178.	2.4	29
97	Patients' perspectives of the feasibility, acceptability and impact of a group-based psychoeducation programme for bipolar disorder: a qualitative analysis. <i>BMC Psychiatry</i> , 2015, 15, 184.	1.1	28
98	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. <i>Psychological Medicine</i> , 2017, 47, 23-33.	2.7	28
99	The role of physical and mental health multimorbidity in suicidal ideation. <i>Journal of Affective Disorders</i> , 2017, 209, 80-85.	2.0	28
100	Assessing for interaction between <i>APOE</i> $\epsilon$ 4, sex, and lifestyle on cognitive abilities. <i>Neurology</i> , 2019, 92, e2691-e2698.	1.5	28
101	Ethnic differences in the association between depression and chronic pain: cross sectional results from UK Biobank. <i>BMC Family Practice</i> , 2015, 16, 128.	2.9	27
102	Depressive symptoms in people with vision impairment: a cross-sectional study to identify who is most at risk. <i>BMJ Open</i> , 2019, 9, e026163.	0.8	27
103	Genetic risk for bipolar disorder and psychopathology from childhood to early adulthood. <i>Journal of Affective Disorders</i> , 2019, 246, 633-639.	2.0	27
104	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	0.7	27
105	Incidence of ischaemic heart disease and stroke among people with psychiatric disorders: retrospective cohort study. <i>British Journal of Psychiatry</i> , 2020, 217, 442-449.	1.7	27
106	Long-Term Mental Health Outcomes of Military Service. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 793-798.	1.1	27
107	Developing an online psychoeducation package for bipolar disorder. <i>Journal of Mental Health</i> , 2011, 20, 21-31.	1.0	25
108	Depression in young adults. <i>Advances in Psychiatric Treatment</i> , 2004, 10, 4-12.	0.6	24

#	ARTICLE	IF	CITATIONS
109	The Bipolar Interactive Psychoeducation (BIPED) study: trial design and protocol. <i>BMC Psychiatry</i> , 2009, 9, 50.	1.1	24
110	Psychoeducation for bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2010, 16, 147-154.	0.6	24
111	Is there a clinical prodrome of bipolar disorder? A review of the evidence. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 89-98.	1.4	24
112	Polygenic risk for schizophrenia and season of birth within the UK Biobank cohort. <i>Psychological Medicine</i> , 2019, 49, 2499-2504.	2.7	23
113	A Digital Intervention for Adolescent Depression (MoodHwb): Mixed Methods Feasibility Evaluation. <i>JMIR Mental Health</i> , 2020, 7, e14536.	1.7	23
114	Heaviness, health and happiness: a cross-sectional study of 163066 UK Biobank participants. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 340-348.	2.0	22
115	Standard cardiovascular disease risk algorithms underestimate the risk of cardiovascular disease in schizophrenia: Evidence from a national primary care database. <i>Schizophrenia Research</i> , 2014, 159, 176-181.	1.1	22
116	Predictors of admission and readmission to hospital for major depression: A community cohort study of 52,990 individuals. <i>Journal of Affective Disorders</i> , 2015, 183, 10-14.	2.0	22
117	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.	1.8	22
118	How Patients Contribute to an Online Psychoeducation Forum for Bipolar Disorder: A Virtual Participant Observation Study. <i>JMIR Mental Health</i> , 2015, 2, e21.	1.7	22
119	The broad clinical spectrum of bipolar disorder: implications for research and practice. <i>Journal of Psychopharmacology</i> , 2008, 22, 397-400.	2.0	21
120	Pharmacological and behavioural interventions to promote smoking cessation in adults with schizophrenia and bipolar disorders: a systematic review and meta-analysis of randomised trials. <i>BMJ Open</i> , 2019, 9, e027389.	0.8	21
121	The association between C-reactive protein, mood disorder, and cognitive function in UK Biobank. <i>European Psychiatry</i> , 2021, 64, e14.	0.1	21
122	Comorbidity of depression and anxiety disorders in patients with hypertension. <i>Journal of Hypertension</i> , 2016, 34, 397-398.	0.3	20
123	Association of SBP and BMI with cognitive and structural brain phenotypes in UK Biobank. <i>Journal of Hypertension</i> , 2020, 38, 2482-2489.	0.3	20
124	Comparison of symptom-based versus self-reported diagnostic measures of anxiety and depression disorders in the GLAD and COPING cohorts. <i>Journal of Anxiety Disorders</i> , 2022, 85, 102491.	1.5	20
125	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 226-231.	2.0	19
126	Impact of major depression on cardiovascular outcomes for individuals with hypertension: prospective survival analysis in UK Biobank. <i>BMJ Open</i> , 2019, 9, e024433.	0.8	19



#	ARTICLE	IF	CITATIONS
127	Predicting response to lithium in bipolar disorder: A critical review of pharmacogenetic studies. <i>Journal of Mental Health</i> , 2010, 19, 142-156.	1.0	18
128	Association between polygenic risk for Alzheimer's disease, brain structure and cognitive abilities in UK Biobank. <i>Neuropsychopharmacology</i> , 2022, 47, 564-569.	2.8	18
129	Longitudinal symptom course in adults with recurrent depression: Impact on impairment and risk of psychopathology in offspring. <i>Journal of Affective Disorders</i> , 2015, 182, 32-38.	2.0	17
130	The role of physical and mental multimorbidity in suicidal thoughts and behaviours in a Scottish population cohort study. <i>BMC Psychiatry</i> , 2019, 19, 38.	1.1	17
131	Effects of depression on employment and social outcomes: a Mendelian randomisation study. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 563-571.	2.0	17
132	Addendum: Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018, 9, 3578.	5.8	16
133	Identification of novel common variants associated with chronic pain using conditional false discovery rate analysis with major depressive disorder and assessment of pleiotropic effects of LRFN5. <i>Translational Psychiatry</i> , 2019, 9, 310.	2.4	16
134	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.1	16
135	The relationship between antihypertensive medications and mood disorders: analysis of linked healthcare data for 1.8 million patients. <i>Psychological Medicine</i> , 2021, 51, 1183-1191.	2.7	16
136	Association of genetic liability for psychiatric disorders with accelerometer-assessed physical activity in the UK Biobank. <i>PLoS ONE</i> , 2021, 16, e0249189.	1.1	16
137	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. <i>British Journal of General Practice</i> , 2014, 64, e649-e656.	0.7	15
138	Isolation of <i>Raja erinacea</i> basolateral liver plasma membranes: Characterization of lipid composition and fluidity. <i>The Journal of Experimental Zoology</i> , 1991, 258, 189-195.	1.4	14
139	Improving the psychometric utility of the hypomania checklist (HCL-32): A Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014, 152-154, 448-453.	2.0	14
140	Low birth weight and features of neuroticism and mood disorder in 83 545 participants of the UK Biobank cohort. <i>BJPsych Open</i> , 2016, 2, 38-44.	0.3	14
141	Investigating associations between genetic risk for bipolar disorder and cognitive functioning in childhood. <i>Journal of Affective Disorders</i> , 2019, 259, 112-120.	2.0	14
142	The associations between self-reported depression, self-reported chronic inflammatory conditions and cognitive abilities in UK Biobank. <i>European Psychiatry</i> , 2019, 60, 63-70.	0.1	14
143	Associations between schizophrenia genetic risk, anxiety disorders and manic/hypomanic episode in a longitudinal population cohort study. <i>British Journal of Psychiatry</i> , 2019, 214, 96-102.	1.7	14
144	Bipolar spectrum disorders in primary care: optimising diagnosis and treatment. <i>British Journal of General Practice</i> , 2010, 60, 322-324.	0.7	13

#	ARTICLE	IF	CITATIONS
145	Gestational influenza and risk of hypomania in young adulthood: prospective birth cohort study. <i>Journal of Affective Disorders</i> , 2016, 200, 182-188.	2.0	13
146	Alzheimer's Disease Susceptibility Gene Apolipoprotein E (APOE) and Blood Biomarkers in UK Biobank (N=395,769). <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1541-1551.	1.2	13
147	Bipolar disorder. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 251-263.	1.0	12
148	Do social support and eating family meals together play a role in promoting resilience to bullying and cyberbullying in Scottish school children?. <i>SSM - Population Health</i> , 2019, 9, 100485.	1.3	12
149	Hypomania in clinical practice. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 110-120.	0.6	11
150	Sex differences in the association between salivary telomere length and multimorbidity within the US Health & Retirement Study. <i>Age and Ageing</i> , 2019, 48, 703-710.	0.7	11
151	Depressive symptoms, neuroticism, and participation in breast and cervical cancer screening: Cross-sectional and prospective evidence from UK Biobank. <i>Psycho-Oncology</i> , 2020, 29, 381-388.	1.0	11
152	SAFETEL randomised controlled feasibility trial of a safety planning intervention with follow-up telephone contact to reduce suicidal behaviour: study protocol. <i>BMJ Open</i> , 2019, 9, e025591.	0.8	10
153	Age and sex-related variability in the presentation of generalized anxiety and depression symptoms. <i>Depression and Anxiety</i> , 2021, 38, 1054-1065.	2.0	10
154	Socioeconomic status and prescribing for schizophrenia: analysis of 3200 cases from the Glasgow Psychosis Clinical Information System (PsyCIS). <i>Psychiatric Bulletin</i> (2014), 2014, 38, 54-57.	0.4	9
155	Population-level seasonality in cardiovascular mortality, blood pressure, BMI and inflammatory cells in UK biobank. <i>Annals of Medicine</i> , 2018, 50, 410-419.	1.5	9
156	Understanding cognitive impairment in mood disorders: mediation analyses in the UK Biobank cohort. <i>British Journal of Psychiatry</i> , 2019, 215, 683-690.	1.7	9
157	Phenotypic and genetic associations between anhedonia and brain structure in UK Biobank. <i>Translational Psychiatry</i> , 2021, 11, 395.	2.4	9
158	Association of severe mental illness with stroke outcomes and process-of-care quality indicators: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2022, 221, 394-401.	1.7	9
159	Ivacaftor in severe cystic fibrosis lung disease and a G551D mutation. <i>Respirology Case Reports</i> , 2013, 1, 52-54.	0.3	8
160	Detecting recurrent major depressive disorder within primary care rapidly and reliably using short questionnaire measures. <i>British Journal of General Practice</i> , 2014, 64, e31-e37.	0.7	8
161	Genetic analysis of the PCSK9 locus in psychological, psychiatric, metabolic and cardiovascular traits in UK Biobank. <i>European Journal of Human Genetics</i> , 2022, 30, 1380-1390.	1.4	8
162	Prevention strategies for adolescent depression. <i>Advances in Psychiatric Treatment</i> , 2014, 20, 116-124.	0.6	7

#	ARTICLE	IF	CITATIONS
163	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants â€” RETRACTED. <i>BJPsych Open</i> , 2019, 5, e56.	0.3	7
164	Non-fatal self-harm in Scottish military veterans: a retrospective cohort study of 57,000 veterans and 173,000 matched non-veterans. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 81-87.	1.6	7
165	Ethanol-Fed Sprague-Dawley Rats Maintain Normal Levels of Insulin-like Growth Factor I. <i>Journal of Nutrition</i> , 1992, 122, 229-233.	1.3	6
166	Invited Commentary on Stewart and Davis â€œ â€”Big dataâ€™ in mental health researchâ€”current status and emerging possibilitiesâ€” <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 127-129.	1.6	6
167	Borderline personality and attention-deficit hyperactivity traits in childhood are associated with hypomanic features in early adulthood. <i>Journal of Affective Disorders</i> , 2017, 221, 246-253.	2.0	6
168	Incidence of Type 2 Diabetes in People With a History of Hospitalization for Major Mental Illness in Scotland, 2001â€”2015: A Retrospective Cohort Study. <i>Diabetes Care</i> , 2019, 42, 1879-1885.	4.3	6
169	Mutations in the HFE gene can be associated with increased lung disease severity in cystic fibrosis. <i>Gene</i> , 2019, 683, 12-17.	1.0	6
170	Exploring the Role of Contactins across Psychological, Psychiatric and Cardiometabolic Traits within UK Biobank. <i>Genes</i> , 2020, 11, 1326.	1.0	6
171	The nosological status of unipolar mania and hypomania within <sc>UK</sc> Biobank according to objective and subjective measures of diurnal rest and activity. <i>Bipolar Disorders</i> , 2022, 24, 726-738.	1.1	6
172	Is adolescent alcohol use associated with self-reported hypomanic symptoms in adulthood? â€” Findings from a prospective birth cohort. <i>Psychiatry Research</i> , 2017, 255, 232-237.	1.7	5
173	Health screening, cardiometabolic disease and adverse health outcomes in individuals with severe mental illness. <i>BJPsych Open</i> , 2019, 5, e97.	0.3	5
174	Testing for Interactions Between APOE and Klotho Genotypes on Cognitive, Dementia, and Brain Imaging Metrics in UK Biobank. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 51-55.	1.2	5
175	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. <i>Bipolar Disorders</i> , 2009, 11, 307-315.	1.1	4
176	Practical considerations for the development of a psychoeducation programme: lessons from the Cardiff experience. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 25-28.	2.2	4
177	Genetic Variation in the ASTN2 Locus in Cardiovascular, Metabolic and Psychiatric Traits: Evidence for Pleiotropy Rather Than Shared Biology. <i>Genes</i> , 2021, 12, 1194.	1.0	4
178	Bipolarity is important during treatment with antidepressants. <i>BMJ: British Medical Journal</i> , 2007, 334, 327.1-327.	2.4	2
179	Admission to psychiatric hospital for mental illnesses 2 years prechildbirth and postchildbirth in Scotland: a health informatics approach to assessing mother and child outcomes. <i>BMJ Open</i> , 2017, 7, e016908.	0.8	2
180	Mood Disorder in the Personal Correspondence of Robert Burns: Testing a Novel Interdisciplinary Approach. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2018, 48, 165-174.	0.2	2

#	ARTICLE	IF	CITATIONS
181	The importance of early and accurate diagnosis. <i>The Psychiatrist</i> , 2010, 34, 260-260.	0.3	1
182	Cardiometabolic comorbidity in bipolar disorder. <i>Dusunen Adam</i> , 2013, , 315-319.	0.0	1
183	Routine data linkage to identify and monitor diabetes in clozapine-treated patients with schizophrenia. <i>Schizophrenia Research</i> , 2016, 178, 107-108.	1.1	1
184	Evaluation of the 13-item Hypomania Checklist and a brief 3-item manic features questionnaire in primary care. <i>BJPsych Bulletin</i> , 2017, 41, 187-191.	0.7	1
185	Next Generation Antidepressants: Moving Beyond Monoamines to Discover Novel Treatment Strategies for Mood Disorders. Edited by Chad E. Beyer & Stephen M. Stahl. Cambridge University Press. 2010. £50 (hb). 150pp. ISBN: 9780521760584. <i>British Journal of Psychiatry</i> , 2011, 198, 499-499.	1.7	0
186	Bipolar spektrumunun yeniden keşfi. <i>Noropsikiyatri Arsivi</i> , 2011, 48, 1-1.	0.7	0
187	Application of an adapted PRECIS-2 instrument to assess efficacy- and effectiveness-study designs in a systematic review of intervention studies of the hepatitis C virus-care continuum among people who use drugs. <i>Comparative Effectiveness Research</i> , 2018, Volume 8, 3-17.	0.2	0
188	Epidemiology of Hepatitis C Virus Among People Who Inject Drugs: Protocol for a Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2017, 6, e201.	0.5	0
189	Bipolar II Disorder: Modelling, Measuring and Managing Edited by Gordon Parker 3rd edn. Cambridge University Press. 2019. £46.99 (pb). 304 pp. ISBN 9781108414111. <i>British Journal of Psychiatry</i> , 2021, 218, 67-67.	1.7	0