

Daniel J Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3480943/publications.pdf>

Version: 2024-02-01

189
papers

15,090
citations

34493

54
h-index

30277

107
g-index

228
all docs

228
docs citations

228
times ranked

20214
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of severe mental illness with stroke outcomes and process-of-care quality indicators: nationwide cohort study. <i>British Journal of Psychiatry</i> , 2022, 221, 394-401.	1.7	9
2	Association between polygenic risk for Alzheimer's disease, brain structure and cognitive abilities in UK Biobank. <i>Neuropsychopharmacology</i> , 2022, 47, 564-569.	2.8	18
3	Comparison of symptom-based versus self-reported diagnostic measures of anxiety and depression disorders in the GLAD and COPING cohorts. <i>Journal of Anxiety Disorders</i> , 2022, 85, 102491.	1.5	20
4	Effects of depression on employment and social outcomes: a Mendelian randomisation study. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 563-571.	2.0	17
5	Genetic analysis of the PCSK9 locus in psychological, psychiatric, metabolic and cardiovascular traits in UK Biobank. <i>European Journal of Human Genetics</i> , 2022, 30, 1380-1390.	1.4	8
6	Quantifying bias in psychological and physical health in the UK Biobank imaging sub-sample. <i>Brain Communications</i> , 2022, 4, .	1.5	42
7	The nosological status of unipolar mania and hypomania within UK Biobank according to objective and subjective measures of diurnal rest and activity. <i>Bipolar Disorders</i> , 2022, 24, 726-738.	1.1	6
8	The relationship between antihypertensive medications and mood disorders: analysis of linked healthcare data for 1.8 million patients. <i>Psychological Medicine</i> , 2021, 51, 1183-1191.	2.7	16
9	Living alone, loneliness and lack of emotional support as predictors of suicide and self-harm: A nine-year follow up of the UK Biobank cohort. <i>Journal of Affective Disorders</i> , 2021, 279, 316-323.	2.0	58
10	Association of genetic liability for psychiatric disorders with accelerometer-assessed physical activity in the UK Biobank. <i>PLoS ONE</i> , 2021, 16, e0249189.	1.1	16
11	Seasonal and daytime variation in multiple immune parameters in humans: Evidence from 329,261 participants of the UK Biobank cohort. <i>iScience</i> , 2021, 24, 102255.	1.9	47
12	Sex-stratified genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2021, 17, e1009428.	1.5	37
13	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
14	Phenotypic and genetic associations between anhedonia and brain structure in UK Biobank. <i>Translational Psychiatry</i> , 2021, 11, 395.	2.4	9
15	Genetic Variation in the ASTN2 Locus in Cardiovascular, Metabolic and Psychiatric Traits: Evidence for Pleiotropy Rather Than Shared Biology. <i>Genes</i> , 2021, 12, 1194.	1.0	4
16	Testing for Interactions Between APOE and Klotho Genotypes on Cognitive, Dementia, and Brain Imaging Metrics in UK Biobank. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 51-55.	1.2	5
17	Age and sex-related variability in the presentation of generalized anxiety and depression symptoms. <i>Depression and Anxiety</i> , 2021, 38, 1054-1065.	2.0	10
18	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	6.0	88

#	ARTICLE	IF	CITATIONS
19	The association between C-reactive protein, mood disorder, and cognitive function in UK Biobank. <i>European Psychiatry</i> , 2021, 64, e14.	0.1	21
20	Bipolar II Disorder: Modelling, Measuring and Managing Edited by Gordon Parker 3rd edn. Cambridge University Press. 2019. £46.99 (pb). 304 pp. ISBN 9781108414111. <i>British Journal of Psychiatry</i> , 2021, 218, 67-67.	1.7	0
21	The genomic basis of mood instability: identification of 46 loci in 363,705 UK Biobank participants, genetic correlation with psychiatric disorders, and association with gene expression and function. <i>Molecular Psychiatry</i> , 2020, 25, 3091-3099.	4.1	48
22	Association between APOE e4 and white matter hyperintensity volume, but not total brain volume or white matter integrity. <i>Brain Imaging and Behavior</i> , 2020, 14, 1468-1476.	1.1	62
23	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	0.7	27
24	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	0.7	137
25	Depressive symptoms, neuroticism, and participation in breast and cervical cancer screening: Cross-sectional and prospective evidence from UK Biobank. <i>Psycho-Oncology</i> , 2020, 29, 381-388.	1.0	11
26	Incidence of ischaemic heart disease and stroke among people with psychiatric disorders: retrospective cohort study. <i>British Journal of Psychiatry</i> , 2020, 217, 442-449.	1.7	27
27	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.	1.8	22
28	Alzheimer's Disease Susceptibility Gene Apolipoprotein E (APOE) and Blood Biomarkers in UK Biobank (N=395,769). <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1541-1551.	1.2	13
29	Association of SBP and BMI with cognitive and structural brain phenotypes in UK Biobank. <i>Journal of Hypertension</i> , 2020, 38, 2482-2489.	0.3	20
30	Exploring the Role of Contactins across Psychological, Psychiatric and Cardiometabolic Traits within UK Biobank. <i>Genes</i> , 2020, 11, 1326.	1.0	6
31	Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. <i>BJPsych Open</i> , 2020, 6, e18.	0.3	210
32	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	4.1	116
33	A Digital Intervention for Adolescent Depression (MoodHwb): Mixed Methods Feasibility Evaluation. <i>JMIR Mental Health</i> , 2020, 7, e14536.	1.7	23
34	Understanding cognitive impairment in mood disorders: mediation analyses in the UK Biobank cohort. <i>British Journal of Psychiatry</i> , 2019, 215, 683-690.	1.7	9
35	Depression and anxiety among people living with and beyond cancer: a growing clinical and research priority. <i>BMC Cancer</i> , 2019, 19, 943.	1.1	350
36	Health screening, cardiometabolic disease and adverse health outcomes in individuals with severe mental illness. <i>BJPsych Open</i> , 2019, 5, e97.	0.3	5

#	ARTICLE	IF	CITATIONS
37	The Genetic Links to Anxiety and Depression (GLAD) Study: Online recruitment into the largest recontactable study of depression and anxiety. <i>Behaviour Research and Therapy</i> , 2019, 123, 103503.	1.6	47
38	Investigating associations between genetic risk for bipolar disorder and cognitive functioning in childhood. <i>Journal of Affective Disorders</i> , 2019, 259, 112-120.	2.0	14
39	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants – RETRACTED. <i>BJPsych Open</i> , 2019, 5, e56.	0.3	7
40	Do social support and eating family meals together play a role in promoting resilience to bullying and cyberbullying in Scottish school children?. <i>SSM - Population Health</i> , 2019, 9, 100485.	1.3	12
41	The role of physical and mental multimorbidity in suicidal thoughts and behaviours in a Scottish population cohort study. <i>BMC Psychiatry</i> , 2019, 19, 38.	1.1	17
42	The associations between self-reported depression, self-reported chronic inflammatory conditions and cognitive abilities in UK Biobank. <i>European Psychiatry</i> , 2019, 60, 63-70.	0.1	14
43	Sex differences in the association between salivary telomere length and multimorbidity within the US Health & Retirement Study. <i>Age and Ageing</i> , 2019, 48, 703-710.	0.7	11
44	Genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2019, 15, e1008164.	1.5	144
45	Genetic variation in <i>CADM2</i> as a link between psychological traits and obesity. <i>Scientific Reports</i> , 2019, 9, 7339.	1.6	45
46	Assessing for interaction between <i>APOE</i> ϵ 4, sex, and lifestyle on cognitive abilities. <i>Neurology</i> , 2019, 92, e2691-e2698.	1.5	28
47	Changes in prescribing for bipolar disorder between 2009 and 2016: national-level data linkage study in Scotland. <i>British Journal of Psychiatry</i> , 2019, 215, 415-421.	1.7	50
48	Depressive symptoms in people with vision impairment: a cross-sectional study to identify who is most at risk. <i>BMJ Open</i> , 2019, 9, e026163.	0.8	27
49	Identification of novel genome-wide associations for suicidality in UK Biobank, genetic correlation with psychiatric disorders and polygenic association with completed suicide. <i>EBioMedicine</i> , 2019, 41, 517-525.	2.7	87
50	Pharmacological and behavioural interventions to promote smoking cessation in adults with schizophrenia and bipolar disorders: a systematic review and meta-analysis of randomised trials. <i>BMJ Open</i> , 2019, 9, e027389.	0.8	21
51	SAFETEL randomised controlled feasibility trial of a safety planning intervention with follow-up telephone contact to reduce suicidal behaviour: study protocol. <i>BMJ Open</i> , 2019, 9, e025591.	0.8	10
52	Impact of major depression on cardiovascular outcomes for individuals with hypertension: prospective survival analysis in UK Biobank. <i>BMJ Open</i> , 2019, 9, e024433.	0.8	19
53	Incidence of Type 2 Diabetes in People With a History of Hospitalization for Major Mental Illness in Scotland, 2001–2015: A Retrospective Cohort Study. <i>Diabetes Care</i> , 2019, 42, 1879-1885.	4.3	6
54	Identification of novel common variants associated with chronic pain using conditional false discovery rate analysis with major depressive disorder and assessment of pleiotropic effects of <i>LRFN5</i> . <i>Translational Psychiatry</i> , 2019, 9, 310.	2.4	16

#	ARTICLE	IF	CITATIONS
55	Novel genome-wide associations for anhedonia, genetic correlation with psychiatric disorders, and polygenic association with brain structure. <i>Translational Psychiatry</i> , 2019, 9, 327.	2.4	56
56	Non-fatal self-harm in Scottish military veterans: a retrospective cohort study of 57,000 veterans and 173,000 matched non-veterans. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 81-87.	1.6	7
57	Association of Whole-Genome and NETRIN1 Signaling Pathway–Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.1	16
58	Genetic risk for bipolar disorder and psychopathology from childhood to early adulthood. <i>Journal of Affective Disorders</i> , 2019, 246, 633-639.	2.0	27
59	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019, 214, 27-35.	1.7	54
60	Associations between schizophrenia genetic risk, anxiety disorders and manic/hypomanic episode in a longitudinal population cohort study. <i>British Journal of Psychiatry</i> , 2019, 214, 96-102.	1.7	14
61	Mutations in the HFE gene can be associated with increased lung disease severity in cystic fibrosis. <i>Gene</i> , 2019, 683, 12-17.	1.0	6
62	Polygenic risk for schizophrenia and season of birth within the UK Biobank cohort. <i>Psychological Medicine</i> , 2019, 49, 2499-2504.	2.7	23
63	Genome-wide meta-analysis of depression identifies 102 independent variants and highlights the importance of the prefrontal brain regions. <i>Nature Neuroscience</i> , 2019, 22, 343-352.	7.1	1,589
64	Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018, 9, 1470.	5.8	415
65	Genome-wide analysis of self-reported risk-taking behaviour and cross-disorder genetic correlations in the UK Biobank cohort. <i>Translational Psychiatry</i> , 2018, 8, 39.	2.4	57
66	The use of polygenic risk scores to identify phenotypes associated with genetic risk of bipolar disorder and depression: A systematic review. <i>Journal of Affective Disorders</i> , 2018, 234, 148-155.	2.0	97
67	Seasonality of depressive symptoms in women but not in men: A cross-sectional study in the UK Biobank cohort. <i>Journal of Affective Disorders</i> , 2018, 229, 296-305.	2.0	31
68	Population-level seasonality in cardiovascular mortality, blood pressure, BMI and inflammatory cells in UK biobank. <i>Annals of Medicine</i> , 2018, 50, 410-419.	1.5	9
69	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224
70	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	0.7	87
71	The use of polygenic risk scores to identify phenotypes associated with genetic risk of schizophrenia: Systematic review. <i>Schizophrenia Research</i> , 2018, 197, 2-8.	1.1	109
72	Application of an adapted PRECIS-2 instrument to assess efficacy- and effectiveness-study designs in a systematic review of intervention studies of the hepatitis C virus-care continuum among people who use drugs. <i>Comparative Effectiveness Research</i> , 2018, Volume 8, 3-17.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Genetics of self-reported risk-taking behaviour, trans-ethnic consistency and relevance to brain gene expression. <i>Translational Psychiatry</i> , 2018, 8, 178.	2.4	29
74	Polygenic risk scores for major depressive disorder and neuroticism as predictors of antidepressant response: Meta-analysis of three treatment cohorts. <i>PLoS ONE</i> , 2018, 13, e0203896.	1.1	37
75	Addendum: Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018, 9, 3578.	5.8	16
76	Association of disrupted circadian rhythmicity with mood disorders, subjective wellbeing, and cognitive function: a cross-sectional study of 91â€™105 participants from the UK Biobank. <i>Lancet Psychiatry</i> , 2018, 5, 507-514.	3.7	238
77	Genome-Wide Association Study of Circadian Rhythmicity in 71,500 UK Biobank Participants and Polygenic Association with Mood Instability. <i>EBioMedicine</i> , 2018, 35, 279-287.	2.7	53
78	A Web-Based Psychoeducational Intervention for Adolescent Depression: Design and Development of MoodHwb. <i>JMIR Mental Health</i> , 2018, 5, e13.	1.7	37
79	Mood Disorder in the Personal Correspondence of Robert Burns: Testing a Novel Interdisciplinary Approach. <i>Journal of the Royal College of Physicians of Edinburgh</i> , 2018, 48, 165-174.	0.2	2
80	Associations between single and multiple cardiometabolic diseases and cognitive abilities in 474 129 UK Biobank participants. <i>European Heart Journal</i> , 2017, 38, ehw528.	1.0	47
81	Invited Commentary on Stewart and Davis â€™â€™Big dataâ€™â€™ in mental health researchâ€™ current status and emerging possibilitiesâ€™. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 127-129.	1.6	6
82	Adverse metabolic and mental health outcomes associated with shiftwork in a population-based study of 277,168 workers in UK biobank. <i>Annals of Medicine</i> , 2017, 49, 411-420.	1.5	76
83	Is adolescent alcohol use associated with self-reported hypomanic symptoms in adulthood? â€™ Findings from a prospective birth cohort. <i>Psychiatry Research</i> , 2017, 255, 232-237.	1.7	5
84	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. <i>Psychological Medicine</i> , 2017, 47, 23-33.	2.7	28
85	Evaluation of the 13-item Hypomania Checklist and a brief 3-item manic features questionnaire in primary care. <i>BJPsych Bulletin</i> , 2017, 41, 187-191.	0.7	1
86	Admission to psychiatric hospital for mental illnesses 2 years prechildbirth and postchildbirth in Scotland: a health informatics approach to assessing mother and child outcomes. <i>BMJ Open</i> , 2017, 7, e016908.	0.8	2
87	Subcortical volume and white matter integrity abnormalities in major depressive disorder: findings from UK Biobank imaging data. <i>Scientific Reports</i> , 2017, 7, 5547.	1.6	91
88	Genome-wide analysis in UK Biobank identifies four loci associated with mood instability and genetic correlation with major depressive disorder, anxiety disorder and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, 1264.	2.4	69
89	Association of Body Mass Index With Cardiometabolic Disease in the UK Biobank. <i>JAMA Cardiology</i> , 2017, 2, 882.	3.0	181
90	Borderline personality and attention-deficit hyperactivity traits in childhood are associated with hypomanic features in early adulthood. <i>Journal of Affective Disorders</i> , 2017, 221, 246-253.	2.0	6

#	ARTICLE	IF	CITATIONS
91	The role of physical and mental health multimorbidity in suicidal ideation. <i>Journal of Affective Disorders</i> , 2017, 209, 80-85.	2.0	28
92	Epidemiology of Hepatitis C Virus Among People Who Inject Drugs: Protocol for a Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2017, 6, e201.	0.5	0
93	Depression in Visual Impairment Trial (DEPVIT): A Randomized Clinical Trial of Depression Treatments in People With Low Vision. , 2016, 57, 4247.		36
94	Cognitive Test Scores in UK Biobank: Data Reduction in 480,416 Participants and Longitudinal Stability in 20,346 Participants. <i>PLoS ONE</i> , 2016, 11, e0154222.	1.1	175
95	Admission to psychiatric hospital in the early and late postpartum periods: Scottish national linkage study. <i>BMJ Open</i> , 2016, 6, e008758.	0.8	32
96	Low birth weight and features of neuroticism and mood disorder in 83 545 participants of the UK Biobank cohort. <i>BJPsych Open</i> , 2016, 2, 38-44.	0.3	14
97	Cardiometabolic disease and features of depression and bipolar disorder: Population-based, cross-sectional study. <i>British Journal of Psychiatry</i> , 2016, 208, 343-351.	1.7	30
98	Genome-wide association study of cognitive functions and educational attainment in UK Biobank (N=112â€‰%151). <i>Molecular Psychiatry</i> , 2016, 21, 758-767.	4.1	317
99	Gestational influenza and risk of hypomania in young adulthood: prospective birth cohort study. <i>Journal of Affective Disorders</i> , 2016, 200, 182-188.	2.0	13
100	Genome-wide analysis of over 106â€‰%000 individuals identifies 9 neuroticism-associated loci. <i>Molecular Psychiatry</i> , 2016, 21, 749-757.	4.1	220
101	Alzheimer disease genetic risk factor <i>APOE</i> <i>e</i> 4 and cognitive abilities in 111,739 UK Biobank participants. <i>Age and Ageing</i> , 2016, 45, 511-517.	0.7	45
102	Pleiotropy between neuroticism and physical and mental health: findings from 108â€‰%038 men and women in UK Biobank. <i>Translational Psychiatry</i> , 2016, 6, e791-e791.	2.4	135
103	Monotherapy With Major Antihypertensive Drug Classes and Risk of Hospital Admissions for Mood Disorders. <i>Hypertension</i> , 2016, 68, 1132-1138.	1.3	97
104	Routine data linkage to identify and monitor diabetes in clozapine-treated patients with schizophrenia. <i>Schizophrenia Research</i> , 2016, 178, 107-108.	1.1	1
105	Data science for mental health: a UK perspective on a global challenge. <i>Lancet Psychiatry</i> , the, 2016, 3, 993-998.	3.7	47
106	Prevalence and correlates of cognitive impairment in euthymic adults with bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2016, 205, 165-181.	2.0	165
107	Shared genetic aetiology between cognitive functions and physical and mental health in UK Biobank (N=112â€‰%151) and 24 GWAS consortia. <i>Molecular Psychiatry</i> , 2016, 21, 1624-1632.	4.1	340
108	High Prevalence of Untreated Depression in Patients Accessing Low-Vision Services. <i>Ophthalmology</i> , 2016, 123, 440-441.	2.5	45

#	ARTICLE	IF	CITATIONS
109	Comorbidity of depression and anxiety disorders in patients with hypertension. <i>Journal of Hypertension</i> , 2016, 34, 397-398.	0.3	20
110	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002090.	3.9	60
111	Long-Term Mental Health Outcomes of Military Service. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 793-798.	1.1	27
112	Ethnic differences in the association between depression and chronic pain: cross sectional results from UK Biobank. <i>BMC Family Practice</i> , 2015, 16, 128.	2.9	27
113	Sex differences in plasma clozapine and norclozapine concentrations in clinical practice and in relation to body mass index and plasma glucose concentrations: a retrospective survey. <i>Annals of General Psychiatry</i> , 2015, 14, 39.	1.2	43
114	Longitudinal symptom course in adults with recurrent depression: Impact on impairment and risk of psychopathology in offspring. <i>Journal of Affective Disorders</i> , 2015, 182, 32-38.	2.0	17
115	Predictors of admission and readmission to hospital for major depression: A community cohort study of 52,990 individuals. <i>Journal of Affective Disorders</i> , 2015, 183, 10-14.	2.0	22
116	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 226-231.	2.0	19
117	Cognitive function and lifetime features of depression and bipolar disorder in a large population sample: Cross-sectional study of 143,828 UK Biobank participants. <i>European Psychiatry</i> , 2015, 30, 950-958.	0.1	46
118	Patients' perspectives of the feasibility, acceptability and impact of a group-based psychoeducation programme for bipolar disorder: a qualitative analysis. <i>BMC Psychiatry</i> , 2015, 15, 184.	1.1	28
119	Hepatitis C virus (HCV) disease progression in people who inject drugs (PWID): A systematic review and meta-analysis. <i>International Journal of Drug Policy</i> , 2015, 26, 911-921.	1.6	88
120	Childhood IQ and risk of bipolar disorder in adulthood: prospective birth cohort study. <i>BJPsych Open</i> , 2015, 1, 74-80.	0.3	31
121	How Patients Contribute to an Online Psychoeducation Forum for Bipolar Disorder: A Virtual Participant Observation Study. <i>JMIR Mental Health</i> , 2015, 2, e21.	1.7	22
122	Socioeconomic status and prescribing for schizophrenia: analysis of 3200 cases from the Glasgow Psychosis Clinical Information System (PsyCIS). <i>Psychiatric Bulletin</i> (2014), 2014, 38, 54-57.	0.4	9
123	Heaviness, health and happiness: a cross-sectional study of 163066 UK Biobank participants. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 340-348.	2.0	22
124	Prevention strategies for adolescent depression. <i>Advances in Psychiatric Treatment</i> , 2014, 20, 116-124.	0.6	7
125	Impact of socioeconomic deprivation on rate and cause of death in severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 261.	1.1	45
126	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. <i>British Journal of General Practice</i> , 2014, 64, e649-e656.	0.7	15

#	ARTICLE	IF	CITATIONS
127	Chronic multisite pain in major depression and bipolar disorder: cross-sectional study of 149,611 participants in UK Biobank. <i>BMC Psychiatry</i> , 2014, 14, 350.	1.1	82
128	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. <i>BMC Medicine</i> , 2014, 12, 181.	2.3	153
129	Elevated metal concentrations in the CF airway correlate with cellular injury and disease severity. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 289-295.	0.3	71
130	Standard cardiovascular disease risk algorithms underestimate the risk of cardiovascular disease in schizophrenia: Evidence from a national primary care database. <i>Schizophrenia Research</i> , 2014, 159, 176-181.	1.1	22
131	Exercise therapy in adults with serious mental illness: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2014, 14, 117.	1.1	80
132	Gender differences in the association between adiposity and probable major depression: a cross-sectional study of 140,564 UK Biobank participants. <i>BMC Psychiatry</i> , 2014, 14, 153.	1.1	29
133	Improving the psychometric utility of the hypomania checklist (HCL-32): A Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014, 152-154, 448-453.	2.0	14
134	Detecting recurrent major depressive disorder within primary care rapidly and reliably using short questionnaire measures. <i>British Journal of General Practice</i> , 2014, 64, e31-e37.	0.7	8
135	Reduced Mucosal Associated Invariant T-Cells Are Associated with Increased Disease Severity and <i>Pseudomonas aeruginosa</i> Infection in Cystic Fibrosis. <i>PLoS ONE</i> , 2014, 9, e109891.	1.1	58
136	Depression and Multimorbidity. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 1202-1208.	1.1	103
137	Multimorbidity in bipolar disorder and undertreatment of cardiovascular disease: a cross sectional study. <i>BMC Medicine</i> , 2013, 11, 263.	2.3	104
138	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	2.2	481
139	Is there a clinical prodrome of bipolar disorder? A review of the evidence. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 89-98.	1.4	24
140	Multimorbidity and mental health: can psychiatry rise to the challenge?. <i>British Journal of Psychiatry</i> , 2013, 202, 391-393.	1.7	51
141	SGCE mutations cause psychiatric disorders: clinical and genetic characterization. <i>Brain</i> , 2013, 136, 294-303.	3.7	91
142	Cardiometabolic comorbidity in bipolar disorder. <i>Dusunen Adam</i> , 2013, , 315-319.	0.0	1
143	Practical considerations for the development of a psychoeducation programme: lessons from the Cardiff experience. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 25-28.	2.2	4
144	lvacaftor in severe cystic fibrosis lung disease and a G 551 D mutation. <i>Respirology Case Reports</i> , 2013, 1, 52-54.	0.3	8

#	ARTICLE	IF	CITATIONS
145	Schizophrenia is associated with excess multiple physical-health comorbidities but low levels of recorded cardiovascular disease in primary care: cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002808.	0.8	184
146	Risk of psychopathology in adolescent offspring of mothers with psychopathology and recurrent depression. <i>British Journal of Psychiatry</i> , 2013, 202, 108-114.	1.7	44
147	Prevalence and Characteristics of Probable Major Depression and Bipolar Disorder within UK Biobank: Cross-Sectional Study of 172,751 Participants. <i>PLoS ONE</i> , 2013, 8, e75362.	1.1	288
148	Bipolar disorder. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 251-263.	1.0	12
149	Antipsychotic dose escalation as a trigger for Neuroleptic Malignant Syndrome (NMS): literature review and case series report. <i>BMC Psychiatry</i> , 2012, 12, 214.	1.1	41
150	Internet-based psychoeducation for bipolar disorder: a qualitative analysis of feasibility, acceptability and impact. <i>BMC Psychiatry</i> , 2012, 12, 139.	1.1	41
151	The Depression in Visual Impairment Trial (DEPVI): trial design and protocol. <i>BMC Psychiatry</i> , 2012, 12, 57.	1.1	35
152	Offspring of parents with recurrent depression: Which features of parent depression index risk for offspring psychopathology?. <i>Journal of Affective Disorders</i> , 2012, 136, 44-53.	2.0	79
153	Developing an online psychoeducation package for bipolar disorder. <i>Journal of Mental Health</i> , 2011, 20, 21-31.	1.0	25
154	Unrecognised bipolar disorder in primary care patients with depression. <i>British Journal of Psychiatry</i> , 2011, 199, 49-56.	1.7	127
155	Unipolar and bipolar depression: different or the same?. <i>British Journal of Psychiatry</i> , 2011, 199, 272-274.	1.7	32
156	Next Generation Antidepressants: Moving Beyond Monoamines to Discover Novel Treatment Strategies for Mood Disorders. Edited by Chad E. Beyer & Stephen M. Stahl. Cambridge University Press. 2010. £50 (hb). 150pp. ISBN: 9780521760584. <i>British Journal of Psychiatry</i> , 2011, 198, 499-499.	1.7	0
157	Beating Bipolar: exploratory trial of a novel internet-based psychoeducational treatment for bipolar disorder. <i>Bipolar Disorders</i> , 2011, 13, 571-577.	1.1	81
158	Bipolar spektrumunun yeniden keşfi. <i>Noropsikiyatri Arsivi</i> , 2011, 48, 1-1.	0.7	0
159	Affective temperaments across the bipolar-unipolar spectrum: Examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010, 123, 42-51.	2.0	39
160	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010, 124, 351-356.	2.0	39
161	The importance of early and accurate diagnosis. <i>The Psychiatrist</i> , 2010, 34, 260-260.	0.3	1
162	Psychosis Susceptibility Gene ZNF804A and Cognitive Performance in Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 692.	13.8	129

#	ARTICLE	IF	CITATIONS
163	Psychoeducation for bipolar disorder. <i>Advances in Psychiatric Treatment</i> , 2010, 16, 147-154.	0.6	24
164	Bipolar spectrum disorders in primary care: optimising diagnosis and treatment. <i>British Journal of General Practice</i> , 2010, 60, 322-324.	0.7	13
165	Predicting response to lithium in bipolar disorder: A critical review of pharmacogenetic studies. <i>Journal of Mental Health</i> , 2010, 19, 142-156.	1.0	18
166	Is underdiagnosis the main pitfall when diagnosing bipolar disorder? Yes. <i>BMJ: British Medical Journal</i> , 2010, 340, c854-c854.	2.4	36
167	Polymorphisms in the SLC6A4 and HTR2A genes influence treatment outcome following antidepressant therapy. <i>Pharmacogenomics Journal</i> , 2009, 9, 61-70.	0.9	102
168	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2009, 114, 68-73.	2.0	52
169	Age-at-onset in bipolar-I disorder: Mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009, 116, 23-29.	2.0	75
170	The Bipolar Interactive Psychoeducation (BIPED) study: trial design and protocol. <i>BMC Psychiatry</i> , 2009, 9, 50.	1.1	24
171	Sub-threshold manic symptoms in recurrent major depressive disorder are a marker for poor outcome. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 325-329.	2.2	46
172	Polarity at illness onset in bipolar I disorder and clinical course of illness. <i>Bipolar Disorders</i> , 2009, 11, 82-88.	1.1	56
173	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. <i>Bipolar Disorders</i> , 2009, 11, 307-315.	1.1	4
174	Differences in depressive symptom profile between males and females. <i>Journal of Affective Disorders</i> , 2008, 108, 279-284.	2.0	74
175	The broad clinical spectrum of bipolar disorder: implications for research and practice. <i>Journal of Psychopharmacology</i> , 2008, 22, 397-400.	2.0	21
176	Clinical differences between bipolar and unipolar depression. <i>British Journal of Psychiatry</i> , 2008, 192, 388-389.	1.7	118
177	Wake-up call for British psychiatry. <i>British Journal of Psychiatry</i> , 2008, 193, 6-9.	1.7	183
178	Bipolarity is important during treatment with antidepressants. <i>BMJ: British Medical Journal</i> , 2007, 334, 327.1-327.	2.4	2
179	Hypomania in clinical practice. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 110-120.	0.6	11
180	Neurocognitive impairment in euthymic young adults with bipolar spectrum disorder and recurrent major depressive disorder. <i>Bipolar Disorders</i> , 2006, 8, 40-46.	1.1	143

#	ARTICLE	IF	CITATIONS
181	The use of single photon emission computed tomography in depressive disorders. <i>Nuclear Medicine Communications</i> , 2005, 26, 197-203.	0.5	33
182	Sex-specific association between bipolar affective disorder in women and GPR50, an X-linked orphan G protein-coupled receptor. <i>Molecular Psychiatry</i> , 2005, 10, 470-478.	4.1	98
183	The high prevalence of bipolar spectrum disorders in young adults with recurrent depression: toward an innovative diagnostic framework. <i>Journal of Affective Disorders</i> , 2005, 84, 167-178.	2.0	74
184	Borderline personality disorder characteristics in young adults with recurrent mood disorders: A comparison of bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , 2005, 87, 17-23.	2.0	47
185	High harm avoidance and low self-directedness in euthymic young adults with recurrent, early-onset depression. <i>Journal of Affective Disorders</i> , 2005, 87, 83-89.	2.0	111
186	Is Borderline Personality Disorder Part of the Bipolar Spectrum?. <i>Harvard Review of Psychiatry</i> , 2004, 12, 133-139.	0.9	68
187	Depression in young adults. <i>Advances in Psychiatric Treatment</i> , 2004, 10, 4-12.	0.6	24
188	Ethanol-Fed Sprague-Dawley Rats Maintain Normal Levels of Insulin-like Growth Factor I,. <i>Journal of Nutrition</i> , 1992, 122, 229-233.	1.3	6
189	Isolation of <i>Raja erinacea</i> basolateral liver plasma membranes: Characterization of lipid composition and fluidity. <i>The Journal of Experimental Zoology</i> , 1991, 258, 189-195.	1.4	14