

# Ling-Bin Kong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3482904/publications.pdf>

Version: 2024-02-01

255  
papers

10,195  
citations

34100

52  
h-index

46795

89  
g-index

261  
all docs

261  
docs citations

261  
times ranked

10007  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrothermal Synthesis and Pseudocapacitance Properties of $\text{Ni-MnO}_2$ Hollow Spheres and Hollow Urchins. <i>Journal of Physical Chemistry C</i> , 2007, 111, 19141-19147.	3.1	478
2	Facile approach to prepare loose-packed NiO nano-flakes materials for supercapacitors. <i>Chemical Communications</i> , 2008, , 4213.	4.1	380
3	Design and synthesis of $\text{CoMoO}_4 \cdot n\text{H}_2\text{O}$ bundles with improved electrochemical properties for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1380-1387.	10.3	328
4	In-situ electrochemical polymerization of multi-walled carbon nanotube/polyaniline composite films for electrochemical supercapacitors. <i>Synthetic Metals</i> , 2009, 159, 260-266.	3.9	226
5	Facile approach to prepare loose-packed cobalt hydroxide nano-flakes materials for electrochemical capacitors. <i>Journal of Power Sources</i> , 2009, 194, 1194-1201.	7.8	218
6	A Sol-gel Process for Fabrication of $\text{NiO/NiCo}_2\text{O}_4/\text{Co}_3\text{O}_4$ Composite with Improved Electrochemical Behavior for Electrochemical Capacitors. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 4631-4636.	8.0	202
7	Investigating metal-organic framework as a new pseudo-capacitive material for supercapacitors. <i>Chinese Chemical Letters</i> , 2014, 25, 957-961.	9.0	188
8	Asymmetric supercapacitors based on stabilized $\text{Ni(OH)}_2$ and activated carbon. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 1533-1539.	2.5	186
9	Porous wood carbon monolith for high-performance supercapacitors. <i>Electrochimica Acta</i> , 2012, 60, 443-448.	5.2	179
10	Pomelo peels-derived porous activated carbon microsheets dual-doped with nitrogen and phosphorus for high performance electrochemical capacitors. <i>Journal of Power Sources</i> , 2018, 378, 499-510.	7.8	170
11	Cobalt vanadate as highly active, stable, noble metal-free oxygen evolution electrocatalyst. <i>Journal of Materials Chemistry A</i> , 2014, 2, 18435-18443.	10.3	169
12	A facile approach to the preparation of loose-packed $\text{Ni(OH)}_2$ nanoflake materials for electrochemical capacitors. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 333-340.	2.5	163
13	Synthesis and characterization of $\text{M}_3\text{V}_2\text{O}_8$ (M = Ni or Co) based nanostructures: a new family of high performance pseudocapacitive materials. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4919.	10.3	161
14	One-pot hydrothermal synthesis of porous nickel cobalt phosphides with high conductivity for advanced energy conversion and storage. <i>Electrochimica Acta</i> , 2016, 215, 114-125.	5.2	159
15	Amorphous $\text{Ni}_2\text{P}$ materials for high performance pseudocapacitors. <i>Journal of Power Sources</i> , 2015, 274, 1107-1113.	7.8	140
16	The specific capacitance of sol-gel synthesised spinel $\text{MnCo}_2\text{O}_4$ in an alkaline electrolyte. <i>Electrochimica Acta</i> , 2014, 115, 22-27.	5.2	128
17	Facile synthesis of $\text{NiMoO}_4 \cdot n\text{H}_2\text{O}$ nanorods as a positive electrode material for supercapacitors. <i>RSC Advances</i> , 2013, 3, 6472.	3.6	123
18	Biopolymer-based carboxylated chitosan hydrogel film crosslinked by HCl as gel polymer electrolyte for all-solid-state supercapacitors. <i>Journal of Power Sources</i> , 2019, 426, 47-54.	7.8	122

#	ARTICLE	IF	CITATIONS
19	Asymmetric Supercapacitor Based on Loose-Packed Cobalt Hydroxide Nanoflake Materials and Activated Carbon. <i>Journal of the Electrochemical Society</i> , 2009, 156, A1000.	2.9	121
20	Electrostatically Charged MoS <sub>2</sub> /Graphene Oxide Hybrid Composites for Excellent Electrochemical Energy Storage Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 35571-35579.	8.0	113
21	Hierarchically porous nickel hydroxide/mesoporous carbon composite materials for electrochemical capacitors. <i>Microporous and Mesoporous Materials</i> , 2010, 132, 154-162.	4.4	108
22	Supercapacitor electrode of nano-Co <sub>3</sub> O <sub>4</sub> decorated with gold nanoparticles via in-situ reduction method. <i>Journal of Power Sources</i> , 2017, 363, 1-8.	7.8	108
23	Identifying pseudocapacitance of Fe <sub>2</sub> O <sub>3</sub> in an ionic liquid and its application in asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2014, 2, 14550-14556.	10.3	105
24	Design and synthesis of 3D Co <sub>3</sub> O <sub>4</sub> @MMoO <sub>4</sub> (M=Ni, Co) nanocomposites as high-performance supercapacitor electrodes. <i>Electrochimica Acta</i> , 2014, 130, 660-669.	5.2	103
25	An Approach to Preparing Ni <sup>2+</sup> with Different Phases for Use as Supercapacitor Electrode Materials. <i>Chemistry - A European Journal</i> , 2015, 21, 17897-17903.	3.3	103
26	Hydrothermal process for the fabrication of CoMoO <sub>4</sub> ·0.9H <sub>2</sub> O nanorods with excellent electrochemical behavior. <i>New Journal of Chemistry</i> , 2012, 36, 1713.	2.8	102
27	MWNTs/PANI composite materials prepared by in-situ chemical oxidative polymerization for supercapacitor electrode. <i>Journal of Materials Science</i> , 2008, 43, 3664-3669.	3.7	94
28	Watchband-Like Supercapacitors with Body Temperature Inducible Shape Memory Ability. <i>Advanced Energy Materials</i> , 2016, 6, 1600763.	19.5	94
29	Facile fabrication of CoMoO <sub>4</sub> nanorods as electrode material for electrochemical capacitors. <i>Materials Letters</i> , 2013, 94, 197-200.	2.6	89
30	Facile synthesis of high electrical conductive CoP via solid-state synthetic routes for supercapacitors. <i>Journal of Energy Chemistry</i> , 2017, 26, 49-55.	12.9	86
31	The empirical correlations between PM <sub>2.5</sub> , PM <sub>10</sub> and AOD in the Beijing metropolitan region and the PM <sub>2.5</sub> , PM <sub>10</sub> distributions retrieved by MODIS. <i>Environmental Pollution</i> , 2016, 216, 350-360.	7.5	84
32	Porous cobalt hydroxide film electrodeposited on nickel foam with excellent electrochemical capacitive behavior. <i>Journal of Solid State Electrochemistry</i> , 2011, 15, 571-577.	2.5	81
33	Preparation of novel nano-composite Ni(OH) <sub>2</sub> /USY material and its application for electrochemical capacitance storage. Electronic supplementary information (ESI) available: calculation method of the measured and theoretical specific capacitance. See <a href="http://www.rsc.org/suppdata/cc/b4/b401922a/">http://www.rsc.org/suppdata/cc/b4/b401922a/</a> . <i>Chemical Communications</i> , 2004, 1646.	4.1	78
34	An Asymmetric Supercapacitor with Both Ultra-High Gravimetric and Volumetric Energy Density Based on 3D Ni(OH) <sub>2</sub> /MnO <sub>2</sub> @Carbon Nanotube and Activated Polyaniline-Derived Carbon. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 668-676.	8.0	78
35	Synthesis of polypyrrole film by pulse galvanostatic method and its application as supercapacitor electrode materials. <i>Journal of Materials Science</i> , 2010, 45, 1947-1954.	3.7	77
36	Supercapacitor Electrode Based on Nano-Vanadium Nitride Incorporated on Porous Carbon Nanospheres Derived from Ionic Amphiphilic Block Copolymers & Vanadium-Contained Ion Assembly Systems. <i>Electrochimica Acta</i> , 2016, 211, 469-477.	5.2	77

#	ARTICLE	IF	CITATIONS
37	Design and synthesis of Ni <sub>2</sub> P/Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> nanocomposite with enhanced electrochemical capacitive properties. <i>Electrochimica Acta</i> , 2016, 190, 1041-1049.	5.2	73
38	The structural and magnetic properties of Co-doped titanate nanotubes synthesized under hydrothermal conditions. <i>Applied Physics A: Materials Science and Processing</i> , 2007, 87, 781-786.	2.3	72
39	Co <sub>0.56</sub> Ni <sub>0.44</sub> Oxide Nanoflake Materials and Activated Carbon for Asymmetric Supercapacitor. <i>Journal of the Electrochemical Society</i> , 2010, 157, A1341.	2.9	72
40	3D Hierarchically Structured CoS Nanosheets: Li <sup>+</sup> Storage Mechanism and Application of the High-Performance Lithium-Ion Capacitors. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 3709-3718.	8.0	72
41	Highly ordered MnO <sub>2</sub> nanowire array thin films on Ti/Si substrate as an electrode for electrochemical capacitor. <i>Journal of Solid State Chemistry</i> , 2006, 179, 1351-1355.	2.9	70
42	Simple synthesis of a CoMoS <sub>4</sub> -based nanostructure and its application for high-performance supercapacitors. <i>RSC Advances</i> , 2016, 6, 7633-7642.	3.6	69
43	Advanced asymmetric supercapacitors based on Ni <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> @GO and Fe <sub>2</sub> O <sub>3</sub> @GO electrodes with high specific capacitance and high energy density. <i>RSC Advances</i> , 2015, 5, 41721-41728.	3.6	68
44	Adjusting electrode initial potential to obtain high-performance asymmetric supercapacitor based on porous vanadium pentoxide nanotubes and activated carbon nanorods. <i>Journal of Power Sources</i> , 2015, 279, 358-364.	7.8	66
45	Design and preparation of MoO <sub>2</sub> /MoS <sub>2</sub> as negative electrode materials for supercapacitors. <i>Materials and Design</i> , 2016, 112, 88-96.	7.0	62
46	A facile route to preparation of CdS nanorods. <i>Materials Chemistry and Physics</i> , 2003, 77, 734-737.	4.0	60
47	Negative electrode materials of molybdenum nitride/N-doped carbon nano-fiber via electrospinning method for high-performance supercapacitors. <i>Electrochimica Acta</i> , 2018, 277, 41-49.	5.2	60
48	Nano-Au@PANI core-shell nanoparticles via in-situ polymerization as electrode for supercapacitor. <i>Journal of Alloys and Compounds</i> , 2017, 722, 1-7.	5.5	58
49	A facile strategy for the synthesis of three-dimensional heterostructure self-assembled MoSe <sub>2</sub> nanosheets and their application as an anode for high-energy lithium-ion hybrid capacitors. <i>Nanoscale</i> , 2019, 11, 7263-7276.	5.6	57
50	Nano-composite of polypyrrole/modified mesoporous carbon for electrochemical capacitor application. <i>Electrochimica Acta</i> , 2010, 55, 8067-8073.	5.2	56
51	Mechanical alloying synthesis of Ni <sub>3</sub> S <sub>2</sub> nanoparticles as electrode material for pseudocapacitor with excellent performances. <i>Journal of Alloys and Compounds</i> , 2016, 656, 138-145.	5.5	56
52	Design, synthesis and evaluation of three-dimensional Co <sub>3</sub> O <sub>4</sub> /Co <sub>3</sub> (VO <sub>4</sub> ) <sub>2</sub> hybrid nanorods on nickel foam as self-supported electrodes for asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2014, 269, 61-68.	7.8	54
53	Carbon nanosphere@vanadium nitride electrode materials derived from metal-organic nanospheres self-assembled by NH <sub>4</sub> VO <sub>3</sub> , chitosan, and amphiphilic block copolymer. <i>Electrochimica Acta</i> , 2018, 262, 66-73.	5.2	54
54	A Sol-Gel Process for the Synthesis of NiCo <sub>2</sub> O <sub>4</sub> Having Improved Specific Capacitance and Cycle Stability for Electrochemical Capacitors. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1262-A1266.	2.9	53

#	ARTICLE	IF	CITATIONS
55	Electrochemical performance in alkaline and neutral electrolytes of a manganese phosphate material possessing a broad potential window. <i>RSC Advances</i> , 2016, 6, 40077-40085.	3.6	53
56	Supercapacitor electrodes based on nano-polyaniline deposited on hollow carbon spheres derived from cross-linked co-polymers. <i>Synthetic Metals</i> , 2015, 209, 369-376.	3.9	52
57	Facile preparation of nitrogen-doped hierarchical porous carbon with high performance in supercapacitors. <i>Applied Surface Science</i> , 2016, 364, 850-861.	6.1	52
58	Intercalation structure of vanadium nitride nanoparticles growing on graphene surface toward high negative active material for supercapacitor utilization. <i>Journal of Alloys and Compounds</i> , 2019, 781, 1054-1058.	5.5	52
59	Facile fabrication and perfect cycle stability of 3D NiO@CoMoO <sub>4</sub> nanocomposite on Ni foam for supercapacitors. <i>RSC Advances</i> , 2014, 4, 17884.	3.6	51
60	Nanocomposites based on hierarchical porous carbon fiber@vanadium nitride nanoparticles as supercapacitor electrodes. <i>Dalton Transactions</i> , 2018, 47, 4128-4138.	3.3	51
61	Design of Lamellar Mo <sub>2</sub> C Nanosheets Assembled by Mo <sub>2</sub> C Nanoparticles as an Anode Material toward Excellent Sodium-Ion Capacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 18375-18383.	6.7	51
62	Synthesis of Co(OH) <sub>2</sub> /USY composite and its application for electrochemical supercapacitors. <i>Journal of Power Sources</i> , 2004, 136, 197-200.	7.8	48
63	A novel polyaniline/mesoporous carbon nano-composite electrode for asymmetric supercapacitor. <i>Chinese Chemical Letters</i> , 2010, 21, 1509-1512.	9.0	48
64	Diamine molecules double lock-link structured graphene oxide sheets for high-performance sodium ions storage. <i>Energy Storage Materials</i> , 2021, 34, 45-52.	18.0	48
65	Design and preparation of highly structure-controllable mesoporous carbons at the molecular level and their application as electrode materials for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22781-22793.	10.3	47
66	Synthesis of polyvalent ion reaction of MoS <sub>2</sub> /CoS <sub>2</sub> -RGO anode materials for high-performance sodium-ion batteries and sodium-ion capacitors. <i>Journal of Colloid and Interface Science</i> , 2020, 575, 42-53.	9.4	47
67	VO <sub>2</sub> : from negative electrode material to symmetric electrochemical capacitor. <i>RSC Advances</i> , 2015, 5, 97239-97247.	3.6	45
68	Waste paper based activated carbon monolith as electrode materials for high performance electric double-layer capacitors. <i>RSC Advances</i> , 2012, 2, 1890.	3.6	44
69	Facile fabrication of manganese phosphate nanosheets for supercapacitor applications. <i>Ionics</i> , 2016, 22, 1461-1469.	2.4	43
70	Construction of high electrical conductive nickel phosphide alloys with controllable crystalline phase for advanced energy storage. <i>Electrochimica Acta</i> , 2017, 232, 387-395.	5.2	43
71	In situ polymerization and reduction to fabricate gold nanoparticle-incorporated polyaniline as supercapacitor electrode materials. <i>Polymers for Advanced Technologies</i> , 2018, 29, 1697-1705.	3.2	43
72	Nanoflake-like cobalt hydroxide/ordered mesoporous carbon composite for electrochemical capacitors. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 2065-2075.	2.5	41

#	ARTICLE	IF	CITATIONS
73	A hierarchical porous carbon membrane from polyacrylonitrile/polyvinylpyrrolidone blending membranes: Preparation, characterization and electrochemical capacitive performance. <i>Journal of Energy Chemistry</i> , 2014, 23, 684-693.	12.9	41
74	Activated hierarchical porous carbon as electrode membrane accommodated with triblock copolymer for supercapacitors. <i>Journal of Membrane Science</i> , 2016, 514, 366-375.	8.2	41
75	Facile fabrication of ultrathin hybrid membrane for highly flexible supercapacitors via in-situ phase separation of polyethersulfone. <i>Journal of Power Sources</i> , 2016, 329, 104-114.	7.8	41
76	High Volumetric Energy Density Capacitors Based on New Electrode Material Lanthanum Nitride. <i>ACS Energy Letters</i> , 2017, 2, 336-341.	17.4	41
77	Concise N-doped Carbon Nanosheets/Vanadium Nitride Nanoparticles Materials via Intercalative Polymerization for Supercapacitors. <i>Scientific Reports</i> , 2018, 8, 2915.	3.3	41
78	Fabrication of flower-like Ni <sub>3</sub> (NO <sub>3</sub> ) <sub>2</sub> (OH) <sub>4</sub> and their electrochemical properties evaluation. <i>Materials Research Bulletin</i> , 2012, 47, 1641-1647.	5.2	39
79	Hierarchically Interconnected Ni <sub>3</sub> S <sub>2</sub> Nanofibers as Binder-Free Electrodes for High-Performance Sodium-Ion Energy-Storage Devices. <i>ACS Applied Nano Materials</i> , 2019, 2, 2634-2641.	5.0	39
80	Crystal Phase-Controlled Synthesis of the CoP@Co <sub>2</sub> P Heterostructure with 3D Nanowire Networks for High-Performance Li-Ion Capacitor Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 10071-10088.	8.0	39
81	Facile synthesis of Co <sub>3</sub> P <sub>2</sub> O <sub>8</sub> ·8H <sub>2</sub> O for high-performance electrochemical energy storage. <i>Materials Letters</i> , 2015, 161, 404-407.	2.6	38
82	Synthesis and high catalytic properties of mesoporous Pt nanowire array by novel conjunct template method. <i>Applied Surface Science</i> , 2008, 255, 3388-3393.	6.1	37
83	Nickel vanadate and nickel oxide nanohybrid on nickel foam as pseudocapacitive electrodes for electrochemical capacitors. <i>RSC Advances</i> , 2014, 4, 41772-41777.	3.6	37
84	Easy fabrication and high electrochemical capacitive performance of hierarchical porous carbon by a method combining liquid-liquid phase separation and pyrolysis process. <i>Electrochimica Acta</i> , 2014, 138, 367-375.	5.2	37
85	<i>In situ</i> doping of PANI nanocomposites by gold nanoparticles for high-performance electrochemical energy storage. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45309.	2.6	37
86	Polymer/block copolymer blending system as the compatible precursor system for fabrication of mesoporous carbon nanofibers for supercapacitors. <i>Journal of Power Sources</i> , 2019, 419, 137-147.	7.8	37
87	Platinum catalyst on ordered mesoporous carbon with controlled morphology for methanol electrochemical oxidation. <i>Applied Surface Science</i> , 2010, 256, 6688-6693.	6.1	36
88	Polyaniline nanoparticles grown on the surface of carbon microspheres aggregations for electrochemical supercapacitors. <i>Synthetic Metals</i> , 2012, 162, 114-118.	3.9	35
89	Mesoporous Co <sub>3</sub> O <sub>4</sub> materials obtained from cobalt citrate complex and their high capacitance behavior. <i>Journal of Power Sources</i> , 2012, 217, 358-363.	7.8	35
90	Preparation of hierarchical polyaniline nanotubes based on self-assembly and its electrochemical capacitance. <i>Polymers for Advanced Technologies</i> , 2012, 23, 1297-1301.	3.2	34

#	ARTICLE	IF	CITATIONS
91	A dandelion-like carbon microsphere/MnO <sub>2</sub> nanosheets composite for supercapacitors. <i>Journal of Energy Chemistry</i> , 2014, 23, 82-90.	12.9	34
92	Fabrication and electrochemical investigation of MWO <sub>4</sub> (M = Co, Ni) nanoparticles as high-performance anode materials for lithium-ion batteries. <i>Ionics</i> , 2018, 24, 363-372.	2.4	34
93	Three-Dimensional Interconnected Reticular Porous Carbon From Corn Starch By a Simple Sol-Gel Method Toward High-Performance Supercapacitors With Aqueous and Ionic Liquid Electrolytes. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 18690-18699.	6.7	34
94	Alkali-tolerant polymeric gel electrolyte membrane based on cross-linked carboxylated chitosan for supercapacitors. <i>Journal of Membrane Science</i> , 2021, 629, 119083.	8.2	33
95	Design and Synthesis of CoP/r-GO Hierarchical Architecture: Dominated Pseudocapacitance, Fast Kinetics Features, and Li-Ion Capacitor Applications. <i>ACS Applied Energy Materials</i> , 2020, 3, 5448-5461.	5.1	31
96	Silicon quantum-wires arrays synthesized by chemical vapor deposition and its micro-structural properties. <i>Chemical Physics Letters</i> , 2003, 374, 542-547.	2.6	30
97	Fabrication of promising LiFePO <sub>4</sub> /C composite with a core-shell structure by a moderate in situ carbothermal reduction method. <i>Electrochimica Acta</i> , 2012, 70, 19-24.	5.2	30
98	Facile synthesis of MoS <sub>2</sub> /graphite intercalated composite with enhanced electrochemical performance for sodium ion battery. <i>Journal of Energy Chemistry</i> , 2018, 27, 1208-1213.	12.9	30
99	Large interlayer spacing 2D Ta <sub>4</sub> C <sub>3</sub> matrix supported 2D MoS <sub>2</sub> nanosheets: A 3D heterostructure composite towards high-performance sodium ions storage. <i>Renewable Energy</i> , 2021, 169, 573-581.	8.9	30
100	Nano vanadium nitride incorporated onto interconnected porous carbon via the method of surface-initiated electrochemical mediated ATRP and heat-treatment approach for supercapacitors. <i>Electrochimica Acta</i> , 2017, 258, 405-413.	5.2	29
101	Interfacial Engineering in Crystalline Cobalt Tungstate/Amorphous Cobalt Boride Heterogeneous Nanostructures for Enhanced Electrochemical Performances. <i>ACS Applied Energy Materials</i> , 2020, 3, 11470-11479.	5.1	29
102	Platinum-Free Ternary Metallic Selenides as Nanostructured Counter Electrode for High-Efficiency Dye-Sensitized Solar Cell by Interface Engineering. <i>ACS Applied Energy Materials</i> , 2020, 3, 3704-3713.	5.1	29
103	NiMoO <sub>4</sub> -modified MnO <sub>2</sub> hybrid nanostructures on nickel foam: electrochemical performance and supercapacitor applications. <i>New Journal of Chemistry</i> , 2015, 39, 6207-6215.	2.8	28
104	Electrochemical Performance of Pseudo-Capacitive Intermetallic Molybdenum Nitride in Acid. <i>Journal of the Electrochemical Society</i> , 2016, 163, A1300-A1305.	2.9	27
105	Multi-dimensional hybrid heterostructure MoS <sub>2</sub> @C nanocomposite as a highly reversible anode for high-energy lithium-ion capacitors. <i>Applied Surface Science</i> , 2020, 531, 147222.	6.1	27
106	Effect of surfactant on the morphology and capacitive performance of porous NiCo <sub>2</sub> O <sub>4</sub> . <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1463-1471.	2.5	26
107	Three-dimensional honeycomb-like MoSe <sub>2</sub> /rGO as high performance sodium ions storage materials with long cycle stability and high rate capability. <i>Applied Surface Science</i> , 2020, 513, 145826.	6.1	26
108	Boosting the performance of cobalt molybdate nanorods by introducing nanoflake-like cobalt boride to form a heterostructure for aqueous hybrid supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2020, 565, 388-399.	9.4	26

#	ARTICLE	IF	CITATIONS
109	Branched silver nanowires obtained in porous anodic aluminum oxide template. <i>Journal of Materials Science Letters</i> , 2003, 22, 701-702.	0.5	25
110	Synthesis and electrochemical properties of hollow polyaniline microspheres by a sulfonated polystyrene template. <i>Journal of Applied Polymer Science</i> , 2013, 127, 1544-1549.	2.6	25
111	Mechanical Alloying Synthesis of Co <sub>9</sub> S <sub>8</sub> Particles as Materials for Supercapacitors. <i>Metals</i> , 2016, 6, 142.	2.3	25
112	A Facile Strategy for the Preparation of MoS <sub>3</sub> and its Application as a Negative Electrode for Supercapacitors. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2392-2398.	3.3	25
113	One-step synthesis of micro/nano flower-like Ni <sub>3</sub> V <sub>2</sub> O <sub>8</sub> as anode for Li-ion batteries. <i>Materials Letters</i> , 2017, 186, 289-292.	2.6	25
114	Dulce-derived porous carbon-polyaniline nanocomposite electrode for high-performance supercapacitors. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45776.	2.6	25
115	Special layer-structured WS <sub>2</sub> nanoflakes as high performance sodium ion storage materials. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1239-1247.	4.9	25
116	Preparation of nano-PANI@MnO <sub>2</sub> by surface initiated polymerization method using as a nano-tubular electrode material: The amount effect of aniline on the microstructure and electrochemical performance. <i>Journal of Energy Chemistry</i> , 2015, 24, 388-393.	12.9	24
117	Hollow Carbon Microspheres/MnO <sub>2</sub> Nanosheets Composites: Hydrothermal Synthesis and Electrochemical Behaviors. <i>Nano-Micro Letters</i> , 2015, 7, 59-67.	27.0	23
118	Facile synthesis of a nickel vanadate/Ni composite and its electrochemical performance as an anode for lithium ion batteries. <i>RSC Advances</i> , 2016, 6, 90197-90205.	3.6	23
119	RGO-modified CoWO <sub>4</sub> nanoparticles as new high-performance electrode materials for sodium-ion storage. <i>Ionics</i> , 2019, 25, 533-540.	2.4	23
120	A facile approach to preparation of nanostripes on the electropolished aluminum surface. <i>Materials Letters</i> , 2005, 59, 1656-1659.	2.6	22
121	Electroless gold deposition on silicon(100) wafer based on a seed layer of silver. <i>Applied Physics A: Materials Science and Processing</i> , 2005, 80, 597-600.	2.3	22
122	Synthesis of Co-Ni oxide microflowers as a superior anode for hybrid supercapacitors with ultralong cycle life. <i>Chinese Chemical Letters</i> , 2017, 28, 206-212.	9.0	22
123	Solid-phase synthesis and electrochemical pseudo-capacitance of nitrogen-atom interstitial compound Co <sub>3</sub> N. <i>Sustainable Energy and Fuels</i> , 2018, 2, 1178-1188.	4.9	22
124	Super long-life supercapacitor electrode materials based on hierarchical porous hollow carbon microcapsules. <i>RSC Advances</i> , 2015, 5, 87077-87083.	3.6	21
125	Polycationic bimetallic oxide CoGa <sub>2</sub> O <sub>4</sub> with spinel structure: dominated pseudocapacitance, dual-energy storage mechanism, and Li-ion hybrid supercapacitor application. <i>Ionics</i> , 2020, 26, 1379-1388.	2.4	21
126	Coral reef-like polyaniline nanotubes prepared by a reactive template of manganese oxide for supercapacitor electrode. <i>Chinese Chemical Letters</i> , 2011, 22, 964-968.	9.0	20



#	ARTICLE	IF	CITATIONS
127	Template-free synthesis of porous LiFePO <sub>4</sub> /C nanocomposite for high power lithium-ion batteries. <i>Electrochimica Acta</i> , 2014, 123, 1-6.	5.2	20
128	New amphiphilic block copolymer-modified electrodes for supercapacitors. <i>New Journal of Chemistry</i> , 2018, 42, 1290-1299.	2.8	20
129	Synthesis of ultra-small gold nanoparticles decorated onto NiO nanobelts and their high electrochemical performance. <i>Dalton Transactions</i> , 2018, 47, 8078-8086.	3.3	20
130	Liquid phase reduction synthesis of a cobalt boride-activated carbon composite with improved specific capacitance and retention rate as a new positive electrode material for supercapacitors. <i>New Journal of Chemistry</i> , 2019, 43, 14475-14484.	2.8	20
131	High-capacity and fast Na-ion diffusion rate three-dimensional MoS <sub>2</sub> /SnS <sub>2</sub> -RGO anode for advanced sodium-ion batteries and sodium-ion capacitors. <i>Solid State Ionics</i> , 2020, 355, 115416.	2.7	20
132	Nanostructure-modified in-situ synthesis of nitrogen-doped porous carbon microspheres (NPCM) loaded with FeTe <sub>2</sub> nanocrystals and NPCM as superior anodes to construct high-performance lithium-ion capacitors. <i>Electrochimica Acta</i> , 2020, 337, 135749.	5.2	20
133	A crystalline nickel vanadium oxide@amorphous cobalt boride nanocomposites with enhanced specific capacity for hybrid supercapacitors. <i>Electrochimica Acta</i> , 2021, 377, 138086.	5.2	19
134	Three-dimensional nanostructured NiO@Co <sub>3</sub> (VO <sub>4</sub> ) <sub>2</sub> compound on nickel foam as pseudocapacitive electrodes for electrochemical capacitors. <i>Journal of Alloys and Compounds</i> , 2015, 627, 313-319.	5.5	18
135	Toward interconnected hierarchical porous structure via chemical depositing organic nano-polyaniline on inorganic carbon scaffold for supercapacitor. <i>Synthetic Metals</i> , 2015, 199, 205-213.	3.9	18
136	Facile synthesis of Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> nanoparticle arrays on Ni foam as binder-free electrode with improved lithium storage properties. <i>Ceramics International</i> , 2017, 43, 1166-1173.	4.8	18
137	Coprecipitation Reaction System Synthesis and Lithium-Ion Capacitor Energy Storage Application of the Porous Structural Bimetallic Sulfide CoMoS <sub>4</sub> Nanoparticles. <i>ACS Omega</i> , 2018, 3, 8803-8812.	3.5	18
138	Interconnected porous composites electrode materials of Carbon@Vanadium nitride by directly absorbing VO <sub>3</sub> <sup>-</sup> . <i>Electrochimica Acta</i> , 2019, 306, 113-121.	5.2	18
139	Realizing high-performance and low-cost lithium-ion capacitor by regulating kinetic matching between ternary nickel cobalt phosphate microspheres anode with ultralong-life and super-rate performance and watermelon peel biomass-derived carbon cathode. <i>Journal of Colloid and Interface Science</i> , 2021, 598, 283-301.	9.4	18
140	A bird nest-like manganese dioxide and its application as electrode in supercapacitors. <i>Journal of Energy Chemistry</i> , 2013, 22, 928-934.	12.9	17
141	Fabrication of 3D Co <sub>3</sub> O <sub>4</sub> @Ni <sub>3</sub> (VO <sub>4</sub> ) <sub>2</sub> heterostructured nanorods on nickel foam possessing improved electrochemical properties for supercapacitor electrodes. <i>New Journal of Chemistry</i> , 2014, 38, 3236.	2.8	17
142	A high performance redox-mediated electrolyte for improving properties of metal oxides based pseudocapacitive materials. <i>Electrochimica Acta</i> , 2015, 186, 478-485.	5.2	17
143	A novel carbon source coated on C-LiFePO <sub>4</sub> as a cathode material for lithium-ion batteries. <i>Ionics</i> , 2016, 22, 185-192.	2.4	16
144	The design and fabrication of Co <sub>3</sub> O <sub>4</sub> /Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> /Ni nanocomposites as high-performance anodes for Li-ion batteries. <i>Journal of Energy Chemistry</i> , 2017, 26, 494-500.	12.9	16

#	ARTICLE	IF	CITATIONS
145	Well-Dispersed Vanadium Nitride on Porous Carbon Networks Derived from Block Copolymer of PAN- <i>b</i> -PDMC- <i>b</i> -PAN Absorbed with Ammonium Metavanadate for Energy Storage Application. <i>Journal of Physical Chemistry C</i> , 2018, 122, 143-149.	3.1	16
146	NiGa <sub>2</sub> O <sub>4</sub> Nanosheets in a Microflower Architecture as Anode Materials for Li-Ion Capacitors. <i>ACS Applied Nano Materials</i> , 2019, 2, 6238-6248.	5.0	16
147	Electrolyte-Philic Electrode Material with a Functional Polymer Brush. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 16087-16095.	8.0	16
148	Template-Induced Self-Activation Route for Hierarchical Porous Carbon Derived from Interpenetrating Polymer Networks as Electrode Material for Supercapacitors. <i>ChemElectroChem</i> , 2019, 6, 2648-2658.	3.4	16
149	Rational regulation ultra-microporous structure size for enhanced potassium ion storage performance. <i>Electrochimica Acta</i> , 2021, 378, 138141.	5.2	16
150	Design and synthesis of one-dimensional Co <sub>3</sub> O <sub>4</sub> /Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> hybrid nanowires with improved Li-storage properties. <i>RSC Advances</i> , 2016, 6, 36418-36424.	3.6	15
151	Regulating interlayer spacing with pillar and strain structures in Ti <sub>3</sub> C <sub>2</sub> MXene layers by molecular welding for superior alkali metal ion storage. <i>Materials Today Energy</i> , 2021, 22, 100832.	4.7	15
152	Synthesis, characterization, and electrochemical properties of Ni(OH) <sub>2</sub> /ultra-stable Y zeolite composite. <i>Journal of Materials Science</i> , 2009, 44, 4466-4471.	3.7	14
153	A facile hydrothermal method to prepare LiFePO <sub>4</sub> /C submicron rod with core-shell structure. <i>Ionics</i> , 2014, 20, 15-21.	2.4	14
154	Î <sup>2</sup> -Bi <sub>2</sub> O <sub>3</sub> : An underlying negative electrode material obeyed electrode potential over electrochemical energy storage device. <i>Electrochimica Acta</i> , 2016, 192, 45-51.	5.2	14
155	Facile preparation of porous nickel oxide membrane for flexible supercapacitors electrode via phase-separation method of polymer. <i>Materials Research Bulletin</i> , 2018, 103, 25-31.	5.2	14
156	The synthesis of MWNTs/SWNTs multiple phase nanowire arrays in porous anodic aluminum oxide templates. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 354, 92-96.	5.6	13
157	Synthesis of Y-junction carbon nanotubes within porous anodic aluminum oxide template. <i>Solid State Communications</i> , 2005, 133, 527-529.	1.9	13
158	A surfactant-free recipe for shape-controlled synthesis of CdSe nanocrystals. <i>Nanotechnology</i> , 2011, 22, 045604.	2.6	13
159	Intermetallic Molybdenum Carbide for Pseudocapacitive Electrode Material. <i>Journal of the Electrochemical Society</i> , 2016, 163, A2441-A2446.	2.9	13
160	Iron Gallium Oxide with High-Capacity and Super-Rate Performance as New Anode Materials for Li-Ion Capacitors. <i>Energy &amp; Fuels</i> , 2021, 35, 8378-8386.	5.1	13
161	Engineering novel Ni <sub>2</sub> -XCoxP structures for high performance lithium-ion storage. <i>Energy Storage Materials</i> , 2022, 48, 20-34.	18.0	13
162	A polymer-supported electrolyte-affinity hybrid membrane and modification of the amphiphilic block copolymer for use as a super-high flexible and high-performance supercapacitor. <i>Sustainable Energy and Fuels</i> , 2017, 1, 1074-1081.	4.9	12

#	ARTICLE	IF	CITATIONS
163	Liquid phase synthesis of dendritic nickel carbide alloy with high conductivity for advanced energy storage. <i>Journal of Energy Chemistry</i> , 2017, 26, 750-756.	12.9	12
164	High rate capability and long cycle-life of nickel oxide membrane electrode incorporated with nickel and coated with carbon layer via in-situ supporting of engineering plastic for energy storage application. <i>Journal of Alloys and Compounds</i> , 2017, 710, 72-79.	5.5	12
165	A Novel Capacitive Negative Electrode Material of Fe <sub>3</sub> N. <i>Nano</i> , 2018, 13, 1850002.	1.0	12
166	Enhanced performance for a high electrical conductive Mo <sub>2</sub> C electrode based proton ionic liquid electrolytes in supercapacitors. <i>Materials Research Express</i> , 2018, 5, 075508.	1.6	12
167	3D hierarchical porous carbon derived from direct carbonization and <i>in-situ</i> chemical activation of potatoes toward high-performance supercapacitors. <i>Materials Research Express</i> , 2019, 6, 115615.	1.6	12
168	Cleverly embedded CoS <sub>2</sub> /NiS <sub>2</sub> on two-dimensional graphene nanosheets as high-performance anode material for improved sodium ion batteries and sodium ion capacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 9946-9959.	2.2	12
169	Synthesis of high-performance Mo <sub>2</sub> S <sub>3</sub> /NiS <sub>2</sub> -RGO anode materials and its applications in sodium-ion batteries and sodium-ion capacitors. <i>Ionics</i> , 2020, 26, 4499-4510.	2.4	12
170	Co(OH) <sub>2</sub> /SBA-15 molecular sieves nanocomposite materials for electrochemical capacitors. <i>Materials Chemistry and Physics</i> , 2010, 122, 368-373.	4.0	11
171	Transferring Electrochemically Active Nanomaterials into a Flexible Membrane Electrode via Slow Phase Separation Method Induced by Water Vapor. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 4295-4306.	6.7	11
172	Assemble from 0D to 3D: anchored 0D molybdenum carbide on 3D octahedral amorphous carbon with excellent capacitive properties. <i>Journal of Materials Science</i> , 2020, 55, 15562-15573.	3.7	11
173	New cathode material of NiCo <sub>2</sub> Cr <sub>x</sub> -OH (x=0, 1, 1.5, 2.0) and anode material of one-off chopsticks derived carbon for high performance supercapacitor. <i>Journal of Alloys and Compounds</i> , 2021, 851, 156792.	5.5	11
174	Reduced graphene oxide decorated amorphous NiS <sub>2</sub> nanosheets as high-performance anode materials for enhanced sodium-ion hybrid capacitors. <i>Ionics</i> , 2021, 27, 3315-3325.	2.4	11
175	Mesoporous carbons for supercapacitors obtained by the pyrolysis of block copolymers. <i>New Carbon Materials</i> , 2015, 30, 302-309.	6.1	10
176	Capacitive Intermetallic Manganese Nitride with High Volumetric Energy Densities. <i>Journal of the Electrochemical Society</i> , 2016, 163, A2830-A2834.	2.9	10
177	Synthesis of a hierarchical nanoporous carbon material with controllable pore size and effective surface area for high-performance electrochemical capacitors. <i>RSC Advances</i> , 2017, 7, 14516-14527.	3.6	10
178	Preparation of a NbN/graphene nanocomposite by solution impregnation and its application in high-performance Li-ion hybrid capacitors. <i>RSC Advances</i> , 2017, 7, 19967-19975.	3.6	10
179	The investigations of pyrophosphate CoNiP <sub>2</sub> O <sub>7</sub> produced by hydrothermal process: a high-performance anode electrode material for Li-ion hybrid capacitor. <i>Ionics</i> , 2020, 26, 2989-3001.	2.4	10
180	Chemical welding of diamine molecules in graphene oxide nanosheets: Design of precisely controlled interlayer spacings with the fast Li <sup>+</sup> diffusion coefficient toward high-performance storage application. <i>Electrochimica Acta</i> , 2021, 380, 138114.	5.2	10

#	ARTICLE	IF	CITATIONS
181	Whole-polymers electrode membrane based on the interfacial polymerization and intermacromolecular force between polyaniline and polyethersulfone for flexible supercapacitors. <i>Electrochimica Acta</i> , 2019, 318, 130-141.	5.2	9
182	Self-assembly of secondary-formed multilayer La/e-Ti3C2 as high performance supercapacitive material with excellent cycle stability and high rate capability. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155343.	5.5	9
183	Design of kinetic well-matched Mo2C nanoparticles anchored into 3D hierarchical porous carbon towards high-rate sodium ion storage. <i>Electrochimica Acta</i> , 2021, 372, 137860.	5.2	9
184	Construction of MoSe2 nanoparticles anchored on layered microporous carbon heterostructure anode for high-performance and low-cost lithium-ion capacitors. <i>Solid State Ionics</i> , 2022, 374, 115815.	2.7	9
185	Morphology of Platinum Nanowire Array Electrodeposited Within Anodic Aluminium Oxide Template Characterized by Atomic Force Microscopy. <i>Chinese Physics Letters</i> , 2003, 20, 763-766.	3.3	8
186	Preparation of Co(OH)2/HY composite and its electrochemical capacitance characteristics. <i>Journal of Materials Science</i> , 2004, 39, 4697-4700.	3.7	8
187	Synthesis and evaluation of three-dimensional nickel molybdate nano-sheets on nickel foam as self-supported electrodes for sodium-ion hybrid capacitors. <i>Materials Research Express</i> , 2018, 5, 065525.	1.6	8
188	Fabrication and characterization of CoMoS4/Co3V2O8 nanocomposite as electrode material for supercapacitor. <i>Ionics</i> , 2019, 25, 5411-5418.	2.4	8
189	Synthesis of Nitrogen-Doped Microporous/Mesoporous Carbon with Enhanced Pseudocapacitive Behavior for High-Performance Symmetrical Supercapacitors. <i>ChemElectroChem</i> , 2020, 7, 2592-2598.	3.4	8
190	Interlayer Engineering Construction of 2D Nb2CT <sub>x</sub> with Enlarged Interlayer Spacing Towards High Capacity and Rate Capability for Lithium-Ion Storage. <i>Batteries and Supercaps</i> , 2021, 4, 1473-1481.	4.7	8
191	Wettability improvement of vanadium nitride/carbon electrode nanomaterial by electrostatic absorption of hydrophilic poly (allylamine hydrochloride). <i>Applied Surface Science</i> , 2020, 525, 146619.	6.1	8
192	Enhancing the Kinetic Process in Biphasic Crystalline NiWO <sub>4</sub> /Amorphous Co-B Electrode Materials toward Energy Storage with Ultrahigh Rate Performance. <i>Chemistry - an Asian Journal</i> , 2021, 16, 4130-4136.	3.3	8
193	Nickel Fluoride Nanorods as Anode Materials for Li-Ion Hybrid Capacitors. <i>ACS Applied Nano Materials</i> , 2021, 4, 11601-11610.	5.0	8
194	Metal-organic framework-derived nitrogen-doped three-dimensional porous carbon loaded CoTe2 nanoparticles as anodes for high energy lithium-ion capacitors. <i>Journal of Energy Storage</i> , 2022, 47, 103617.	8.1	8
195	Photoluminescence Properties of Silicon Nanowires and Carbon Nanotube-Silicon Nanowire Composite Arrays. <i>Chinese Physics Letters</i> , 2002, 19, 1703-1706.	3.3	7
196	Electroless deposition of Ag onto p-Si(100) surface under the condition of the centrifugal fields. <i>Thin Solid Films</i> , 2006, 496, 360-363.	1.8	7
197	Pseudocapacitance of ammonium metavanadate pyrolysis products. <i>Electrochimica Acta</i> , 2016, 192, 30-37.	5.2	7
198	Enhanced adsorption of Ni(II) using ATP/PPy/SDS composite. <i>RSC Advances</i> , 2016, 6, 11735-11741.	3.6	7

#	ARTICLE	IF	CITATIONS
199	Nanocrystalline Intermetallic Tungsten Carbide: Nanoscaled Solidoid Synthesis, Nonfaradaic Pseudocapacitive Property, and Electrode Material Application. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700099.	3.7	7
200	Amorphous Ni-C nanoparticles with high electric conductivity and high specific capacitance for rechargeable charge storage. <i>Materials Chemistry and Physics</i> , 2018, 205, 494-501.	4.0	7
201	MoO <sub>2</sub> /Mo <sub>2</sub> N hybrid nanobelts doped with gold nanoparticles and their enhanced supercapacitive behavior. <i>New Journal of Chemistry</i> , 2018, 42, 17895-17901.	2.8	7
202	Three-Dimensional Interconnected Microporous Carbon Network Derived from Aniline Formaldehyde Resin/Sodium Polyacrylate Interpenetrating Polymer Networks (AF/PAAS IPNs) with Controllable Porosity for Supercapacitors. <i>ACS Applied Energy Materials</i> , 2019, 2, 6440-6452.	5.1	7
203	The influence of zinc electrode substrate, electrolyte flow rate and current density on zinc-nickel flow cell performance. <i>Electrochimica Acta</i> , 2021, 373, 137890.	5.2	7
204	Amorphous Cobalt Boride Alloy Synthesized by Liquid Phase Methods as Electrode Materials for Electrochemical Capacitors. <i>Particle and Particle Systems Characterization</i> , 2021, 38, 2100020.	2.3	7
205	Cobalt nanoparticles encapsulated by nitrogen-doped carbon framework as anode materials for high performance lithium-ion capacitors. <i>Journal of Electroanalytical Chemistry</i> , 2021, 893, 115326.	3.8	7
206	Brookite phase vanadium dioxide (B) with nanosheet structure for superior rate capability aqueous Zn-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2022, 907, 116039.	3.8	7
207	A Solid-State Reaction for the Synthesis of CdS Nanowires. <i>Chemistry Letters</i> , 2002, 31, 602-603.	1.3	6
208	Fabrication of Ni nanoparticles on ordered mesoporous carbon using an immersion-electrodeposition method. <i>Materials Letters</i> , 2010, 64, 2064-2067.	2.6	6
209	A porous carbon material from pyrolysis of fructus cannabis™s shells for supercapacitor electrode application. <i>Materials Research Express</i> , 2018, 5, 025514.	1.6	6
210	Design of Ultra-Microporous Carbons by Interpenetrating MF Prepolymer into PAAS Networks at Molecule Level for Enhanced Electrochemical Performance. <i>ChemElectroChem</i> , 2020, 7, 476-485.	3.4	6
211	Crystalline Co <sub>2</sub> V <sub>3</sub> O <sub>8</sub> @Amorphous Co <sup>B</sup> Core-Shell Nano-Microsphere: Tunable Shell Layer Thickness, Faradaic Pseudocapacitive Mechanism, and Electrochemical Capacitor Applications. <i>Batteries and Supercaps</i> , 2021, 4, 948-959.	4.7	6
212	Constructing High-Performance Li-ion Capacitors via Cobalt Fluoride with Excellent Cyclic Stability as Anode and Coconut Shell Biomass-Derived Carbon as Cathode Materials. <i>ChemistrySelect</i> , 2021, 6, 8349-8360.	1.5	6
213	The cobalt atom protection layers in-situ anchored titanium carbide with controllable interlayer spacing towards stable and fast lithium ions storage. <i>Journal of Colloid and Interface Science</i> , 2022, 612, 267-276.	9.4	6
214	Enhanced Electrochemical Capacitive Properties of Nickel-Cobalt Oxide Nano-Flakes Materials. <i>Chinese Journal of Chemistry</i> , 2012, 30, 570-576.	4.9	5
215	Interface Engineered Binary Platinum Free Alloy-based Counter Electrodes with Improved Performance in Dye-Sensitized Solar Cells. <i>Scientific Reports</i> , 2020, 10, 9157.	3.3	5
216	Regulation of the mesopore proportion of porous carbon for optimizing the performance of electric double layer capacitors. <i>Journal of Energy Storage</i> , 2021, 35, 102299.	8.1	5

#	ARTICLE	IF	CITATIONS
217	Molybdenum dioxide supported carbon nanotubes@carbon constructs disordered nanocluster particles as anodes for lithium-ion capacitors with long-term cycling stability. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 18912-18930.	2.2	5
218	Improving the stable Li <sup>+</sup> storage performance by embedding reduced graphene oxide into cobalt gallium oxide as anode for Li-ion capacitor applications. <i>Ionics</i> , 2021, 27, 4153-4165.	2.4	5
219	Hydrothermal reaction induced phase transition of vanadium oxide towards high-performance zinc ion batteries cathode. <i>Ionics</i> , 2021, 27, 4793-4800.	2.4	5
220	Nanoflower Architecture NiGa <sub>2</sub> O <sub>4</sub> with a Spinel Structure Modified by 2D Layered RGO for Enhanced Li-Ion Battery Anode Performance. <i>Energy &amp; Fuels</i> , 2022, 36, 2149-2158.	5.1	5
221	Hydrothermal synthesis of vanadium oxide nanotubes by a facile route. <i>Rare Metals</i> , 2006, 25, 88-93.	7.1	4
222	Vanadium Nitride Nanoparticles as Anode Material for Lithium Ion Hybrid Capacitor Applications. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2019, 34, 1274-1278.	1.0	4
223	Fast lithium storage in defect-rich carbon encapsulated Fe <sub>3</sub> C nanoparticles as anode material toward high-energy lithium-ion capacitors. <i>Ionics</i> , 2020, 26, 23-31.	2.4	4
224	Design and Preparation of Lotus Root Knot Hierarchical Porous Carbon by Highly Efficient Chemistry Activation for Electric Double Layer Capacitors. <i>ChemElectroChem</i> , 2021, 8, 4062-4071.	3.4	4
225	Solid-state phase transformation of NiO into metallic Ni via ammonia reduction reaction for hybrid supercapacitors. <i>Synthetic Metals</i> , 2021, 281, 116899.	3.9	4
226	Î <sup>3</sup> -Mo <sub>2</sub> N Nanobelts with Controlled Grain and Mesopore Sizes as High-Performance Anodes for Lithium-Ion Capacitors. <i>ACS Applied Nano Materials</i> , 2021, 4, 12514-12526.	5.0	4
227	Selection of oxygen reduction catalysts for secondary tri-electrode zinc-air batteries. <i>Scientific Reports</i> , 2022, 12, 6696.	3.3	4
228	Ultra-high capacity and ultra-long cyclability anode materials of non-layered vanadium carbide(V <sub>8</sub> C <sub>7</sub> )@carbon microspheres for biapplications in Li-ion battery and Li-ion capacitor. <i>Journal of Alloys and Compounds</i> , 2022, 921, 166138.	5.5	4
229	The rods-like manganese dioxide films grown on nickel foam for electrochemical capacitor applications. <i>Russian Journal of Electrochemistry</i> , 2013, 49, 975-982.	0.9	3
230	Hydrothermal Synthesis and Electrochemical Measurements of Interconnected Porous Carbon/MnO <sub>2</sub> Composites. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2014, 30, 881-890.	4.9	3
231	Nitrogen-doped micro-nano carbon spheres with multi-scale pore structure obtained from interpenetrating polymer networks for electrochemical capacitors. <i>RSC Advances</i> , 2018, 8, 35083-35093.	3.6	3
232	A flexible membrane electrode with an electrolyte-affinity surface for energy storage: effects of amphiphilic block copolymers and membrane thickness. <i>Sustainable Energy and Fuels</i> , 2018, 2, 1844-1854.	4.9	3
233	Facile Preparation of Novel Hierarchically Porous Carbon at the Molecular Level for Supercapacitor Electrode Application. <i>Nano</i> , 2018, 13, 1850091.	1.0	3
234	High-performance sodium-ion capacitors with SnS <sub>2</sub> /ZnS-reduced graphene oxide anodes and biomass waste-derived porous carbon cathodes. <i>Ionics</i> , 2021, 27, 1781-1794.	2.4	3

#	ARTICLE	IF	CITATIONS
235	Pure Cu particle obtained by ammonia reduction reaction: A new class of electrodes for hybrid supercapacitors. <i>Journal of Energy Storage</i> , 2021, 39, 102636.	8.1	3
236	Fe-doped CoS <sub>2</sub> nanospheres decorated by reduced graphene oxide nanosheets as ultrahigh-rate anodes for advanced sodium-ion capacitors. <i>Journal of Electroanalytical Chemistry</i> , 2021, 901, 115740.	3.8	3
237	Influence of Subnanoporous Carbon with a Customizable Pore Structure on Aqueous Supercapacitors. <i>ACS Applied Energy Materials</i> , 2022, 5, 7081-7090.	5.1	3
238	Ag Catalyst on Ordered Mesoporous Carbon with High Electro-Oxidation Activity for Formaldehyde. <i>Advanced Materials Research</i> , 0, 347-353, 494-497.	0.3	2
239	Synthesis, Characterization, and Electrochemical Properties of Mn <sub>3</sub> O <sub>4</sub> /Cr <sub>2</sub> O <sub>3</sub> Composite. <i>Advanced Materials Research</i> , 0, 463-464, 555-559.	0.3	2
240	A Hydrothermal Process for the Fabrication of Nickel Foam Based NiO and Co <sub>3</sub> O <sub>4</sub> Nanostructures with Excellent Properties for Electrochemical Capacitors. <i>Applied Mechanics and Materials</i> , 0, 291-294, 786-790.	0.2	2
241	Hybrid annealing method synthesis of Li <sub>0.2</sub> Ni <sub>0.2</sub> Mn <sub>0.6</sub> O <sub>2</sub> composites with enhanced electrochemical performance for lithium-ion batteries. <i>RSC Advances</i> , 2015, 5, 3352-3357.	3.6	2
242	Fundamental Triangular Interaction of Electron Trajectory Deviation and N Junction to Promote Redox Reactions for the High-Energy-Density Electrode. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 29404-29413.	8.0	2
243	Nanoparticles of Iron Nitride Encapsulated in Nitrogen-Doped Carbon Bulk Derived from Polyaniline/Fe <sub>2</sub> O <sub>3</sub> Blends and Its Electrochemical Performance. <i>Particle and Particle Systems Characterization</i> , 2020, 37, 2000132.	2.3	2
244	CoS <sub>2</sub> nanoparticles grown in situ on rGO nanosheet as a potential anode material toward high-performance sodium-ion hybrid capacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 15251-15264.	2.2	2
245	Manganese fluoride as non-battery type anode for high performance Li-ion capacitors. <i>Journal of Energy Storage</i> , 2021, , 103594.	8.1	2
246	A Comparative Study of Potentiostatic and Potentiodynamic Method in the Synthesis of MnO <sub>2</sub> Films for Electrochemical Capacitors. <i>Advanced Materials Research</i> , 0, 239-242, 501-505.	0.3	1
247	Construction of 3D polypyrrole/CoS/graphene composite electrode with enhanced pseudocapacitive performance. <i>Ionics</i> , 2018, 24, 2689-2696.	2.4	1
248	Modification of ultra-micropore dominated carbon by O/N-containing functional groups grafted for enhanced supercapacitor performances. <i>Dalton Transactions</i> , 2021, 50, 10471-10481.	3.3	1
249	Metallic Co: A promising electrode materials to boost electrochemical performances of Co <sub>3</sub> O <sub>4</sub> for energy storage. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115496.	3.8	1
250	Zn-doped CoS <sub>2</sub> nanospheres embedded on two dimensional reduced graphene oxide nanosheets as anode materials for enhanced sodium-ion hybrid capacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , 1.	2.2	1
251	Silver Nanoparticles Supported on Ordered Mesoporous Carbon for Formaldehyde Electrooxidation. <i>Applied Mechanics and Materials</i> , 0, 110-116, 508-513.	0.2	0
252	Low temperature formation of mesoporous Co <sub>3</sub> O <sub>4</sub> and their supercapacitive properties. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
253	Polyaniline nanoparticles for supercapacitor prepared by using polystyrene microsphere as carrier. , 2011, , .		0
254	Intermetallics: Nanocrystalline Intermetallic Tungsten Carbide: Nanoscaled Solidoid Synthesis, Nonfaradaic Pseudocapacitive Property, and Electrode Material Application (Adv. Mater. Interfaces) Tj ETQq0 0 0 rg87 /Overlork 10 Tf 50	3.1	0
255	New Findings of Pseudocapacitive Behaviors in Cupric Tungstate Dihydrate. Journal of Physical Chemistry C, 2022, 126, 3853-3863.	3.1	0