

Farooqahmed S Kittur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3483342/publications.pdf>

Version: 2024-02-01

22
papers

1,179
citations

840776

11
h-index

677142

22
g-index

22
all docs

22
docs citations

22
times ranked

1611
citing authors

#	ARTICLE	IF	CITATIONS
1	Chitin " The Undisputed Biomolecule of Great Potential. <i>Critical Reviews in Food Science and Nutrition</i> , 2003, 43, 61-87.	10.3	757
2	Functional packaging properties of chitosan films. <i>European Food Research and Technology</i> , 1998, 206, 44-47.	0.6	103
3	Fusion of family 2b carbohydrate-binding module increases the catalytic activity of a xylanase from <i>Thermotoga maritima</i> soluble xylan. <i>FEBS Letters</i> , 2003, 549, 147-151.	2.8	52
4	Maize Î ² -Glucosidase-aggregating Factor Is a Polyspecific Jacalin-related Chimeric Lectin, and Its Lectin Domain Is Responsible for Î ² -Glucosidase Aggregation. <i>Journal of Biological Chemistry</i> , 2007, 282, 7299-7311.	3.4	43
5	The Critical Role of the 185"189-Loop in the Factor Xa Interaction with Na ⁺ and Factor Va in the Prothrombinase Complex. <i>Journal of Biological Chemistry</i> , 2004, 279, 48262-48269.	3.4	40
6	Cytoprotective Effect of Recombinant Human Erythropoietin Produced in Transgenic Tobacco Plants. <i>PLoS ONE</i> , 2013, 8, e76468.	2.5	21
7	N-Glycosylation engineering of tobacco plants to produce asialoerythropoietin. <i>Plant Cell Reports</i> , 2012, 31, 1233-1243.	5.6	16
8	Homolog of the maize Î-glucosidase aggregating factor from sorghum is a jacalin-related GalNAc-specific lectin but lacks protein aggregating activity. <i>Glycobiology</i> , 2008, 19, 277-287.	2.5	15
9	Deletion of the N-terminal dirigent domain in maize Î ² -glucosidase aggregating factor and its homolog sorghum lectin dramatically alters the sugar-specificities of their lectin domains. <i>Plant Physiology and Biochemistry</i> , 2010, 48, 731-734.	5.8	15
10	Identification and characterization of selenate- and selenite-responsive genes in a Se-hyperaccumulator <i>Astragalus racemosus</i> . <i>Molecular Biology Reports</i> , 2012, 39, 7635-7646.	2.3	12
11	Alteration of the Alkaloid Profile in Genetically Modified Tobacco Reveals a Role of Methylene-tetrahydrofolate Reductase in Nicotine N-Demethylation " ". <i>Plant Physiology</i> , 2013, 161, 1049-1060.	4.8	12
12	Plant-Produced Asialo-Erythropoietin Restores Pancreatic Beta-Cell Function by Suppressing Mammalian Sterile-20-like Kinase (MST1) and Caspase-3 Activation. <i>Frontiers in Pharmacology</i> , 2017, 8, 208.	3.5	12
13	Glycoengineering tobacco plants to stably express recombinant human erythropoietin with different N-glycan profiles. <i>International Journal of Biological Macromolecules</i> , 2020, 157, 158-169.	7.5	12
14	Rethinking the necessity of low glucose intervention for cerebral ischemia/reperfusion injury. <i>Neural Regeneration Research</i> , 2022, 17, 1397.	3.0	12
15	The Cofactor Function of the N-terminal Domain of Tissue Factor. <i>Journal of Biological Chemistry</i> , 2004, 279, 39745-39749.	3.4	11
16	Role of the N-terminal Epidermal Growth Factor-like Domain of Factor X/Xa. <i>Journal of Biological Chemistry</i> , 2004, 279, 24189-24196.	3.4	10
17	Recombinant asialoerythropoietin protects HL-1 cardiomyocytes from injury via suppression of Mst1 activation. <i>Biochemistry and Biophysics Reports</i> , 2019, 17, 157-168.	1.3	10
18	C-Terminally fused affinity Strep-tag II is removed by proteolysis from recombinant human erythropoietin expressed in transgenic tobacco plants. <i>Plant Cell Reports</i> , 2015, 34, 507-516.	5.6	7

#	ARTICLE	IF	CITATIONS
19	Determination of β -glucosidase aggregating factor (BGAF) binding and polymerization regions on the maize β -glucosidase isozyme Glu1. <i>Phytochemistry</i> , 2009, 70, 1355-1365.	2.9	6
20	Two-step purification procedure for recombinant human asialoerythropoietin expressed in transgenic plants. <i>International Journal of Biological Macromolecules</i> , 2015, 72, 1111-1116.	7.5	6
21	Lysine-81 and Threonine-82 on Maize β -Glucosidase Isozyme Glu1 Are the Key Amino Acids Involved in β -Glucosidase Aggregating Factor Binding. <i>Biochemistry</i> , 2009, 48, 2924-2932.	2.5	4
22	Differential expression of a novel gene <i>EaF82a</i> in green and yellow sectors of variegated <i>Epipremnum aureum</i> leaves is related to uneven distribution of auxin. <i>Physiologia Plantarum</i> , 2014, 152, 749-762.	5.2	3