
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3483355/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. Journal of the National Cancer Institute, 2014, 106, dju124. | 3.0 | 2,202 |
| 2 | Prognostic Role of Platelet to Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1204-1212. | 1.1 | 519 |
| 3 | Molecular targeted therapies: Ready for "prime time―in biliary tractÂcancer. Journal of Hepatology, 2020, 73, 170-185. | 1.8 | 226 |
| 4 | Simple prognostic score for metastatic castrationâ€resistant prostate cancer with incorporation of neutrophilâ€toâ€lymphocyte ratio. Cancer, 2014, 120, 3346-3352. | 2.0 | 128 |
| 5 | Neutrophil/lymphocyte ratio as a prognostic factor in biliary tract cancer. European Journal of Cancer, 2014, 50, 1581-1589. | 1.3 | 119 |
| 6 | HER2/HER3 pathway in biliary tract malignancies; systematic review and meta-analysis: a potential therapeutic target?. Cancer and Metastasis Reviews, 2017, 36, 141-157. | 2.7 | 119 |
| 7 | Feasibility and benefits of second-line chemotherapy in advanced biliary tract cancer: A large retrospective study. European Journal of Cancer, 2013, 49, 329-335. | 1.3 | 104 |
| 8 | Advanced Intrahepatic Cholangiocarcinoma: Post Hoc Analysis of the ABC-01, -02, and -03 Clinical Trials. Journal of the National Cancer Institute, 2020, 112, 200-210. | 3.0 | 90 |
| 9 | Prognostic factors for progression-free and overall survival in advanced biliary tract cancer. Annals of Oncology, 2016, 27, 134-140. | 0.6 | 88 |
| 10 | Activity and onset of action of reboxetine and effect of combination with sertraline in an animal model of depression. European Journal of Pharmacology, 1999, 364, 123-132. | 1.7 | 85 |
| 11 | Factors impacting survival following second surgery in patients with glioblastoma in the temozolomide treatment era, incorporating neutrophil/lymphocyte ratio and time to first progression. Journal of Neuro-Oncology, 2014, 117, 147-152. | 1.4 | 83 |
| 12 | Emerging Biomarkers in Glioblastoma. Cancers, 2013, 5, 1103-1119. | 1.7 | 80 |
| 13 | Neutrophil–lymphocyte ratio dynamics during concurrent chemo-radiotherapy for glioblastoma is an independent predictor for overall survival. Journal of Neuro-Oncology, 2017, 132, 463-471. | 1.4 | 78 |
| 14 | <p>Biliary tract cancers: current knowledge, clinical candidates and future challenges</p> . Cancer Management and Research, 2019, Volume 11, 2623-2642. | 0.9 | 78 |
| 15 | 18F-fluorodeoxyglucose positron emission tomography (18FDG-PET) for patients with biliary tract cancer: Systematic review and meta-analysis. Journal of Hepatology, 2019, 71, 115-129. | 1.8 | 76 |
| 16 | Lipids and essential fatty acids in patients presenting with self-harm. British Journal of Psychiatry, 2007, 190, 112-117. | 1.7 | 75 |
| 17 | Current standards and future perspectives in adjuvant treatment for biliary tract cancers. Cancer Treatment Reviews, 2020, 84, 101936. | 3.4 | 73 |
| 18 | Sorafenib as first-line therapy in patients with advanced Child-Pugh B hepatocellular carcinoma—a meta-analysis. European Journal of Cancer, 2018, 105, 1-9. | 1.3 | 69 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Some behavioural and neurochemical aspects of subacute (±)3,4-methylenedioxymethamphetamine administration in rats. Pharmacology Biochemistry and Behavior, 1995, 52, 479-484. | 1.3 | 68 |
| 20 | Impact of glycemia on survival of glioblastoma patients treated with radiation and temozolomide. Journal of Neuro-Oncology, 2015, 124, 119-126. | 1.4 | 67 |
| 21 | Impact of high tumor mutational burden in solid tumors and challenges for biomarker application. Cancer Treatment Reviews, 2020, 89, 102084. | 3.4 | 61 |
| 22 | Acute 3,4-methylenedioxymethamphetamine (MDMA) administration produces a rapid and sustained suppression of immune function in the rat. Immunopharmacology, 1998, 38, 253-260. | 2.0 | 57 |
| 23 | Biliary Tract Cancer: State of the Art and potential role of DNA Damage Repair. Cancer Treatment Reviews, 2018, 70, 168-177. | 3.4 | 55 |
| 24 | Emergence of MRSA in positive blood cultures from patients with febrile neutropenia—a cause for concern. Supportive Care in Cancer, 2008, 16, 1085-1088. | 1.0 | 48 |
| 25 | A phase II trial of secondâ€line axitinib following prior antiangiogenic therapy in advanced hepatocellular carcinoma. Cancer, 2015, 121, 1620-1627. | 2.0 | 47 |
| 26 | Chemotherapy for advanced non-pancreatic well-differentiated neuroendocrine tumours of the gastrointestinal tract, a systematic review and meta-analysis: A lost cause?. Cancer Treatment Reviews, 2016, 44, 26-41. | 3.4 | 45 |
| 27 | Locoregional therapies in patients with intrahepatic cholangiocarcinoma: A systematic review and pooled analysis. Cancer Treatment Reviews, 2021, 99, 102258. | 3.4 | 45 |
| 28 | Retrospective study on mixed neuroendocrine non-neuroendocrine neoplasms from five European centres. World Journal of Gastroenterology, 2019, 25, 5991-6005. | 1.4 | 43 |
| 29 | Germline mutations in pancreatic cancer and potential new therapeutic options. Oncotarget, 2017, 8, 73240-73257. | 0.8 | 40 |
| 30 | Heterocellular OSM-OSMR signalling reprograms fibroblasts to promote pancreatic cancer growth and metastasis. Nature Communications, 2021, 12, 7336. | 5.8 | 40 |
| 31 | Somatostatin analogue-induced pancreatic exocrine insufficiency in patients with neuroendocrine tumors: results of a prospective observational study. Expert Review of Gastroenterology and Hepatology, 2018, 12, 723-731. | 1.4 | 37 |
| 32 | Swim Stress Increases the Potency of Glycine at the N-Methyl-d-Aspartate Receptor Complex. Journal of Neurochemistry, 2002, 64, 925-927. | 2.1 | 36 |
| 33 | Outcome of Adjuvant Therapy in Biliary Tract Cancers. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 382-387. | 0.6 | 36 |
| 34 | Analysis of circulating cell-free DNA identifies KRAS copy number gain and mutation as a novel prognostic marker in Pancreatic cancer. Scientific Reports, 2019, 9, 11610. | 1.6 | 36 |
| 35 | BIMT 17: a putative antidepressant with a fast onset of action?. Psychopharmacology, 1997, 134, 378-386. | 1.5 | 34 |
| 36 | Antiangiogenic therapies in glioblastoma multiforme. Expert Review of Anticancer Therapy, 2012, 12, 643-654. | 1.1 | 29 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | PD-L1 expression and presence of TILs in small intestinal neuroendocrine tumours. Oncotarget, 2018, 9, 14922-14938. | 0.8 | 29 |
| 38 | Design and Validation of the GI-NEC Score to Prognosticate Overall Survival in Patients With High-Grade Gastrointestinal Neuroendocrine Carcinomas. Journal of the National Cancer Institute, 2017, 109, djw277. | 3.0 | 28 |
| 39 | Telotristat ethyl: a new option for the management of carcinoid syndrome. Expert Opinion on Pharmacotherapy, 2016, 17, 2487-2498. | 0.9 | 27 |
| 40 | Patterns of care and treatment outcomes in older patients with biliary tract cancer. Oncotarget, 2015, 6, 44995-45004. | 0.8 | 27 |
| 41 | Conditional probability of survival and post-progression survival in patients with glioblastoma in the temozolomide treatment era. Journal of Neuro-Oncology, 2014, 117, 153-160. | 1.4 | 26 |
| 42 | Pancreatic cancer: Are "liquid biopsies" ready for prime-time?. World Journal of Gastroenterology, 2016, 22, 7175. | 1.4 | 25 |
| 43 | Chemotherapy for advanced gallbladder cancer (GBC): A systematic review and meta-analysis. Critical Reviews in Oncology/Hematology, 2021, 163, 103328. | 2.0 | 25 |
| 44 | Landmark survival analysis and impact of anatomic site of origin in prospective clinical trials of biliary tract cancer. Journal of Hepatology, 2020, 73, 1109-1117. | 1.8 | 25 |
| 45 | State-of-the-art in the management of locally advanced and metastatic gallbladder cancer. Current Opinion in Oncology, 2013, 25, 425-431. | 1.1 | 24 |
| 46 | Sequence Dependence of MEK Inhibitor AZD6244 Combined with Gemcitabine for the Treatment of Biliary Cancer. Clinical Cancer Research, 2013, 19, 118-127. | 3.2 | 24 |
| 47 | Impact of biliary stent-related events in patients diagnosed with advanced pancreatobiliary tumours receiving palliative chemotherapy. World Journal of Gastroenterology, 2016, 22, 6065. | 1.4 | 23 |
| 48 | Extrapulmonary poorly differentiated NECs, including molecular and immune aspects. Endocrine-Related Cancer, 2020, 27, R219-R238. | 1.6 | 22 |
| 49 | Targeting the Epidermal Growth Factor Receptor in Addition to Chemotherapy in Patients with Advanced Pancreatic Cancer: A Systematic Review and Meta-Analysis. International Journal of Molecular Sciences, 2017, 18, 909. | 1.8 | 21 |
| 50 | Advances in Molecular Profiling and Categorisation of Pancreatic Adenocarcinoma and the Implications for Therapy. Cancers, 2018, 10, 17. | 1.7 | 21 |
| 51 | Clinical and Translational Research Challenges in Biliary Tract Cancers. Current Medicinal Chemistry, 2020, 27, 4756-4777. | 1.2 | 21 |
| 52 | The importance of quality-of-life management in patients with advanced pancreatic ductal adenocarcinoma. Current Problems in Cancer, 2018, 42, 26-39. | 1.0 | 20 |
| 53 | Rivaroxaban thromboprophylaxis in ambulatory patients with pancreatic cancer: Results from a preâ€specified subgroup analysis of the randomized CASSINI study. Cancer Medicine, 2020, 9, 6196-6204. | 1.3 | 20 |
| 54 | Use and Misuse of Waterfall Plots. Journal of the National Cancer Institute, 2014, 106, . | 3.0 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Decline in CA19-9 during chemotherapy predicts survival in four independent cohorts of patients with inoperable bile duct cancer. European Journal of Cancer, 2015, 51, 1381-1388. | 1.3 | 19 |
| 56 | Potential influence of the microbiome environment in patients with biliary tract cancer and implications for therapy. British Journal of Cancer, 2022, 126, 693-705. | 2.9 | 18 |
| 57 | Detection of Early Tumor Response to Axitinib in Advanced Hepatocellular Carcinoma by Dynamic Contrast Enhanced Ultrasound. Ultrasound in Medicine and Biology, 2016, 42, 1303-1311. | 0.7 | 17 |
| 58 | Update on Treatment Options for Advanced Bile Duct Tumours: Radioembolisation for Advanced Cholangiocarcinoma. Current Oncology Reports, 2017, 19, 50. | 1.8 | 17 |
| 59 | Second-line treatment in patients with advanced extra-pulmonary poorly differentiated neuroendocrine carcinoma: a systematic review and meta-analysis. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592091529. | 1.4 | 17 |
| 60 | Health-related quality of life, anxiety, depression and impulsivity in patients with advanced gastroenteropancreatic neuroendocrine tumours. World Journal of Gastroenterology, 2018, 24, 671-679. | 1.4 | 17 |
| 61 | The effect of acute MDMA administration on body temperature, serum corticosterone and neurotransmitter concentrations in male and female rats. Human Psychopharmacology, 1995, 10, 373-383. | 0.7 | 16 |
| 62 | 3,4-methylenedioxymethamphetamine (MDMA; Ecstasy) administration produces dose-dependent neurochemical, endocrine and immune changes in the rat. Human Psychopharmacology, 1999, 14, 95-104. | 0.7 | 16 |
| 63 | Systemic therapy in younger and elderly patients with advanced biliary cancer: sub-analysis of ABC-02 and twelve other prospective trials. BMC Cancer, 2017, 17, 262. | 1.1 | 16 |
| 64 | Assessing Full Benefit of Rivaroxaban Prophylaxis in High-Risk Ambulatory Patients with Cancer: Thromboembolic Events in the Randomized CASSINI Trial. TH Open, 2020, 04, e107-e112. | 0.7 | 16 |
| 65 | The Microbiome as a Potential Target for Therapeutic Manipulation in Pancreatic Cancer. Cancers, 2021, 13, 3779. | 1.7 | 16 |
| 66 | A Phase Ib Study of NUC-1031 in Combination with Cisplatin for the First-Line Treatment of Patients with Advanced Biliary Tract Cancer (ABC-08). Oncologist, 2021, 26, e669-e678. | 1.9 | 15 |
| 67 | NUC-1031/cisplatin versus gemcitabine/cisplatin in untreated locally advanced/metastatic biliary tract cancer (NuTide:121). Future Oncology, 2020, 16, 1069-1081. | 1.1 | 15 |
| 68 | The HER3 pathway as a potential target for inhibition in patients with biliary tract cancers. PLoS ONE, 2018, 13, e0206007. | 1.1 | 14 |
| 69 | Prognostic factors for disease relapse in patients with neuroendocrine tumours who underwent curative surgery. Surgical Oncology, 2016, 25, 223-228. | 0.8 | 13 |
| 70 | Impact on prognosis of early weight loss during palliative chemotherapy in patients diagnosed with advanced pancreatic cancer. Pancreatology, 2020, 20, 1682-1688. | 0.5 | 13 |
| 71 | Chronic imipramine treatment upregulates IR2-imidazoline receptive sites in rat brain. Neurochemistry International, 1997, 30, 101-107. | 1.9 | 12 |
| 72 | Treatment Outcomes in 1p19q Co-deleted/Partially Deleted Gliomas. Canadian Journal of Neurological Sciences, 2017, 44, 288-294. | 0.3 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Long term responders to palliative chemotherapy for advanced biliary tract cancer. Journal of Gastrointestinal Oncology, 2017, 8, 352-360. | 0.6 | 12 |
| 74 | Systemic Treatment Selection for Patients with Advanced Pancreatic Neuroendocrine Tumours (PanNETs). Cancers, 2020, 12, 1988. | 1.7 | 12 |
| 75 | The assessment of pancreatic exocrine function in patients with inoperable pancreatic cancer: In need of a new gold-standard. Pancreatology, 2020, 20, 668-675. | 0.5 | 12 |
| 76 | A phase II trial of second-line axitinib following prior antiangiogenic therapy in advanced hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2013, 31, 314-314. | 0.8 | 12 |
| 77 | Identification of clinical biomarkers for patients with advanced hepatocellular carcinoma receiving sorafenib. Clinical and Translational Oncology, 2017, 19, 364-372. | 1.2 | 11 |
| 78 | Irreversible Electroporation in pancreatic ductal adenocarcinoma: IsÂthere a role in conjunction with conventional treatment?. European Journal of Surgical Oncology, 2018, 44, 1486-1493. | 0.5 | 11 |
| 79 | Adjuvant chemotherapy and outcomes in patients with nodal and resection marginâ€negative pancreatic ductal adenocarcinoma: A systematic review and metaâ€analysis. Journal of Surgical Oncology, 2019, 119, 932-940. | 0.8 | 11 |
| 80 | NET-02 trial protocol: a multicentre, randomised, parallel group, open-label, phase II, single-stage selection trial of liposomal irinotecan (nal-IRI) and 5-fluorouracil (5-FU)/folinic acid or docetaxel as second-line therapy in patients with progressive poorly differentiated extrapulmonary neuroendocrine carcinoma (NEC). BMJ Open, 2020, 10, e034527. | 0.8 | 11 |
| 81 | Management of glioblastoma in the elderly. Clinical Advances in Hematology and Oncology, 2012, 10, 379-86. | 0.3 | 11 |
| 82 | Intrahepatic cholangiocarcinoma hidden within cancer of unknown primary. British Journal of Cancer, 2022, 127, 531-540. | 2.9 | 11 |
| 83 | Anaplastic Oligodendroglioma: Advances and Treatment Options. Current Treatment Options in Neurology, 2013, 15, 289-301. | 0.7 | 10 |
| 84 | Emerging biomarkers in anaplastic oligodendroglioma: implications for clinical investigation and patient management. CNS Oncology, 2013, 2, 351-358. | 1.2 | 10 |
| 85 | Predictive and prognostic values of ERCC1 and XRCC1 in biliary tract cancers. Journal of Clinical Pathology, 2016, 69, 695-701. | 1.0 | 10 |
| 86 | 18F-FLT PET imaging of cellular proliferation in pancreatic cancer. Critical Reviews in Oncology/Hematology, 2016, 99, 158-169. | 2.0 | 10 |
| 87 | Follow-Up Recommendations after Curative Resection of Well-Differentiated Neuroendocrine Tumours: Review of Current Evidence and Clinical Practice. Journal of Clinical Medicine, 2019, 8, 1630. | 1.0 | 10 |
| 88 | A strategy for early detection of response to chemotherapy drugs based on treatment-related changes in the metabolome. PLoS ONE, 2019, 14, e0213942. | 1.1 | 10 |
| 89 | Urgent need for consensus: international survey of clinical practice exploring use of platinum-etoposide chemotherapy for advanced extra-pulmonary high grade neuroendocrine carcinoma (EP-G3-NEC). Clinical and Translational Oncology, 2019, 21, 950-953. | 1.2 | 9 |
| 90 | NUC-1031, use of ProTide technology to circumvent gemcitabine resistance: current status in clinical trials. Medical Oncology, 2020, 37, 61. | 1.2 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Biliary Tract Cancer: Implicated Immune-Mediated Pathways and Their Associated Potential Targets. Oncology Research and Treatment, 2018, 41, 298-304. | 0.8 | 8 |
| 92 | Systemic therapies in advanced hepatocellular carcinoma: How do older patients fare?. European Journal of Surgical Oncology, 2021, 47, 583-590. | 0.5 | 7 |
| 93 | Targeted Therapies for Perihilar Cholangiocarcinoma. Cancers, 2022, 14, 1789. | 1.7 | 7 |
| 94 | Outcomes in patients ≥ 80Âyears with a diagnosis of a hepatopancreaticobiliary (HPB) malignancy. Medical Oncology, 2019, 36, 85. | 1.2 | 6 |
| 95 | Knowns and unknowns of bone metastases in patients with neuroendocrine neoplasms: A systematic review and meta-analysis. Cancer Treatment Reviews, 2021, 94, 102168. | 3.4 | 6 |
| 96 | Some behavioural and neurochemical effects of ipsapirone in two rodent models of depression. Journal of Psychopharmacology, 1996, 10, 126-133. | 2.0 | 5 |
| 97 | Clioblastoma Treatment in the Elderly in the Temozolomide Therapy Era. Canadian Journal of Neurological Sciences, 2014, 41, 357-362. | 0.3 | 5 |
| 98 | Fibrolamellar carcinoma: Challenging the challenge. European Journal of Cancer, 2020, 137, 144-147. | 1.3 | 5 |
| 99 | Outcomes in older patients with biliary tract cancer. European Journal of Surgical Oncology, 2021, 47, 569-575. | 0.5 | 5 |
| 100 | HPB cancers in older patients inclusion of older/senior patients in clinical trials. European Journal of Surgical Oncology, 2021, 47, 597-602. | 0.5 | 4 |
| 101 | Is the Morphological Subtype of Extra-Pulmonary Neuroendocrine Carcinoma Clinically Relevant?. Cancers, 2021, 13, 4152. | 1.7 | 4 |
| 102 | The Potential Role of Liquid Biopsies in Advancing the Understanding of Neuroendocrine Neoplasms. Journal of Clinical Medicine, 2021, 10, 403. | 1.0 | 4 |
| 103 | Selumetinib (Sel) and cisplatin/gemcitabine (CisGem) for advanced biliary tract cancer (BTC): A randomized trial Journal of Clinical Oncology, 2018, 36, 4084-4084. | 0.8 | 4 |
| 104 | Prognostic importance of lymph node yield after curative resection of gastroenteropancreatic neuroendocrine tumours. World Journal of Clinical Oncology, 2020, 11, 205-216. | 0.9 | 4 |
| 105 | Markers of tumor inflammation as prognostic factors for overall survival in patients with advanced pancreatic cancer receiving first-line FOLFIRINOX chemotherapy. Acta Oncológica, 2022, 61, 583-590. | 0.8 | 4 |
| 106 | Radical Resection in Entero-Pancreatic Neuroendocrine Tumors: Recurrence-Free Survival Rate and Definition of a Risk Score for Recurrence. Annals of Surgical Oncology, 2022, 29, 5568-5577. | 0.7 | 4 |
| 107 | Everolimus in the treatment of neuroendocrine tumors of the respiratory and gastroenteropancreatic systems. Future Oncology, 2016, 12, 2561-2578. | 1.1 | 3 |
| 108 | "lf You Prick Us, Do We Not Bleed?―Whom Should We Choose?. Journal of Clinical Oncology, 2016, 34, 513-514. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Spotlight on telotristat ethyl for the treatment of carcinoid syndrome diarrhea: patient selection and reported outcomes. Cancer Management and Research, 2019, Volume 11, 7537-7556. | 0.9 | 3 |
| 110 | Effects of statin, aspirin, or metformin use on recurrence free and overall survival in patients with biliary tract cancer (BTC) Journal of Clinical Oncology, 2014, 32, 303-303. | 0.8 | 3 |
| 111 | Prognostic factors for relapse in resected gastroenteropancreatic neuroendocrine neoplasms: A systematic review and meta-analysis. Cancer Treatment Reviews, 2021, 101, 102299. | 3.4 | 3 |
| 112 | Clinical challenges associated with utility of neoadjuvant treatment in patients with pancreatic ductal adenocarcinoma. European Journal of Surgical Oncology, 2022, 48, 1198-1208. | 0.5 | 3 |
| 113 | Elderly patients diagnosed with hepatopancreatobiliary malignancies: A challenge beyond resection. Cancer, 2017, 123, 888-890. | 2.0 | 2 |
| 114 | Molecular Profiling of Well-Differentiated Neuroendocrine Tumours: The Role of ctDNA in Real-World Practice. Cancers, 2022, 14, 1017. | 1.7 | 2 |
| 115 | Use of the Rockwood Clinical Frailty Scale in patients with advanced hepatopancreaticobiliary malignancies. Expert Review of Anticancer Therapy, 2022, 22, 1009-1015. | 1.1 | 2 |
| 116 | Royal academy of medicine in Ireland section of biomedical sciences. Irish Journal of Medical Science, 1994, 163, 258-268. | 0.8 | 1 |
| 117 | Response to letter â€~Outcome of second-line chemotherapy for biliary tract cancer'. European Journal of Cancer, 2013, 49, 1512-1513. | 1.3 | 1 |
| 118 | To BRCA or Not to PALB. Journal of Clinical Oncology, 2015, 33, 2581-2582. | 0.8 | 1 |
| 119 | Neutrophil/lymphocyte ratio (NLR) as a prognostic factor in biliary tract cancer (BTC) Journal of Clinical Oncology, 2013, 31, 4130-4130. | 0.8 | 1 |
| 120 | Do recurrent and de novo metastatic biliary tract cancer patients have the same outcome on treatment?. Journal of Clinical Oncology, 2015, 33, 351-351. | 0.8 | 1 |
| 121 | Carboplatin-etoposide chemotherapy for patients with advanced extra-pulmonary (EP) poorly differentiated (PD) neuroendocrine carcinoma (NEC); outcomes from a European Neuroendocrine Tumour Society Centre of Excellence. Endocrine Abstracts, 0, , . | 0.0 | 1 |
| 122 | Patterns of care and treatment outcomes in older patients with biliary tract cancer Journal of Clinical Oncology, 2014, 32, 315-315. | 0.8 | 1 |
| 123 | Royal academy of medicine in ireland section of biomedical sciences. Irish Journal of Medical Science, 1995, 164, 311-319. | 0.8 | Ο |
| 124 | Royal academy of medicine in ireland section of biomedical sciences. Irish Journal of Medical Science, 1996, 165, 224-238. | 0.8 | 0 |
| 125 | Royal academy of medicine in Ireland section of biomedical sciences. Irish Journal of Medical Science, 1998, 167, 51-63. | 0.8 | 0 |
| 126 | Temozolomide for 1P19Q Co-Deleted and Partially Deleted Gliomas. Annals of Oncology, 2014, 25, iv138. | 0.6 | 0 |

8

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Systemic therapy for hepatocellular carcinoma. Hepatic Oncology, 2014, 1, 23-38. | 4.2 | 0 |
| 128 | RT-19 * PROGNOSTIC VALUE OF EARLY CHANGES IN NEUTROPHIL AND LYMPHOCYTE MEASURES DURING CHEMORADIOTHERAPY FOR GLIOBLASTOMA. Neuro-Oncology, 2014, 16, v191-v191. | 0.6 | 0 |
| 129 | RT-20 * DELAYING RADIOTHERAPY IN 1p19q CO-DELETED AND PARTIALLY DELETED GLIOMAS. Neuro-Oncology, 2014, 16, v191-v191. | 0.6 | Ο |
| 130 | The dark side of T1 non-appendiceal small bowel neuroendocrine tumors. Human Pathology, 2017, 66, 239-240. | 1.1 | 0 |
| 131 | Emerging facets in the treatment of patients with hepatopancreaticobiliary malignancies. Current Problems in Cancer, 2018, 42, 8-11. | 1.0 | 0 |
| 132 | Response to: Assessing the risk of bias and publication bias should be integral parts of the systematic review. European Journal of Cancer, 2019, 118, 189. | 1.3 | 0 |
| 133 | Response to letter to the editor: The impact of the nodal status and resection margin on the effectiveness of adjuvant chemotherapy for pancreatic cancer: It calls for more careful evaluation. Journal of Surgical Oncology, 2019, 120, 1055-1055. | 0.8 | 0 |
| 134 | In Reply. Oncologist, 2021, 26, e903-e904. | 1.9 | 0 |
| 135 | Population profile for squamous cell carcinoma and adenocarcinoma of cervix in Waterford Regional Hospital, Ireland Journal of Clinical Oncology, 2010, 28, e15557-e15557. | 0.8 | 0 |
| 136 | Retrospective review of patients with a diagnosis of testicular germ cell tumor seen in Waterford Regional Hospital, Ireland, in a 5.5-year period Journal of Clinical Oncology, 2011, 29, e15111-e15111. | 0.8 | 0 |
| 137 | Feasibility and potential benefits of second-line chemotherapy in patients with advanced biliary tract cancer Journal of Clinical Oncology, 2012, 30, 338-338. | 0.8 | 0 |
| 138 | Feasibility and benefits of second-line chemotherapy in advanced biliary tract cancer: A large retrospective study Journal of Clinical Oncology, 2012, 30, e14524-e14524. | 0.8 | 0 |
| 139 | Outcome of adjuvant therapy for biliary tract cancers Journal of Clinical Oncology, 2012, 30, e14592-e14592. | 0.8 | 0 |
| 140 | Effect of body mass index on outcomes in biliary tract cancer Journal of Clinical Oncology, 2015, 33, 399-399. | 0.8 | 0 |
| 141 | Prognostic score in high-grade gastrointestinal neuroendocrine tumours (GI-NETs) Journal of Clinical Oncology, 2015, 33, 4089-4089. | 0.8 | 0 |
| 142 | Editorial comment on: development and external validation of a model to predict overall survival in patients with resected gallbladder cancer. Hepatobiliary Surgery and Nutrition, 2021, 11, 0-0. | 0.7 | 0 |
| 143 | RELEVANT study: Patient (Pt) and physician (PI) perspectives on meaningful outcomes in advanced pancreatic ductal adenocarcinoma (PDAC) Journal of Clinical Oncology, 2020, 38, 150-150. | 0.8 | 0 |
| 144 | Distal migration of a partially covered duodenal stent requiring emergency surgical extraction. International Journal of Gastrointestinal Intervention, 2022, 11, 89-93. | 0.1 | 0 |