

# Ove Andersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3484389/publications.pdf>

Version: 2024-02-01

194  
papers

5,388  
citations

109137

35  
h-index

110170

64  
g-index

208  
all docs

208  
docs citations

208  
times ranked

7010  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of COVID-19 in health-care workers in Denmark: an observational cohort study. <i>Lancet Infectious Diseases</i> , 2020, 20, 1401-1408.	4.6	357
2	Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. <i>Journal of Internal Medicine</i> , 2010, 268, 296-308.	2.7	327
3	Use of plasma C-reactive protein, procalcitonin, neutrophils, macrophage migration inhibitory factor, soluble urokinase-type plasminogen activator receptor, and soluble triggering receptor expressed on myeloid cells-1 in combination to diagnose infections: a prospective study. <i>Critical Care</i> , 2007, 11, R38.	2.5	240
4	Twenty-Four-Hour Mobility During Acute Hospitalization in Older Medical Patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 331-337.	1.7	186
5	Increased expression of TNF- $\alpha$ , IL-6, and IL-8 in HALS: implications for reduced adiponectin expression and plasma levels. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E1072-E1080.	1.8	165
6	Exercise increases interleukin-10 levels both intraarticularly and peri-synovially in patients with knee osteoarthritis: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2010, 12, R126.	1.6	156
7	Infections following epidural catheterization. <i>Journal of Hospital Infection</i> , 1995, 30, 253-260.	1.4	151
8	Development and Validation of a Multiplex Add-On Assay for Sepsis Biomarkers Using xMAP Technology. <i>Clinical Chemistry</i> , 2006, 52, 1284-1293.	1.5	121
9	Cardiovascular risk prediction in the general population with use of suPAR, CRP, and Framingham Risk Score. <i>International Journal of Cardiology</i> , 2013, 167, 2904-2911.	0.8	121
10	Cholesterol-Induced Protein Sorting: An Analysis of Energetic Feasibility. <i>Biophysical Journal</i> , 2003, 84, 2080-2089.	0.2	119
11	Soluble urokinase plasminogen activator receptor is a marker of dysmetabolism in HIV-infected patients receiving highly active antiretroviral therapy. <i>Journal of Medical Virology</i> , 2008, 80, 209-216.	2.5	108
12	CRP and suPAR are differently related to anthropometry and subclinical organ damage. <i>International Journal of Cardiology</i> , 2013, 167, 781-785.	0.8	99
13	Plasma suPAR levels are associated with mortality, admission time, and Charlson Comorbidity Index in the acutely admitted medical patient: a prospective observational study. <i>Critical Care</i> , 2012, 16, R130.	2.5	95
14	Soluble Urokinase Receptor (SuPAR) in COVID-19-Related AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2725-2735.	3.0	93
15	Soluble urokinase plasminogen activator receptor (suPAR) in acute care: a strong marker of disease presence and severity, readmission and mortality. A retrospective cohort study. <i>Emergency Medicine Journal</i> , 2016, 33, 769-775.	0.4	90
16	Predicting mortality in patients with systemic inflammatory response syndrome: an evaluation of two prognostic models, two soluble receptors, and a macrophage migration inhibitory factor. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2008, 27, 375-383.	1.3	84
17	In Vivo and In Vitro Antibacterial Activity of Conglutinin, a Mammalian Plasma Lectin. <i>Scandinavian Journal of Immunology</i> , 1990, 31, 453-460.	1.3	81
18	Soluble urokinase plasminogen activator receptor is associated with subclinical organ damage and cardiovascular events. <i>Atherosclerosis</i> , 2011, 216, 237-243.	0.4	79

#	ARTICLE	IF	CITATIONS
19	Cardiac and proinflammatory markers predict prognosis in cirrhosis. <i>Liver International</i> , 2014, 34, e19-30.	1.9	65
20	Risk Factors Associated with Serum Levels of the Inflammatory Biomarker Soluble Urokinase Plasminogen Activator Receptor in a General Population. <i>Biomarker Insights</i> , 2014, 9, BMI.S19876.	1.0	64
21	Acute Hospitalization of the Older Patient. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 789-796.	0.7	62
22	Healthy lifestyles reduce suPAR and mortality in a Danish general population study. <i>Immunity and Ageing</i> , 2019, 16, 1.	1.8	59
23	Feasibility and Inter-Rater Reliability of Physical Performance Measures in Acutely Admitted Older Medical Patients. <i>PLoS ONE</i> , 2015, 10, e0118248.	1.1	56
24	Combining National Early Warning Score With Soluble Urokinase Plasminogen Activator Receptor (suPAR) Improves Risk Prediction in Acute Medical Patients: A Registry-Based Cohort Study*. <i>Critical Care Medicine</i> , 2018, 46, 1961-1968.	0.4	53
25	Serum Amyloid P Component Binds to Influenza A Virus Haemagglutinin and Inhibits the Virus Infection In Vitro. <i>Scandinavian Journal of Immunology</i> , 1997, 46, 331-337.	1.3	48
26	Lipodystrophy in human immunodeficiency virus patients impairs insulin action and induces defects in $\beta$ -cell function. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 1343-1353.	1.5	48
27	Association between routine laboratory tests and long-term mortality among acutely admitted older medical patients: a cohort study. <i>BMC Geriatrics</i> , 2017, 17, 62.	1.1	45
28	Increased Plasma Soluble uPAR Level Is a Risk Marker of Respiratory Cancer in Initially Cancer-Free Individuals. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 609-618.	1.1	44
29	Prediction of Mobility Limitations after Hospitalization in Older Medical Patients by Simple Measures of Physical Performance Obtained at Admission to the Emergency Department. <i>PLoS ONE</i> , 2016, 11, e0154350.	1.1	44
30	The prevalence of metabolic syndrome in Danish patients with HIV infection: the effect of antiretroviral therapy. <i>HIV Medicine</i> , 2009, 10, 378-387.	1.0	43
31	High-sensitivity C-reactive protein levels predict survival and are related to haemodynamics in alcoholic cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 619-626.	0.8	43
32	Potentially inappropriate medication related to weakness in older acute medical patients. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 570-580.	1.0	41
33	Inflammation, Hyperglycemia, and Adverse Outcomes in Individuals With Diabetes Mellitus Hospitalized for COVID-19. <i>Diabetes Care</i> , 2022, 45, 692-700.	4.3	40
34	Binding of Complement Proteins C1q and C4bp to Serum Amyloid P Component (SAP) in Solid Contra Liquid Phase. <i>Scandinavian Journal of Immunology</i> , 1996, 44, 401-407.	1.3	38
35	Tumor necrosis factor $\beta$ is associated with insulin-mediated suppression of free fatty acids and net lipid oxidation in HIV-infected patients with lipodystrophy. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 175-182.	1.5	38
36	Deficiency of 25-hydroxyvitamin D in male HIV-positive patients: A descriptive cross-sectional study. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 306-310.	1.5	37

#	ARTICLE	IF	CITATIONS
37	<p><p>Patterns of Multimorbidity and Differences in Healthcare Utilization and Complexity Among Acutely Hospitalized Medical Patients (≥65 Years) – A Latent Class Approach</p></p>. Clinical Epidemiology, 2020, Volume 12, 245-259.	1.5	37
38	Depleted skeletal muscle mitochondrial DNA, hyperlactatemia, and decreased oxidative capacity in HIV-infected patients on highly active antiretroviral therapy. Journal of Medical Virology, 2005, 77, 29-38.	2.5	36
39	Plasminogen activator inhibitor type 1 (PAI-1) in plasma and adipose tissue in HIV-associated lipodystrophy syndrome. Implications of adipokines. European Journal of Clinical Investigation, 2005, 35, 583-590.	1.7	35
40	Serum amyloid P component inhibits influenza A virus infections: in vitro and in vivo studies. Antiviral Research, 2001, 52, 43-53.	1.9	34
41	Outcomes in elderly Danish citizens admitted with community-acquired pneumonia. Regional differences, in a public healthcare system. Respiratory Medicine, 2012, 106, 1778-1787.	1.3	34
42	Inflammation and post-operative recovery in patients undergoing total knee arthroplasty-secondary analysis of a randomized controlled trial. Osteoarthritis and Cartilage, 2017, 25, 1265-1273.	0.6	33
43	Native Human Serum Amyloid P Component is a Single Pentamer. Scandinavian Journal of Immunology, 1995, 41, 263-267.	1.3	32
44	Defective glucose and lipid metabolism in human immunodeficiency virus-infected patients with lipodystrophy involve liver, muscle tissue and pancreatic $\beta$ -cells. European Journal of Endocrinology, 2005, 152, 103-112.	1.9	32
45	Characteristics of patients with COVID-19 pneumonia at Hvidovre Hospital, March-April 2020. Danish Medical Journal, 2020, 67, .	0.5	32
46	Conglutinin Binds The HIV-1 Envelope Glycoprotein gp160 and Inhibits its Interaction with Cell Membrane CD4. Scandinavian Journal of Immunology, 1991, 33, 81-88.	1.3	31
47	Twelve potential fibrosis markers to differentiate mild liver fibrosis from cirrhosis in patients infected with chronic hepatitis C genotype 1. European Journal of Clinical Microbiology and Infectious Diseases, 2011, 30, 761-766.	1.3	30
48	Impact of switching antiretroviral therapy on lipodystrophy and other metabolic complications: a review. Scandinavian Journal of Infectious Diseases, 2004, 36, 244-253.	1.5	29
49	Skeletal Muscle Insulin Signaling Defects Downstream of Phosphatidylinositol 3-Kinase at the Level of Akt Are Associated With Impaired Nonoxidative Glucose Disposal in HIV Lipodystrophy. Diabetes, 2005, 54, 3474-3483.	0.3	29
50	A Collaborative Medication Review Including Deprescribing for Older Patients in an Emergency Department: A Longitudinal Feasibility Study. Journal of Clinical Medicine, 2020, 9, 348.	1.0	28
51	Correlation of Increases in 1,25-Dihydroxyvitamin D During Vitamin D Therapy With Activation of CD4+ T Lymphocytes in HIV-1-Infected Males. HIV Clinical Trials, 2012, 13, 162-170.	2.0	26
52	The immune marker soluble urokinase plasminogen activator receptor is associated with new-onset diabetes in non-smoking women and men. Diabetic Medicine, 2012, 29, 479-487.	1.2	26
53	Effect of a local anesthetic lozenge in relief of symptoms in burning mouth syndrome. Oral Diseases, 2016, 22, 123-131.	1.5	26
54	Purification, Subunit Characterization and Ultrastructure of Three Soluble Bovine Lectins: Conglutinin, Mannose-Binding Protein and the Pentraxin Serum Amyloid P-Component. Scandinavian Journal of Immunology, 1992, 36, 131-141.	1.3	25

#	ARTICLE	IF	CITATIONS
55	Pronounced lipodystrophy in HIV-infected men receiving HAART for more than 6 years compared with the background population. <i>HIV Medicine</i> , 2006, 7, 38-45.	1.0	25
56	Mannan-Binding Protein Forms Complexes with alpha-2-Macroglobulin. A Proposed Model for the Interaction. <i>Scandinavian Journal of Immunology</i> , 1995, 42, 373-380.	1.3	24
57	Coronary and peripheral endothelial function in HIV patients studied with positron emission tomography and flow-mediated dilation: relation to hypercholesterolemia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2049-2058.	3.3	24
58	Improved thymic index, density and output in HIV-infected patients following low-dose growth hormone therapy: a placebo controlled study. <i>Aids</i> , 2009, 23, 2123-2131.	1.0	24
59	Nurses' perspectives on how an e-message system supports cross-sectoral communication in relation to medication administration: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018, 27, 795-806.	1.4	24
60	Insulin secretion in lipodystrophic HIV-infected patients is associated with high levels of nonglucose secretagogues and insulin resistance of $\beta$ -cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E677-E685.	1.8	23
61	Use of prescription drugs in the older adult population—a nationwide pharmacoepidemiological study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1125-1133.	0.8	23
62	beta-Cell dysfunction and low insulin clearance in insulin-resistant human immunodeficiency virus (HIV)-infected patients with lipodystrophy. <i>Clinical Endocrinology</i> , 2005, 62, 354-361.	1.2	22
63	Performance of the TREAT decision support system in an environment with a low prevalence of resistant pathogens. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 63, 400-404.	1.3	22
64	Progression of disease preceding lower extremity amputation in Denmark: a longitudinal registry study of diagnoses, use of medication and healthcare services 14 years prior to amputation. <i>BMJ Open</i> , 2017, 7, e016030.	0.8	22
65	Association of markers of bacterial translocation with immune activation in decompensated cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 1360-1366.	0.8	21
66	Association of GDF15 With Inflammation and Physical Function During Aging and Recovery After Acute Hospitalization: A Longitudinal Study of Older Patients and Age-Matched Controls. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 964-974.	1.7	21
67	Effects of Anti-Tumor Necrosis Factor Therapy on Body Composition and Insulin Sensitivity in Patients With Psoriasis. <i>Archives of Dermatology</i> , 2012, 148, 1089.	1.7	20
68	Feasibility of progressive sit-to-stand training among older hospitalized patients. <i>PeerJ</i> , 2015, 3, e1500.	0.9	20
69	Isolation and Characterization of Porcine Mannan-Binding Proteins of Different Size and Ultrastructure. <i>Scandinavian Journal of Immunology</i> , 1996, 43, 289-296.	1.3	19
70	Low-dose growth hormone and human immunodeficiency virus-associated lipodystrophy syndrome: a pilot study. <i>European Journal of Clinical Investigation</i> , 2004, 34, 561-568.	1.7	19
71	Leptin, IL-6, and suPAR reflect distinct inflammatory changes associated with adiposity, lipodystrophy and low muscle mass in HIV-infected patients and controls. <i>Immunity and Ageing</i> , 2015, 12, 9.	1.8	19
72	Kidney function estimates using cystatin C versus creatinine: Impact on medication prescribing in acutely hospitalized elderly patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 466-478.	1.2	19

#	ARTICLE	IF	CITATIONS
73	Soluble urokinase plasminogen activator receptor predicts mortality in exacerbated COPD. <i>Respiratory Research</i> , 2018, 19, 97.	1.4	18
74	Different growth hormone sensitivity of target tissues and growth hormone response to glucose in HIV-infected patients with and without lipodystrophy. <i>Scandinavian Journal of Infectious Diseases</i> , 2004, 36, 832-839.	1.5	17
75	Inflammation in HIV-Infected Patients: Impact of HIV, Lifestyle, Body Composition, and Demography – A Cross Sectional Cohort Study. <i>PLoS ONE</i> , 2012, 7, e51698.	1.1	17
76	Challenges in co-designing an intervention to increase mobility in older patients: a qualitative study. <i>Journal of Health Organization and Management</i> , 2021, 35, 140-162.	0.6	17
77	The effect of protein intake and resistance training on muscle mass in acutely ill old medical patients – A randomized controlled trial. <i>Clinical Nutrition</i> , 2016, 35, 59-66.	2.3	16
78	Prevalence and overlap of Disease Management Program diseases in older hospitalized patients. <i>European Journal of Ageing</i> , 2017, 14, 283-293.	1.2	16
79	Fibrogenesis and inflammation contribute to the pathogenesis of cirrhotic cardiomyopathy. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 340-350.	1.9	16
80	Soluble Urokinase Plasminogen Activator Receptor as a Decision Marker for Early Discharge of Patients with COVID-19 Symptoms in the Emergency Department. <i>Journal of Emergency Medicine</i> , 2021, 61, 298-313.	0.3	16
81	suPAR associates to glucose metabolic aberration during glucose stimulation in HIV-infected patients on HAART. <i>Journal of Infection</i> , 2008, 57, 55-63.	1.7	15
82	SuPAR correlates with mortality and clinical severity in patients with necrotizing soft-tissue infections: results from a prospective, observational cohort study. <i>Scientific Reports</i> , 2019, 9, 5098.	1.6	15
83	Elevated suPAR Is an Independent Risk Marker for Incident Kidney Disease in Acute Medical Patients. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 339.	1.8	15
84	suPAR Cut-Offs for Risk Stratification in Patients With Symptoms of COVID-19. <i>Biomarker Insights</i> , 2021, 16, 117727192110346.	1.0	15
85	Risk of Malnutrition upon Admission and after Discharge in Acutely Admitted Older Medical Patients: A Prospective Observational Study. <i>Nutrients</i> , 2021, 13, 2757.	1.7	15
86	Low-dose growth hormone for 40 weeks induces HIV-1-specific T cell responses in patients on effective combination anti-retroviral therapy. <i>Clinical and Experimental Immunology</i> , 2013, 173, 444-453.	1.1	14
87	One-Stop Dispensing: Hospital Costs and Patient Perspectives on Self-Management of Medication. <i>Pharmacy (Basel, Switzerland)</i> , 2018, 6, 46.	0.6	14
88	Immunoprofiles of colorectal cancer from Lynch syndrome. <i>OncImmunology</i> , 2019, 8, e1515612.	2.1	14
89	Differences in function and recovery profiles between patterns of multimorbidity among older medical patients the first year after an acute admission – An exploratory latent class analysis. <i>Archives of Gerontology and Geriatrics</i> , 2020, 86, 103956.	1.4	14
90	Severe Acute Respiratory Syndrome - a New Coronavirus from the Chinese Dragon's Lair*. <i>Scandinavian Journal of Immunology</i> , 2003, 58, 277-284.	1.3	13

#	ARTICLE	IF	CITATIONS
91	Preanalytical handling of samples for measurement of plasma lactate in HIV patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2003, 63, 449-454.	0.6	13
92	Immunosenescence of the CD8+ T cell compartment is associated with HIV-infection, but only weakly reflects age-related processes of adipose tissue, metabolism, and muscle in antiretroviral therapy-treated HIV-infected patients and controls. <i>BMC Immunology</i> , 2015, 16, 72.	0.9	13
93	Alterations of monocyte NF- $\kappa$ B p65/RelA signaling in a cohort of older medical patients, age-matched controls, and healthy young adults. <i>Immunity and Ageing</i> , 2020, 17, 25.	1.8	13
94	High suPAR and Low Blood Eosinophil Count are Risk Factors for Hospital Readmission and Mortality in Patients with COPD. <i>International Journal of COPD</i> , 2020, Volume 15, 733-743.	0.9	13
95	Utility of suPAR and NGAL for AKI Risk Stratification and Early Optimization of Renal Risk Medications among Older Patients in the Emergency Department. <i>Pharmaceuticals</i> , 2021, 14, 843.	1.7	13
96	Clinical lipoatrophy in HIV-1 patients on HAART is not associated with increased abdominal girth, hyperlipidaemia or glucose intolerance. <i>HIV Medicine</i> , 2002, 3, 239-246.	1.0	12
97	Insulin-like growth factors, insulin-like growth factor-binding proteins, insulin-like growth factor-binding protein-3 protease, and growth hormone-binding protein in lipodystrophic Human Immunodeficiency Virus-infected patients. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1565-1573.	1.5	12
98	Impaired proinsulin secretion before and during oral glucose stimulation in HIV-infected patients who display fat redistribution. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 939-946.	1.5	12
99	New lidocaine lozenge as topical anesthesia compared to lidocaine viscous oral solution before upper gastrointestinal endoscopy. <i>Local and Regional Anesthesia</i> , 2012, 5, 17.	2.8	12
100	Nurses' perception of how an e-message system influences cross-sectoral communication: A qualitative study. <i>Journal of Nursing Management</i> , 2018, 26, 509-517.	1.4	12
101	The biomarkers suPAR and blood eosinophils are associated with hospital readmissions and mortality in asthma – a retrospective cohort study. <i>Respiratory Research</i> , 2019, 20, 258.	1.4	12
102	Post-hospital medical respite care for homeless people in Denmark: a randomized controlled trial and cost-utility analysis. <i>BMC Health Services Research</i> , 2020, 20, 508.	0.9	12
103	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as a Predictor of Incident Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2018, 10, 1801.	0.5	12
104	Calcium-enhanced aggregation of serum amyloid P component and its inhibition by the ligands heparin and heparan sulphate. <i>Apmis</i> , 1994, 102, 420-426.	0.9	11
105	Multiple Isoforms of the Human Pentraxin Serum Amyloid P Component. <i>International Archives of Allergy and Immunology</i> , 1995, 106, 25-31.	0.9	11
106	A tailored strategy for designing the Walk-Copenhagen (WALK-Cph) intervention to increase mobility in hospitalised older medical patients: a protocol for the qualitative part of the WALK-Cph project. <i>BMJ Open</i> , 2018, 8, e020272.	0.8	11
107	Do glia provide the link between low-grade systemic inflammation and normal cognitive ageing? A <sup>1</sup> H magnetic resonance spectroscopy study at 7 tesla. <i>Journal of Neurochemistry</i> , 2021, 159, 185-196.	2.1	11
108	Optimization of Nutrition And Medication (OptiNAM) for acutely admitted older patients: protocol for a randomized single-blinded controlled trial. <i>Trials</i> , 2021, 22, 616.	0.7	11

#	ARTICLE	IF	CITATIONS
109	Risk Factors for Being Seronegative following SARS-CoV-2 Infection in a Large Cohort of Health Care Workers in Denmark. <i>Microbiology Spectrum</i> , 2021, 9, e0090421.	1.2	11
110	Soluble Urokinase Plasminogen Activator Receptor Is a Predictor of Incident Non-AIDS Comorbidity and All-Cause Mortality in Human Immunodeficiency Virus Type 1 Infection. <i>Journal of Infectious Diseases</i> , 2017, 216, 819-823.	1.9	10
111	Effects of a highly controlled carbohydrate-reduced high-protein diet on markers of oxidatively generated nucleic acid modifications and inflammation in weight stable participants with type 2 diabetes; a randomized controlled trial. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 401-407.	0.6	10
112	Lynch syndrome-associated epithelial ovarian cancer and its immunological profile. <i>Gynecologic Oncology</i> , 2021, 162, 686-693.	0.6	10
113	Calcium-dependent and calcium-independent signals in the conglutinin-binding assay (KgBa) for immune complexes. <i>Journal of Immunological Methods</i> , 1992, 148, 225-232.	0.6	9
114	Long-term high physiological dose growth hormone reduces intra-abdominal fat in HIV-infected patients with a neutral effect on glucose metabolism. <i>HIV Medicine</i> , 2010, 11, 266-275.	1.0	9
115	Polyacrylamide Gel Treatment of Antiretroviral Therapy-induced Facial Lipoatrophy in HIV Patients. <i>Aesthetic Plastic Surgery</i> , 2011, 35, 709-716.	0.5	9
116	Absorption of Bupivacaine after Administration of a Lozenge as Topical Treatment for Pain from Oral Mucositis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 71-78.	1.2	9
117	Seroprevalence of SARS-CoV-2 antibodies and reduced risk of reinfection through 6 months: a Danish observational cohort study of 44,000 healthcare workers. <i>Clinical Microbiology and Infection</i> , 2022, 28, 710-717.	2.8	9
118	Biochemical and ultrastructural studies of the C-type lectin bovine conglutinin. <i>Journal of Structural Biology</i> , 1992, 109, 201-207.	1.3	8
119	Death from the Nile Crosses the Atlantic: The West Nile Fever Story. <i>Scandinavian Journal of Infectious Diseases</i> , 2003, 35, 820-825.	1.5	8
120	In nondiabetic, human immunodeficiency virus-infected patients with lipodystrophy, hepatic insulin extraction and posthepatic insulin clearance rate are decreased in proportion to insulin resistance. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 171-179.	1.5	8
121	Growth factors, glucose and insulin kinetics after low dose growth hormone therapy in HIV-lipodystrophy. <i>Journal of Infection</i> , 2006, 52, 389-398.	1.7	8
122	Assessment of <i>in situ</i> adipose tissue inflammation by microdialysis. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 110-119.	0.5	8
123	How inflammation underlies physical and organ function in acutely admitted older medical patients. <i>Mechanisms of Ageing and Development</i> , 2017, 164, 67-75.	2.2	8
124	A randomized controlled trial of the effect of supervised progressive cross-continuum strength training and protein supplementation in older medical patients: the STAND-Cph trial. <i>Trials</i> , 2019, 20, 655.	0.7	8
125	Automatic oxygen titration with O2matic® to patients admitted with COVID-19 and hypoxemic respiratory failure. <i>European Clinical Respiratory Journal</i> , 2020, 7, 1833695.	0.7	8
126	Dysphagia Prevalence, Time Course, and Association with Probable Sarcopenia, Inactivity, Malnutrition, and Disease Status in Older Patients Admitted to an Emergency Department: A Secondary Analysis of Cohort Study Data. <i>Geriatrics (Switzerland)</i> , 2021, 6, 46.	0.6	8



#	ARTICLE	IF	CITATIONS
127	Circulating sex hormones and gene expression of subcutaneous adipose tissue oestrogen and alpha-adrenergic receptors in HIV-lipodystrophy: implications for fat distribution. <i>Clinical Endocrinology</i> , 2007, 67, 250-258.	1.2	7
128	Bupivacaine Lozenge Compared with Lidocaine Spray as Topical Pharyngeal Anesthetic before Unsedated Upper Gastrointestinal Endoscopy: A Randomized, Controlled Trial. <i>Clinical Medicine Insights Gastroenterology</i> , 2014, 7, CGast.S18019.	1.0	7
129	Low-dose growth hormone therapy reduces inflammation in HIV-infected patients: a randomized placebo-controlled study. <i>Infectious Diseases</i> , 2016, 48, 829-837.	1.4	7
130	Stromal cell-derived factor 1 $\pm$ (SDF-1 $\pm$ ): A marker of disease burden in patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 36-41.	0.4	7
131	A high-protein diet during hospitalization is associated with an accelerated decrease in soluble urokinase plasminogen activator receptor levels in acutely ill elderly medical patients with SIRS. <i>Nutrition Research</i> , 2017, 41, 56-64.	1.3	7
132	Traveling health-promoting infrastructures: A meta-ethnographic analysis. <i>Health (United Kingdom)</i> , 2020, 24, 606-622.	0.9	7
133	Characterization of burning mouth syndrome profiles based on response to a local anaesthetic lozenge. <i>Oral Diseases</i> , 2020, 26, 656-669.	1.5	7
134	Implementing social distancing policy measures in the battle against the coronavirus: protocol of a comparative study of Denmark and Sweden. <i>Implementation Science Communications</i> , 2020, 1, 77.	0.8	7
135	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. <i>GeroScience</i> , 2021, 43, 1835-1849.	2.1	7
136	Social Distancing Policies in the Coronavirus Battle: A Comparison of Denmark and Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10990.	1.2	7
137	Enhanced glucagon-like peptide-1 (GLP-1) response to oral glucose in glucose-intolerant HIV-infected patients on antiretroviral therapy. <i>HIV Medicine</i> , 2005, 6, 91-98.	1.0	6
138	Glucose production, oxidation and disposal correlate with plasma lactate levels in HIV-infected patients on HAART. <i>Journal of Infection</i> , 2007, 54, 89-97.	1.7	6
139	Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. <i>Pharmaceuticals</i> , 2018, 11, 88.	1.7	6
140	Differences in Kidney Function Estimates Based on Creatinine and/or Cystatin C in Non-Traumatic Amputation Patients and Their Impact on Drug Prescribing. <i>Journal of Clinical Medicine</i> , 2019, 8, 89.	1.0	6
141	Development of the "chronic condition measurement guide": a new tool to measure chronic conditions in older people based on ICD-10 and ATC-codes. <i>European Geriatric Medicine</i> , 2019, 10, 431-444.	1.2	6
142	Adjusting Early Warning Score by clinical assessment: a study protocol for a Danish cluster-randomised, multicentre study of an Individual Early Warning Score (I-EWS). <i>BMJ Open</i> , 2020, 10, e033676.	0.8	6
143	Implementing a new emergency department: a qualitative study of health professionals' change responses and perceptions. <i>BMC Health Services Research</i> , 2022, 22, 447.	0.9	6
144	Clinical assessment as a part of an early warning score: a Danish cluster-randomised, multicentre study of an individual early warning score. <i>The Lancet Digital Health</i> , 2022, 4, e497-e506.	5.9	6

#	ARTICLE	IF	CITATIONS
145	Effect of bupivacaine lozenges on oral mucositis pain: a randomized controlled multicenter phase II study. <i>Pain Reports</i> , 2017, 2, e619.	1.4	5
146	Homeless people's experiences of medical respite care following acute hospitalisation in Denmark. <i>Health and Social Care in the Community</i> , 2018, 26, 538-546.	0.7	5
147	Methylprednisolone and inflammatory stress response in older people undergoing surgery for hip fracture: a secondary analysis of a randomized controlled trial. <i>European Geriatric Medicine</i> , 2019, 10, 913-921.	1.2	5
148	Kinetics of the soluble urokinase plasminogen activator receptor (suPAR) in cirrhosis. <i>PLoS ONE</i> , 2019, 14, e0220697.	1.1	5
149	The effect of the employment of experienced physicians in the Emergency Department on quality of care and equality—a quasi-experimental retrospective cohort study. <i>European Journal of Public Health</i> , 2021, 31, 1163-1170.	0.1	5
150	Collaboration Between Relatives of Older Patients and Nurses in Acute Medical Wards: Confirmatory Factor Analysis of the Revised Family Collaboration Scale. <i>Journal of Nursing Measurement</i> , 2018, 26, 311-340.	0.2	5
151	Variations in physical activity and sedentary behavior during and after hospitalization in acutely admitted older medical patients: a longitudinal study. <i>BMC Geriatrics</i> , 2022, 22, 209.	1.1	5
152	Performance of the Cockcroft-Gault, Modification of Diet in Renal Disease, and new Chronic Kidney Disease Epidemiology Collaboration equations without race in older acute medical patients. <i>Kidney International</i> , 2022, 101, 1087-1088.	2.6	5
153	A novel lozenge containing bupivacaine as topical alleviation of oral mucositis pain in patients with head and neck cancer: a pilot study. <i>Pain Reports</i> , 2016, 1, e571.	1.4	4
154	Perceptions and experiences of nutritional care following the overwhelming experience of lower extremity amputation: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018, 27, e808-e819.	1.4	4
155	Histological and Molecular Adipose Tissue Changes Are Related to Metabolic Syndrome Rather Than Lipodystrophy in Human Immunodeficiency Virus-Infected Patients: A Cross-Sectional Study. <i>Journal of Infectious Diseases</i> , 2018, 218, 1090-1098.	1.9	4
156	Organizational transformation in health care: an activity theoretical analysis. <i>Journal of Health Organization and Management</i> , 2019, 33, 547-562.	0.6	4
157	Effect of Influenza Vaccination on Risk of Coronavirus Disease 2019: A Prospective Cohort Study of 46â€¦000 Healthcare Workers. <i>Journal of Infectious Diseases</i> , 2022, 226, 6-10.	1.9	4
158	The challenge of involving old patients with polypharmacy in their medication during hospitalization in a medical emergency department: An ethnographic study. <i>PLoS ONE</i> , 2021, 16, e0261525.	1.1	4
159	Glucose-stimulated prehepatic insulin secretion is associated with circulating alanine, triglyceride, glucagon, lactate and TNF-alpha in patients with HIV-lipodystrophy. <i>HIV Medicine</i> , 2006, 7, 163-172.	1.0	3
160	Hyperproinsulinaemia in normoglycaemic lipodystrophic HIV-infected patients. <i>European Journal of Clinical Investigation</i> , 2006, 36, 436-445.	1.7	3
161	Sustained low-dose growth hormone therapy optimizes bioactive insulin-like growth factor level and may enhance CD4 T-cell number in HIV infection. <i>Journal of Medical Virology</i> , 2010, 82, 197-205.	2.5	3
162	Physicians' Non-Uniform Approach to Prescribing Drugs to Older Patients – A Qualitative Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 505-511.	1.2	3

#	ARTICLE	IF	CITATIONS
163	The effect of circadian-adjusted LED-based lighting on sleep, daytime sleepiness and biomarkers of inflammation in a randomized controlled cross-over trial by pragmatic design in elderly care home dwellers. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104223.	1.4	3
164	Mortality and major complications after emergency laparotomy: A pilot study of risk prediction model development by preoperative blood-based immune parameters. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 151-161.	0.7	3
165	Using soluble urokinase plasminogen activator receptor to stratify patients for medication review in the emergency department. <i>British Journal of Clinical Pharmacology</i> , 2021, , .	1.1	3
166	An Ethnographic study of unhealthy alcohol use in a Danish Emergency Department. <i>Addiction Science &amp; Clinical Practice</i> , 2021, 16, 60.	1.2	3
167	Molecular Biomarkers of Health. <i>Healthy Ageing and Longevity</i> , 2020, , 243-270.	0.2	3
168	Short Communication: Opportunities and Challenges for Early Person-Centered Care for Older Patients in Emergency Settings. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12526.	1.2	3
169	Medicines Reconciliation in the Emergency Department: Important Prescribing Discrepancies between the Shared Medication Record and Patients' Actual Use of Medication. <i>Pharmaceuticals</i> , 2022, 15, 142.	1.7	3
170	Co-designing implementation strategies for the WALK-Cph intervention in Denmark aimed at increasing mobility in acutely hospitalized older patients: a qualitative analysis of selected strategies and their justifications. <i>BMC Health Services Research</i> , 2022, 22, 8.	0.9	3
171	SARS-CoV-2 seroprevalence among patients with severe mental illness: A cross-sectional study. <i>PLoS ONE</i> , 2022, 17, e0264325.	1.1	3
172	Shared Decision Making with Acutely Hospitalized, Older Poly-Medicated Patients: A Mixed-Methods Study in an Emergency Department. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6429.	1.2	3
173	Psychological Stress Predicts the Risk of Febrile Episodes in Cancer Patients during Chemotherapy. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 258-260.	4.0	2
174	A new method to facilitate oro-tracheal intubation of awake patients. <i>European Journal of Anaesthesiology</i> , 2012, 29, 546-547.	0.7	2
175	T-lymphocyte subset dynamics in well-treated HIV-infected men during a bout of exhausting exercise. <i>Infectious Diseases</i> , 2015, 47, 919-923.	1.4	2
176	Soluble urokinase plasminogen activator receptor and decline in kidney function among patients without kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1534-1541.	1.4	2
177	Feasibility and implementation fidelity of a co-designed intervention to promote in-hospital mobility among older medical patients—the WALK-Copenhagen project (WALK-Cph). <i>Pilot and Feasibility Studies</i> , 2022, 8, 80.	0.5	2
178	527 IMBALANCES IN PROINFLAMMATORY CYTOKINES ARE ASSOCIATED WITH PULMONARY DYSFUNCTION AND HEPATOPULMONARY SYNDROME IN CIRRHOSIS. <i>Journal of Hepatology</i> , 2010, 52, S211-S212.	1.8	1
179	GRP-107—Is Weakness in Older Patients Caused by Inappropriate Drug Use?. <i>European Journal of Hospital Pharmacy</i> , 2013, 20, A39.1-A39.	0.5	1
180	Soluble urokinase plasminogen activator receptor (suPAR) predicts mortality in exacerbated COPD. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
181	Adaptations and modifications to a co-designed intervention and its clinical implementation: a qualitative study in Denmark. BMC Health Services Research, 2021, 21, 1108.	0.9	1
182	T-cell dysfunction and low insulin clearance in insulin-resistant human immunodeficiency virus (HIV)-infected patients with lipodystrophy. Clinical Endocrinology, 2006, 65, 554-554.	1.2	0
183	Letters to the Editor: Genetic polymorphism and soluble urokinase plasminogen activator receptor regulation. FASEB Journal, 2015, 29, 4757-4758.	0.2	0
184	Reply, Letter to Editor " Combined intervention of protein supplementation and resistance training in medical patients. Clinical Nutrition, 2015, 34, 1035-1036.	2.3	0
185	Work ability assessment among acutely admitted patients using biomarkers. Big Data Analytics, 2017, 2, .	2.2	0
186	An evaluation of nursing documentation of acutely admitted older home-living medical patients in a Danish hospital. Clinical Nursing Studies, 2017, 6, 20.	0.1	0
187	FRI-130-Changes in the extracellular matrix of the heart and the liver assessed by MRI with T1-mapping are closely linked in cirrhosis: Is inflammation the shared pathway?. Journal of Hepatology, 2019, 70, e444-e445.	1.8	0
188	BIOLOGICAL AGING IS ASSOCIATED WITH INCREASED MONOCYTE INFLAMMATORY ACTIVITY IN OLDER ADULTS. Innovation in Aging, 2019, 3, S908-S909.	0.0	0
189	Soluble urokinase plasminogen activator receptor (suPAR) predicts hospital readmissions and all-cause mortality in patients admitted with asthma. , 2019, , .		0
190	Soluble urokinase plasminogen activator receptor (suPAR) is associated with COPD readmission and mortality. , 2019, , .		0
191	Social Distancing Policies in the Coronavirus Battle: A Comparison of Denmark and Sweden. International Journal of Environmental Research and Public Health, 2021, 18, .	1.2	0
192	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. Innovation in Aging, 2021, 5, 669-669.	0.0	0
193	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. Innovation in Aging, 2021, 5, 666-666.	0.0	0
194	Factors Associated With Older Adults' In-Hospital Mobility: A Comparison Between Israel and Denmark. Innovation in Aging, 2021, 5, 26-26.	0.0	0