

# Ove Andersen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3484389/ove-andersen-publications-by-year.pdf>  
**Version:** 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181 papers	4,098 citations	32 h-index	58 g-index
208 ext. papers	4,848 ext. citations	4.8 avg, IF	5.16 L-index

#	Paper	IF	Citations
181	Inflammation, Hyperglycemia, and Adverse Outcomes in Individuals With Diabetes Mellitus Hospitalized for COVID-19.. <i>Diabetes Care</i> , <b>2022</b> ,	14.6	3
180	Co-designing implementation strategies for the WALK-Cph intervention in Denmark aimed at increasing mobility in acutely hospitalized older patients: a qualitative analysis of selected strategies and their justifications.. <i>BMC Health Services Research</i> , <b>2022</b> , 22, 8	2.9	
179	Variations in physical activity and sedentary behavior during and after hospitalization in acutely admitted older medical patients: a longitudinal study.. <i>BMC Geriatrics</i> , <b>2022</b> , 22, 209	4.1	0
178	SARS-CoV-2 seroprevalence among patients with severe mental illness: A cross-sectional study.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0264325	3.7	0
177	Implementing a new emergency department: a qualitative study of health professionals' change responses and perceptions.. <i>BMC Health Services Research</i> , <b>2022</b> , 22, 447	2.9	1
176	Feasibility and implementation fidelity of a co-designed intervention to promote in-hospital mobility among older medical patients-the WALK-Copenhagen project (WALK-Cph).. <i>Pilot and Feasibility Studies</i> , <b>2022</b> , 8, 80	1.9	0
175	Performance of the Cockcroft-Gault, Modification of Diet in Renal Disease, and new Chronic Kidney Disease Epidemiology Collaboration equations without race in older acute medical patients.. <i>Kidney International</i> , <b>2022</b> , 101, 1087-1088	9.9	1
174	Shared Decision Making with Acutely Hospitalized, Older Poly-Medicated Patients: A Mixed-Methods Study in an Emergency Department. <i>International Journal of Environmental Research and Public Health</i> , <b>2022</b> , 19, 6429	4.6	
173	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. <i>Innovation in Aging</i> , <b>2021</b> , 5, 669-669	0.1	
172	Social Distancing Policies in the Coronavirus Battle: A Comparison of Denmark and Sweden. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18, 10990	4.6	2
171	Short Communication: Opportunities and Challenges for Early Person-Centered Care for Older Patients in Emergency Settings. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	0
170	Risk Factors for Being Seronegative following SARS-CoV-2 Infection in a Large Cohort of Health Care Workers in Denmark. <i>Microbiology Spectrum</i> , <b>2021</b> , 9, e0090421	8.9	2
169	Adaptations and modifications to a co-designed intervention and its clinical implementation: a qualitative study in Denmark. <i>BMC Health Services Research</i> , <b>2021</b> , 21, 1108	2.9	
168	An Ethnographic study of unhealthy alcohol use in a Danish Emergency Department. <i>Addiction Science &amp; Clinical Practice</i> , <b>2021</b> , 16, 60	4.1	1
167	Soluble Urokinase Plasminogen Activator Receptor as a Decision Marker for Early Discharge of Patients with COVID-19 Symptoms in the Emergency Department. <i>Journal of Emergency Medicine</i> , <b>2021</b> , 61, 298-313	1.5	5
166	Dysphagia Prevalence, Time Course, and Association with Probable Sarcopenia, Inactivity, Malnutrition, and Disease Status in Older Patients Admitted to an Emergency Department: A Secondary Analysis of Cohort Study Data. <i>Geriatrics (Switzerland)</i> , <b>2021</b> , 6,	2.2	4
165	Challenges in co-designing an intervention to increase mobility in older patients: a qualitative study. <i>Journal of Health Organization and Management</i> , <b>2021</b> , 35, 140-162	1.9	4

164	Mortality and major complications after emergency laparotomy: A pilot study of risk prediction model development by preoperative blood-based immune parameters. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 151-161	1.9	1
163	suPAR Cut-Offs for Risk Stratification in Patients With Symptoms of COVID-19. <i>Biomarker Insights</i> , <b>2021</b> , 16, 11772719211034685	3.5	4
162	Association of GDF15 With Inflammation and Physical Function During Aging and Recovery After Acute Hospitalization: A Longitudinal Study of Older Patients and Age-Matched Controls. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2021</b> , 76, 964-974	6.4	5
161	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. <i>GeroScience</i> , <b>2021</b> , 43, 1835-1849	8.9	2
160	Do glia provide the link between low-grade systemic inflammation and normal cognitive ageing? A H magnetic resonance spectroscopy study at 7 tesla. <i>Journal of Neurochemistry</i> , <b>2021</b> , 159, 185-196	6	3
159	The effect of the employment of experienced physicians in the Emergency Department on quality of care and equality-a quasi-experimental retrospective cohort study. <i>European Journal of Public Health</i> , <b>2021</b> , 31, 1163-1170	2.1	1
158	Optimization of Nutrition And Medication (OptiNAM) for acutely admitted older patients: protocol for a randomized single-blinded controlled trial. <i>Trials</i> , <b>2021</b> , 22, 616	2.8	2
157	Lynch syndrome-associated epithelial ovarian cancer and its immunological profile. <i>Gynecologic Oncology</i> , <b>2021</b> , 162, 686-693	4.9	1
156	Seroprevalence of SARS-CoV-2 antibodies and reduced risk of reinfection through 6 months: a Danish observational cohort study of 44000 healthcare workers. <i>Clinical Microbiology and Infection</i> , <b>2021</b> ,	9.5	1
155	Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. <i>Innovation in Aging</i> , <b>2021</b> , 5, 666-666	0.1	
154	The challenge of involving old patients with polypharmacy in their medication during hospitalization in a medical emergency department: An ethnographic study.. <i>PLoS ONE</i> , <b>2021</b> , 16, e0261325	3.7	1
153	Factors Associated With Older Adults' In-Hospital Mobility: A Comparison Between Israel and Denmark. <i>Innovation in Aging</i> , <b>2021</b> , 5, 26-26	0.1	
152	Alterations of monocyte NF- $\kappa$ B p65/RelA signaling in a cohort of older medical patients, age-matched controls, and healthy young adults. <i>Immunity and Ageing</i> , <b>2020</b> , 17, 25	9.7	6
151	Effects of a highly controlled carbohydrate-reduced high-protein diet on markers of oxidatively generated nucleic acid modifications and inflammation in weight stable participants with type 2 diabetes; a randomized controlled trial. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2020</b> , 80, 481-487	2	3
150	Elevated suPAR Is an Independent Risk Marker for Incident Kidney Disease in Acute Medical Patients. <i>Frontiers in Cell and Developmental Biology</i> , <b>2020</b> , 8, 339	5.7	5
149	Fibrogenesis and inflammation contribute to the pathogenesis of cirrhotic cardiomyopathy. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2020</b> , 52, 340-350	6.1	7
148	Post-hospital medical respite care for homeless people in Denmark: a randomized controlled trial and cost-utility analysis. <i>BMC Health Services Research</i> , <b>2020</b> , 20, 508	2.9	6
147	Patterns of Multimorbidity and Differences in Healthcare Utilization and Complexity Among Acutely Hospitalized Medical Patients (≥5 Years) - A Latent Class Approach. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 245-259	5.9	15

146	A Collaborative Medication Review Including Deprescribing for Older Patients in an Emergency Department: A Longitudinal Feasibility Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	11
145	Molecular Biomarkers of Health. <i>Healthy Ageing and Longevity</i> , <b>2020</b> , 243-270	0.5	0
144	Characterization of burning mouth syndrome profiles based on response to a local anaesthetic lozenge. <i>Oral Diseases</i> , <b>2020</b> , 26, 656-669	3.5	3
143	Soluble Urokinase Receptor (SuPAR) in COVID-19-Related AKI. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2020</b> , 31, 2725-2735	12.7	45
142	Implementing social distancing policy measures in the battle against the coronavirus: protocol of a comparative study of Denmark and Sweden. <i>Implementation Science Communications</i> , <b>2020</b> , 1, 77	2.2	3
141	The effect of circadian-adjusted LED-based lighting on sleep, daytime sleepiness and biomarkers of inflammation in a randomized controlled cross-over trial by pragmatic design in elderly care home dwellers. <i>Archives of Gerontology and Geriatrics</i> , <b>2020</b> , 91, 104223	4	2
140	Risk of COVID-19 in health-care workers in Denmark: an observational cohort study. <i>Lancet Infectious Diseases, The</i> , <b>2020</b> , 20, 1401-1408	25.5	225
139	Automatic oxygen titration with O2matic <sup>®</sup> to patients admitted with COVID-19 and hypoxemic respiratory failure. <i>European Clinical Respiratory Journal</i> , <b>2020</b> , 7, 1833695	2	5
138	Adjusting Early Warning Score by clinical assessment: a study protocol for a Danish cluster-randomised, multicentre study of an Individual Early Warning Score (I-EWS). <i>BMJ Open</i> , <b>2020</b> , 10, e033676	3	4
137	Traveling health-promoting infrastructures: A meta-ethnographic analysis. <i>Health (United Kingdom)</i> , <b>2020</b> , 24, 606-622	1.9	6
136	Differences in function and recovery profiles between patterns of multimorbidity among older medical patients the first year after an acute admission-An exploratory latent class analysis. <i>Archives of Gerontology and Geriatrics</i> , <b>2020</b> , 86, 103956	4	6
135	High suPAR and Low Blood Eosinophil Count are Risk Factors for Hospital Readmission and Mortality in Patients with COPD. <i>International Journal of COPD</i> , <b>2020</b> , 15, 733-743	3	6
134	Characteristics of patients with COVID-19 pneumonia at Hvidovre Hospital, March-April 2020. <i>Danish Medical Journal</i> , <b>2020</b> , 67,	3.8	22
133	Differences in Kidney Function Estimates Based on Creatinine and/or Cystatin C in Non-Traumatic Amputation Patients and Their Impact on Drug Prescribing. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	3
132	Healthy lifestyles reduce suPAR and mortality in a Danish general population study. <i>Immunity and Ageing</i> , <b>2019</b> , 16, 1	9.7	32
131	Development of the "chronic condition measurement guide": a new tool to measure chronic conditions in older people based on ICD-10 and ATC-codes. <i>European Geriatric Medicine</i> , <b>2019</b> , 10, 431-444	2.4	3
130	SuPAR correlates with mortality and clinical severity in patients with necrotizing soft-tissue infections: results from a prospective, observational cohort study. <i>Scientific Reports</i> , <b>2019</b> , 9, 5098	4.9	9
129	Use of prescription drugs in the older adult population-a nationwide pharmacoepidemiological study. <i>European Journal of Clinical Pharmacology</i> , <b>2019</b> , 75, 1125-1133	2.8	12

128	Methylprednisolone and inflammatory stress response in older people undergoing surgery for hip fracture: a secondary analysis of a randomized controlled trial. <i>European Geriatric Medicine</i> , <b>2019</b> , 10, 913-921	3	1
127	Kinetics of the soluble urokinase plasminogen activator receptor (suPAR) in cirrhosis. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220697	3.7	3
126	Organizational transformation in health care: an activity theoretical analysis. <i>Journal of Health Organization and Management</i> , <b>2019</b> , 33, 547-562	1.9	1
125	BIOLOGICAL AGING IS ASSOCIATED WITH INCREASED MONOCYTE INFLAMMATORY ACTIVITY IN OLDER ADULTS. <i>Innovation in Aging</i> , <b>2019</b> , 3, S908-S909	0.1	78
124	The biomarkers suPAR and blood eosinophils are associated with hospital readmissions and mortality in asthma - a retrospective cohort study. <i>Respiratory Research</i> , <b>2019</b> , 20, 258	7.3	8
123	A randomized controlled trial of the effect of supervised progressive cross-continuum strength training and protein supplementation in older medical patients: the STAND-Cph trial. <i>Trials</i> , <b>2019</b> , 20, 655	2.8	5
122	Kidney function estimates using cystatin C versus creatinine: Impact on medication prescribing in acutely hospitalized elderly patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2019</b> , 124, 466-478	3.1	8
121	Immunoprofiles of colorectal cancer from Lynch syndrome. <i>Oncolmmunology</i> , <b>2019</b> , 8, e1515612	7.2	8
120	Nurses' perception of how an e-message system influences cross-sectoral communication: A qualitative study. <i>Journal of Nursing Management</i> , <b>2018</b> , 26, 509-517	4.9	9
119	A tailored strategy for designing the Walk-Copenhagen (WALK-Cph) intervention to increase mobility in hospitalised older medical patients: a protocol for the qualitative part of the WALK-Cph project. <i>BMJ Open</i> , <b>2018</b> , 8, e020272	3	9
118	Homeless people's experiences of medical respite care following acute hospitalisation in Denmark. <i>Health and Social Care in the Community</i> , <b>2018</b> , 26, 538-546	2.6	3
117	Soluble urokinase plasminogen activator receptor predicts mortality in exacerbated COPD. <i>Respiratory Research</i> , <b>2018</b> , 19, 97	7.3	14
116	One-Stop Dispensing: Hospital Costs and Patient Perspectives on Self-Management of Medication. <i>Pharmacy (Basel, Switzerland)</i> , <b>2018</b> , 6,	2	8
115	Collaboration Between Relatives of Older Patients and Nurses in Acute Medical Wards: Confirmatory Factor Analysis of the Revised Family Collaboration Scale. <i>Journal of Nursing Measurement</i> , <b>2018</b> , 26, 311-340	0.5	4
114	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as a Predictor of Incident Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , <b>2018</b> , 10, 1801	0.8	9
113	Nurses' perspectives on how an e-message system supports cross-sectoral communication in relation to medication administration: A qualitative study. <i>Journal of Clinical Nursing</i> , <b>2018</b> , 27, 795-806	3.2	13
112	Perceptions and experiences of nutritional care following the overwhelming experience of lower extremity amputation: A qualitative study. <i>Journal of Clinical Nursing</i> , <b>2018</b> , 27, e808-e819	3.2	2
111	Combining National Early Warning Score With Soluble Urokinase Plasminogen Activator Receptor (suPAR) Improves Risk Prediction in Acute Medical Patients: A Registry-Based Cohort Study. <i>Critical Care Medicine</i> , <b>2018</b> , 46, 1961-1968	1.4	32

110	Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. <i>Pharmaceuticals</i> , <b>2018</b> , 11,	5.2	5
109	Histological and Molecular Adipose Tissue Changes Are Related to Metabolic Syndrome Rather Than Lipodystrophy in Human Immunodeficiency Virus-Infected Patients: A Cross-Sectional Study. <i>Journal of Infectious Diseases</i> , <b>2018</b> , 218, 1090-1098	7	3
108	A high-protein diet during hospitalization is associated with an accelerated decrease in soluble urokinase plasminogen activator receptor levels in acutely ill elderly medical patients with SIRS. <i>Nutrition Research</i> , <b>2017</b> , 41, 56-64	4	6
107	How inflammation underlies physical and organ function in acutely admitted older medical patients. <i>Mechanisms of Ageing and Development</i> , <b>2017</b> , 164, 67-75	5.6	6
106	Inflammation and post-operative recovery in patients undergoing total knee arthroplasty-secondary analysis of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , <b>2017</b> , 25, 1265-1273	6.2	24
105	An evaluation of nursing documentation of acutely admitted older home-living medical patients in a Danish hospital. <i>Clinical Nursing Studies</i> , <b>2017</b> , 6, 20	0.1	
104	Physicians' Non-Uniform Approach to Prescribing Drugs to Older Patients - A Qualitative Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 121, 505-511	3.1	1
103	Effect of bupivacaine lozenges on oral mucositis pain: a randomized controlled multicenter phase II study. <i>Pain Reports</i> , <b>2017</b> , 2, e619	3.5	4
102	Progression of disease preceding lower extremity amputation in Denmark: a longitudinal registry study of diagnoses, use of medication and healthcare services 14 years prior to amputation. <i>BMJ Open</i> , <b>2017</b> , 7, e016030	3	9
101	Prevalence and overlap of Disease Management Program diseases in older hospitalized patients. <i>European Journal of Ageing</i> , <b>2017</b> , 14, 283-293	3.6	9
100	Association between routine laboratory tests and long-term mortality among acutely admitted older medical patients: a cohort study. <i>BMC Geriatrics</i> , <b>2017</b> , 17, 62	4.1	31
99	Absorption of Bupivacaine after Administration of a Lozenge as Topical Treatment for Pain from Oral Mucositis. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2017</b> , 120, 71-78	3.1	8
98	Soluble Urokinase Plasminogen Activator Receptor Is a Predictor of Incident Non-AIDS Comorbidity and All-Cause Mortality in Human Immunodeficiency Virus Type 1 Infection. <i>Journal of Infectious Diseases</i> , <b>2017</b> , 216, 819-823	7	6
97	Low-dose growth hormone therapy reduces inflammation in HIV-infected patients: a randomized placebo-controlled study. <i>Infectious Diseases</i> , <b>2016</b> , 48, 829-37	3.1	3
96	Soluble urokinase plasminogen activator receptor (suPAR) in acute care: a strong marker of disease presence and severity, readmission and mortality. A retrospective cohort study. <i>Emergency Medicine Journal</i> , <b>2016</b> , 33, 769-775	1.5	62
95	A novel lozenge containing bupivacaine as topical alleviation of oral mucositis pain in patients with head and neck cancer: a pilot study. <i>Pain Reports</i> , <b>2016</b> , 1, e571	3.5	3
94	The effect of protein intake and resistance training on muscle mass in acutely ill old medical patients - A randomized controlled trial. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 59-66	5.9	12
93	Stromal cell-derived factor 1 (SDF-1) A marker of disease burden in patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , <b>2016</b> , 50, 36-41	2	3



92	Prediction of Mobility Limitations after Hospitalization in Older Medical Patients by Simple Measures of Physical Performance Obtained at Admission to the Emergency Department. <i>PLoS ONE</i> , <b>2016</b> , 11, e0154350	3.7	35
91	Effect of a local anesthetic lozenge in relief of symptoms in burning mouth syndrome. <i>Oral Diseases</i> , <b>2016</b> , 22, 123-31	3.5	21
90	Reply, Letter to Editor [Combined intervention of protein supplementation and resistance training in medical patients. <i>Clinical Nutrition</i> , <b>2015</b> , 34, 1035-6	5.9	
89	T-lymphocyte subset dynamics in well-treated HIV-infected men during a bout of exhausting exercise. <i>Infectious Diseases</i> , <b>2015</b> , 47, 919-23	3.1	1
88	Assessment of in situ adipose tissue inflammation by microdialysis. <i>Clinical Physiology and Functional Imaging</i> , <b>2015</b> , 35, 110-9	2.4	8
87	Leptin, IL-6, and suPAR reflect distinct inflammatory changes associated with adiposity, lipodystrophy and low muscle mass in HIV-infected patients and controls. <i>Immunity and Ageing</i> , <b>2015</b> , 12, 9	9.7	16
86	Immunosenescence of the CD8(+) T cell compartment is associated with HIV-infection, but only weakly reflects age-related processes of adipose tissue, metabolism, and muscle in antiretroviral therapy-treated HIV-infected patients and controls. <i>BMC Immunology</i> , <b>2015</b> , 16, 72	3.7	9
85	Letters to the Editor: Genetic polymorphism and soluble urokinase plasminogen activator receptor regulation. <i>FASEB Journal</i> , <b>2015</b> , 29, 4757-8	0.9	
84	Feasibility and inter-rater reliability of physical performance measures in acutely admitted older medical patients. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118248	3.7	43
83	Feasibility of progressive sit-to-stand training among older hospitalized patients. <i>PeerJ</i> , <b>2015</b> , 3, e1500	3.1	17
82	Cardiac and proinflammatory markers predict prognosis in cirrhosis. <i>Liver International</i> , <b>2014</b> , 34, e19-30	7.9	54
81	Potentially inappropriate medication related to weakness in older acute medical patients. <i>International Journal of Clinical Pharmacy</i> , <b>2014</b> , 36, 570-80	2.3	25
80	Bupivacaine Lozenge Compared with Lidocaine Spray as Topical Pharyngeal Anesthetic before Unsedated Upper Gastrointestinal Endoscopy: A Randomized, Controlled Trial. <i>Clinical Medicine Insights Gastroenterology</i> , <b>2014</b> , 7, 55-9		6
79	Risk factors associated with serum levels of the inflammatory biomarker soluble urokinase plasminogen activator receptor in a general population. <i>Biomarker Insights</i> , <b>2014</b> , 9, 91-100	3.5	48
78	Association of markers of bacterial translocation with immune activation in decompensated cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2014</b> , 26, 1360-6	2.2	15
77	Low-dose growth hormone for 40 weeks induces HIV-1-specific T cell responses in patients on effective combination anti-retroviral therapy. <i>Clinical and Experimental Immunology</i> , <b>2013</b> , 173, 444-53	6.2	12
76	CRP and suPAR are differently related to anthropometry and subclinical organ damage. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 781-5	3.2	82
75	Cardiovascular risk prediction in the general population with use of suPAR, CRP, and Framingham Risk Score. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 2904-11	3.2	98

74	Acute hospitalization of the older patient: changes in muscle strength and functional performance during hospitalization and 30 days after discharge. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2013</b> , 92, 789-96	2.6	47
73	Twenty-four-hour mobility during acute hospitalization in older medical patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2013</b> , 68, 331-7	6.4	141
72	GRP-107 Is Weakness in Older Patients Caused by Inappropriate Drug Use?. <i>European Journal of Hospital Pharmacy</i> , <b>2013</b> , 20, A39.1-A39	1.6	0
71	The immune marker soluble urokinase plasminogen activator receptor is associated with new-onset diabetes in non-smoking women and men. <i>Diabetic Medicine</i> , <b>2012</b> , 29, 479-87	3.5	21
70	Effects of anti-tumor necrosis factor therapy on body composition and insulin sensitivity in patients with psoriasis. <i>Archives of Dermatology</i> , <b>2012</b> , 148, 1089-91		11
69	Plasma suPAR levels are associated with mortality, admission time, and Charlson Comorbidity Index in the acutely admitted medical patient: a prospective observational study. <i>Critical Care</i> , <b>2012</b> , 16, R130	10.8	74
68	Outcomes in elderly Danish citizens admitted with community-acquired pneumonia. Regional differences, in a public healthcare system. <i>Respiratory Medicine</i> , <b>2012</b> , 106, 1778-87	4.6	28
67	Inflammation in HIV-infected patients: impact of HIV, lifestyle, body composition, and demography - a cross sectional cohort study. <i>PLoS ONE</i> , <b>2012</b> , 7, e51698	3.7	13
66	New lidocaine lozenge as topical anesthesia compared to lidocaine viscous oral solution before upper gastrointestinal endoscopy. <i>Local and Regional Anesthesia</i> , <b>2012</b> , 5, 17-22	2.3	9
65	A new method to facilitate oro-tracheal intubation of awake patients: a pilot study. <i>European Journal of Anaesthesiology</i> , <b>2012</b> , 29, 546-7	2.3	2
64	High-sensitivity C-reactive protein levels predict survival and are related to haemodynamics in alcoholic cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2012</b> , 24, 619-26	2.2	35
63	Correlation of increases in 1,25-dihydroxyvitamin D during vitamin D therapy with activation of CD4+ T lymphocytes in HIV-1-infected males. <i>HIV Clinical Trials</i> , <b>2012</b> , 13, 162-70		23
62	Soluble urokinase plasminogen activator receptor is associated with subclinical organ damage and cardiovascular events. <i>Atherosclerosis</i> , <b>2011</b> , 216, 237-43	3.1	66
61	Twelve potential fibrosis markers to differentiate mild liver fibrosis from cirrhosis in patients infected with chronic hepatitis C genotype 1. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2011</b> , 30, 761-6	5.3	27
60	Polyacrylamide gel treatment of antiretroviral therapy-induced facial lipoatrophy in HIV patients. <i>Aesthetic Plastic Surgery</i> , <b>2011</b> , 35, 709-16	2	8
59	Increased plasma soluble uPAR level is a risk marker of respiratory cancer in initially cancer-free individuals. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 609-18	4	36
58	Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. <i>Journal of Internal Medicine</i> , <b>2010</b> , 268, 296-308	10.8	270
57	Exercise increases interleukin-10 levels both intraarticularly and peri-synovially in patients with knee osteoarthritis: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , <b>2010</b> , 12, R126	5.7	121



56	Deficiency of 25-hydroxyvitamin D in male HIV-positive patients: a descriptive cross-sectional study. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2010</b> , 42, 306-10		32
55	Sustained low-dose growth hormone therapy optimizes bioactive insulin-like growth factor-I level and may enhance CD4 T-cell number in HIV infection. <i>Journal of Medical Virology</i> , <b>2010</b> , 82, 197-205	19.7	3
54	Long-term high-physiological-dose growth hormone reduces intra-abdominal fat in HIV-infected patients with a neutral effect on glucose metabolism. <i>HIV Medicine</i> , <b>2010</b> , 11, 266-75	2.7	9
53	Psychological stress predicts the risk of febrile episodes in cancer patients during chemotherapy. <i>Psychotherapy and Psychosomatics</i> , <b>2009</b> , 78, 258-60	9.4	2
52	Performance of the TREAT decision support system in an environment with a low prevalence of resistant pathogens. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2009</b> , 63, 400-4	5.1	21
51	The prevalence of metabolic syndrome in Danish patients with HIV infection: the effect of antiretroviral therapy. <i>HIV Medicine</i> , <b>2009</b> , 10, 378-87	2.7	36
50	Improved thymic index, density and output in HIV-infected patients following low-dose growth hormone therapy: a placebo controlled study. <i>Aids</i> , <b>2009</b> , 23, 2123-31	3.5	22
49	suPAR associates to glucose metabolic aberration during glucose stimulation in HIV-infected patients on HAART. <i>Journal of Infection</i> , <b>2008</b> , 57, 55-63	18.9	13
48	Coronary and peripheral endothelial function in HIV patients studied with positron emission tomography and flow-mediated dilation: relation to hypercholesterolemia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2008</b> , 35, 2049-58	8.8	17
47	Predicting mortality in patients with systemic inflammatory response syndrome: an evaluation of two prognostic models, two soluble receptors, and a macrophage migration inhibitory factor. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2008</b> , 27, 375-83	5.3	74
46	Soluble urokinase plasminogen activator receptor is a marker of dysmetabolism in HIV-infected patients receiving highly active antiretroviral therapy. <i>Journal of Medical Virology</i> , <b>2008</b> , 80, 209-16	19.7	96
45	Use of plasma C-reactive protein, procalcitonin, neutrophils, macrophage migration inhibitory factor, soluble urokinase-type plasminogen activator receptor, and soluble triggering receptor expressed on myeloid cells-1 in combination to diagnose infections: a prospective study. <i>Critical Care</i> , <b>2007</b> , 11, R222	10.8	203
44	Impaired proinsulin secretion before and during oral glucose stimulation in HIV-infected patients who display fat redistribution. <i>Metabolism: Clinical and Experimental</i> , <b>2007</b> , 56, 939-46	12.7	11
43	Glucose production, oxidation and disposal correlate with plasma lactate levels in HIV-infected patients on HAART. <i>Journal of Infection</i> , <b>2007</b> , 54, 89-97	18.9	6
42	Circulating sex hormones and gene expression of subcutaneous adipose tissue oestrogen and alpha-adrenergic receptors in HIV-lipodystrophy: implications for fat distribution. <i>Clinical Endocrinology</i> , <b>2007</b> , 67, 250-8	3.4	7
41	Development and validation of a multiplex add-on assay for sepsis biomarkers using xMAP technology. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 1284-93	5.5	106
40	Tumor necrosis factor alpha is associated with insulin-mediated suppression of free fatty acids and net lipid oxidation in HIV-infected patients with lipodystrophy. <i>Metabolism: Clinical and Experimental</i> , <b>2006</b> , 55, 175-82	12.7	35
39	Pronounced lipoatrophy in HIV-infected men receiving HAART for more than 6 years compared with the background population. <i>HIV Medicine</i> , <b>2006</b> , 7, 38-45	2.7	20

38	Glucose-stimulated prehepatic insulin secretion is associated with circulating alanine, triglyceride, glucagon, lactate and TNF-alpha in patients with HIV-lipodystrophy. <i>HIV Medicine</i> , <b>2006</b> , 7, 163-72	2.7	3
37	Beta-cell dysfunction and low insulin clearance in insulin-resistant human immunodeficiency virus (HIV)-infected patients with lipodystrophy. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 554-554	3.4	
36	Hyperproinsulinaemia in normoglycaemic lipodystrophic HIV-infected patients. <i>European Journal of Clinical Investigation</i> , <b>2006</b> , 36, 436-45	4.6	3
35	Growth factors, glucose and insulin kinetics after low dose growth hormone therapy in HIV-lipodystrophy. <i>Journal of Infection</i> , <b>2006</b> , 52, 389-98	18.9	6
34	In nondiabetic, human immunodeficiency virus-infected patients with lipodystrophy, hepatic insulin extraction and posthepatic insulin clearance rate are decreased in proportion to insulin resistance. <i>Metabolism: Clinical and Experimental</i> , <b>2005</b> , 54, 171-9	12.7	8
33	Enhanced glucagon-like peptide-1 (GLP-1) response to oral glucose in glucose-intolerant HIV-infected patients on antiretroviral therapy. <i>HIV Medicine</i> , <b>2005</b> , 6, 91-8	2.7	5
32	Beta-cell dysfunction and low insulin clearance in insulin-resistant human immunodeficiency virus (HIV)-infected patients with lipodystrophy. <i>Clinical Endocrinology</i> , <b>2005</b> , 62, 354-61	3.4	19
31	Plasminogen activator inhibitor type 1 (PAI-1) in plasma and adipose tissue in HIV-associated lipodystrophy syndrome. Implications of adipokines. <i>European Journal of Clinical Investigation</i> , <b>2005</b> , 35, 583-90	4.6	32
30	Depleted skeletal muscle mitochondrial DNA, hyperlactatemia, and decreased oxidative capacity in HIV-infected patients on highly active antiretroviral therapy. <i>Journal of Medical Virology</i> , <b>2005</b> , 77, 29-38	19.7	33
29	Defective glucose and lipid metabolism in human immunodeficiency virus-infected patients with lipodystrophy involve liver, muscle tissue and pancreatic beta-cells. <i>European Journal of Endocrinology</i> , <b>2005</b> , 152, 103-12	6.5	28
28	Skeletal muscle insulin signaling defects downstream of phosphatidylinositol 3-kinase at the level of Akt are associated with impaired nonoxidative glucose disposal in HIV lipodystrophy. <i>Diabetes</i> , <b>2005</b> , 54, 3474-83	0.9	26
27	Insulin secretion in lipodystrophic HIV-infected patients is associated with high levels of nonglucose secretagogues and insulin resistance of beta-cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2004</b> , 287, E677-85	6	22
26	Impact of switching antiretroviral therapy on lipodystrophy and other metabolic complications: a review. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2004</b> , 36, 244-53		24
25	Low-dose growth hormone and human immunodeficiency virus-associated lipodystrophy syndrome: a pilot study. <i>European Journal of Clinical Investigation</i> , <b>2004</b> , 34, 561-8	4.6	17
24	Different growth hormone sensitivity of target tissues and growth hormone response to glucose in HIV-infected patients with and without lipodystrophy. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2004</b> , 36, 832-9		13
23	Insulin-like growth factors, insulin-like growth factor-binding proteins, insulin-like growth factor-binding protein-3 protease, and growth hormone-binding protein in lipodystrophic human immunodeficiency virus-infected patients. <i>Metabolism: Clinical and Experimental</i> , <b>2004</b> , 53, 1565-73	12.7	12
22	Increased expression of TNF-alpha, IL-6, and IL-8 in HALS: implications for reduced adiponectin expression and plasma levels. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2003</b> , 285, E1072-80	6	148
21	Death from the Nile crosses the Atlantic: the West Nile Fever story. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2003</b> , 35, 820-5		6

20	Severe acute respiratory syndrome--a new coronavirus from the Chinese dragon's lair. <i>Scandinavian Journal of Immunology</i> , <b>2003</b> , 58, 277-84	3.4	11
19	Lipodystrophy in human immunodeficiency virus patients impairs insulin action and induces defects in beta-cell function. <i>Metabolism: Clinical and Experimental</i> , <b>2003</b> , 52, 1343-53	12.7	46
18	Cholesterol-induced protein sorting: an analysis of energetic feasibility. <i>Biophysical Journal</i> , <b>2003</b> , 84, 2080-9	2.9	112
17	Preanalytical handling of samples for measurement of plasma lactate in HIV patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2003</b> , 63, 449-54	2	13
16	Clinical lipoatrophy in HIV-1 patients on HAART is not associated with increased abdominal girth, hyperlipidaemia or glucose intolerance. <i>HIV Medicine</i> , <b>2002</b> , 3, 239-46	2.7	11
15	Serum amyloid P component inhibits influenza A virus infections: in vitro and in vivo studies. <i>Antiviral Research</i> , <b>2001</b> , 52, 43-53	10.8	30
14	Serum amyloid P component binds to influenza A virus haemagglutinin and inhibits the virus infection in vitro. <i>Scandinavian Journal of Immunology</i> , <b>1997</b> , 46, 331-7	3.4	46
13	Binding of complement proteins C1q and C4bp to serum amyloid P component (SAP) in solid contra liquid phase. <i>Scandinavian Journal of Immunology</i> , <b>1996</b> , 44, 401-7	3.4	34
12	Isolation and characterization of porcine mannan-binding proteins of different size and ultrastructure. <i>Scandinavian Journal of Immunology</i> , <b>1996</b> , 43, 289-96	3.4	19
11	Native human serum amyloid P component is a single pentamer. <i>Scandinavian Journal of Immunology</i> , <b>1995</b> , 41, 263-7	3.4	28
10	Mannan-binding protein forms complexes with alpha-2-macroglobulin. A protein model for the interaction. <i>Scandinavian Journal of Immunology</i> , <b>1995</b> , 42, 373-80	3.4	23
9	Multiple isoforms of the human pentraxin serum amyloid P component. <i>International Archives of Allergy and Immunology</i> , <b>1995</b> , 106, 25-31	3.7	9
8	Infections following epidural catheterization. <i>Journal of Hospital Infection</i> , <b>1995</b> , 30, 253-60	6.9	124
7	Calcium-enhanced aggregation of serum amyloid P component and its inhibition by the ligands heparin and heparan sulphate. An electron microscopic and immunoelectrophoretic study. <i>Apmis</i> , <b>1994</b> , 102, 420-6	3.4	10
6	Calcium-dependent and calcium-independent signals in the conglutinin-binding assay (KgBa) for immune complexes. Influence of anti-collagen-antibodies. <i>Journal of Immunological Methods</i> , <b>1992</b> , 148, 225-32	2.5	6
5	Biochemical and ultrastructural studies of the C-type lectin bovine conglutinin. <i>Journal of Structural Biology</i> , <b>1992</b> , 109, 201-7	3.4	8
4	Purification, subunit characterization and ultrastructure of three soluble bovine lectins: conglutinin, mannose-binding protein and the pentraxin serum amyloid P-component. <i>Scandinavian Journal of Immunology</i> , <b>1992</b> , 36, 131-41	3.4	20
3	Conglutinin binds the HIV-1 envelope glycoprotein gp 160 and inhibits its interaction with cell membrane CD4. <i>Scandinavian Journal of Immunology</i> , <b>1991</b> , 33, 81-8	3.4	28

- |   |   |     |    |
|---|---|-----|----|
| 2 | In vivo and in vitro antibacterial activity of conglutinin, a mammalian plasma lectin. <i>Scandinavian Journal of Immunology</i> , <b>1990</b> , 31, 453-60                               | 3-4 | 75 |
| 1 | Clinical validation of point-of-care SARS-COV-2 BD Veritor antigen test by a single throat swab for rapid COVID-19 status on hospital patients predominantly without overt COVID symptoms |     | 4  |