Torgny Nsholm

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3484690/torgny-nasholm-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers
citations
4,605
papers
h-index

68
ext. papers

7
ext. citations
7
avg, IF
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 63 | To have or not to have: expression of amino acid transporters during pathogen infection <i>Plant Molecular Biology</i> , 2022 , 1 | 4.6 | O |
| 62 | Nitrate fertilization may delay autumn leaf senescence, while amino acid treatments do not <i>Physiologia Plantarum</i> , 2022 , e13690 | 4.6 | O |
| 61 | Effects of Early, Small-Scale Nitrogen Addition on Germination and Early Growth of Scots Pine (Pinus sylvestris) Seedlings and on the Recruitment of the Root-Associated Fungal Community. <i>Forests</i> , 2021 , 12, 1589 | 2.8 | 1 |
| 60 | Biohybrid plants with electronic roots polymerization of conjugated oligomers. <i>Materials Horizons</i> , 2021 , 8, 3295-3305 | 14.4 | 6 |
| 59 | The mycorrhizal tragedy of the commons. <i>Ecology Letters</i> , 2021 , 24, 1215-1224 | 10 | 6 |
| 58 | Limited vertical CO2 transport in stems of mature boreal Pinus sylvestris trees. <i>Tree Physiology</i> , 2021 , 41, 63-75 | 4.2 | 4 |
| 57 | Isotopic Branchpoints: Linkages and Efficiencies in Carbon and Water Budgets. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2020JG006043 | 3.7 | |
| 56 | Tree water uptake enhances nitrogen acquisition in a fertilized boreal forest - but not under nitrogen-poor conditions. <i>New Phytologist</i> , 2021 , 232, 113-122 | 9.8 | 1 |
| 55 | Organic nitrogen enhances nitrogen nutrition and early growth of Pinus sylvestris seedlings. <i>Tree Physiology</i> , 2021 , | 4.2 | 1 |
| 54 | Fluorescence Lifetime Imaging as an In Situ and Label-Free Readout for the Chemical Composition of Lignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 17381-17392 | 8.3 | 1 |
| 53 | Improved in vivo measurement of alternative oxidase respiration in field-collected pine roots. <i>Physiologia Plantarum</i> , 2019 , 167, 34-47 | 4.6 | 1 |
| 52 | Boreal forest biomass accumulation is not increased by two decades of soil warming. <i>Nature Climate Change</i> , 2019 , 9, 49-52 | 21.4 | 23 |
| 51 | Impact of Canopy Decoupling and Subcanopy Advection on the Annual Carbon Balance of a Boreal Scots Pine Forest as Derived From Eddy Covariance. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018 , 123, 303-325 | 3.7 | 11 |
| 50 | Temperature responses of photosynthetic capacity parameters were not affected by foliar nitrogen content in mature Pinus sylvestris. <i>Physiologia Plantarum</i> , 2018 , 162, 370-378 | 4.6 | 5 |
| 49 | Quantifying the contribution of mass flow to nitrogen acquisition by an individual plant root. <i>New Phytologist</i> , 2018 , 218, 119-130 | 9.8 | 34 |
| 48 | Interplay between N-form and N-dose influences ecosystem effects of N addition to boreal forest. <i>Plant and Soil</i> , 2018 , 423, 385-395 | 4.2 | 9 |
| 47 | The carbon bonus of organic nitrogen enhances nitrogen use efficiency of plants. <i>Plant, Cell and Environment</i> , 2017 , 40, 25-35 | 8.4 | 52 |

(2014-2017)

| 46 | Annual climate variation modifies nitrogen induced carbon accumulation of Pinus sylvestris forests. <i>Ecological Applications</i> , 2017 , 27, 1838-1851 | 4.9 | 12 | |
|----|---|------|-----|--|
| 45 | Amino acid transporter mutants of Arabidopsis provides evidence that a non-mycorrhizal plant acquires organic nitrogen from agricultural soil. <i>Plant, Cell and Environment</i> , 2017 , 40, 413-423 | 8.4 | 46 | |
| 44 | Informing climate models with rapid chamber measurements of forest carbon uptake. <i>Global Change Biology</i> , 2017 , 23, 2130-2139 | 11.4 | 7 | |
| 43 | Ecophysiological variation of transpiration of pine forests: synthesis of new and published results 2017 , 27, 118-133 | | 27 | |
| 42 | Can adjustments in foliar nitrogen-use efficiency reduce drought stress impacts on boreal trees?. <i>Tree Physiology</i> , 2017 , 37, 415-417 | 4.2 | 7 | |
| 41 | Evaluating hillslope and riparian contributions to dissolved nitrogen (N) export from a boreal forest catchment. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 324-339 | 3.7 | 18 | |
| 40 | Direct acquisition of organic N by white clover even in the presence of inorganic N. <i>Plant and Soil</i> , 2016 , 407, 91-107 | 4.2 | 20 | |
| 39 | Soil diffusive fluxes constitute the bottleneck to tree nitrogen nutrition in a Scots pine forest. <i>Plant and Soil</i> , 2016 , 399, 109-120 | 4.2 | 16 | |
| 38 | Greater carbon allocation to mycorrhizal fungi reduces tree nitrogen uptake in a boreal forest. <i>Ecology</i> , 2016 , | 4.6 | 3 | |
| 37 | Increased Needle Nitrogen Contents Did Not Improve Shoot Photosynthetic Performance of Mature Nitrogen-Poor Scots Pine Trees. <i>Frontiers in Plant Science</i> , 2016 , 7, 1051 | 6.2 | 33 | |
| 36 | Terrestrial nitrogen cycling in Earth system models revisited. New Phytologist, 2016, 210, 1165-8 | 9.8 | 22 | |
| 35 | Inter-annual variability of precipitation constrains the production response of boreal Pinus sylvestris to nitrogen fertilization. <i>Forest Ecology and Management</i> , 2015 , 348, 31-45 | 3.9 | 60 | |
| 34 | Nitrogen fluxes at the root-soil interface show a mismatch of nitrogen fertilizer supply and sugarcane root uptake capacity. <i>Scientific Reports</i> , 2015 , 5, 15727 | 4.9 | 47 | |
| 33 | Stem compression reversibly reduces phloem transport in Pinus sylvestris trees. <i>Tree Physiology</i> , 2015 , 35, 1075-85 | 4.2 | 7 | |
| 32 | The return of an experimentally N-saturated boreal forest to an N-limited state: observations on the soil microbial community structure, biotic N retention capacity and gross N mineralisation. <i>Plant and Soil</i> , 2014 , 381, 45-60 | 4.2 | 27 | |
| 31 | Forests trapped in nitrogen limitationan ecological market perspective on ectomycorrhizal symbiosis. <i>New Phytologist</i> , 2014 , 203, 657-666 | 9.8 | 124 | |
| 30 | How eco-evolutionary principles can guide tree breeding and tree biotechnology for enhanced productivity. <i>Tree Physiology</i> , 2014 , 34, 1149-66 | 4.2 | 9 | |
| 29 | Old roots contribute to nitrogen uptake by tree seedlings. <i>Tree Physiology</i> , 2014 , 34, 331-3 | 4.2 | 1 | |
| | | | | |

| 28 | Direct estimation of mass flow and diffusion of nitrogen compounds in solution and soil. <i>New Phytologist</i> , 2014 , 201, 1056-1064 | 9.8 | 46 |
|----|---|-------|-----|
| 27 | Direct uptake and rapid decrease of organic nitrogen by Wollemia nobilis. <i>Biology and Fertility of Soils</i> , 2013 , 49, 1247-1252 | 6.1 | 7 |
| 26 | Are ectomycorrhizal fungi alleviating or aggravating nitrogen limitation of tree growth in boreal forests?. <i>New Phytologist</i> , 2013 , 198, 214-221 | 9.8 | 158 |
| 25 | Exploring the nitrogen ingestion of aphidsa new method using electrical penetration graph and (15)N labelling. <i>PLoS ONE</i> , 2013 , 8, e83085 | 3.7 | 8 |
| 24 | The below-ground perspective of forest plants: soil provides mainly organic nitrogen for plants and mycorrhizal fungi. <i>New Phytologist</i> , 2012 , 195, 329-334 | 9.8 | 118 |
| 23 | Allocation of carbon to fine root compounds and their residence times in a boreal forest depend on root size class and season. <i>New Phytologist</i> , 2012 , 194, 972-981 | 9.8 | 45 |
| 22 | A novel method to measure the effect of temperature on diffusion of plant-available nitrogen in soil. <i>Plant and Soil</i> , 2012 , 354, 251-257 | 4.2 | 25 |
| 21 | Transporters in Arabidopsis roots mediating uptake of amino acids at naturally occurring concentrations. <i>New Phytologist</i> , 2011 , 191, 459-467 | 9.8 | 82 |
| 20 | Quantification of effects of season and nitrogen supply on tree below-ground carbon transfer to ectomycorrhizal fungi and other soil organisms in a boreal pine forest. <i>New Phytologist</i> , 2010 , 187, 485 | 5-493 | 274 |
| 19 | Uptake of organic nitrogen by plants. <i>New Phytologist</i> , 2009 , 182, 31-48 | 9.8 | 747 |
| 18 | Root uptake of cationic amino acids by Arabidopsis depends on functional expression of amino acid permease 5. <i>New Phytologist</i> , 2008 , 180, 620-630 | 9.8 | 108 |
| 17 | Characteristics of amino acid uptake in barley. <i>Plant and Soil</i> , 2008 , 302, 221-231 | 4.2 | 70 |
| 16 | Comprehensive screening of Arabidopsis mutants suggests the lysine histidine transporter 1 to be involved in plant uptake of amino acids. <i>Plant Physiology</i> , 2007 , 143, 1853-60 | 6.6 | 128 |
| 15 | Nitrogenase activity and root nodule metabolism in response to O2 and short-term N2 deprivation in dark-treated Frankia-Alnus incana plants. <i>Physiologia Plantarum</i> , 2003 , 119, 244-252 | 4.6 | 8 |
| 14 | Parasitic fungus mediates change in nitrogen-exposed boreal forest vegetation. <i>Journal of Ecology</i> , 2002 , 90, 61-67 | 6 | 120 |
| 13 | The unexpected versatility of plants: organic nitrogen use and availability in terrestrial ecosystems. <i>Oecologia</i> , 2001 , 128, 305-316 | 2.9 | 348 |
| 12 | Soil nitrogen form and plant nitrogen uptake along a boreal forest productivity gradient. <i>Oecologia</i> , 2001 , 129, 125-132 | 2.9 | 216 |
| 11 | Uptake of glycine by field grown wheat. <i>New Phytologist</i> , 2001 , 150, 59-63 | 9.8 | 85 |

LIST OF PUBLICATIONS

| 10 | Plant acquisition of organic nitrogen in boreal forests. <i>Physiologia Plantarum</i> , 2001 , 111, 419-426 | 4.6 | 114 |
|----|--|------|-----|
| 9 | UPTAKE OF ORGANIC NITROGEN IN THE FIELD BY FOUR AGRICULTURALLY IMPORTANT PLANT SPECIES. <i>Ecology</i> , 2000 , 81, 1155-1161 | 4.6 | 115 |
| 8 | Boreal forest plants take up organic nitrogen. <i>Nature</i> , 1998 , 392, 914-916 | 50.4 | 798 |
| 7 | Chitin and ergosterol combined to measure total and living fungal biomass in ectomycorrhizas. <i>New Phytologist</i> , 1998 , 138, 143-149 | 9.8 | 119 |
| 6 | Nitrogen storage forms in nine boreal understorey plant species. <i>Oecologia</i> , 1997 , 110, 487-492 | 2.9 | 41 |
| 5 | Determination of chitin in fungi and mycorrhizal roots by an improved HPLC analysis of glucosamine. <i>Plant and Soil</i> , 1996 , 178, 29-35 | 4.2 | 83 |
| 4 | Applications of mineral nutrients to heavily N-fertilized Scots pine trees: Effects on arginine and mineral nutrient concentrations. <i>Plant and Soil</i> , 1996 , 184, 57-65 | 4.2 | 8 |
| 3 | Removal of nitrogen during needle senescence in Scots pine (Pinus sylvestris L.). <i>Oecologia</i> , 1994 , 99, 290-296 | 2.9 | 45 |
| 2 | Use of 15N labelling and 15N natural abundance to quantify the role of mycorrhizas in N uptake by plants: importance of seed N and of changes in the 15N labelling of available N. <i>New Phytologist</i> , 1994 , 127, 515-519 | 9.8 | 29 |
| 1 | Dependence of amino acid composition upon nitrogen availability in birch (Betula pendula). <i>Physiologia Plantarum</i> , 1990 , 80, 507-514 | 4.6 | 13 |