
Florin Grama

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/348547/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Delaying surgery for patients with a previous SARS-CoV-2 infection. British Journal of Surgery, 2020, 107, e601-e602. | 0.3 | 96 |
| 2 | An international multicentre prospective audit of elective rectal cancer surgery; operative approach versus outcome, including transanal total mesorectal excision (TaTME). Colorectal Disease, 2018, 20, 33-46. | 1.4 | 48 |
| 3 | Association of mechanical bowel preparation with oral antibiotics and anastomotic leak following left sided colorectal resection: an international, multiâ€centre, prospective audit. Colorectal Disease, 2018, 20, 15-32. | 1.4 | 48 |
| 4 | Safety of primary anastomosis following emergency left sided colorectal resection: an international, multiâ€centre prospective audit. Colorectal Disease, 2018, 20, 47-57. | 1.4 | 24 |
| 5 | Surgeons' fear of getting infected by COVID19: A global survey. British Journal of Surgery, 2020, 107, e543-e544. | 0.3 | 19 |
| 6 | Evaluating the incidence of pathological complete response in current international rectal cancer practice: the barriers to widespread safe deferral of surgery. Colorectal Disease, 2018, 20, 58-68. | 1.4 | 17 |
| 7 | Impact of asymptomatic COVID-19 patients in global surgical practice during the COVID-19 pandemic. British Journal of Surgery, 2020, 107, e364-e365. | 0.3 | 16 |
| 8 | The impact of conversion on the risk of major complication following laparoscopic colonic surgery: an international, multicentre prospective audit. Colorectal Disease, 2018, 20, 69-89. | 1.4 | 13 |
| 9 | Tuning the physicochemical properties of hernia repair meshes by matrix-assisted pulsed laser evaporation. Applied Physics A: Materials Science and Processing, 2019, 125, 1. | 2.3 | 8 |
| 10 | Bilateral Axillary Accessory Breast Tissue Revealed by Pregnancy. Chirurgia (Romania), 2016, 111, 527. | 0.5 | 5 |
| 11 | Sphincter-Sparing Surgery in Patients with Mid and Low Rectal Cancer - Risk Factors for Local Recurrence and Anastomotic Leakage. Chirurgia (Romania), 2016, 111, 481. | 0.5 | 4 |
| 12 | New Poly(N-isopropylacrylamide-butylacrylate) Copolymer Biointerfaces and Their Characteristic Influence on Cell Behavior In Vitro. International Journal of Molecular Sciences, 2022, 23, 3988. | 4.1 | 3 |
| 13 | Laparoscopic extended right hemicolectomy with complete mesocolic excision and central vascular ligation for mid-transverse colon cancer. Techniques in Coloproctology, 2020, 24, 1215-1216. | 1.8 | 1 |
| 14 | An Unexpected Case of Perforated Acalculous Cholecystitis Caused by a Fish Bone. Journal of Gastrointestinal and Liver Diseases, 2019, 28, 355-358. | 0.9 | 1 |
| 15 | Minimally Invasive Surgery in Romania. Acta Chirurgica Belgica, 2009, 109, 180-184. | 0.4 | 0 |
| 16 | Quantitative determination of ethyl alcohol in blood, by gas chromatography. , 2017, , . | | 0 |
| 17 | Methods for increasing the sensitivity and signal-to-noise ratio in mass spectrometry for the determination of cocaine and ethylbenzoylecgonine in urine. , 2017, , . | | 0 |
| 18 | How to do a laparoscopic high left colectomy with complete mesocolic excision and central vascular ligation for splenic flexure cancer. ANZ Journal of Surgery, 2019, 89, 594-595. | 0.7 | 0 |

FLORIN GRAMA

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Laparoscopic anatomical landmarks in oncological dissection for low rectal cancers $\hat{a} \in \hat{a}$ video vignette. Colorectal Disease, 2020, 22, 1196-1196. | 1.4 | 0 |
| 20 | Appendix intussusception: a challenging differential diagnosis. ANZ Journal of Surgery, 2020, 90, 2090-2091. | 0.7 | 0 |
| 21 | Brachial plexus injury after a left-side modified radical mastectomy associated with patient positioning in the operating room. Gineco Eu, 2013, 9, 136-137. | 0.1 | 0 |
| 22 | Method for determining tramadol and its metabolites from urine samples. , 2018, , . | | 0 |
| 23 | Optoelectronic Method for Increasing the Signal-to-Noise Ratio in Mass Spectrometry for Urinary Disulfoton Identification. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2019, , 425-430. | 0.3 | 0 |
| 24 | Economic analysis of hospital/healthcare costs in patients with colorectal digestive anastomosis. , 2021, 124, 113-118. | | 0 |