

# Wenlin Huang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3485930/wenlin-huang-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

3,034  
citations

27  
h-index

52  
g-index

84  
ext. papers

3,512  
ext. citations

7.8  
avg, IF

4.58  
L-index

#	Paper	IF	Citations
84	CMTM6 and PD-L1 coexpression is associated with an active immune microenvironment and a favorable prognosis in colorectal cancer <b>2021</b> , 9,		13
83	Genome-wide RNAi Screening Identifies RFC4 as a Factor That Mediates Radioresistance in Colorectal Cancer by Facilitating Nonhomologous End Joining Repair. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 4567-4579	12.9	21
82	Melatonin inhibits MLL-rearranged leukemia via RBFOX3/hTERT and NF- $\kappa$ B/COX-2 signaling pathways. <i>Cancer Letters</i> , <b>2019</b> , 443, 167-178	9.9	15
81	SUV39H2 promotes colorectal cancer proliferation and metastasis via tri-methylation of the SLIT1 promoter. <i>Cancer Letters</i> , <b>2018</b> , 422, 56-69	9.9	24
80	RBFOX3 Regulates the Chemosensitivity of Cancer Cells to 5-Fluorouracil via the PI3K/AKT, EMT and Cytochrome-C/Caspase Pathways. <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 46, 1365-1380	3.9	12
79	MAD2L2 inhibits colorectal cancer growth by promoting NCOA3 ubiquitination and degradation. <i>Molecular Oncology</i> , <b>2018</b> , 12, 391-405	7.9	13
78	Exome sequencing reveals the genetic landscape and frequent inactivation of PCDHB3 in Chinese rectal cancers. <i>Journal of Pathology</i> , <b>2018</b> , 245, 222-234	9.4	5
77	The Tumor-Promoting Role of TRIP4 in Melanoma Progression and its Involvement in Response to BRAF-Targeted Therapy. <i>Journal of Investigative Dermatology</i> , <b>2018</b> , 138, 159-170	4.3	10
76	Molecular characterization and integrative genomic analysis of a panel of newly established penile cancer cell lines. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 684	9.8	24
75	ARHGEF19 interacts with BRAF to activate MAPK signaling during the tumorigenesis of non-small cell lung cancer. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1379-1391	7.5	14
74	Cyclophilin J limits inflammation through the blockage of ubiquitin chain sensing. <i>Nature Communications</i> , <b>2018</b> , 9, 4381	17.4	5
73	Elevated serum LAMC2 is associated with lymph node metastasis and predicts poor prognosis in penile squamous cell carcinoma. <i>Cancer Management and Research</i> , <b>2018</b> , 10, 2983-2995	3.6	8
72	NMI inhibits cancer stem cell traits by downregulating hTERT in breast cancer. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2783	9.8	15
71	BST2 confers cisplatin resistance via NF- $\kappa$ B signaling in nasopharyngeal cancer. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2874	9.8	38
70	PI3K/AKT-mediated upregulation of WDR5 promotes colorectal cancer metastasis by directly targeting ZNF407. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2686	9.8	50
69	Minicircle-oriP-miR-31 as a Novel EBNA1-Specific miRNA Therapy Approach for Nasopharyngeal Carcinoma. <i>Human Gene Therapy</i> , <b>2017</b> , 28, 415-427	4.8	9
68	Downregulation of NMI promotes tumor growth and predicts poor prognosis in human lung adenocarcinomas. <i>Molecular Cancer</i> , <b>2017</b> , 16, 158	42.1	20

67	Synthetic lethal short hairpin RNA screening reveals that ring finger protein 183 confers resistance to trametinib in colorectal cancer cells. <i>Chinese Journal of Cancer</i> , <b>2017</b> , 36, 63		9
66	Direct binding of RNF8 to SUMO2/3 promotes cell survival following DNA damage. <i>Molecular Medicine Reports</i> , <b>2017</b> , 16, 8385-8391	2.9	1
65	Long Noncoding RNA BC032913 as a Novel Therapeutic Target for Colorectal Cancer that Suppresses Metastasis by Upregulating TIMP3. <i>Molecular Therapy - Nucleic Acids</i> , <b>2017</b> , 8, 469-481	10.7	22
64	KMT2A promotes melanoma cell growth by targeting hTERT signaling pathway. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2940	9.8	18
63	Keratin 23 promotes telomerase reverse transcriptase expression and human colorectal cancer growth. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2961	9.8	27
62	RNF183 promotes proliferation and metastasis of colorectal cancer cells via activation of NF- $\kappa$ B-IL-8 axis. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2994	9.8	40
61	Influenza A virus-induced downregulation of miR-26a contributes to reduced IFN $\alpha$ production. <i>Virologica Sinica</i> , <b>2017</b> , 32, 261-270	6.4	22
60	Melatonin synergizes the chemotherapeutic effect of 5-fluorouracil in colon cancer by suppressing PI3K/AKT and NF- $\kappa$ B/iNOS signaling pathways. <i>Journal of Pineal Research</i> , <b>2017</b> , 62, e12380	10.4	123
59	RBFOX3 Promotes Tumor Growth and Progression via hTERT Signaling and Predicts a Poor Prognosis in Hepatocellular Carcinoma. <i>Theranostics</i> , <b>2017</b> , 7, 3138-3154	12.1	23
58	CDC27 Induces Metastasis and Invasion in Colorectal Cancer via the Promotion of Epithelial-To-Mesenchymal Transition. <i>Journal of Cancer</i> , <b>2017</b> , 8, 2626-2635	4.5	16
57	Targeting NF- $\kappa$ B/AP-2 signaling to enhance antitumor activity of cisplatin by melatonin in hepatocellular carcinoma cells. <i>American Journal of Cancer Research</i> , <b>2017</b> , 7, 13-27	4.4	13
56	Olfactomedin 1 negatively regulates NF- $\kappa$ B signalling and suppresses the growth and metastasis of colorectal cancer cells. <i>Journal of Pathology</i> , <b>2016</b> , 240, 352-365	9.4	18
55	Suppression of Rac1 Signaling by Influenza A Virus NS1 Facilitates Viral Replication. <i>Scientific Reports</i> , <b>2016</b> , 6, 35041	4.9	7
54	MED27 promotes melanoma growth by targeting AKT/MAPK and NF- $\kappa$ B/iNOS signaling pathways. <i>Cancer Letters</i> , <b>2016</b> , 373, 77-87	9.9	24
53	CREB-binding protein regulates lung cancer growth by targeting MAPK and CPSF4 signaling pathway. <i>Molecular Oncology</i> , <b>2016</b> , 10, 317-29	7.9	25
52	hnRNPA2/B1 activates cyclooxygenase-2 and promotes tumor growth in human lung cancers. <i>Molecular Oncology</i> , <b>2016</b> , 10, 610-24	7.9	20
51	Melatonin inhibits AP-2/hTERT, NF- $\kappa$ B/COX-2 and Akt/ERK and activates caspase/Cyto C signaling to enhance the antitumor activity of berberine in lung cancer cells. <i>Oncotarget</i> , <b>2016</b> , 7, 2985-3001	3.3	81
50	Butein inhibits cell proliferation and induces cell cycle arrest in acute lymphoblastic leukemia via FOXO3a/p27kip1 pathway. <i>Oncotarget</i> , <b>2016</b> , 7, 18651-64	3.3	20

49	KLF4 downregulates hTERT expression and telomerase activity to inhibit lung carcinoma growth. <i>Oncotarget</i> , <b>2016</b> , 7, 52870-52887	3.3	24
48	MAF1 suppresses AKT-mTOR signaling and liver cancer through activation of PTEN transcription. <i>Hepatology</i> , <b>2016</b> , 63, 1928-42	11.2	48
47	MAGEA10 gene expression in non-small cell lung cancer and A549 cells, and the affinity of epitopes with the complex of HLA-A(*)0201 alleles. <i>Cellular Immunology</i> , <b>2015</b> , 297, 10-8	4.4	3
46	SOCS3 Drives Proteasomal Degradation of TBK1 and Negatively Regulates Antiviral Innate Immunity. <i>Molecular and Cellular Biology</i> , <b>2015</b> , 35, 2400-13	4.8	22
45	Interaction of NS2 with AIMP2 facilitates the switch from ubiquitination to SUMOylation of M1 in influenza A virus-infected cells. <i>Journal of Virology</i> , <b>2015</b> , 89, 300-11	6.6	33
44	RFPL3 and CBP synergistically upregulate hTERT activity and promote lung cancer growth. <i>Oncotarget</i> , <b>2015</b> , 6, 27130-45	3.3	14
43	Wedelolactone disrupts the interaction of EZH2-EED complex and inhibits PRC2-dependent cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 13049-59	3.3	30
42	Activating enhancer-binding protein-2 induces cyclooxygenase-2 expression and promotes nasopharyngeal carcinoma growth. <i>Oncotarget</i> , <b>2015</b> , 6, 5005-21	3.3	13
41	Ku80 cooperates with CBP to promote COX-2 expression and tumor growth. <i>Oncotarget</i> , <b>2015</b> , 6, 8046-613	3.3	40
40	ZD6474, a new treatment strategy for human osteosarcoma, and its potential synergistic effect with celecoxib. <i>Oncotarget</i> , <b>2015</b> , 6, 21341-52	3.3	17
39	High expression of XPA confers poor prognosis for nasopharyngeal carcinoma patients treated with platinum-based chemoradiotherapy. <i>Oncotarget</i> , <b>2015</b> , 6, 28478-90	3.3	19
38	RPS3 regulates melanoma cell growth and apoptosis by targeting Cyto C/Ca2+/MICU1 dependent mitochondrial signaling. <i>Oncotarget</i> , <b>2015</b> , 6, 29614-25	3.3	25
37	BPTF promotes tumor growth and predicts poor prognosis in lung adenocarcinomas. <i>Oncotarget</i> , <b>2015</b> , 6, 33878-92	3.3	37
36	eEF1B is a positive regulator of NF- $\kappa$ B signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 446, 523-8	3.4	12
35	Overexpression of sirt7 exhibits oncogenic property and serves as a prognostic factor in colorectal cancer. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 3434-45	12.9	88
34	Multicenter randomized phase 2 clinical trial of a recombinant human endostatin adenovirus in patients with advanced head and neck carcinoma. <i>Molecular Therapy</i> , <b>2014</b> , 22, 1221-1229	11.7	30
33	CPSF4 activates telomerase reverse transcriptase and predicts poor prognosis in human lung adenocarcinomas. <i>Molecular Oncology</i> , <b>2014</b> , 8, 704-16	7.9	20
32	Antioxidative dietary compounds modulate gene expression associated with apoptosis, DNA repair, inhibition of cell proliferation and migration. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 16226-45	6.3	35

31	A new version of targeted minicircle producer system for EBV-positive human nasopharyngeal carcinoma. <i>Oncology Reports</i> , <b>2014</b> , 32, 2564-70	3.5	5
30	Biosafety studies of carrier cells infected with a replication-competent adenovirus introduced by IAI.3B promoter. <i>Molecular Therapy - Methods and Clinical Development</i> , <b>2014</b> , 1, 14019	6.4	1
29	Ret finger protein-like 3 promotes tumor cell growth by activating telomerase reverse transcriptase expression in human lung cancer cells. <i>Oncotarget</i> , <b>2014</b> , 5, 11909-23	3.3	12
28	OTUB1 promotes metastasis and serves as a marker of poor prognosis in colorectal cancer. <i>Molecular Cancer</i> , <b>2014</b> , 13, 258	42.1	57
27	Genetic and epigenetic down-regulation of microRNA-212 promotes colorectal tumor metastasis via dysregulation of MnSOD. <i>Gastroenterology</i> , <b>2013</b> , 145, 426-36.e1-6	13.3	100
26	Antitumor efficacy of a recombinant adenovirus encoding endostatin combined with an E1B55KD-deficient adenovirus in gastric cancer cells. <i>Journal of Translational Medicine</i> , <b>2013</b> , 11, 257	8.5	13
25	Influenza A virus NS1 induces G0/G1 cell cycle arrest by inhibiting the expression and activity of RhoA protein. <i>Journal of Virology</i> , <b>2013</b> , 87, 3039-52	6.6	55
24	An oncolytic adenovirus enhances antiangiogenic and antitumoral effects of a replication-deficient adenovirus encoding endostatin by rescuing its selective replication in nasopharyngeal carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2013</b> , 442, 171-6	3.4	9
23	AC133 expression associated with poor prognosis in stage II colorectal cancer. <i>Medical Oncology</i> , <b>2013</b> , 30, 356	3.7	7
22	Enhancer of zeste homolog 2 is a negative regulator of mitochondria-mediated innate immune responses. <i>Journal of Immunology</i> , <b>2013</b> , 191, 2614-23	5.3	28
21	Tumor-specific cytolysis caused by an E1B55K-attenuated adenovirus in nasopharyngeal carcinoma is augmented by cisplatin. <i>Anatomical Record</i> , <b>2013</b> , 296, 1833-41	2.1	3
20	Cryptochrome 1 overexpression correlates with tumor progression and poor prognosis in patients with colorectal cancer. <i>PLoS ONE</i> , <b>2013</b> , 8, e61679	3.7	43
19	Upregulation of cleavage and polyadenylation specific factor 4 in lung adenocarcinoma and its critical role for cancer cell survival and proliferation. <i>PLoS ONE</i> , <b>2013</b> , 8, e82728	3.7	20
18	Influenza A virus-encoded NS1 virulence factor protein inhibits innate immune response by targeting IKK. <i>Cellular Microbiology</i> , <b>2012</b> , 14, 1849-66	3.9	66
17	Recent Advances in Nasopharyngeal Carcinoma Research and Its Pathogenesis <b>2012</b> , 453-492		1
16	Silencing suppressors: viral weapons for countering host cell defenses. <i>Protein and Cell</i> , <b>2011</b> , 2, 273-81	7.2	28
15	MicroRNA-342 inhibits colorectal cancer cell proliferation and invasion by directly targeting DNA methyltransferase 1. <i>Carcinogenesis</i> , <b>2011</b> , 32, 1033-42	4.6	149
14	Minicircle-oriP-IFN $\alpha$ novel targeted gene therapeutic system for EBV positive human nasopharyngeal carcinoma. <i>PLoS ONE</i> , <b>2011</b> , 6, e19407	3.7	20

13	Cellular microRNAs inhibit replication of the H1N1 influenza A virus in infected cells. <i>Journal of Virology</i> , <b>2010</b> , 84, 8849-60	6.6	232
12	Gene therapy for acute myeloid leukemia using Sindbis vectors expressing a fusogenic membrane glycoprotein. <i>Cancer Biology and Therapy</i> , <b>2010</b> , 9, 350-7	4.6	4
11	Targeted minicircle DNA delivery using folate-poly(ethylene glycol)-polyethylenimine as non-viral carrier. <i>Biomaterials</i> , <b>2010</b> , 31, 6075-86	15.6	76
10	E10A, an adenovirus carrying human endostatin gene, in combination with docetaxel treatment inhibits prostate cancer growth and metastases. <i>Journal of Cellular and Molecular Medicine</i> , <b>2010</b> , 14, 381-91	5.6	10
9	Inhibition of NF-kappaB in fusogenic membrane glycoprotein causing HL-60 cell death: implications for acute myeloid leukemia. <i>Cancer Letters</i> , <b>2009</b> , 273, 114-21	9.9	9
8	Cellular microRNAs contribute to HIV-1 latency in resting primary CD4+ T lymphocytes. <i>Nature Medicine</i> , <b>2007</b> , 13, 1241-7	50.5	609
7	Dendritic cells modified with 6Ckine/IFNgamma fusion gene induce specific cytotoxic T lymphocytes in vitro. <i>Cancer Immunology, Immunotherapy</i> , <b>2007</b> , 56, 1831-43	7.4	8
6	Long-Term toxicity studies in Canine of E10A, an adenoviral vector for human endostatin gene. <i>Human Gene Therapy</i> , <b>2007</b> , 18, 207-21	4.8	14
5	A phase I clinical trial of an adenovirus-mediated endostatin gene (E10A) in patients with solid tumors. <i>Cancer Biology and Therapy</i> , <b>2007</b> , 6, 648-53	4.6	28
4	Bioactivity and stability analysis of endostatin purified from fermentation supernatant of 293 cells transfected with Ad/rhEndo. <i>Protein Expression and Purification</i> , <b>2007</b> , 56, 205-11	2	7
3	Adenovirus-mediated intra-tumoral delivery of the human endostatin gene inhibits tumor growth in nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , <b>2006</b> , 118, 2064-71	7.5	26
2	Minicircle-IFNgamma induces antiproliferative and antitumoral effects in human nasopharyngeal carcinoma. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 4702-13	12.9	35
1	Adenoviral expression of a truncated S1 subunit of SARS-CoV spike protein results in specific humoral immune responses against SARS-CoV in rats. <i>Virus Research</i> , <b>2005</b> , 112, 24-31	6.4	44